

# Elinor M Lichtenberg

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3702440/publications.pdf>

Version: 2024-02-01

19  
papers

946  
citations

840776

11  
h-index

839539

18  
g-index

21  
all docs

21  
docs citations

21  
times ranked

1488  
citing authors

#	ARTICLE	IF	CITATIONS
1	High bee functional diversity buffers crop pollination services against Amazon deforestation. <i>Agriculture, Ecosystems and Environment</i> , 2022, 326, 107777.	5.3	11
2	<scp>CropPol</scp>: A dynamic, open and global database on crop pollination. <i>Ecology</i> , 2022, 103, e3614.	3.2	19
3	Economics of Pollination. <i>Annual Review of Resource Economics</i> , 2021, 13, 335-354.	3.7	15
4	Bumble bees are constant to nectar-robbing behaviour despite low switching costs. <i>Animal Behaviour</i> , 2020, 170, 177-188.	1.9	3
5	Noisy communities and signal detection: why do foragers visit rewardless flowers?. <i>Philosophical Transactions of the Royal Society B: Biological Sciences</i> , 2020, 375, 20190486.	4.0	11
6	Competition for nectar resources does not affect bee foraging tactic constancy. <i>Ecological Entomology</i> , 2020, 45, 904-909.	2.2	11
7	Costs and benefits of alternative food handling tactics help explain facultative exploitation of pollination mutualisms. <i>Ecology</i> , 2018, 99, 1815-1824.	3.2	17
8	A global synthesis of the effects of diversified farming systems on arthropod diversity within fields and across agricultural landscapes. <i>Global Change Biology</i> , 2017, 23, 4946-4957.	9.5	259
9	The behavioral ecology of nectar robbing: why be tactic constant?. <i>Current Opinion in Insect Science</i> , 2017, 21, 14-18.	4.4	27
10	Foraging traits modulate stingless bee community disassembly under forest loss. <i>Journal of Animal Ecology</i> , 2017, 86, 1404-1416.	2.8	37
11	Colony Collapse Disorder (CCD) and bee age impact honey bee pathophysiology. <i>PLoS ONE</i> , 2017, 12, e0179535.	2.5	58
12	Eavesdropping selects for conspicuous signals. <i>Current Biology</i> , 2014, 24, R598-R599.	3.9	23
13	A Rapid Survey Technique for <i>Tropilaelaps</i> Mite (Mesostigmata: Laelapidae) Detection. <i>Journal of Economic Entomology</i> , 2013, 106, 1535-1544.	1.8	24
14	Crop Pollination Exposes Honey Bees to Pesticides Which Alters Their Susceptibility to the Gut Pathogen <i>Nosema ceranae</i> . <i>PLoS ONE</i> , 2013, 8, e70182.	2.5	364
15	Expanded Ranges of Two Stingless Bee (Hymenoptera: Apidae) Species: <i>Aparatrigona isopterophila</i> and <i>Ptilotrigona occidentalis</i> . <i>Journal of the Kansas Entomological Society</i> , 2012, 85, 374-377.	0.2	0
16	Olfactory eavesdropping between two competing stingless bee species. <i>Behavioral Ecology and Sociobiology</i> , 2011, 65, 763-774.	1.4	37
17	A scientific note: Foragers deposit attractive scent marks in a stingless bee that does not communicate food location. <i>Apidologie</i> , 2009, 40, 1-2.	2.0	5
18	A description of commonly observed behaviors for the kori bustard ( <i>Ardeotis kori</i> ). <i>Journal of Ethology</i> , 2008, 26, 17-34.	0.8	16

#	ARTICLE	IF	CITATIONS
19	NEW DISPLAY BEHAVIOR IN MALE KORI BUSTARD ( <i>ARDEOTIS KORI STRUTHIUNCULUS</i> ). <i>Wilson Journal of Ornithology</i> , 2007, 119, 750-755.	0.2	5