## Karel Å onka

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/370303/publications.pdf

Version: 2024-02-01

158 papers 6,897 citations

71102 41 h-index 69250 77 g-index

181 all docs

181 docs citations

times ranked

181

5707 citing authors

#	Article	IF	Citations
1	Risk and predictors of dementia and parkinsonism in idiopathic REM sleep behaviour disorder: a multicentre study. Brain, 2019, 142, 744-759.	7.6	636
2	Safety and efficacy of pitolisant on cataplexy in patients with narcolepsy: a randomised, double-blind, placebo-controlled trial. Lancet Neurology, The, 2017, 16, 200-207.	10.2	306
3	PTPRD (protein tyrosine phosphatase receptor type delta) is associated with restless legs syndrome. Nature Genetics, 2008, 40, 946-948.	21.4	252
4	Risk factors for neurodegeneration in idiopathic rapid eye movement sleep behavior disorder: A multicenter study. Annals of Neurology, 2015, 77, 830-839.	5.3	248
5	Automated analysis of connected speech reveals early biomarkers of Parkinson's disease in patients with rapid eye movement sleep behaviour disorder. Scientific Reports, 2017, 7, 12.	3.3	245
6	EFNS guidelines on management of narcolepsy. European Journal of Neurology, 2006, 13, 1035-1048.	3.3	235
7	Rapid eye movement sleep behavior disorder: devising controlled active treatment studies for symptomatic and neuroprotective therapy—a consensus statement from the International Rapid Eye Movement Sleep Behavior Disorder Study Group. Sleep Medicine, 2013, 14, 795-806.	1.6	209
8	Kleine-Levin syndrome. Neurology, 2002, 59, 1739-1745.	1.1	208
9	ImmunoChip Study Implicates Antigen Presentation to T Cells in Narcolepsy. PLoS Genetics, 2013, 9, e1003270.	3.5	206
10	Identification of novel risk loci for restless legs syndrome in genome-wide association studies in individuals of European ancestry: a meta-analysis. Lancet Neurology, The, 2017, 16, 898-907.	10.2	191
11	Clinical, polysomnographic and genomeâ€wide association analyses of narcolepsy with cataplexy: a European Narcolepsy Network study. Journal of Sleep Research, 2013, 22, 482-495.	3.2	182
12	Genome-Wide Association Study Identifies Novel Restless Legs Syndrome Susceptibility Loci on 2p14 and 16q12.1. PLoS Genetics, 2011, 7, e1002171.	3.5	163
13	Further evidence supporting the use of sodium oxybate for the treatment of cataplexy: a double-blind, placebo-controlled study in 228 patients. Sleep Medicine, 2005, 6, 415-421.	1.6	140
14	European guidelines on management of restless legs syndrome: report of a joint task force by the European Federation of Neurological Societies, the European Neurological Society and the European Sleep Research Society. European Journal of Neurology, 2012, 19, 1385-1396.	3.3	131
15	Diagnosis of central disorders of hypersomnolence: A reappraisal by European experts. Sleep Medicine Reviews, 2020, 52, 101306.	8.5	119
16	Environmental risk factors for REM sleep behavior disorder. Neurology, 2012, 79, 428-434.	1.1	113
17	Idiopathic hypersomnia. Sleep Medicine Reviews, 2016, 29, 23-33.	8.5	94
18	Comorbidity and medication in REM sleep behavior disorder. Neurology, 2014, 82, 1076-1079.	1.1	90

#	Article	IF	CITATIONS
19	Autonomic symptoms in idiopathic REM behavior disorder: a multicentre case–control study. Journal of Neurology, 2014, 261, 1112-1118.	3.6	90
20	Contribution of the Premotor Cortex to Consolidation of Motor Sequence Learning in Humans During Sleep. Journal of Neurophysiology, 2010, 104, 2603-2614.	1.8	85
21	Prevalence of the sleep apnea syndrome in acromegaly population. Journal of Endocrinological Investigation, 2000, 23, 515-519.	3.3	81
22	Replication of restless legs syndrome loci in three European populations. Journal of Medical Genetics, 2009, 46, 315-318.	3.2	78
23	Smartphone Allows Capture of Speech Abnormalities Associated With High Risk of Developing Parkinson's Disease. IEEE Transactions on Neural Systems and Rehabilitation Engineering, 2018, 26, 1495-1507.	4.9	77
24	Continuous versus non-nightly use of zolpidem in chronic insomnia: results of a large-scale, double-blind, randomized, outpatient study. International Clinical Psychopharmacology, 2002, 17, 9-17.	1.7	74
25	Genetics of restless legs syndrome (RLS): State-of-the-art and future directions. Movement Disorders, 2007, 22, S449-S458.	3.9	73
26	Speech Biomarkers in Rapid Eye Movement Sleep Behavior Disorder and Parkinson Disease. Annals of Neurology, 2021, 90, 62-75.	<b>5.</b> 3	73
27	Cephalometric assessment of cranial abnormalities in patients with acromegaly. Journal of Cranio-Maxillo-Facial Surgery, 2003, 31, 80-87.	1.7	72
28	The MSLT is Repeatable in Narcolepsy Type 1 But Not Narcolepsy Type 2: A Retrospective Patient Study. Journal of Clinical Sleep Medicine, 2018, 14, 65-74.	2.6	69
29	Quantitative assessment of motor speech abnormalities in idiopathic rapid eye movement sleep behaviour disorder. Sleep Medicine, 2016, 19, 141-147.	1.6	68
30	Dopaminergic imaging and clinical predictors for phenoconversion of REM sleep behaviour disorder. Brain, 2021, 144, 278-287.	7.6	68
31	European guideline and expert statements on the management of narcolepsy in adults and children. European Journal of Neurology, 2021, 28, 2815-2830.	3.3	67
32	Craniofacial abnormalities and their relevance for sleep apnoea syndrome aetiopathogenesis in acromegaly. European Journal of Endocrinology, 2001, 144, 491-497.	3.7	61
33	Suggestive evidence for linkage for restless legs syndrome on chromosome 19p13. Neurogenetics, 2008, 9, 75-82.	1.4	61
34	Sleep disorders in Wilson's disease. European Journal of Neurology, 2011, 18, 184-190.	3.3	56
35	Family history of idiopathic REM behavior disorder. Neurology, 2013, 80, 2233-2235.	1.1	54
36	Narcolepsy and pregnancy: a retrospective <scp>E</scp> uropean evaluation of 249 pregnancies. Journal of Sleep Research, 2013, 22, 496-512.	3.2	54

#	Article	IF	Citations
37	Does age at the onset of narcolepsy influence the course and severity of the disease?. Sleep Medicine, 2009, 10, 967-972.	1.6	51
38	Narcolepsy: clinical differences and association with other sleep disorders in different age groups. Journal of Neurology, 2013, 260, 767-775.	3.6	49
39	Narcolepsy with and without cataplexy, idiopathic hypersomnia with and without long sleep time: a cluster analysis. Sleep Medicine, 2015, 16, 225-231.	1.6	48
40	The European Narcolepsy Network ( <scp>EU</scp> â€ <scp>NN</scp> ) database. Journal of Sleep Research, 2016, 25, 356-364.	3.2	47
41	Biochemical oxidative stress-related markers in patients with obstructive sleep apnea. Medical Science Monitor, 2011, 17, CR491-CR497.	1.1	47
42	<i>GBA</i> variants in REM sleep behavior disorder. Neurology, 2020, 95, e1008-e1016.	1.1	45
43	European guideline and expert statements on the management of narcolepsy in adults and children. Journal of Sleep Research, 2021, 30, e13387.	3.2	44
44	Circadian rhythms of melatonin and peripheral clock gene expression in idiopathic REM sleep behavior disorder. Sleep Medicine, 2018, 52, 1-6.	1.6	43
45	DR2?NEGATIVE NARCOLEPSY. Lancet, The, 1986, 328, 684-685.	13.7	42
46	Nightmares in narcolepsy: underinvestigated symptom?. Sleep Medicine, 2014, 15, 967-972.	1.6	42
47	An Alternative to the Multiple Sleep Latency Test for Determining Sleepiness in Narcolepsy and Hypersomnia: Polygraphic Score of Sleepiness. Sleep, 1986, 9, 243-245.	1.1	41
48	Sleep disturbances in untreated Parkinson's disease. Journal of Neurology, 2011, 258, 2254-2259.	3.6	40
49	Accuracy of Rating Scales and Clinical Measures for Screening of Rapid Eye Movement Sleep Behavior Disorder and for Predicting Conversion to Parkinson's Disease and Other Synucleinopathies. Frontiers in Neurology, 2018, 9, 376.	2.4	39
50	Fineâ€Mapping of <i>SNCA</i> in Rapid Eye Movement Sleep Behavior Disorder and Overt Synucleinopathies. Annals of Neurology, 2020, 87, 584-598.	5.3	39
51	Efficacy and safety of calcium, magnesium, potassium, and sodium oxybates (lower-sodium oxybate) Tj ETQq1 I narcolepsy with cataplexy. Sleep, 2021, 44, .	0.784314 1.1	rgBT /Over ( 39
52	Restless legs syndrome in Czech patients with multiple sclerosis: An epidemiological and genetic study. Sleep Medicine, 2012, 13, 848-851.	1.6	38
53	Safety and efficacy of lower-sodium oxybate in adults with idiopathic hypersomnia: a phase 3, placebo-controlled, double-blind, randomised withdrawal study. Lancet Neurology, The, 2022, 21, 53-65.	10.2	37
54	Chapter 52 A contribution to pathophysiology of idiopathic hypersomnia. Supplements To Clinical Neurophysiology, 2000, 53, 366-370.	2.1	36

#	Article	IF	CITATIONS
55	Effects of Ropinirole Prolonged-Release on Sleep Disturbances and Daytime Sleepiness in Parkinson Disease. Clinical Neuropharmacology, 2010, 33, 186-190.	0.7	36
56	Exploring the clinical features of narcolepsy type 1 versus narcolepsy type 2 from European Narcolepsy Network database with machine learning. Scientific Reports, 2018, 8, 10628.	3.3	36
57	Defining Speech Subtypes in De Novo Parkinson Disease. Neurology, 2021, 97, e2124-e2135.	1.1	33
58	Familial Aspects of Narcolepsy-Cataplexy in the Czech Republic. Sleep, 1997, 20, 1021-1026.	1.1	31
59	Family-based association study of the restless legs syndrome loci 2 and 3 in a European population. Movement Disorders, 2007, 22, 207-212.	3.9	31
60	Simultaneous tonic and phasic REM sleep without atonia best predicts early phenoconversion to neurodegenerative disease in idiopathic REM sleep behavior disorder. Sleep, 2019, 42, .	1.1	31
61	Increased REM Density in Narcolepsy-Cataplexy and the Polysymptomatic Form of Idiopathic Hypersomnia. Sleep, 2001, 24, 707-711.	1.1	30
62	Electromagnetic field of mobile phones affects visual event related potential in patients with narcolepsy. Bioelectromagnetics, 2001, 22, 519-528.	1.6	30
63	Sodium oxybate is an effective and safe treatment for narcolepsy. Sleep Medicine, 2010, 11, 105-106.	1.6	29
64	Clinical features of childhood narcolepsy. Can cataplexy be foretold?. European Journal of Paediatric Neurology, 2011, 15, 320-325.	1.6	29
65	Screening for REM sleep behavior disorder in the general population. Sleep Medicine, 2016, 24, 147.	1.6	29
66	Risk Factors for Phenoconversion in <scp>Rapid Eye Movement</scp> Sleep Behavior Disorder. Annals of Neurology, 2022, 91, 404-416.	5.3	27
67	Relations of non-motor symptoms and dopamine transporter binding in REM sleep behavior disorder. Scientific Reports, 2019, 9, 15463.	3.3	26
68	Obesity accompanies narcolepsy with cataplexy but not narcolepsy without cataplexy. Neuroendocrinology Letters, 2010, 31, 631-4.	0.2	24
69	A comparison of polysomnographic and actigraphic evaluation of periodic limb movements in sleep. Neurological Research, 2008, 30, 234-238.	1.3	23
70	Report of an EFNS task force on management of sleep disorders in neurologic disease (degenerative) Tj ETQq0 C	) 0 ggBT /C	Overlock 10 Tf
71	Arousals in nocturnal groaning. Sleep Medicine, 2009, 10, 1051-1055.	1.6	20
72	The Course and Character of Sleepwalking in Adulthood: A Clinical and Polysomnographic Study. Behavioral Sleep Medicine, 2015, 13, 169-177.	2.1	20

#	Article	IF	CITATIONS
73	Narcolepsy with cataplexy in patients aged over 60 years: a case-control study. Sleep Medicine, 2016, 26, 79-84.	1.6	20
74	Diagnosis and management of central hypersomnias. Therapeutic Advances in Neurological Disorders, 2012, 5, 297-305.	3.5	19
75	Olfactory dysfunction in narcolepsy with and without cataplexy. Sleep Medicine, 2010, 11, 558-561.	1.6	18
76	Prospective memory impairment in idiopathic REM sleep behavior disorder. Clinical Neuropsychologist, 2018, 32, 1019-1037.	2.3	18
77	Idling for Decades: A European Study on Risk Factors Associated with the Delay Before a Narcolepsy Diagnosis. Nature and Science of Sleep, 0, Volume 14, 1031-1047.	2.7	18
78	Hypothalamo–pituitary–adrenal axis, glucose metabolism and <scp>TNF</scp> â€ <i>α</i> in narcolepsy. Journal of Sleep Research, 2014, 23, 425-431.	3.2	17
79	Eye movements in idiopathic rapid eye movement sleep behaviour disorder: High antisaccade error rate reflects prefrontal cortex dysfunction. Journal of Sleep Research, 2019, 28, e12742.	3.2	17
80	Idiopathic hypersomnia: a homogeneous or heterogeneous disease?. Sleep Medicine, 2021, 80, 86-91.	1.6	17
81	Data-Driven Phenotyping of Central Disorders of Hypersomnolence With Unsupervised Clustering. Neurology, 2022, 98, .	1.1	17
82	Assessment of pregnancy outcomes in Czech and Slovak women with narcolepsy. Medical Science Monitor, 2010, 16, SR35-40.	1.1	16
83	Clinical trials in restless legs syndrome—Recommendations of the European RLS Study Group (EURLSSG). Movement Disorders, 2007, 22 Suppl 18, S495-504.	3.9	15
84	Effects of Exercise on Serum Cortisol and Thyroid Hormones. Experimental and Clinical Endocrinology and Diabetes, 1983, 81, 308-314.	1.2	14
85	Decreased Perception of High Frequency Sound in Severe Obstructive Sleep Apnea. Physiological Research, 2016, 65, 959-967.	0.9	14
86	Automatic substantia nigra segmentation in neuromelanin-sensitive MRI by deep neural network in patients with prodromal and manifest synucleinopathy. Physiological Research, 2019, 68, S453-S458.	0.9	13
87	Anterior hippocampus volume loss in narcolepsy with cataplexy. Journal of Sleep Research, 2019, 28, e12785.	3.2	12
88	Instrumental analysis of finger tapping reveals a novel early biomarker of parkinsonism in idiopathic rapid eye movement sleep behaviour disorder. Sleep Medicine, 2020, 75, 45-49.	1.6	12
89	Novel Associations of <i>BST1</i> and <i>LAMP3</i> With REM Sleep Behavior Disorder. Neurology, 2021, 96, e1402-e1412.	1.1	12
90	Spontaneous improvement in both obstructive sleep apnea and cognitive impairment after stroke. Sleep Medicine, 2017, 32, 137-142.	1.6	12

#	Article	IF	CITATIONS
91	Cataplexy treated with escitalopram-clinical experience. Neuroendocrinology Letters, 2006, 27, 174-6.	0.2	12
92	Management of restless legs syndrome by the partial D2-agonist terguride. Sleep Medicine, 2003, 4, 455-457.	1.6	11
93	Cardiovascular fitness in narcolepsy is inversely related to sleepiness and the number of cataplexy episodes. Sleep Medicine, 2017, 34, 7-12.	1.6	11
94	Fragmentary myoclonus in idiopathic rapid eye movement sleep behaviour disorder. Journal of Sleep Research, 2019, 28, e12819.	3.2	11
95	Validation of the REM sleep behavior disorder screening questionnaire in the Czech population. BMC Neurology, 2019, 19, 110.	1.8	11
96	Comprehensive Analysis of Familial Parkinsonism Genes in Rapidâ€Eyeâ€Movement Sleep Behavior Disorder. Movement Disorders, 2021, 36, 235-240.	3.9	11
97	New 2013 incidence peak in childhood narcolepsy: more than vaccination?. Sleep, 2021, 44, .	1.1	11
98	Severe sleep-related movement disorder induced by sertraline. Sleep Medicine, 2012, 13, 769-770.	1.6	10
99	Seizures in sleep apnea patients: occurrence and time distribution. SbornÃk Lékar̆ský, 2000, 101, 229-32.	0.2	10
100	Dysexecutive syndrome following anterior thalamic ischemia in the dominant hemisphere. Journal of the Neurological Sciences, 2005, 229-230, 117-120.	0.6	9
101	Systematic video-analysis of motor events during REM sleep in idiopathic REM sleep behavior disorder, follow-up and DAT-SPECT. Sleep Medicine, 2021, 83, 132-144.	1.6	9
102	Olfaction and Colour Vision: What Can They Tell Us about Parkinson's Disease?. Prague Medical Report, 2018, 119, 85-96.	0.8	9
103	Incomplete sleep paralysis as the first symptom of narcolepsy. Sleep Medicine, 2013, 14, 919-921.	1.6	8
104	Prevalence of restless legs syndrome in functional movement disorders: a case–control study from the Czech Republic. BMJ Open, 2019, 9, e024236.	1.9	8
105	Excessive Fragmentary Myoclonus: What Do We Know?. Prague Medical Report, 2017, 118, 5-13.	0.8	7
106	Polysomnographic findings in individuals over 50 years of age lacking subjective signs of sleep disturbance. Ceska A Slovenska Neurologie A Neurochirurgie, 2020, 83/116, 57-63.	0.1	7
107	Sleep Apnoea in Patients With Nocturnal Hypertension – a Multicenter Study in the Czech Republic. Physiological Research, 2018, 67, 217-231.	0.9	7
108	Changes in Cataplexy Frequency in a Clinical Trial of Lower-Sodium Oxybate with Taper and Discontinuation of Other Anticataplectic Medications. CNS Drugs, 2022, 36, 633-647.	5.9	7

#	Article	IF	Citations
109	Reliability and Validity of the Czech Version of the Pittsburgh Sleep Quality Index in Patients with Sleep Disorders and Healthy Controls. BioMed Research International, 2021, 2021, 1-9.	1.9	6
110	Restless legs syndrome in 2004. Prague Medical Report, 2004, 105, 337-56.	0.8	6
111	Evening and morning plasma levels of protein S100B in patients with obstructive sleep apnea. Neuroendocrinology Letters, 2007, 28, 575-9.	0.2	6
112	Idiopathic Hypersomnia: Historical Account, Critical Review of Current Tests and Criteria, Diagnostic Evaluation in the Absence of Biological Markers and Robust Electrophysiological Diagnostic Criteria. Nature and Science of Sleep, 2022, Volume 14, 311-322.	2.7	6
113	Sleep and Fasciculations in Amyotrophic Lateral Sclerosis. Schlaf und Faszikulationen bei amyotropher Lateralsklerose. Somnologie, 2004, 8, 25-30.	1.5	5
114	Emotion stimulus processing in narcolepsy with cataplexy. Journal of Sleep Research, 2017, 26, 30-37.	3.2	5
115	Subjective and polysomnographic evaluation of sleep in mitochondrial optic neuropathies. Journal of Sleep Research, 2021, 30, e13051.	3.2	5
116	Dysprosody in Isolated REM Sleep Behavior Disorder with Impaired Olfaction but Intact Nigrostriatal Pathway. Movement Disorders, 2021, , .	3.9	5
117	SMPD1 variants do not have a major role in rapid eye movement sleep behavior disorder. Neurobiology of Aging, 2020, 93, 142.e5-142.e7.	3.1	4
118	Idiopathic Hypersomnia and Depression, the Challenge for Clinicians and Researchers. Prague Medical Report, 2021, 122, 127-139.	0.8	4
119	Advanced oxidation protein products in obstructive sleep apnea. Prague Medical Report, 2008, 109, 159-65.	0.8	4
120	Distribution of HLA-DQB1 in Czech Patients with Central Hypersomnias. Archivum Immunologiae Et Therapiae Experimentalis, 2016, 64, 89-98.	2.3	3
121	Higher body mass index in narcolepsy with cataplexy: lifelong experience. Sleep Medicine, 2017, 32, 277.	1.6	3
122	MRI-guided voxel-based automatic semi-quantification of dopamine transporter imaging. Physica Medica, 2020, 75, $1-10$ .	0.7	3
123	Comparative study of the substantia nigra echogenicity and 123I-loflupane SPECT in patients with synucleinopathies with and without REM sleep behavior disorder. Sleep Medicine, 2020, 70, 116-123.	1.6	3
124	Rare PSAP Variants and Possible Interaction with GBA in REM Sleep Behavior Disorder. Journal of Parkinson's Disease, 2022, 12, 333-340.	2.8	3
125	Rare Case of Late-Onset Narcolepsy Type 1. Case Reports in Neurology, 2021, 12, 428-432.	0.7	3
126	Antidepressants substantially affect basic REM sleep characteristics in narcolepsy-cataplexy patients. Neuroendocrinology Letters, 2015, 36, 430-3.	0.2	3

#	Article	IF	CITATIONS
127	Calcium, Magnesium, Potassium, and Sodium Oxybates Oral Solution: A Lower-Sodium Alternative for Cataplexy or Excessive Daytime Sleepiness Associated with Narcolepsy. Nature and Science of Sleep, 2022, Volume 14, 531-546.	2.7	3
128	Monitoring the Impact of Ventilation Abnormalities on the Occurrence of Interictal Epileptiform Patterns. Untersuchung eines Zusammenhangs von Atmungsstorungen mit dem Auftreten interiktaler epileptiformer Muster. Somnologie, 2003, 7, 97-100.	1.5	2
129	Patients with REM sleep behavior disorder have higher serum levels of allantoin. Parkinsonism and Related Disorders, 2021, 90, 38-43.	2.2	2
130	Smoking Prevalence and Its Clinical Correlations in Patients with Narcolepsy-cataplexy. Prague Medical Report, 2016, 117, 81-89.	0.8	2
131	MESAM4 evaluated nocturnal respiration disturbances in myasthenia gravis. SbornÃk Lékar̆ský, 1996, 97, 97-102.	0.2	2
132	60 years of sleep medicine at the Department of Neurology, First Faculty of Medicine, Charles University in Prague and General University Hospital in Prague. Prague Medical Report, 2011, 112, 236-43.	0.8	2
133	Narcolepsy with cataplexy and Parkinson's disease. Case Report. Neuroendocrinology Letters, 2015, 36, 226-30.	0.2	2
134	Hippocampal but not amygdalar volume loss in narcolepsy with cataplexy. Neuroendocrinology Letters, 2015, 36, 682-8.	0.2	2
135	Narcolepsy with cataplexy and parkinson's disease – A case report. Sleep Medicine, 2013, 14, e174-e175.	1.6	1
136	Modafinil Reduces Parasympathetic Activity but Does Not Influence Autonomic Reactivity to Orthostatic Load in Narcolepsy Type 1. Clinical Neuropharmacology, 2018, 41, 111-115.	0.7	1
137	0740 Quality of Life in Phase 3, Placebo-Controlled, Double-Blind, Randomized Withdrawal Study of JZP-258 in Adults with Narcolepsy with Cataplexy. Sleep, 2020, 43, A281-A282.	1.1	1
138	Electromagnetic field of mobile phones affects visual event related potential in patients with narcolepsy. Bioelectromagnetics, 2001, 22, 519-528.	1.6	1
139	Olfactory dysfunction in a cohort of Czech patients with idiopathic REM sleep behaviour diorder. Ceska A Slovenska Neurologie A Neurochirurgie, 2019, 82/115, 415-419.	0.1	1
140	Impact of the COVID-19 pandemic on sleep medicine in the Czech Republic and Slovakia. Ceska A Slovenska Neurologie A Neurochirurgie, 2020, 83/116, 421-423.	0.1	1
141	Adult NREM Parasomnia Associated with Lancinating Throat Pain. Journal of Clinical Sleep Medicine, 2014, 10, 925-926.	2.6	1
142	Smoking Prevalence in Group of Central-European Patients with Narcolepsy-cataplexy, Narcolepsy without Cataplexy and Idiopathic Hypersomnia. Ceska A Slovenska Neurologie A Neurochirurgie, 2017, 80/113, 561-563.	0.1	1
143	Patients with idiopathic REM sleep behavior disorder follow-up – phenoconversion into parkinsonian syndrome and dementia. Ceska A Slovenska Neurologie A Neurochirurgie, 2018, 81/114, 205-207.	0.1	1
144	Delayed sleep-wake phase disorder: Can polysomnography be useful?. Pediatric Neurology, 2021, 127, 28-31.	2.1	1

#	Article	IF	CITATIONS
145	Increased Transferrin Sialylation Predicts Phenoconversion in Isolated REM Sleep Behavior Disorder. Movement Disorders, 2022, , .	3.9	1
146	Effect of naloxone on diurnal polysomnographic manifestations of hypersomnia with sleep apnoea. Physiologia Bohemoslovaca, 1989, 38, 477-9.	0.1	1
147	Idiopathic Hypersomniaâ€"A Dynamic Simulation Model. Frontiers in Neurology, 0, 13, .	2.4	1
148	112 REDUCED VOLUME OF THE AMYGDALA IN NARCOLEPSY WITH CATAPLEXY – A STRUCTURAL MRI STUDY. Sleep Medicine, 2009, 10, S31.	1.6	0
149	CLINICAL DIFFERENCES BETWEEN CHILDHOOD AND ADULTHOOD NARCOLEPSY. Sleep Medicine, 2011, 12, S20.	1.6	O
150	Prospective memory impairment in idiopathic REM sleep behavior disorder. Sleep Medicine, 2019, 59, 54.	1.6	0
151	Comment on "Proâ€Saccades Predict Cognitive Decline in Parkinson's Disease: ICICLEâ€PD― Movement Disorders, 2020, 35, 522-522.	3.9	О
152	495 Efficacy of Lower-Sodium Oxybate on Idiopathic Hypersomnia, Measured by the Idiopathic Hypersomnia Severity Scale. Sleep, 2021, 44, A195-A195.	1.1	0
153	THE INFLUENCE OF A SHORT DAYTIME NAP AND THE INFLUENCE OF ITS TIMING ON PSYCHOMOTOR EFFICIENCY. Neural Network World, 2011, 21, 539-550.	0.8	0
154	Neurologic Disorders., 2014,, 241-247.		0
155	Professor Milan Åpála, MD., PhD. – 1930–2018. Prague Medical Report, 2018, 119, 5-8.	0.8	0
156	Behavioral manifestation profile in idiopathic REM sleep hebavior disorder. Ceska A Slovenska Neurologie A Neurochirurgie, 2019, 82/115, 437-441.	0.1	0
157	Rare Case of Late-Onset Narcolepsy Type 1. Case Reports in Neurology, 2020, 12, 428-432.	0.7	0
158	Brain activation sequences. Neuroendocrinology Letters, 2015, 36, 758-66.	0.2	0