

Jennifer A Donald

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3703727/publications.pdf>

Version: 2024-02-01

39
papers

1,759
citations

331670

21
h-index

377865

34
g-index

40
all docs

40
docs citations

40
times ranked

2436
citing authors

#	ARTICLE	IF	CITATIONS
1	Genome Scan Meta-Analysis of Schizophrenia and Bipolar Disorder, Part III: Bipolar Disorder. American Journal of Human Genetics, 2003, 73, 49-62.	6.2	400
2	Mutations in Alpha-Actinin-2 Cause Hypertrophic Cardiomyopathy. Journal of the American College of Cardiology, 2010, 55, 1127-1135.	2.8	170
3	Fluoroquinolone and Macrolide Resistance-Associated Mutations in Mycoplasma genitalium. Journal of Clinical Microbiology, 2013, 51, 2245-2249.	3.9	134
4	Mutations in the gene encoding the PML nuclear body protein Sp110 are associated with immunodeficiency and hepatic veno-occlusive disease. Nature Genetics, 2006, 38, 620-622.	21.4	96
5	A Susceptibility Locus for Bipolar Affective Disorder on Chromosome 4q35. American Journal of Human Genetics, 1998, 62, 1084-1091.	6.2	90
6	Arts Syndrome Is Caused by Loss-of-Function Mutations in PRPS1. American Journal of Human Genetics, 2007, 81, 507-518.	6.2	80
7	Predicting outcomes following cognitive behaviour therapy in child anxiety disorders: the influence of genetic, demographic and clinical information. Journal of Child Psychology and Psychiatry and Allied Disciplines, 2013, 54, 1086-1094.	5.2	68
8	Identification of Sialyltransferase 8B as a Generalized Susceptibility Gene for Psychotic and Mood Disorders on Chromosome 15q25-26. PLoS ONE, 2012, 7, e38172.	2.5	60
9	Positional cloning, association analysis and expression studies provide convergent evidence that the cadherin gene FAT contains a bipolar disorder susceptibility allele. Molecular Psychiatry, 2006, 11, 372-383.	7.9	59
10	Analysis of linkage relationships of X-linked retinitis pigmentosa with the following Xp loci: L1.28, OTC, 754, XJ-1.1, pERT87, and C7. Human Genetics, 1988, 78, 60-64.	3.8	56
11	Close linkage of bipolar disorder to chromosome 11 markers is excluded in two large Australian pedigrees. Journal of Affective Disorders, 1991, 21, 23-32.	4.1	55
12	Delineation of large deletions of the MECP2 gene in Rett syndrome patients, including a familial case with a male proband. European Journal of Human Genetics, 2007, 15, 1218-1229.	2.8	45
13	Two different genes for X-linked retinitis pigmentosa. Genomics, 1988, 2, 263-266.	2.9	42
14	Exclusion of close linkage of bipolar disorder to dopamine D1 and D2 receptor gene markers. Journal of Affective Disorders, 1992, 25, 1-11.	4.1	41
15	A genome screen of a large bipolar affective disorder pedigree supports evidence for a susceptibility locus on chromosome 13q. Molecular Psychiatry, 2001, 6, 396-403.	7.9	39
16	Nonparametric simulation-based statistical analyses for bipolar affective disorder locus on chromosome 21q22.3. , 1999, 88, 99-102.		34
17	Exclusion of close linkage of bipolar disorder to the Gs- α subunit gene in nine Australian pedigrees. Journal of Affective Disorders, 1994, 32, 187-195.	4.1	30
18	Flow cytometry in the study of mitochondrial respiratory chain disorders. Mitochondrion, 2002, 1, 437-445.	3.4	28

#	ARTICLE	IF	CITATIONS
19	A genome screen of 35 bipolar affective disorder pedigrees provides significant evidence for a susceptibility locus on chromosome 15q25-26. <i>Molecular Psychiatry</i> , 2009, 14, 492-500.	7.9	24
20	Predictive and Diagnostic Genetic Testing in Psychiatry. <i>Psychiatric Clinics of North America</i> , 2010, 33, 225-243.	1.3	24
21	A genome screen of 13 bipolar affective disorder pedigrees provides evidence for susceptibility loci on chromosome 3 as well as chromosomes 9, 13 and 19. <i>Molecular Psychiatry</i> , 2002, 7, 594-603.	7.9	23
22	Exclusion of close linkage of bipolar disorder to the dopamine D3 receptor gene in nine Australian pedigrees. <i>Journal of Affective Disorders</i> , 1993, 27, 213-224.	4.1	22
23	Predictive and Diagnostic Genetic Testing in Psychiatry. <i>Clinics in Laboratory Medicine</i> , 2010, 30, 829-846.	1.4	21
24	Two-Dimensional Genome Scan Identifies Multiple Genetic Interactions in Bipolar Affective Disorder. <i>Biological Psychiatry</i> , 2010, 67, 478-486.	1.3	20
25	Genetic refinement and physical mapping of a 2.3 Mb probable disease region associated with a bipolar affective disorder susceptibility locus on chromosome 4q35. <i>American Journal of Medical Genetics Part A</i> , 2003, 117B, 23-32.	2.4	18
26	Association between the serotonin 2A receptor gene and bipolar affective disorder in an Australian cohort. <i>Psychiatric Genetics</i> , 2009, 19, 244-252.	1.1	18
27	A Novel Syndrome of Episodic Muscle Weakness Maps to Xp22.3. <i>American Journal of Human Genetics</i> , 1999, 65, 1104-1113.	6.2	16
28	A transcript map encompassing a susceptibility locus for bipolar affective disorder on chromosome 4q35. <i>Molecular Psychiatry</i> , 2002, 7, 867-873.	7.9	10
29	Exclusion of Linkage Between Bipolar Affective Disorder and Chromosome 16 in 12 Australian Pedigrees. , 1997, 74, 304-310.		9
30	Studies on Metatherian Sex Chromosomes III. The Use of Tritiated Uridine-induced Chromosome Aberrations to Distinguish Active and Inactive X Chromosomes. <i>Australian Journal of Biological Sciences</i> , 1977, 30, 103.	0.5	6
31	Genome screen of 15 Australian bipolar affective disorder pedigrees supports previously identified loci for bipolar susceptibility genes. <i>Psychiatric Genetics</i> , 2008, 18, 156-161.	1.1	5
32	Parental sex effects in bipolar affective disorder pedigrees. , 1997, 14, 611-616.		4
33	Association analysis of transcripts from the bipolar susceptibility locus on chromosome 4q35, exclusion of a pathogenic role for eight positional candidate genes. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2005, 134B, 56-59.	1.7	4
34	An autosomal gene assignment in a marsupial: The gene for LDH-A is on chromosome 5 of the red kangaroo, <i>Macropus rufus</i> . <i>Biochemical Genetics</i> , 1981, 19, 901-908.	1.7	3
35	Identification, characterization, and association analysis of novel genes from the bipolar disorder susceptibility locus on chromosome 4q35. <i>Psychiatric Genetics</i> , 2005, 15, 199-204.	1.1	2
36	Low genetic variation in cold tolerance linked to species distributions in butterflies. <i>Evolutionary Ecology</i> , 2014, 28, 495-504.	1.2	2

#	ARTICLE	IF	CITATIONS
37	Linkage analysis of the hemoglobin F determinant(s) in an australian hemoglobin lepore (Boston) kindred. American Journal of Hematology, 1993, 43, 37-43.	4.1	1
38	Stylized transcript map of chromosome 4q35 encompassing the locus for a bipolar disorder susceptibility gene. Molecular Psychiatry, 2002, 7, 669-669.	7.9	0
39	Major leads in the search for susceptibility genes for depression. Pharmacogenomics Journal, 2003, 3, 305-307.	2.0	0