

# Louise A Koelmeyer

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3705668/publications.pdf>

Version: 2024-02-01

37  
papers

1,482  
citations

361413

20  
h-index

345221

36  
g-index

37  
all docs

37  
docs citations

37  
times ranked

1298  
citing authors

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 1  | Staging Breast Cancer-Related Lymphedema with Bioimpedance Spectroscopy. <i>Lymphatic Research and Biology</i> , 2022, 20, 398-408.   | 1.1 | 4         |
| 2  | A Comparison of Bioimpedance Spectroscopy or Tape Measure Triggered Compression Intervention in Chronic Breast Cancer Lymphedema Prevention. <i>Lymphatic Research and Biology</i> , 2022, 20, 618-628.   | 1.1 | 28        |
| 3  | Retrograde Lymph Flow in the Lymphatic Vessels in Limb Lymphedema. <i>Journal of Vascular Surgery: Venous and Lymphatic Disorders</i> , 2022, , .   | 1.6 | 5         |
| 4  | Risk factors for breast cancer-related lymphedema in patients undergoing 3 years of prospective surveillance with intervention. <i>Cancer</i> , 2022, 128, 3408-3415.   | 4.1 | 9         |
| 5  | Implementing a prospective surveillance and early intervention model of care for breast cancer-related lymphedema into clinical practice: application of the RE-AIM framework. <i>Supportive Care in Cancer</i> , 2021, 29, 1081-1089.            | 2.2 | 10        |
| 6  | The Risk of Subclinical Breast Cancer-Related Lymphedema by the Extent of Axillary Surgery and Regional Node Irradiation: A Randomized Controlled Trial. <i>International Journal of Radiation Oncology Biology Physics</i> , 2021, 109, 987-997. | 0.8 | 12        |
| 7  | Prospective surveillance model in the home for breast cancer-related lymphoedema: a feasibility study. <i>Breast Cancer Research and Treatment</i> , 2021, 185, 401-412.  | 2.5 | 17        |
| 8  | Personalizing Conservative Lymphedema Management Using Indocyanine Green-Guided Manual Lymphatic Drainage. <i>Lymphatic Research and Biology</i> , 2021, 19, 56-65.   | 1.1 | 23        |
| 9  | Manual lymphatic drainage treatment for lymphedema: a systematic review of the literature. <i>Journal of Cancer Survivorship</i> , 2021, 15, 244-258.   | 2.9 | 57        |
| 10 | Assessing breast lymphoedema following breast cancer treatment using indocyanine green lymphography. <i>Breast Cancer Research and Treatment</i> , 2020, 181, 635-644.  | 2.5 | 21        |
| 11 | Body Positional Effects on Bioimpedance Spectroscopy Measurements for Lymphedema Assessment of the Arm. <i>Lymphatic Research and Biology</i> , 2020, 18, 464-473.  | 1.1 | 21        |
| 12 | Lymphedex, arm volume, and symptom trajectories 24 months after breast cancer surgery. <i>Cancer Medicine</i> , 2020, 9, 5164-5173.   | 2.8 | 14        |
| 13 | Vascularized Lymph Node Transfer for Patients with Breast Cancer-Related Lymphedema Can Potentially Reduce the Burden of Ongoing Conservative Management. <i>Lymphatic Research and Biology</i> , 2020, 18, 357-364.                              | 1.1 | 10        |
| 14 | Cryogenic Numbing to Reduce Injection Discomfort during Indocyanine Green Lymphography. <i>Journal of Reconstructive Microsurgery</i> , 2019, 35, e1-e2.  | 1.8 | 7         |
| 15 | A new indocyanine green fluorescence lymphography protocol for identification of the lymphatic drainage pathway for patients with breast cancer-related lymphoedema. <i>BMC Cancer</i> , 2019, 19, 985.   | 2.6 | 44        |
| 16 | A Randomized Trial Evaluating Bioimpedance Spectroscopy Versus Tape Measurement for the Prevention of Lymphedema Following Treatment for Breast Cancer: Interim Analysis. <i>Annals of Surgical Oncology</i> , 2019, 26, 3250-3259.               | 1.5 | 54        |
| 17 | Work experiences of Australian cancer survivors with lymphoedema: A qualitative study. <i>Health and Social Care in the Community</i> , 2019, 27, 848-855.  | 1.6 | 9         |
| 18 | Early surveillance is associated with less incidence and severity of breast cancer-related lymphedema compared with a traditional referral model of care. <i>Cancer</i> , 2019, 125, 854-862.   | 4.1 | 59        |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 19 | A Randomized Trial Evaluating Bioimpedance Spectroscopy Versus Tape Measurement for the Prevention of Lymphedema Following Treatment for Breast Cancer: Interim Analysis. , 2019, 26, 3250.                                   |     | 1         |
| 20 | Breast Cancer-Related Lymphedema: Differentiating Fat from Fluid Using Magnetic Resonance Imaging Segmentation. Lymphatic Research and Biology, 2018, 16, 20-27.  | 1.1 | 22        |
| 21 | Reducing Body Image-Related Distress in Women With Breast Cancer Using a Structured Online Writing Exercise: Results From the My Changed Body Randomized Controlled Trial. Journal of Clinical Oncology, 2018, 36, 1930-1940. | 1.6 | 81        |
| 22 | A Prospective Study of L-Dex Values in Breast Cancer Patients Pretreatment and Through 12 Months Postoperatively. Lymphatic Research and Biology, 2018, 16, 435-441.  | 1.1 | 50        |
| 23 | Patterns of lymphatic drainage after axillary node dissection impact arm lymphoedema severity: A review of animal and clinical imaging studies. Surgical Oncology, 2018, 27, 743-750.   | 1.6 | 43        |
| 24 | Financial cost of lymphedema borne by women with breast cancer. Psycho-Oncology, 2017, 26, 849-855.   | 2.3 | 69        |
| 25 | Worse and worse off: the impact of lymphedema on work and career after breast cancer. SpringerPlus, 2016, 5, 657.   | 1.2 | 61        |
| 26 | Risk factors for lymphoedema in women with breast cancer: A large prospective cohort. Breast, 2016, 28, 29-36.  | 2.2 | 121       |
| 27 | “You’re naked, you’re vulnerable”: Sexual well-being and body image of women with lower limb lymphedema. Body Image, 2016, 18, 123-134.   | 4.3 | 9         |
| 28 | Psychosocial factors associated with adherence for self-management behaviors in women with breast cancer-related lymphedema. Supportive Care in Cancer, 2016, 24, 139-146.  | 2.2 | 37        |
| 29 | The effect of monitoring “processing style” on post-surgical neuropathic pain in women with breast cancer. European Journal of Pain, 2015, 19, 585-592.   | 2.8 | 6         |
| 30 | Sexual concerns of women diagnosed with breast cancer-related lymphedema. Supportive Care in Cancer, 2015, 23, 3481-3491.   | 2.2 | 20        |
| 31 | Liposuction for Advanced Lymphedema: A Multidisciplinary Approach for Complete Reduction of Arm and Leg Swelling. Annals of Surgical Oncology, 2015, 22, 1263-1270.   | 1.5 | 93        |
| 32 | Psychosocial predictors of adherence to lymphedema risk minimization guidelines among women with breast cancer. Psycho-Oncology, 2013, 22, 1120-1126.   | 2.3 | 40        |
| 33 | Factors Affecting the Preoperative and Postoperative Extracellular Fluid in the Arm on the Side of Breast Cancer: A Cohort Study. Lymphatic Research and Biology, 2013, 11, 66-71.  | 1.1 | 11        |
| 34 | The Role of Information Sources and Objective Risk Status on Lymphedema Risk-Minimization Behaviors in Women Recently Diagnosed With Breast Cancer. Oncology Nursing Forum, 2011, 38, E27-E36.                                | 1.2 | 32        |
| 35 | Reliability and Validity of Arm Volume Measurements for Assessment of Lymphedema. Physical Therapy, 2006, 86, 205-214.  | 2.4 | 257       |
| 36 | Reliability and validity of arm volume measurements for assessment of lymphedema. Physical Therapy, 2006, 86, 205-14.   | 2.4 | 82        |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 37 | New Graduates: Perceptions of Their First Occupational Therapy Position. <i>British Journal of Occupational Therapy</i> , 1999, 62, 351-358. | 0.9 | 43        |