

Ernesto Diaz-Infante

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3705844/publications.pdf>

Version: 2024-02-01

32
papers

1,282
citations

430874

18
h-index

345221

36
g-index

45
all docs

45
docs citations

45
times ranked

1129
citing authors

#	ARTICLE	IF	CITATIONS
1	De novo KCNQ1 mutation responsible for atrial fibrillation and short QT syndrome in utero. <i>Cardiovascular Research</i> , 2005, 68, 433-440.	3.8	280
2	Predictors of Lack of Response to Resynchronization Therapy. <i>American Journal of Cardiology</i> , 2005, 95, 1436-1440.	1.6	212
3	Optimizing the Programation of Cardiac Resynchronization Therapy Devices in Patients With Heart Failure and Left Bundle Branch Block. <i>American Journal of Cardiology</i> , 2007, 100, 1002-1006.	1.6	84
4	Electrocardiographic Optimization of Interventricular Delay in Cardiac Resynchronization Therapy: A Simple Method to Optimize the Device. <i>Journal of Cardiovascular Electrophysiology</i> , 2007, 18, 1252-1257.	1.7	57
5	Registro Espa�ol de Ablaci3n con Cat�ter. XII Informe Oficial de la Secci3n de Electrofisiolog�a y Arritmias de la Sociedad Espa�ola de Cardiolog�a (2012). <i>Revista Espanola De Cardiologia</i> , 2013, 66, 983-992.	1.2	44
6	Diphenhydramine Overdose and Brugada Sign. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2005, 28, 730-732.	1.2	41
7	Long-term prognosis of patients with life-threatening ventricular arrhythmias induced by coronary artery spasm. <i>Europace</i> , 2018, 20, 851-858.	1.7	39
8	Registro Espa�ol de Ablaci3n con Cat�ter. XI Informe Oficial de la Secci3n de Electrofisiolog�a y Arritmias de la Sociedad Espa�ola de Cardiolog�a (2011). <i>Revista Espanola De Cardiologia</i> , 2012, 65, 928-936.	1.2	38
9	Relation of Response to Cardiac Resynchronization Therapy to Left Ventricular Reverse Remodeling. <i>American Journal of Cardiology</i> , 2006, 97, 876-881.	1.6	32
10	Usefulness of Ventricular Dyssynchrony Measured Using M-Mode Echocardiography to Predict Response to Resynchronization Therapy. <i>American Journal of Cardiology</i> , 2007, 100, 84-89.	1.6	29
11	Spanish Catheter Ablation Registry. 12th Official Report of the Spanish Society of Cardiology Working Group on Electrophysiology and Arrhythmias (2012). <i>Revista Espanola De Cardiologia (English Ed)</i> , 2013, 66, 983-992.	0.6	29
12	Cardiac resynchronization therapy: predictive factors of unsuccessful left ventricular lead implant. <i>European Heart Journal</i> , 2007, 28, 450-456.	2.2	24
13	Spanish Catheter Ablation Registry. 11th Official Report of the Spanish Society of Cardiology Working Group on Electrophysiology and Arrhythmias (2011). <i>Revista Espanola De Cardiologia (English Ed)</i> , 2012, 65, 928-936.	0.6	18
14	Spanish Catheter Ablation Registry. 18th Official Report of the Spanish Society of Cardiology Working Group on Electrophysiology and Arrhythmias (2018). <i>Revista Espanola De Cardiologia (English Ed)</i> , 2019, 72, 1031-1042.	0.6	13
15	Spanish Catheter Ablation Registry. 10th Official Report of the Spanish Society of Cardiology Working Group on Electrophysiology and Arrhythmias (2010). <i>Revista Espanola De Cardiologia (English Ed)</i> , 2011, 64, 1147-1153.	0.6	10
16	Spanish Catheter Ablation Registry. 17th Official Report of the Spanish Society of Cardiology Working Group on Electrophysiology and Arrhythmias (2017). <i>Revista Espanola De Cardiologia (English Ed)</i> , 2018, 71, 941-951.	0.6	10
17	Left ventricular function and visual phase analysis with equilibrium radionuclide angiography in patients with biventricular device. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2008, 35, 912-921.	6.4	8
18	Spanish Catheter Ablation Registry. 9th Report of the Spanish Society of Cardiology Working Group on Electrophysiology and Arrhythmias (2009). <i>Revista Espanola De Cardiologia (English Ed)</i> , 2010, 63, 1329-1339.	0.6	7

#	ARTICLE	IF	CITATIONS
19	Spanish Catheter Ablation Registry. 8th Official Report of the Spanish Society of Cardiology Working Group on Electrophysiology and Arrhythmias (2008). <i>Revista Espanola De Cardiologia (English Ed)</i> , 2009, 62, 1276-1285.	0.6	5
20	Comments on the 2016 ESC Guidelines for the Management of Atrial Fibrillation. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2017, 70, 2-8.	0.6	5
21	Consenso sobre la terapia de Resincronizaci3n Card3aca. <i>Revista Espanola De Cardiologia Suplementos</i> , 2005, 5, 3B-11B.	0.2	4
22	Primary Prevention of Sudden Death in Patients With Valvular Cardiomyopathy. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2016, 69, 272-278.	0.6	3
23	Etiology and Programming Effects on Shock Efficacy in ICD Recipients. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2016, 39, 73-80.	1.2	3
24	Prevenci3n primaria de muerte s3bita en pacientes con miocardiopat3a valvular. <i>Revista Espanola De Cardiologia</i> , 2016, 69, 272-278.	1.2	3
25	Sprint Fidelis Defibrillation Lead: a Nine-Center Experience in Spain. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2011, 64, 312-318.	0.6	2
26	Electrocardiographic optimization of interventricular delay in cardiac resynchronization therapy: Correlation with echocardiography. <i>Heart Rhythm</i> , 2005, 2, S289.	0.7	1
27	Comparative Evaluation of Four Risk Scores for Predicting Mortality in Patients With Implantable Cardioverter-defibrillator for Primary Prevention. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2016, 69, 1033-1041.	0.6	1
28	Respuesta. <i>Revista Espanola De Cardiologia</i> , 2008, 61, 780.	1.2	0
29	Ischemia: Substrate or Trigger?. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2013, 66, 153-154.	0.6	0
30	Selection of the Best of 2016 in Implantable Defibrillators. <i>Revista Espanola De Cardiologia (English Ed)</i> Tj ETQq0 0,0 rgBT /Oerlock 10	0.6	0
31	Radiation Exposure to the Pregnant Interventional Cardiologist. Is It Really Necessary?. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2017, 70, 613-614.	0.6	0
32	Selection of the Best of 2017 in Implantable Defibrillators. <i>Revista Espanola De Cardiologia (English Ed)</i> Tj ETQq0 0,0 rgBT /Oerlock 10	0.6	0