Andrei Thomas-Tikhonenko

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3707095/publications.pdf Version: 2024-02-01



| # | Article | IF | CITATIONS |
|----|--|------|-----------|
| 1 | Modulation of CD22 Protein Expression in Childhood Leukemia by Pervasive Splicing Aberrations: Implications for CD22-Directed Immunotherapies. Blood Cancer Discovery, 2022, 3, 103-115. | 5.0 | 31 |
| 2 | Targeting CD123 in blastic plasmacytoid dendritic cell neoplasm using allogeneic anti-CD123 CAR T cells. Nature Communications, 2022, 13, 2228. | 12.8 | 14 |
| 3 | Identifying common transcriptome signatures of cancer by interpreting deep learning models. Genome Biology, 2022, 23, 117. | 8.8 | 11 |
| 4 | Colorectal Cancer-Associated Smad4 R361 Hotspot Mutations Boost Wnt/β-Catenin Signaling through Enhanced Smad4–LEF1 Binding. Molecular Cancer Research, 2021, 19, 823-833. | 3.4 | 4 |
| 5 | MOCCASIN: a method for correcting for known and unknown confounders in RNA splicing analysis. Nature Communications, 2021, 12, 3353. | 12.8 | 12 |
| 6 | Direct long-read RNA sequencing identifies a subset of questionable exitrons likely arising from reverse transcription artifacts. Genome Biology, 2021, 22, 190. | 8.8 | 20 |
| 7 | RNA-binding proteins of COSMIC importance in cancer. Journal of Clinical Investigation, 2021, 131, . | 8.2 | 15 |
| 8 | MYC Hyperactivates Wnt Signaling in <i>APC</i> / <i>CTNNB1</i> -Mutated Colorectal Cancer Cells through miR-92a–Dependent Repression of <i>DKK3</i> . Molecular Cancer Research, 2021, 19, 2003-2014. | 3.4 | 9 |
| 9 | Tilting MYC toward cancer cell death. Trends in Cancer, 2021, 7, 982-994. | 7.4 | 12 |
| 10 | Identification of a Conserved Intracellular Loop (CIL) Structure That Scaffolds PIP3 to Amplify Oncogenic Signaling during Malignant B-Cell Transformation. Blood, 2021, 138, 868-868. | 1.4 | 0 |
| 11 | Retention of CD19 intron 2 contributes to CART-19 resistance in leukemias with subclonal frameshift mutations in CD19. Leukemia, 2020, 34, 1202-1207. | 7.2 | 61 |
| 12 | IFITM3 functions as a PIP3 scaffold to amplify PI3K signalling in BÂcells. Nature, 2020, 588, 491-497. | 27.8 | 57 |
| 13 | Transient stabilization, rather than inhibition, of MYC amplifies extrinsic apoptosis and therapeutic responses in refractory B-cell lymphoma. Leukemia, 2019, 33, 2429-2441. | 7.2 | 24 |
| 14 | CAR T-cell therapy is effective for CD19-dim B-lymphoblastic leukemia but is impacted by prior blinatumomab therapy. Blood Advances, 2019, 3, 3539-3549. | 5.2 | 145 |
| 15 | Escape From ALL-CARTaz. Cancer Journal (Sudbury, Mass), 2019, 25, 217-222. | 2.0 | 20 |
| 16 | Pipeline for Discovering Neoepitopes Generated By Alternative Splicing in B-ALL. Blood, 2019, 134, 1342-1342. | 1.4 | 2 |
| 17 | Aberrant splicing in B-cell acute lymphoblastic leukemia. Nucleic Acids Research, 2018, 46, 11357-11369. | 14.5 | 39 |
| 18 | Exons of Leukemia Suppressor Genes: Creative Assembly Required. Trends in Cancer, 2018, 4, 796-798. | 7.4 | 2 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | Heterogeneity of surface CD19 and CD22 expression in B lymphoblastic leukemia. American Journal of Hematology, 2018, 93, E352-E355. | 4.1 | 44 |
| 20 | CD19 Alterations Emerging after CD19-Directed Immunotherapy Cause Retention of the Misfolded Protein in the Endoplasmic Reticulum. Molecular and Cellular Biology, 2018, 38, . | 2.3 | 55 |
| 21 | The Impact of Immunotherapy on Tumor Evolution. Blood, 2018, 132, SCI-18-SCI-18. | 1.4 | Ο |
| 22 | Repeated loss of target surface antigen after immunotherapy in primary mediastinal large B cell lymphoma. American Journal of Hematology, 2017, 92, E11-E13. | 4.1 | 78 |
| 23 | miR-17-92 cluster components analysis in Burkitt lymphoma: overexpression of miR-17 is associated with poor prognosis. Annals of Hematology, 2016, 95, 881-891. | 1.8 | 37 |
| 24 | Convergence of Acquired Mutations and Alternative Splicing of <i>CD19</i> Enables Resistance to CART-19 Immunotherapy. Cancer Discovery, 2015, 5, 1282-1295. | 9.4 | 997 |
| 25 | Regulation of CD19 Exon 2 Inclusion in B-Lymphoid Cells By Splicing Factors and Epigenetic Marks. Blood, 2015, 126, 2425-2425. | 1.4 | 3 |
| 26 | The Importance of CD19 Exon 2 for Surface Localization: Closing the Ig-like Loop. Blood, 2015, 126, 3433-3433. | 1.4 | 3 |
| 27 | Abstract B33: Transient upregulation of Myc with GSK3- \hat{l}^2 inhibitors in B-cell lymphomas enhances p53-independent apoptotic responses to chemotherapy. , 2015, , . | | 0 |
| 28 | Masking Epistasis Between MYC and TGF-β Pathways in Antiangiogenesis-Mediated Colon Cancer Suppression. Journal of the National Cancer Institute, 2014, 106, dju043. | 6.3 | 15 |
| 29 | MYC and the Art of MicroRNA Maintenance. Cold Spring Harbor Perspectives in Medicine, 2014, 4, a014175-a014175. | 6.2 | 51 |
| 30 | The Myc-miR-17-92 axis amplifies B-cell receptor signaling via inhibition of ITIM proteins: a novel lymphomagenic feed-forward loop. Blood, 2013, 122, 4220-4229. | 1.4 | 70 |
| 31 | Targeting of TGFÂ signature and its essential component CTGF by miR-18 correlates with improved survival in glioblastoma. Rna, 2013, 19, 177-190. | 3.5 | 45 |
| 32 | ER stress–mediated autophagy promotes Myc-dependent transformation and tumor growth. Journal of Clinical Investigation, 2012, 122, 4621-4634. | 8.2 | 336 |
| 33 | CD19 is a major B cell receptor–independent activator of MYC-driven B-lymphomagenesis. Journal of Clinical Investigation, 2012, 122, 2257-2266. | 8.2 | 87 |
| 34 | Myc overexpression brings out unexpected antiapoptotic effects of miR-34a. Oncogene, 2011, 30, 2587-2594. | 5.9 | 73 |
| 35 | Shielding the messenger (RNA): microRNA-based anticancer therapies. , 2011, 131, 18-32. | | 52 |
| 36 | Inhibition of the Single Downstream Target BAG1 Activates the Latent Apoptotic Potential of MYC. Molecular and Cellular Biology, 2011, 31, 5037-5045. | 2.3 | 18 |

| # | Article | IF | CITATIONS |
|----|--|------|-----------|
| 37 | p53-Responsive miR-194 Inhibits Thrombospondin-1 and Promotes Angiogenesis in Colon Cancers. Cancer Research, 2011, 71, 7490-7501. | 0.9 | 144 |
| 38 | The long reach of noncoding RNAs. Nature Genetics, 2011, 43, 616-617. | 21.4 | 16 |
| 39 | The Myc–miR-17â^¼92 Axis Blunts TGFβ Signaling and Production of Multiple TGFβ-Dependent Antiangiogenic Factors. Cancer Research, 2010, 70, 8233-8246. | 0.9 | 248 |
| 40 | The miR-17-92 MicroRNA Cluster Regulates Multiple Components of the TGF-β Pathway in Neuroblastoma. Molecular Cell, 2010, 40, 762-773. | 9.7 | 279 |
| 41 | Myc and Control of Tumor Neovascularization. , 2010, , 167-187. | | 1 |
| 42 | Lin-28B transactivation is necessary for Myc-mediated let-7 repression and proliferation. Proceedings of the National Academy of Sciences of the United States of America, 2009, 106, 3384-3389. | 7.1 | 355 |
| 43 | Regulation of CLU Gene Expression by Oncogenes and Epigenetic Factors. Advances in Cancer Research, 2009, 105, 115-132. | 5.0 | 40 |
| 44 | Clusterin, a Haploinsufficient Tumor Suppressor Gene in Neuroblastomas. Journal of the National Cancer Institute, 2009, 101, 663-677. | 6.3 | 87 |
| 45 | Widespread microRNA repression by Myc contributes to tumorigenesis. Nature Genetics, 2008, 40, 43-50. | 21.4 | 1,203 |
| 46 | c-Myb oncoprotein is an essential target of the dleu2 tumor suppressor microRNA cluster. Cancer Biology and Therapy, 2008, 7, 1758-1764. | 3.4 | 54 |
| 47 | PAX5 and B-cell neoplasms: transformation through presentation. Future Oncology, 2008, 4, 5-9. | 2.4 | 7 |
| 48 | Raf inhibitor stabilizes receptor for the type I interferon but inhibits its anti-proliferative effects in human malignant melanoma cells. Cancer Biology and Therapy, 2007, 6, 1433-1437. | 3.4 | 24 |
| 49 | Aiding and ABT'ing treatment for glioblastoma. Cancer Biology and Therapy, 2007, 6, 802-804. | 3.4 | 1 |
| 50 | Role of GLI2 Transcription Factor in Growth and Tumorigenicity of Prostate Cells. Cancer Research, 2007, 67, 10642-10646. | 0.9 | 78 |
| 51 | p53 status dictates responses of B lymphomas to monotherapy with proteasome inhibitors. Blood, 2007, 109, 4936-4943. | 1.4 | 29 |
| 52 | Autophagy inhibition enhances therapy-induced apoptosis in a Myc-induced model of lymphoma. Journal of Clinical Investigation, 2007, 117, 326-336. | 8.2 | 983 |
| 53 | Oncogenic BRAF regulates β-Trcp expression and NF-κB activity in human melanoma cells. Oncogene, 2007, 26, 1954-1958. | 5.9 | 94 |
| 54 | B-Lymphoma cells with epigenetic silencing of Pax5 trans-differentiate into macrophages, but not other hematopoietic lineages. Experimental Cell Research, 2007, 313, 331-340. | 2.6 | 11 |

| # | Article | IF | CITATIONS |
|----|--|------|-----------|
| 55 | B cell activator PAX5 promotes lymphomagenesis through stimulation of B cell receptor signaling. Journal of Clinical Investigation, 2007, 117, 2602-2610. | 8.2 | 37 |
| 56 | Infection & Neoplastic Growth 101. Cancer Treatment and Research, 2006, , 167-197. | 0.5 | 6 |
| 57 | Augmentation of tumor angiogenesis by a Myc-activated microRNA cluster. Nature Genetics, 2006, 38, 1060-1065. | 21.4 | 1,000 |
| 58 | Kit-activating mutations in AML: Lessons from PU.1-induced murine erythroleukemia. Cancer Biology and Therapy, 2006, 5, 579-581. | 3.4 | 4 |
| 59 | Activation of Transferrin Receptor 1 by c-Myc Enhances Cellular Proliferation and Tumorigenesis. Molecular and Cellular Biology, 2006, 26, 2373-2386. | 2.3 | 210 |
| 60 | Epigenetic Histone Modifications Do Not Control Igκ Locus Contraction and Intranuclear Localization in Cells with Dual B Cell-Macrophage Potential. Journal of Immunology, 2006, 177, 6165-6171. | 0.8 | 7 |
| 61 | Functional Validation of Genes Implicated in Lymphomagenesis: Anin VivoSelection Assay Using a Myc-Induced B-Cell Tumor. Annals of the New York Academy of Sciences, 2005, 1059, 145-159. | 3.8 | 45 |
| 62 | Metastasis-associated protein 1 (MTA1) is an essential downstream effector of the c-MYC oncoprotein. Proceedings of the National Academy of Sciences of the United States of America, 2005, 102, 13968-13973. | 7.1 | 111 |
| 63 | Inactivation of Myc in Murine Two-Hit B lymphomas Causes Dormancy with Elevated Levels of Interleukin 10 Receptor and CD20: Implications for Adjuvant Therapies. Cancer Research, 2005, 65, 5454-5461. | 0.9 | 29 |
| 64 | Targeting β-Transducin Repeat–Containing Protein E3 Ubiquitin Ligase Augments the Effects of Antitumor Drugs on Breast Cancer Cells. Cancer Research, 2005, 65, 1904-1908. | 0.9 | 51 |
| 65 | Myc-Transformed Epithelial Cells Down-Regulate Clusterin, Which Inhibits Their Growth in Vitro and Carcinogenesis in Vivo. Cancer Research, 2004, 64, 3126-3136. | 0.9 | 68 |
| 66 | Direct Repression of <i>FLIP</i> Expression by c-myc Is a Major Determinant of TRAIL Sensitivity. Molecular and Cellular Biology, 2004, 24, 8541-8555. | 2.3 | 227 |
| 67 | Whence Thrombospondin?. Cancer Biology and Therapy, 2004, 3, 406-407. | 3.4 | 3 |
| 68 | B cell–specific loss of histone 3 lysine 9 methylation in the VH locus depends on Pax5. Nature Immunology, 2004, 5, 853-861. | 14.5 | 113 |
| 69 | Infection and cancer: the common vein. Cytokine and Growth Factor Reviews, 2003, 14, 67-77. | 7.2 | 31 |
| 70 | Oscillation between B-lymphoid and myeloid lineages in Myc-induced hematopoietic tumors following spontaneous silencing/reactivation of the EBF/Pax5 pathway. Blood, 2003, 101, 1950-1955. | 1.4 | 58 |
| 71 | An essential role of Th1 responses and interferon gamma in infection-mediated suppression of neoplastic growth. Cancer Biology and Therapy, 2003, 2, 687-93. | 3.4 | 17 |
| 72 | Poisoning the Messengers: Could Tumor Endothelial Cells Acquire Drug Resistance. Cancer Biology and Therapy, 2002, 1, 266-267. | 3.4 | 0 |

| # | Article | IF | CITATIONS |
|----|---|------|-----------|
| 73 | A non-transgenic mouse model for B-cell lymphoma: in vivo infection of p53-null bone marrow progenitors by a Myc retrovirus is sufficient for tumorigenesis. Oncogene, 2002, 21, 1922-1927. | 5.9 | 51 |
| 74 | Intratumoral delivery of an interferon gamma retrovirus-producing cells inhibits growth of a murine melanoma by a non-immune mechanism. Cancer Letters, 2001, 173, 145-154. | 7.2 | 8 |
| 75 | Cutting Edge: Systemic Inhibition of Angiogenesis Underlies Resistance to Tumors During Acute Toxoplasmosis. Journal of Immunology, 2001, 166, 5878-5881. | 0.8 | 65 |
| 76 | Activation of the Myc oncoprotein leads to increased turnover of thrombospondin-1 mRNA. Nucleic Acids Research, 2000, 28, 2268-2275. | 14.5 | 76 |
| 77 | Viral Myc Oncoproteins in Infected Fibroblasts Down-modulate Thrombospondin-1, a Possible Tumor Suppressor Gene. Journal of Biological Chemistry, 1996, 271, 30741-30747. | 3.4 | 80 |
| 78 | gag as well as myc sequences contribute to the transforming phenotype of the avian retrovirus FH3. Journal of Virology, 1992, 66, 946-955. | 3.4 | 20 |
| 79 | Long terminal repeats of dwarf hamster endogenous retrovirus are highly diverged and do not maintain efficient transcription. Virology, 1991, 181, 367-370. | 2.4 | 4 |
| 80 | Avian endogenous provirus (ev-3) env gene sequencing: Implication for pathogenic retrovirus origination. Virus Genes, 1990, 3, 251-258. | 1.6 | 6 |
| 81 | Molecular cloning and primary structure analysis of the mouse mammary tumor virus-related element from dwarf hamster genome. Virus Genes, 1990, 3, 259-261. | 1.6 | 3 |
| 82 | Distribution of mouse mammary tumor virus-related sequences does not correlate with the taxonomic position of their hosts. Virus Genes, 1990, 4, 85-92. | 1.6 | 4 |