

Ole D Madsen

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3713979/publications.pdf>

Version: 2024-02-01

106
papers

9,589
citations

44069

48
h-index

36028

97
g-index

107
all docs

107
docs citations

107
times ranked

7413
citing authors

#	ARTICLE	IF	CITATIONS
1	The EndoC- β H1 cell line is a valid model of human beta cells and applicable for screenings to identify novel drug target candidates. <i>Molecular Metabolism</i> , 2018, 8, 144-157.	6.5	110
2	Research Resource: A Dual Proteomic Approach Identifies Regulated Islet Proteins During β -Cell Mass Expansion In Vivo. <i>Molecular Endocrinology</i> , 2016, 30, 133-143.	3.7	28
3	Xenotropic retrovirus Bxv1 in human pancreatic β cell lines. <i>Journal of Clinical Investigation</i> , 2016, 126, 1109-1113.	8.2	20
4	Pancreatic β -cell hyperplasia and hyperglucagonemia due to a glucagon receptor splice mutation. <i>Endocrinology, Diabetes and Metabolism Case Reports</i> , 2016, 2016, .	0.5	36
5	Autocrine Action of IGF2 Regulates Adult β -Cell Mass and Function. <i>Diabetes</i> , 2015, 64, 4148-4157.	0.6	46
6	Betatrophin. <i>Islets</i> , 2014, 6, e28686.	1.8	7
7	Beta Cell Workshop 2013 Kyoto. <i>Islets</i> , 2013, 5, 107-110.	1.8	0
8	Neurogenin 3+ cells contribute to β -cell neogenesis and proliferation in injured adult mouse pancreas. <i>Cell Death and Disease</i> , 2013, 4, e523-e523.	6.3	87
9	Ptf1a-mediated control of Dll1 reveals an alternative to the lateral inhibition mechanism. <i>Development (Cambridge)</i> , 2012, 139, 33-45.	2.5	64
10	Ptf1a control of Dll1 reveals an alternative to the lateral inhibition mechanism. <i>Development (Cambridge)</i> , 2012, 139, 4492-4492.	2.5	4
11	A new view of the beta cell. <i>Diabetologia</i> , 2012, 55, 2316-2318.	6.3	4
12	Pancreatic islet and progenitor cell surface markers with cell sorting potential. <i>Diabetologia</i> , 2012, 55, 154-165.	6.3	44
13	Homozygous carriers of the G allele of rs4664447 of the glucagon gene (GCG) are characterised by decreased fasting and stimulated levels of insulin, glucagon and glucagon-like peptide (GLP)-1. <i>Diabetologia</i> , 2011, 54, 2820-2831.	6.3	16
14	β -Cell Ontogenesis and the Insulin Production Apparatus. , 2011, , 73-81.		0
15	Intracranial ectopic pancreatic tissue. <i>Islets</i> , 2010, 2, 65-71.	1.8	12
16	The Ectopic Expression of Pax4 in the Mouse Pancreas Converts Progenitor Cells into β and Subsequently β Cells. <i>Cell</i> , 2009, 138, 449-462.	28.9	489
17	Investigation and Characterization of the Duct Cell-Enriching Process During Serum-Free Suspension and Monolayer Culture Using the Human Exocrine Pancreas Fraction. <i>Pancreas</i> , 2009, 38, 36-48.	1.1	13
18	G Protein-Coupled Receptor 39 Deficiency Is Associated with Pancreatic Islet Dysfunction. <i>Endocrinology</i> , 2009, 150, 2577-2585.	2.8	82

#	ARTICLE	IF	CITATIONS
19	The morphology of islets of Langerhans is only mildly affected by the lack of Pdx-1 in the pancreas of adult <i>Meriones</i> jirds. <i>General and Comparative Endocrinology</i> , 2008, 159, 241-249.	1.8	12
20	Generation and Characterization of Ptf1a Antiserum and Localization of Ptf1a in Relation to Nkx6.1 and Pdx1 During the Earliest Stages of Mouse Pancreas Development. <i>Journal of Histochemistry and Cytochemistry</i> , 2008, 56, 587-595.	2.5	55
21	Specificity of Four Monoclonal Anti-Nkx6-1 Antibodies. <i>Journal of Histochemistry and Cytochemistry</i> , 2008, 56, 415-424.	2.5	8
22	An Improved Method for Three-dimensional Reconstruction of Protein Expression Patterns in Intact Mouse and Chicken Embryos and Organs. <i>Journal of Histochemistry and Cytochemistry</i> , 2007, 55, 925-930.	2.5	81
23	Pancreas phylogeny and ontogeny in relation to a β -pancreatic stem cell TM . <i>Comptes Rendus - Biologies</i> , 2007, 330, 534-537.	0.2	23
24	An Illustrated Review of Early Pancreas Development in the Mouse. <i>Endocrine Reviews</i> , 2007, 28, 685-705.	20.1	323
25	Towards cell therapy for diabetes. <i>Nature Biotechnology</i> , 2006, 24, 1481-1483.	17.5	39
26	Proinsulin is encoded by an RNA splice variant in human blood myeloid cells. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2006, 103, 16430-16435.	7.1	14
27	Generation and Characterization of Monoclonal Antibodies against the Transcription Factor Nkx6.1. <i>Journal of Histochemistry and Cytochemistry</i> , 2006, 54, 567-574.	2.5	19
28	Association between Neuromedin U Gene Variants and Overweight and Obesity. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2006, 91, 5057-5063.	3.6	54
29	Genetic determinants of pancreatic β -cell development. <i>Developmental Biology</i> , 2005, 286, 217-224.	2.0	166
30	EGF-induced proliferation of adult human pancreatic duct cells is mediated by the MEK/ERK cascade. <i>Laboratory Investigation</i> , 2005, 85, 65-74.	3.7	36
31	Evidence of an Association Between the Arg72 Allele of the Peptide YY and Increased Risk of Type 2 Diabetes. <i>Diabetes</i> , 2005, 54, 2261-2265.	0.6	33
32	Generation of Monoclonal Antibodies Against Mouse Neurogenin 3: A New Immunocytochemical Tool to Study the Pancreatic Endocrine Progenitor Cell. <i>Hybridoma</i> , 2004, 23, 385-388.	0.4	19
33	The role of Brn4/Pou3f4 and Pax6 in forming the pancreatic glucagon cell identity. <i>Developmental Biology</i> , 2004, 268, 123-134.	2.0	83
34	Antibodies to Islet Beta Cell Surface Markers. <i>Current Medicinal Chemistry Immunology, Endocrine & Metabolic Agents</i> , 2004, 4, 309-313.	0.2	3
35	Activated Notch1 prevents differentiation of pancreatic acinar cells and attenuate endocrine development. <i>Developmental Biology</i> , 2003, 260, 426-437.	2.0	225
36	Nestin Is Expressed in Vascular Endothelial Cells in the Adult Human Pancreas. <i>Journal of Histochemistry and Cytochemistry</i> , 2003, 51, 697-706.	2.5	98

#	ARTICLE	IF	CITATIONS
37	Expression of Wnt, Frizzled, sFRP, and DKK Genes in Adult Human Pancreas. <i>Gene Expression</i> , 2003, 11, 141-147.	1.2	56
38	Recapitulation of embryonic neuroendocrine differentiation in adult human pancreatic duct cells expressing neurogenin 3. <i>Journal of Cell Biology</i> , 2002, 159, 303-312.	5.2	261
39	Expression patterns of Wnts, Frizzleds, sFRPs, and misexpression in transgenic mice suggesting a role for Wnts in pancreas and foregut pattern formation. <i>Developmental Dynamics</i> , 2002, 225, 260-270.	1.8	154
40	Science, medicine, and the future: Islet and stem cell transplantation for treating diabetes. <i>BMJ: British Medical Journal</i> , 2001, 322, 29-32.	2.3	72
41	Improved Glucose Tolerance and Acinar Dymorphogenesis by Targeted Expression of Transcription Factor PDX-1 to the Exocrine Pancreas. <i>Diabetes</i> , 2001, 50, 1553-1561.	0.6	60
42	An Historical and Phylogenetic Perspective of Islet-Cell Development. <i>Growth Hormone</i> , 2001, , 1-17.	0.2	3
43	bHLH Factors and Notch in Pancreatic Development. <i>Growth Hormone</i> , 2001, , 213-227.	0.2	0
44	Control of endodermal endocrine development by Hes-1. <i>Nature Genetics</i> , 2000, 24, 36-44.	21.4	1,031
45	The c-Jun amino-terminal kinase pathway is preferentially activated by interleukin-1 and controls apoptosis in differentiating pancreatic beta-cells. <i>Diabetes</i> , 2000, 49, 1468-1476.	0.6	192
46	Transcription Factor Hepatocyte Nuclear Factor 6 Regulates Pancreatic Endocrine Cell Differentiation and Controls Expression of the Proendocrine Gene <i>ngn3</i> . <i>Molecular and Cellular Biology</i> , 2000, 20, 4445-4454.	2.3	306
47	Pax4 Represses Pancreatic Glucagon Gene Expression. <i>Molecular Cell Biology Research Communications: MCBRC: Part B of Biochemical and Biophysical Research Communications</i> , 2000, 3, 249-254.	1.6	36
48	Independent development of pancreatic alpha- and beta-cells from neurogenin3-expressing precursors: a role for the notch pathway in repression of premature differentiation.. <i>Diabetes</i> , 2000, 49, 163-176.	0.6	399
49	Beta-cell maturation leads to in vitro sensitivity to cytotoxins. <i>Diabetes</i> , 1999, 48, 2324-2332.	0.6	56
50	Gastric Amylin Expression: Cellular Identity and Lack of Requirement for the Homeobox Protein PDX-1. A Study in Normal and PDX-1-Deficient Animals with a Cautionary Note on Antiserum Evaluation. <i>Journal of Histochemistry and Cytochemistry</i> , 1999, 47, 973-980.	2.5	22
51	Human Islets in Mixed Islet Grafts Protect Mouse Pancreatic β -Cells from Alloxan Toxicity. <i>Basic and Clinical Pharmacology and Toxicology</i> , 1999, 85, 269-275.	0.0	6
52	Hormone Coexpression in the Adult Toad Endocrine Pancreas: Double-Label Immunofluorescence under Basal Conditions and after Glucose Injection. <i>General and Comparative Endocrinology</i> , 1999, 115, 29-36.	1.8	2
53	Pax6 and Pdx1 form a functional complex on the rat somatostatin gene upstream enhancer. <i>FEBS Letters</i> , 1999, 445, 315-320.	2.8	52
54	Pax6 and Cdx2/3 form a functional complex on the rat glucagon gene promoter G1-element. <i>FEBS Letters</i> , 1999, 445, 306-310.	2.8	33

#	ARTICLE	IF	CITATIONS
55	The hypothalamic satiety peptide CART is expressed in anorectic and non-anorectic pancreatic islet tumors and in the normal islet of Langerhans. FEBS Letters, 1999, 447, 139-143.	2.8	90
56	Cloning and DNA-binding properties of the rat pancreatic β -cell-specific factor Nkx6.1. FEBS Letters, 1999, 461, 287-294.	2.8	35
57	Hypothalamic CART is a new anorectic peptide regulated by leptin. Nature, 1998, 393, 72-76.	27.8	1,147
58	Functioning human insulinomas. Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin, 1998, 433, 495-504.	2.8	19
59	Glucose stimulates the activation domain potential of the PDX-1 homeodomain transcription factor. FEBS Letters, 1998, 431, 362-366.	2.8	68
60	Rat Endocrine Pancreatic Development in Relation to Two Homeobox Gene Products (Pdx-1 and Nkx) Tj ETQq0 0 0 regBT /Overlock 10 Tf	2.5	105
61	Transplantable rat glucagonomas cause acute onset of severe anorexia and adipsia despite highly elevated NPY mRNA levels in the hypothalamic arcuate nucleus.. Journal of Clinical Investigation, 1998, 101, 503-510.	8.2	43
62	Transcription Factors Contributing to the Pancreatic β -Cell Phenotype. Hormone and Metabolic Research, 1997, 29, 265-270.	1.5	74
63	Pancreatic-duodenal homeobox 1 -role in gastric endocrine patterning. Mechanisms of Development, 1996, 60, 175-184.	1.7	117
64	The glucose sensor protein glucokinase is expressed in glucagon-producing alpha-cells.. Proceedings of the National Academy of Sciences of the United States of America, 1996, 93, 7036-7041.	7.1	132
65	Topographic Differences in Cell Populations and Insulin Secretion in the Endocrine Pancreas of the ToadBufo arenarum. General and Comparative Endocrinology, 1996, 104, 346-355.	1.8	6
66	Pancreatic Development and Maturation of the Islet B Cell. Studies of Pluripotent Islet Cultures. FEBS Journal, 1996, 242, 435-445.	0.2	51
67	mRNA Profiling of Rat Islet Tumors Reveals Nkx 6.1 as a β -Cell-specific Homeodomain Transcription Factor. Journal of Biological Chemistry, 1996, 271, 18749-18758.	3.4	199
68	Induction of insulin and islet amyloid polypeptide production in pancreatic islet glucagonoma cells by insulin promoter factor 1.. Proceedings of the National Academy of Sciences of the United States of America, 1996, 93, 9015-9020.	7.1	127
69	The LIM-homeodomain protein Isl-1 segregates with somatostatin but not with gastrin expression during differentiation of somatostatin/gastrin precursor cells. Endocrine, 1995, 3, 519-524.	2.2	22
70	Islet expression of Rhombotin and Isl-1 suggests cell type specific exposure of LIM-domain epitopes. Endocrine, 1995, 3, 399-408.	2.2	4
71	The Insulin Gene Promoter: A Simplified Nomenclature. Diabetes, 1995, 44, 1002-1004.	0.6	171
72	Potent inhibitory effects of transplantable rat glucagonomas and insulinomas on the respective endogenous islet cells are associated with pancreatic apoptosis.. Journal of Clinical Investigation, 1995, 96, 2227-2235.	8.2	63

#	ARTICLE	IF	CITATIONS
73	Cloning and expression of cytokine-inducible nitric oxide synthase cDNA from rat islets of Langerhans. <i>Diabetes</i> , 1995, 44, 753-758.	0.6	12
74	Transcriptional regulation of the human insulin gene is dependent on the homeodomain protein STF1/IPF1 acting through the CT boxes.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1994, 91, 10465-10469.	7.1	199
75	Distribution patterns of proinsulin and insulin in human insulinomas: an immunohistochemical analysis in 76 tumors. <i>Vigiliae Christianae</i> , 1993, 63, 51-61.	0.1	33
76	Differential expression of the two nonallelic proinsulin genes in the developing mouse embryo.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1993, 90, 527-531.	7.1	180
77	Differential expression of non-allelic insulin genes in rodent islet tumour cells. <i>Journal of Molecular Endocrinology</i> , 1993, 11, 305-318.	2.5	7
78	Histochemical changes in pancreatic islets obtained from obese Zucker rats (fa/fa) on a diabetogenic diet. No evidence for non-enzymatic protein glycation in endocrine cells. <i>European Journal of Endocrinology</i> , 1993, 129, 46-53.	3.7	0
79	Studies on the isolation, structural analysis and tissue localization of fetal antigen 1 and its relation to a human adrenal-specific cDNA, pG2. <i>Human Reproduction</i> , 1993, 8, 635-641.	0.9	85
80	A tumour model for the study of islet cell differentiation. <i>Biochemical Society Transactions</i> , 1993, 21, 142-146.	3.4	5
81	Differential islet cell expression of two glutamate decarboxylases, both autoantigens in diabetes. <i>Biochemical Society Transactions</i> , 1993, 21, 173-177.	3.4	6
82	Differential expression of glutamic acid decarboxylase in rat and human islets. <i>Diabetes</i> , 1993, 42, 484-495.	0.6	36
83	Presence of islet amyloid polypeptide in rat islet B and D cells determines parallelism and dissociation between rat pancreatic islet amyloid polypeptide and insulin content. <i>Biochemical and Biophysical Research Communications</i> , 1992, 182, 886-893.	2.1	40
84	Islet amyloid polypeptide immunoreactivity in the human fetal pancreas. <i>Diabetologia</i> , 1992, 35, 272-276.	6.3	18
85	Immature transformed rat islet beta-cells differentially express C- peptides derived from the genes coding for insulin I and II as well as a transfected human insulin gene. <i>Molecular Endocrinology</i> , 1992, 6, 299-307.	3.7	15
86	Differential expression of neural cell adhesion molecule and cadherins in pancreatic islets, glucagonomas, and insulinomas. <i>Molecular Endocrinology</i> , 1992, 6, 1332-1342.	3.7	45
87	Recombinant glutamic acid decarboxylase (representing the single isoform expressed in human islets) detects IDDM-associated 64,000-M(r) autoantibodies. <i>Diabetes</i> , 1992, 41, 1355-1359.	0.6	33
88	Detection of proinsulin, C-peptide, insulin-A-chain, and Glicentin in pancreatic islet cells of early human fetogenesis. <i>Acta Histochemica</i> , 1991, 91, 39-42.	1.8	1
89	Cloning, characterization, and autoimmune recognition of rat islet glutamic acid decarboxylase in insulin-dependent diabetes mellitus.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1991, 88, 8754-8758.	7.1	95
90	Islet Amyloid Polypeptide and Insulin Expression Are Controlled Differently in Primary and Transformed Islet Cells. <i>Molecular Endocrinology</i> , 1991, 5, 143-148.	3.7	54

#	ARTICLE	IF	CITATIONS
91	Novel Islet, Duct, and Acinar Cell Markers Defined by Monoclonal Autoantibodies from Prediabetic BB Rats. <i>Pancreas</i> , 1990, 5, 540-547.	1.1	10
92	Protein HMG-17 is hyper-expressed in rat glucagonoma. Single-step isolation and sequencing. <i>FEBS Journal</i> , 1990, 192, 81-86.	0.2	3
93	Effect of 5' Flanking Sequence Deletions on Expression of the Human Insulin Gene in Transgenic Mice. <i>Molecular Endocrinology</i> , 1990, 4, 669-677.	3.7	54
94	Growth Hormone is a Growth Factor for the Differentiated Pancreatic β -Cell. <i>Molecular Endocrinology</i> , 1989, 3, 165-173.	3.7	118
95	B islet cells of pancreas are the site of expression of the human insulin gene in transgenic mice. <i>Experimental Cell Research</i> , 1989, 180, 467-474.	2.6	18
96	Ultrastructure and Electron Immunocytochemistry of Insulin-producing B-Cell Tumors from Transgenic Mice: Comparison with Counterpart Human Tumors. <i>Ultrastructural Pathology</i> , 1988, 12, 547-559.	0.9	8
97	Tissue-specific expression of transfected human insulin genes in pluripotent clonal rat insulinoma lines induced during passage in vivo. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1988, 85, 6652-6656.	7.1	42
98	Proinsulin-Specific Monoclonal Antibodies: Immunocytochemical Application as β -Cell Markers and as Probes for Conversion. <i>Diabetes</i> , 1987, 36, 1203-1211.	0.6	13
99	A simple assay for the detection of antibodies to endocrine islet cell surface antigens. <i>Journal of Immunological Methods</i> , 1986, 95, 135-139.	1.4	4
100	A two-colour immunofluorescence test with a monoclonal human proinsulin antibody improves the assay for islet cell antibodies. <i>Diabetologia</i> , 1986, 29, 115-118.	6.3	48
101	Conversion of proinsulin to insulin occurs coordinately with acidification of maturing secretory vesicles. <i>Journal of Cell Biology</i> , 1986, 103, 2273-2281.	5.2	336
102	Cloned cell lines from a transplantable islet cell tumor are heterogeneous and express cholecystokinin in addition to islet hormones. <i>Journal of Cell Biology</i> , 1986, 103, 2025-2034.	5.2	118
103	Direct identification of prohormone conversion site in insulin-secreting cells. <i>Cell</i> , 1985, 42, 671-681.	28.9	310
104	Comparison of detection limits for various nitrocellulose binding immunoassays using β 2-microglobulin as a model antigen. <i>Electrophoresis</i> , 1984, 5, 313-314.	2.4	14
105	Human proinsulin-specific antigenic determinants identified by monoclonal antibodies. <i>Diabetes</i> , 1984, 33, 1012-1016.	0.6	13
106	The Production and Characterization of Monoclonal Antibodies Specific for Human Proinsulin Using a Sensitive Microdot Assay Procedure*. <i>Endocrinology</i> , 1983, 113, 2135-2144.	2.8	49