

Henrik Enghoff

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3719420/publications.pdf>

Version: 2024-02-01

121
papers

1,858
citations

471509

17
h-index

345221

36
g-index

121
all docs

121
docs citations

121
times ranked

1734
citing authors

#	ARTICLE	IF	CITATIONS
1	Redescription of the giant Southeast Asian millipede <i>Spirobolus macrurus</i> Pocock, 1893 and its assignment to the new genus <i>Macrurobolus</i> gen. nov. (Diplopoda, Spirobolida, Pachybolidae). <i>ZooKeys</i> , 2022, 1087, 1-18.	1.1	1
2	Temporal and spatial dynamics of arthropod groups in terrestrial subsurface habitats in central Portugal. <i>Zoology</i> , 2021, 147, 125931.	1.2	6
3	Penetrative and non-penetrative interaction between Laboulbeniales fungi and their arthropod hosts. <i>Scientific Reports</i> , 2021, 11, 22170.	3.3	2
4	Integrative taxonomy of the new millipede genus <i>Coxobolellus</i> , gen. nov. (Diplopoda : Spirobolida :) <i>Tj ETQq0 0 0 rgBT /Overlock 10 Tf 5</i>	1.3	10
5	The first Laboulbeniales (Ascomycota, Laboulbeniomycetes) from an American millipede, discovered through social media. <i>MycKeys</i> , 2020, 67, 45-53.	1.9	9
6	A mountain of millipedes VIII. The genus <i>Aquattuor</i> Frederiksen, 2013 revisited – a new species from the Udzungwa Mts, Tanzania, another from the Nguru Mts and introduction of the first pair of male legs as a source of taxonomic characters (Diplopoda, Spirostreptida, Odontopygidae). <i>European Journal of Taxonomy</i> , 2020, , .	0.6	2
7	A subfossil spirostreptid millipede from SW Libya (Diplopoda, Spirostreptida, Spirostreptidae). <i>Journal of Natural History</i> , 2020, 54, 2733-2741.	0.5	0
8	Open access growth histories in millipedes (Diplopoda). <i>Arthropod Structure and Development</i> , 2018, 47, 104-116.	1.4	2
9	First record of a <i>Basidiobolus</i> / <i>Amphoromorpha</i> fungus from a spider. <i>African Journal of Ecology</i> , 2018, 56, 153-156.	0.9	5
10	A revision of dragon millipedes I: genus <i>Desmoxytes</i> Chamberlin, 1923, with the description of eight new species (Diplopoda, Polydesmida, Paradoxosomatidae). <i>ZooKeys</i> , 2018, 761, 1-177.	1.1	20
11	Novelty upon novelty visualized by rotational scanning electron micrographs (rSEM): Laboulbeniales on the millipede order Chordeumatida. <i>PLoS ONE</i> , 2018, 13, e0206900.	2.5	10
12	A giant African millipede re-discovered, re-located and re-classified after 120 years (Diplopoda,) <i>Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 30</i>	0.5	2
13	Catalogue of the type material in the entomological collection of the Natural History Museum of Denmark: basal hexapods. <i>Zootaxa</i> , 2018, 4457, 201.	0.5	0
14	<i>Pseudotibiozus</i> Demange, 1970 millipedes of the Eastern Arc Mountains, Tanzania (Diplopoda,) <i>Tj ETQq0 0 0 rgBT /Overlock 10 Tf 5</i>	0.5	2
15	Out of the dark void: <i>Ommatoiulus longicornis</i> n. sp., a new julid from Spain (Diplopoda, Julida) with notes on some troglobiomorphic traits in millipedes. <i>Zootaxa</i> , 2018, 4420, 415-429.	0.5	9
16	Morphological and mitochondrial DNA data reshuffle the taxonomy of the genera <i>Atopochetus</i> Attems, <i>Litostrophus</i> Chamberlin and <i>Tonkinbolus</i> Verhoeff (Diplopoda: Spirobolida: Pachybolidae), with descriptions of nine new species. <i>Invertebrate Systematics</i> , 2018, 32, 159.	1.3	12
17	First continental troglobiont <i>Cylindroiulus</i> millipede (Diplopoda, Julida, Julidae). <i>ZooKeys</i> , 2018, 795, 93-103.	1.1	7
18	A revision of dragon millipedes IV: the new genus <i>Spinaxytes</i> , with the description of nine new species (Diplopoda, Polydesmida, Paradoxosomatidae). <i>ZooKeys</i> , 2018, 797, 19-69.	1.1	11

#	ARTICLE	IF	CITATIONS
19	New species of Troglomyces and Diplopodomycetes (Laboulbeniales, Ascomycota) from millipedes (Diplopoda). European Journal of Taxonomy, 2018, .	0.6	2
20	First Laboulbeniales from harvestmen: the new genus Opilionomyces. Phytotaxa, 2017, 305, 285.	0.3	18
21	A new East African genus of spirostreptid millipedes (Diplopoda, Spirostreptida, Spirostreptidae), with notes on their fungal ectoparasite Rickia gigas. Zootaxa, 2017, 4273, 501-530.	0.5	9
22	Subterranean millipedes (Diplopoda) of the Iberian Peninsula. Zootaxa, 2017, 4317, 355.	0.5	2
23	A new genus and species of Haplobainosomatidae (Diplopoda: Chordeumatida) from the MSS of the Sierra de Guadarrama National Park, central Spain. Zootaxa, 2017, 4347, 492-510.	0.5	9
24	A new species of the Chaleponcus dabagaensis-group from Mount Rungwe, Tanzaniaâ€”support for an extended concept of the Eastern Arc Mountains (Diplopoda, Spirostreptida, Odontopygidae). Zootaxa, 2017, 4353, 389-392.	0.5	2
25	Hidden biodiversity revealed by collections-based researchâ€”Laboulbeniales in millipedes: genus Rickia. Phytotaxa, 2016, 243, 101.	0.3	20
26	Taxonomicsâ€”next-generation taxonomists. Organisms Diversity and Evolution, 2016, 16, 679-680.	1.6	3
27	Mud and silk in the dark: A new type of millipede moulting chamber and first observations on the maturation moult in the order Callipodida. Arthropod Structure and Development, 2016, 45, 301-306.	1.4	4
28	Four colorful new species of dragon millipedes, genus Desmoxytes Chamberlin, 1923, from northern Thailand (Diplopoda: Polydesmida: Paradoxosomatidae). Zootaxa, 2016, 4170, 93-113.	0.5	4
29	Checklist of the Millipedes (Diplopoda) of Tanzania. Journal of East African Natural History, 2016, 105, 51-113.	0.6	9
30	New records and detailed distribution and abundance of selected arthropod species collected between 1999 and 2011 in Azorean native forests. Biodiversity Data Journal, 2016, 4, e10948.	0.8	12
31	Redescription of Lusitanipus alternans (Verhoeff, 1893) (Diplopoda, Callipoda, Dorypetalidae) and ecological data on its Laboulbeniales ectoparasites in caves. Zootaxa, 2015, 3957, 567.	0.5	10
32	A New Dimension in Documenting New Species: High-Detail Imaging for Myriapod Taxonomy and First 3D Cyber-type of a New Millipede Species (Diplopoda, Julida, Julidae). PLoS ONE, 2015, 10, e0135243.	2.5	60
33	The hypogean Iberian genus Typhlopsychrosoma (Diplopoda, Chordeumatida, Vandeleumatidae): distribution map, key to species, first record in a Mesovoid Shallow Substratum (MSS) and detailed iconography of T. baeticaense (Mauri's, 2013). Zootaxa, 2015, 3997, 337.	0.5	9
34	A review of the millipede genus Typhloiulus (Diplopoda: Julida: Julidae), with a description of three new species from Bulgaria and Greece. Zootaxa, 2015, 3999, 334.	0.5	8
35	East African odontopygid millipedes 4: A restricted redefinition of the genus Rhamphidarpoidea Kraus, 1960, a related new genus, five new species, and notes on solenomere function (Diplopoda); Tj ETQq1 1 0.78431408 BT / Overclock 10	0.78431408	10
36	Two new species of the millipede family Blaniulidae (Diplopoda, Julida) from caves in central and southeastern Europe. Zootaxa, 2015, 3985, 523-40.	0.5	5

#	ARTICLE	IF	CITATIONS
37	<i>Sierra Nevada</i> (Granada, Spain): a high-altitude biogeographical crossroads for millipedes (Diplopoda), with first data on its MSS fauna and description of a new species of the genus <i>Ceratosphys</i> ; Ribaut, 1920 (Chordeumatida); Tj ETQq1 1 0.784314 rgBT /Overlock 10	0.5	12
38	Hidden biodiversity in the Iberian Mesovoid Shallow Substratum (MSS): New and poorly known species of the millipede genus <i>Archipolydesmus</i> Attems, 1898 (Diplopoda, Polydesmidae). <i>Zoologischer Anzeiger</i> , 2015, 258, 13-38.	0.9	11
39	Infectious intimacy and contaminated caves—three new species of ectoparasitic fungi (Ascomycota): mechanisms. <i>Organisms Diversity and Evolution</i> , 2015, 15, 249-263.	1.6	15
40	Highly disjunct and highly infected millipedes—a new cave-dwelling species of <i>Chiraziulus</i> (Diplopoda: Spirostreptida: Cambalidae) from Iran and notes on Laboulbeniales ectoparasites. <i>European Journal of Taxonomy</i> , 2015, , .	0.6	6
41	Insular species swarm goes underground: two new troglobiont <i>Cylindroiulus</i> millipedes from Madeira (Diplopoda: Julidae). <i>Zootaxa</i> , 2014, 3785, 481.	0.5	6
42	Millipedes of Cyprus (Myriapoda: Diplopoda). <i>Zootaxa</i> , 2014, 3835, 528.	0.5	3
43	Redescription of <i>Iberoiulus cavernicola</i> ; Ceuca, 1967, and the relationships of the genus <i>Iberoiulus</i> ; Mauri's, 1985 (Diplopoda, Julida, Blaniulidae). <i>Zootaxa</i> , 2014, 3869, 153.	0.5	2
44	Millipedes as Food for Humans: Their Nutritional and Possible Antimalarial Value—A First Report. <i>Evidence-based Complementary and Alternative Medicine</i> , 2014, 2014, 1-9.	1.2	19
45	Laboulbeniales on millipedes: the genera <i>Diplopodomycetes</i> and <i>Troglomyces</i> . <i>Mycologia</i> , 2014, 106, 1027-1038.	1.9	25
46	Molecular phylogeny of the <i>Thyropygus allevatus</i> group of giant millipedes and some closely related groups. <i>Molecular Phylogenetics and Evolution</i> , 2014, 71, 170-183.	2.7	17
47	Millipedes (Diplopoda) from Caves of Portugal. <i>Journal of Cave and Karst Studies</i> , 2014, 76, 20-25.	0.6	9
48	The aberrant millipede genus <i>Pteridoiulus</i> and its position in a revised molecular phylogeny of the family Julidae (Diplopoda : Julida). <i>Invertebrate Systematics</i> , 2013, 27, 515.	1.3	15
49	Aliquid novi ex Africa? <i>Lamyctes africanus</i> (Porath, 1871) found in Europe (Chilopoda); Tj ETQq1 1 0.784314 rgBT /Overlock 10	0.5	6
50	Revolving SEM images visualising 3D taxonomic characters: application to six species of the millipede genus <i>Ommatoiulus</i> Latzel, 1884, with description of seven new species and an interactive key to the Tunisian members of the genus (Diplopoda, Julida, Julidae). <i>ZooKeys</i> , 2013, 328, 5-45.	1.1	14
51	New montane, subterranean congeners of a littoral millipede, genus <i>Thalassisobates</i> (Diplopoda); Tj ETQq1 1 0.784314 rgBT /Overlock 10	0.5	10
52	A new cave-dwelling millipede of the genus <i>Scutogona</i> from central Portugal (Diplopoda, Chordeumatida, Chamaesomatidae). <i>Zootaxa</i> , 2013, 3736, 175.	0.5	13
53	The genus <i>Boreviulisoma</i> ; Brolemann, 1928—an Iberian-N African outlier of a mainly tropical tribe of millipedes (Diplopoda: Polydesmida: Paradoxosomatidae). <i>Zootaxa</i> , 2013, 3646, 516-28.	0.5	12
54	Subterranean species of <i>Acipes</i> ; Attems, 1937 (Diplopoda, Julida, Blaniulidae). <i>Zootaxa</i> , 2013, 3652, 485-91.	0.5	19

#	ARTICLE	IF	CITATIONS
55	How many species are there of <i>Pachyiulus</i> ? A contribution to the taxonomy of Europe's largest millipedes (Diplopoda: Julida: Julidae). <i>Journal of Natural History</i> , 2012, 46, 599-611.	0.5	17
56	New Species in the Old World: Europe as a Frontier in Biodiversity Exploration, a Test Bed for 21st Century Taxonomy. <i>PLoS ONE</i> , 2012, 7, e36881.	2.5	87
57	<i>Rharodesmus tabarkensis</i> n. sp., a new pyrgodesmid from Tunisia (Diplopoda: Polydesmida). <i>Zootaxa</i> , 2012, 3195, 68.	0.5	0
58	Revision of the rare centipede genus <i>Sterropristes</i> Attems, 1934, with description of a new species from Thailand (Chilopoda: Scolopendromorpha: Scolopendridae). <i>Zootaxa</i> , 2012, 3484, 35.	0.5	8
59	East African odontopygid millipedes 1: Five new species of <i>Xystopyge</i> (Attems, 1909) and a proposal for a new gonopod terminology (Diplopoda; Spirostreptida; Odontopygidae). <i>Zootaxa</i> , 2012, 3485, 69.	0.5	9
60	Review of the genus <i>Ommatoiulus</i> in Andalusia, Spain (Diplopoda: Julida) with description of ten new species and notes on a remarkable gonopod structure, the fovea. <i>Zootaxa</i> , 2012, 3538, 1.	0.5	11
61	Trans-segmental serial colour patterns in millipedes and their developmental interpretation (Diplopoda). <i>International Journal of Myriapodology</i> , 2011, 6, 1-27.	0.9	4
62	A revision of the <i>Thyropygus allevatus</i> group. Part 4: the <i>T. cuisinieri</i> subgroup (Diplopoda: Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 462 Td	0.5	6
63	A revision of the <i>Thyropygus allevatus</i> group. Part 3: the <i>T. induratus</i> subgroup (Diplopoda: Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf	0.5	7
64	East African giant millipedes of the tribe Pachybolini (Diplopoda, Spirobolida, Pachybolidae). <i>Zootaxa</i> , 2011, 2753, 1.	0.5	23
65	A new genus for a colorful spirostreptid milliped from East Africa (Diplopoda: Spirostreptida: Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf	0.5	3
66	<i>Rharodesmus Schubart, 1960</i> – a tropical element in the North African fauna: a new species from Tunisia and notes on the family Pyrgodesmidae (Diplopoda: Polydesmida). <i>Zootaxa</i> , 2011, 2985, 55.	0.5	4
67	Copulatory – copulatory male succession and male slenderness in <i>Ommatoiulus sempervirilis</i> n. sp., a new insular millipede from Tunisia (Diplopoda: Julida: Julidae). <i>Journal of Zoological Systematics and Evolutionary Research</i> , 2011, 49, 285-291.	1.4	6
68	Phylogenetic relationships in the millipede family Julidae. <i>Cladistics</i> , 2011, 27, 606-616.	3.3	17
69	A callipodidan cocoon (Diplopoda, Callipodida, Schizopetalidae). <i>International Journal of Myriapodology</i> , 2011, 5, 49-53.	0.9	4
70	Two new cavernicolous genera of Julidae (Diplopoda, Julida), with notes on the tribe Brachyulini and on julid subanal hooks and anchors. <i>ZooKeys</i> , 2011, 114, 1-14.	1.1	9
71	The Rhynchoproctinae, a south-east Asiatic subfamily of giant millipedes: cladistic analysis, classification, four new genera and a deviating new species from north-west Thailand (Diplopoda: Spirostreptida: Harpagophoridae). <i>Invertebrate Systematics</i> , 2010, 24, 51.	1.3	12
72	Myriapods (Myriapoda). Chapter 7.2. <i>BioRisk</i> , 2010, 4, 97-130.	0.2	19

#	ARTICLE	IF	CITATIONS
73	A new strikingly coloured species of Siphonocryptus, sixth of its order (Diplopoda: Siphonocryptida). Zootaxa, 2010, 2681, 66.	0.5	1
74	On the identity of <i>Basigona lucasii</i> Silvestri, 1896, a poorly known millipede from Tunisia, with notes on the North African Chordeumatida (Diplopoda: Chordeumatida: Chamaesomatidae). Zootaxa, 2010, 2427, .	0.5	2
75	A revision of the <i>Thyropygus allevatus</i> group. Part 2: the <i>T. bifurcus</i> subgroup (Diplopoda.) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 622 Td	0.5	10
76	A revision of the <i>Thyropygus allevatus</i> group. Part 1: the <i>T. opinatus</i> subgroup (Diplopoda:) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 622 Td	0.5	10
77	Revision of the endemic giant fire millipedes of Madagascar, genus &Aphistogoniulus& (Diplopoda: Spirobolida: Pachybolidae). International Journal of Myriapodology, 2009, 2, 15-52.	0.9	8
78	A new species of &Tarracoblaniulus& MauriÃ’s & Vicente, 1977: description, postembryonic development, life cycle, and spatial distribution (Diplopoda, Julida, Blaniulidae). Graellsia, 2009, 65, 3-17.	0.2	3
79	<i>Calyptophyllum longiventre</i> (Verhoeff, 1941) invading houses in Turkey, with the first description of the male (Diplopoda: Julida: Julidae). Journal of Natural History, 2008, 42, 2143-2150.	0.5	4
80	<i>Cylindroiulus mitta</i> n.sp., a new Tunisian millipede (Diplopoda, Julida: Julidae) and notes on the <i>Cylindroiulus distinctus</i> group. Zootaxa, 2008, 1768, 61.	0.5	1
81	Pachybolini - a tribe of giant Afrotropical millipedes: arguments for monophyly and the description of a new genus from Madagascar (Diplopoda:Spirobolida:Pachybolidae). Invertebrate Systematics, 2008, 22, 37.	1.3	20
82	Notes on the genus <i>Afropachyiulus</i> Schubart, 1960 (Diplopoda: Julida: Julidae) with a description of a new species from Algeria and a redescription of <i>A. comatus</i> (Attems, 1899). Zootaxa, 2008, 1872, 29.	0.5	1
83	The European unionâ€™s 2010 target: Putting rare species in focus. Biological Conservation, 2007, 139, 167-185.	4.1	78
84	A second species in the millipede suborder Sinocallipodidea Shear, 2000 (Diplopoda: Callipodida). Zootaxa, 2007, 1450, 63-68.	0.5	3
85	The shocking pink dragon millipede, <i>Desmoxytes purpurosea</i> , a colourful new species from Thailand (Diplopoda: Polydesmida: Paradoxosomatidae). Zootaxa, 2007, 1563, 31-36.	0.5	16
86	A new caveâ€dwelling millipede of the genus<i>Bollmania</i> Silvestri, 1896 from Yunnan, China, with remarks on the reduction of the second female legâ€pair (Diplopoda: Callipodida: Caspiopetalidae). Journal of Natural History, 2005, 39, 1875-1891.	0.5	9
87	A review of the millipede fauna of Iran (Diplopoda). Zoology in the Middle East, 2005, 35, 61-72.	0.6	18
88	The first indigenous species of the millipede genus <i>Eurygyrus</i> C.L. Koch, 1847 from the European mainland, with remarks on <i>E. nicarius</i> (Verhoeff, 1901) and <i>E. euboicus</i> (Verhoeff, 1901), and a key to the species of the genus (Diplopoda: Callipodida: Schizopetalidae). Zootaxa, 2004, 419, 1.	0.5	4
89	Systematics, phylogeny and biogeography of genus <i>Balkanopetalum</i> Verhoeff, 1926 (Diplopoda:) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 622 Td	0.5	10
90	The millipede genus &Propolydesmus& Verhoeff, 1895 redefined, with a revision of the genus in the Canary Islands (Diplopoda, Polydesmida, Polydesmidae). Graellsia, 2003, 59, 79-86.	0.2	2

#	ARTICLE	IF	CITATIONS
91	Patterns of animal dispersal, vicariance and diversification in the Holarctic. <i>Biological Journal of the Linnean Society</i> , 2001, 73, 345-390.	1.6	326
92	The genus <i>Acipes</i> in Spain, with the description of a new cavernicolous species (Diplopoda, Julida.) <i>Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50</i>	0.7	2
93	Widespread Taxa and Component 2.0. <i>Cladistics</i> , 1998, 14, 383-386.	3.3	8
94	A review of the genus <i>Morocus</i> Hoffman, 1990, with two new species from the Ivory Coast (Diplopoda.) <i>Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50</i>	0.7	0
95	A new cavernicolous, semiaquatic species of <i>Serradium</i> (Diplopoda, Polydesmidae) and its terrestrial, sympatric congener. With notes on the genus <i>Serradium</i> . <i>Zoologica Scripta</i> , 1997, 26, 279-290.	1.7	13
96	WIDESPREAD TAXA, SYMPATRY, DISPERSAL, AND AN ALGORITHM FOR RESOLVED AREA CLADOGRAMS. <i>Cladistics</i> , 1996, 12, 349-364.	3.3	24
97	A revision of the Siphonocryptidae (Diplopoda, Polyzoniida). <i>Zoologica Scripta</i> , 1995, 24, 29-41.	1.7	10
98	A revision of the Paectophyllini and Calyptophyllini: millipedes of the Middle East (Diplopoda: Julida.) <i>Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50</i>	0.5	19
99	Historical biogeography of the holarctic: Area relationships, ancestral areas, and dispersal of non-marine animals. <i>Cladistics</i> , 1995, 11, 223-263.	3.3	61
100	HISTORICAL BIOGEOGRAPHY OF THE HOLARCTIC: AREA RELATIONSHIPS, ANCESTRAL AREAS, AND DISPERSAL OF NON-MARINE ANIMALS. <i>Cladistics</i> , 1995, 11, 223-263.	3.3	7
101	Haplopodous Diplopods: A New Type of Millipede Body Construction Discovered in Cambalopsis Juveniles (Diplopoda, Spirostreptida). <i>Acta Zoologica</i> , 1993, 74, 257-261.	0.8	5
102	Anamorphosis in millipedes (Diplopoda)-the present state of knowledge with some developmental and phylogenetic considerations. <i>Zoological Journal of the Linnean Society</i> , 1993, 109, 103-234.	2.3	147
103	Evolution of distribution and habitat patterns in endemic millipedes of the genus <i>Dolichoilus</i> (Diplopoda: Julidae) on the Canary Islands, with notes on distribution patterns of other Canarian species swarms. <i>Biological Journal of the Linnean Society</i> , 1993, 49, 277-301.	1.6	2
104	Phylogenetic Biogeography of a Holarctic Group: The Julidan Millipedes. Cladistic Subordinateness as an Indicator of Dispersal. <i>Journal of Biogeography</i> , 1993, 20, 525.	3.0	38
105	Cape Verdean millipedes (Diplopoda). <i>Tropical Zoology</i> , 1993, 6, 207-216.	0.6	9
106	The lithobiomorph centipedes of the Canary Islands (Chilopoda). <i>Insect Systematics and Evolution</i> , 1992, 23, 1-9.	0.7	11
107	Macaronesian millipedes (Diplopoda) with emphasis on endemic species swarms on Madeira and the Canary Islands. <i>Biological Journal of the Linnean Society</i> , 1992, 46, 153-161.	1.6	22
108	A revised cladistic analysis and classification of the millipede order Julida. <i>Journal of Zoological Systematics and Evolutionary Research</i> , 1991, 29, 241-263.	1.4	19

#	ARTICLE	IF	CITATIONS
109	A new genus of cambaloid millipedes from Vietnam (Diplopoda: Spirostreptida: Cambalopsidae). <i>Insect Systematics and Evolution</i> , 1990, 21, 91-96.	0.7	4
110	The <i>Cylindroiulus truncorum</i> -group (Diplopoda: Julidae). <i>Insect Systematics and Evolution</i> , 1990, 21, 345-360.	0.7	7
111	The millipede family Nemasomatidae. With the description of a new genus, and a revision of <i>Orinisobates</i> (Diplopoda: Julida). <i>Insect Systematics and Evolution</i> , 1985, 16, 27-67.	0.7	27
112	Phylogeny of millipedes - a cladistic analysis. <i>Journal of Zoological Systematics and Evolutionary Research</i> , 1984, 22, 8-26.	1.4	75
113	The Zosteractinidae, a Nearctic family of millipedes (Diplopoda, Julida). <i>Insect Systematics and Evolution</i> , 1982, 13, 403-413.	0.7	2
114	A revision of the millipede genus <i>Nopoiulus</i> (Diplopoda, Julida: Blaniulidae). <i>Insect Systematics and Evolution</i> , 1979, 10, 65-72.	0.7	4
115	A new species of the genus <i>Archispirostreptus</i> from Kenya (Diplopoda, Spirostreptida: Spirostreptidae). <i>Insect Systematics and Evolution</i> , 1978, 9, 247-249.	0.7	0
116	<i>Cylindrodesmus laniger</i> Schubart, a widespread, probably parthenogenetic millipede (Diplopoda,) <i>Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 4</i>	0.7	4
117	Revision of the East African millipede genus <i>Epibolus</i> Cook, 1897. <i>Insect Systematics and Evolution</i> , 1977, 8, 1-8.	0.7	26
118	Taxonomic Problems in Parthenogenetic Animals. <i>Zoologica Scripta</i> , 1976, 5, 103-104.	1.7	10
119	Competition in connection with geographic parthenogenesis Theory and examples, including some original observations on <i>Nemasoma varicorne</i> C. L. Koch (Diplopoda: Blaniulidae). <i>Journal of Natural History</i> , 1976, 10, 475-479.	0.5	7
120	Notes on <i>Lamyctes coeculus</i> (BrÃ¶lemann), a Cosmopolitic, Parthenogenetic Centipede (Chilopoda:) <i>Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 9</i>	0.7	9
121	Integrative description of new giant pill-millipedes from southern Thailand (Diplopoda,) <i>Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 6</i>	0.6	6