List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3720567/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Cancer on fire: role of inflammation in prevention and treatment. , 2022, , 605-626.		1
2	Old drugs, new uses: Drug repurposing in hematological malignancies. Seminars in Cancer Biology, 2021, 68, 242-248.	9.6	25
3	COVID-19 and Cancer Comorbidity: Therapeutic Opportunities and Challenges. Theranostics, 2021, 11, 731-753.	10.0	60
4	The emerging role of non-coding RNAs in the epigenetic regulation of pediatric cancers. Seminars in Cancer Biology, 2021, , .	9.6	11
5	Novel Seleno-Aspirinyl Compound AS-10 Induces Apoptosis, G1 Arrest of Pancreatic Ductal Adenocarcinoma Cells, Inhibits Their NF-κB Signaling, and Synergizes with Gemcitabine Cytotoxicity. International Journal of Molecular Sciences, 2021, 22, 4966.	4.1	11
6	Bruton's Tyrosine Kinase Targeting in Multiple Myeloma. International Journal of Molecular Sciences, 2021, 22, 5707.	4.1	13
7	Mcl-1 Inhibition: Managing Malignancy in Multiple Myeloma. Frontiers in Pharmacology, 2021, 12, 699629.	3.5	17
8	A Novel Dialkylamino-Functionalized Chalcone, DML6, Inhibits Cervical Cancer Cell Proliferation, In Vitro, via Induction of Oxidative Stress, Intrinsic Apoptosis and Mitotic Catastrophe. Molecules, 2021, 26, 4214.	3.8	3
9	miRâ€15aâ€5p, miRâ€15bâ€5p, and miRâ€16â€5p inhibit tumor progression by directly targeting MYCN in neuroblastoma. Molecular Oncology, 2020, 14, 180-196.	4.6	91
10	Design, synthesis characterization and biological evaluation of novel multi-isoform ALDH inhibitors as potential anticancer agents. European Journal of Medicinal Chemistry, 2020, 187, 111962.	5.5	23
11	Synthesis, in vitro, and in vivo evaluation of novel N-phenylindazolyl diarylureas as potential anti-cancer agents. Scientific Reports, 2020, 10, 17969.	3.3	11
12	Amino Acids Regulate Cisplatin Insensitivity in Neuroblastoma. Cancers, 2020, 12, 2576.	3.7	12
13	ROR1 regulates chemoresistance in Breast Cancer via modulation of drug efflux pump ABCB1. Scientific Reports, 2020, 10, 1821.	3.3	36
14	The role of exosomes and MYC in therapy resistance of acute myeloid leukemia: Challenges and opportunities. Molecular Aspects of Medicine, 2019, 70, 21-32.	6.4	22
15	Wnt/β-Catenin Signaling: The Culprit in Pancreatic Carcinogenesis and Therapeutic Resistance. International Journal of Molecular Sciences, 2019, 20, 4242.	4.1	96
16	Dietary nutraceuticals as backbone for bone health. Biotechnology Advances, 2018, 36, 1633-1648.	11.7	46
17	Design and synthesis of novel thiobarbituric acid derivatives targeting both wild-type and BRAF-mutated melanoma cells. European Journal of Medicinal Chemistry, 2018, 143, 1919-1930.	5.5	21

Role of Gambogic Acid in Chemosensitization of Cancer. , 2018, , 151-167.

4

#	Article	IF	CITATIONS
19	Design, synthesis, and identification of a novel napthalamide-isoselenocyanate compound NISC-6 as a dual Topoisomerase-IIα and Akt pathway inhibitor, and evaluation of its anti-melanoma activity. European Journal of Medicinal Chemistry, 2017, 135, 282-295.	5.5	17
20	Regulation of cell signaling pathways by dietary agents for cancer prevention and treatment. Seminars in Cancer Biology, 2017, 46, 158-181.	9.6	57
21	A novel dual inhibitor of microtubule and Bruton's tyrosine kinase inhibits survival of multiple myeloma and osteoclastogenesis. Experimental Hematology, 2017, 53, 31-42.	0.4	15
22	Targeting Cell Survival Proteins for Cancer Cell Death. Pharmaceuticals, 2016, 9, 11.	3.8	36
23	Gambogic Acid and Its Role in Chronic Diseases. Advances in Experimental Medicine and Biology, 2016, 928, 375-395.	1.6	22
24	Design, synthesis, and anti-breast cancer evaluation of new triarylethylene analogs bearing short alkyl- and polar amino-/amido-ethyl chains. Bioorganic and Medicinal Chemistry Letters, 2016, 26, 1963-1969.	2.2	17
25	Design, Synthesis, and Biological Evaluation of Novel Selenium (Se-NSAID) Molecules as Anticancer Agents. Journal of Medicinal Chemistry, 2016, 59, 1946-1959.	6.4	122
26	Prostate Cancer: How Helpful are Natural Agents for Prevention?. , 2015, , 251-275.		0
27	Targeting ion channels for cancer therapy by repurposing the approved drugs. Biochimica Et Biophysica Acta - Biomembranes, 2015, 1848, 2747-2755.	2.6	75
28	lgM MGUS associated with anti-MAG neuropathy: a single institution experience. Annals of Hematology, 2015, 94, 1011-1016.	1.8	22
29	Gambogic acid inhibits multiple myeloma mediated osteoclastogenesis through suppression of chemokine receptor CXCR4 signaling pathways. Experimental Hematology, 2014, 42, 883-896.	0.4	37
30	Design, synthesis and evaluation of Ospemifene analogs as anti-breast cancer agents. European Journal of Medicinal Chemistry, 2014, 86, 211-218.	5.5	20
31	Abstract 4204: Isatin analog as bruton tyrosine kinase inhibitor: A promising novel agent for multiple myeloma treatment. Cancer Research, 2014, 74, 4204-4204.	0.9	1
32	Targeting CXCL12/CXCR4 Axis in Multiple Myeloma. Journal of Hematology & Thromboembolic Diseases, 2014, 02, .	0.1	6
33	Abstract 814: Novel aspirin based selenium compounds as therapy against pancreatic cancer. , 2014, , .		Ο
34	Abstract 2139: Pre-clinical chemopreventive efficacy of a novel hybridp-XSC-aspirin compound in a NNK-induced A/J mouse lung cancer model. , 2014, , .		0
35	Abstract 1639: Development of novel thiobarbituric acid derivatives as potential cancer therapeutics. , 2014, , .		0
36	Abstract 3786: Gambogic acid inhibits chemokine receptor CXCR4 signaling pathways and osteoclastogenesis in multiple myeloma. , 2014, , .		0

#	Article	IF	CITATIONS
37	Proteasomal Degradation of Mcl-1 by Maritoclax Induces Apoptosis and Enhances the Efficacy of ABT-737 in Melanoma Cells. PLoS ONE, 2013, 8, e78570.	2.5	37
38	Abstract 3439: Suppression of pancreatic cancer cell growth by NISC-6 through activation of Par-4 and death receptor 5 , 2013, , .		0
39	Phenylalkyl isoselenocyanates vs phenylalkyl isothiocyanates: Thiol reactivity and its implications. Chemico-Biological Interactions, 2012, 200, 28-37.	4.0	27
40	Knockdown of câ€Fos suppresses the growth of human colon carcinoma cells in athymic mice. International Journal of Cancer, 2012, 130, 213-222.	5.1	23
41	Overexpression of the dynein light chain km23â€1 in human ovarian carcinoma cells inhibits tumor formation <i>in vivo</i> and causes mitotic delay at prometaphase/metaphase. International Journal of Cancer, 2011, 129, 553-564.	5.1	5
42	Gambogic Acid Inhibits STAT3 Phosphorylation through Activation of Protein Tyrosine Phosphatase SHP-1: Potential Role in Proliferation and Apoptosis. Cancer Prevention Research, 2011, 4, 1084-1094.	1.5	45
43	Targeting Inflammatory Pathways by Nutraceuticals for Prevention and Treatment of Arthritis. , 2011, , 295-323.		Ο
44	Resveratrol, a multitargeted agent, can enhance antitumor activity of gemcitabine <i>in vitro</i> and in orthotopic mouse model of human pancreatic cancer. International Journal of Cancer, 2010, 127, 257-268.	5.1	179
45	Betulinic acid suppresses STAT3 activation pathway through induction of protein tyrosine phosphatase SHPâ€1 in human multiple myeloma cells. International Journal of Cancer, 2010, 127, 282-292.	5.1	90
46	Escin, a Pentacyclic Triterpene, Chemosensitizes Human Tumor Cells through Inhibition of Nuclear Factor-κB Signaling Pathway. Molecular Pharmacology, 2010, 77, 818-827.	2.3	59
47	5-Hydroxy-2-Methyl-1,4-Naphthoquinone, a Vitamin K3 Analogue, Suppresses STAT3 Activation Pathway through Induction of Protein Tyrosine Phosphatase, SHP-1: Potential Role in Chemosensitization. Molecular Cancer Research, 2010, 8, 107-118.	3.4	87
48	Gossypol Induces Death Receptor-5 through Activation of the ROS-ERK-CHOP Pathway and Sensitizes Colon Cancer Cells to TRAIL. Journal of Biological Chemistry, 2010, 285, 35418-35427.	3.4	91
49	Sesamin Manifests Chemopreventive Effects through the Suppression of NF-κB–Regulated Cell Survival, Proliferation, Invasion, and Angiogenic Gene Products. Molecular Cancer Research, 2010, 8, 751-761.	3.4	107
50	Garcinol Potentiates TRAIL-Induced Apoptosis through Modulation of Death Receptors and Antiapoptotic Proteins. Molecular Cancer Therapeutics, 2010, 9, 856-868.	4.1	81
51	Butein Suppresses Constitutive and Inducible Signal Transducer and Activator of Transcription (STAT) 3 Activation and STAT3-Regulated Gene Products through the Induction of a Protein Tyrosine Phosphatase SHP-1. Molecular Pharmacology, 2009, 75, 525-533.	2.3	120
52	Targeted mutation of p53 and Rb in mesenchymal cells of the limb bud produces sarcomas in mice. Carcinogenesis, 2009, 30, 1789-1795.	2.8	112
53	Boswellic Acid Blocks Signal Transducers and Activators of Transcription 3 Signaling, Proliferation, and Survival of Multiple Myeloma via the Protein Tyrosine Phosphatase SHP-1. Molecular Cancer Research, 2009, 7, 118-128.	3.4	110
54	Curcumin Modulates the Radiosensitivity of Colorectal Cancer Cells by Suppressing Constitutive and Inducible NF-κB Activity. International Journal of Radiation Oncology Biology Physics, 2009, 75, 534-542.	0.8	166

#	Article	IF	CITATIONS
55	Kokum (Garcinol). , 2009, , 281-309.		4
56	Identification of a novel blocker of ll̂ºBα kinase activation that enhances apoptosis and inhibits proliferation and invasion by suppressing nuclear factor-l̂ºB. Molecular Cancer Therapeutics, 2008, 7, 191-201.	4.1	36
57	Berberine Modifies Cysteine 179 of lκBα Kinase, Suppresses Nuclear Factor-κB–Regulated Antiapoptotic Gene Products, and Potentiates Apoptosis. Cancer Research, 2008, 68, 5370-5379.	0.9	174
58	EWS-FLI1 Induces Developmental Abnormalities and Accelerates Sarcoma Formation in a Transgenic Mouse Model. Cancer Research, 2008, 68, 8968-8975.	0.9	87
59	Gambogic Acid Inhibits Angiogenesis and Prostate Tumor Growth by Suppressing Vascular Endothelial Growth Factor Receptor 2 Signaling. Cancer Research, 2008, 68, 1843-1850.	0.9	238
60	Anacardic acid (6-nonadecyl salicylic acid), an inhibitor of histone acetyltransferase, suppresses expression of nuclear factor-κB–regulated gene products involved in cell survival, proliferation, invasion, and inflammation through inhibition of the inhibitory subunit of nuclear factor-κBα kinase, leading to potentiation of apoptosis. Blood, 2008, 111, 4880-4891.	1.4	239
61	Butein, a Tetrahydroxychalcone, Inhibits Nuclear Factor (NF)-κB and NF-κB-regulated Gene Expression through Direct Inhibition of IκBα Kinase β on Cysteine 179 Residue. Journal of Biological Chemistry, 2007, 282, 17340-17350.	3.4	168
62	Gambogic acid, a novel ligand for transferrin receptor, potentiates TNF-induced apoptosis through modulation of the nuclear factor-l [®] B signaling pathway. Blood, 2007, 110, 3517-3525.	1.4	253
63	Celastrol, a novel triterpene, potentiates TNF-induced apoptosis and suppresses invasion of tumor cells by inhibiting NF-κB–regulated gene products and TAK1-mediated NF-κB activation. Blood, 2007, 109, 2727-2735.	1.4	305
64	Gossypin, a pentahydroxy glucosyl flavone, inhibits the transforming growth factor beta-activated kinase-1-mediated NF-κB activation pathway, leading to potentiation of apoptosis, suppression of invasion, and abrogation of osteoclastogenesis. Blood, 2007, 109, 5112-5121.	1.4	75
65	Natural products as a gold mine for arthritis treatment. Current Opinion in Pharmacology, 2007, 7, 344-351.	3.5	326
66	Fisetin, an Inhibitor of Cyclin-Dependent Kinase 6, Down-Regulates Nuclear Factor-ήB-Regulated Cell Proliferation, Antiapoptotic and Metastatic Gene Products through the Suppression of TAK-1 and Receptor-Interacting Protein-Regulated lκBα Kinase Activation. Molecular Pharmacology, 2007, 71, 1703-1714.	2.3	189
67	Curcumin, demethoxycurcumin, bisdemethoxycurcumin, tetrahydrocurcumin and turmerones differentially regulate anti-inflammatory and anti-proliferative responses through a ROS-independent mechanism. Carcinogenesis, 2007, 28, 1765-1773.	2.8	552
68	Role of pro-oxidants and antioxidants in the anti-inflammatory and apoptotic effects of curcumin (diferuloylmethane). Free Radical Biology and Medicine, 2007, 43, 568-580.	2.9	253
69	From traditional Ayurvedic medicine to modern medicine: identification of therapeutic targets for suppression of inflammation and cancer. Expert Opinion on Therapeutic Targets, 2006, 10, 87-118.	3.4	216
70	In vitro cytotoxicity of polycyclic aromatic hydrocarbon residues arising through repeated fish fried oil in human hepatoma Hep G2 cell line. Toxicology in Vitro, 2006, 20, 308-316.	2.4	13
71	Targeting Signal-Transducer-and-Activator-of-Transcription-3 for Prevention and Therapy of Cancer. Annals of the New York Academy of Sciences, 2006, 1091, 151-169.	3.8	392
72	Inflammation and cancer: How hot is the link?. Biochemical Pharmacology, 2006, 72, 1605-1621.	4.4	1,171

#	Article	IF	CITATIONS
73	Induction of hepatic cytochrome P450 isozymes, benzo(a)pyrene metabolism and DNA binding following exposure to polycyclic aromatic hydrocarbon residues generated during repeated fish fried oil in rats. Toxicology and Applied Pharmacology, 2006, 213, 126-134.	2.8	9
74	Induction of P53, P21Waf1, orinithine decorboxylase activity, and DNA damage leading to cell-cycle arrest and apoptosis following topical application of repeated fish fried oil extract to mice. Molecular Carcinogenesis, 2006, 45, 805-813.	2.7	9
75	Assessment of carcinogenic potential of repeated fish fried oil in mice. Molecular Carcinogenesis, 2006, 45, 741-751.	2.7	7
76	Dual Control Mechanism in a Belousovâ^'Zhabotinskii (Bâ^'Z) Oscillator with Glucose and Oxalic Acid as a Double Substrate. Journal of Physical Chemistry A, 2005, 109, 4562-4567.	2.5	16
77	Detection of polycyclic aromatic hydrocarbons in commonly consumed edible oils and their likely intake in the Indian population. JAOCS, Journal of the American Oil Chemists' Society, 2004, 81, 1131-1136.	1.9	48