

Ronald W Harvey

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3732338/publications.pdf>

Version: 2024-02-01

72
papers

5,283
citations

94433

37
h-index

85541

71
g-index

73
all docs

73
docs citations

73
times ranked

3563
citing authors

#	ARTICLE	IF	CITATIONS
1	Future research needs involving pathogens in groundwater. <i>Hydrogeology Journal</i> , 2017, 25, 931-938.	2.1	38
2	Microbial-sized, Carboxylate-modified Microspheres as Surrogate Tracers in a Variety of Subsurface Environments: An Overview. <i>Procedia Earth and Planetary Science</i> , 2017, 17, 372-375.	0.6	4
3	Mobilization of Microspheres from a Fractured Soil during Intermittent Infiltration Events. <i>Vadose Zone Journal</i> , 2015, 14, vzj2014.05.0058.	2.2	25
4	Importance of the Colmation Layer in the Transport and Removal of Cyanobacteria, Viruses, and Dissolved Organic Carbon during Natural Lake-Bank Filtration. <i>Journal of Environmental Quality</i> , 2015, 44, 1413-1423.	2.0	14
5	Colloid transport in saturated porous media: Elimination of attachment efficiency in a new colloid transport model. <i>Water Resources Research</i> , 2013, 49, 2952-2965.	4.2	23
6	Transport and Fate of Microbial Pathogens in Agricultural Settings. <i>Critical Reviews in Environmental Science and Technology</i> , 2013, 43, 775-893.	12.8	197
7	Effects on Groundwater Microbial Communities of an Engineered 30-Day In Situ Exposure to the Antibiotic Sulfamethoxazole. <i>Environmental Science & Technology</i> , 2012, 46, 7478-7486.	10.0	44
8	Effect of Dissolved Organic Carbon on the Transport and Attachment Behaviors of <i>Cryptosporidium parvum</i> oocysts and Carboxylate-Modified Microspheres Advected through Temperate Humic and Tropical Volcanic Agricultural soil. <i>Environmental Science & Technology</i> , 2012, 46, 2088-2094.	10.0	12
9	Transport of ARS-labeled hydroxyapatite nanoparticles in saturated granular media is influenced by surface charge variability even in the presence of humic acid. <i>Journal of Hazardous Materials</i> , 2012, 229-230, 170-176.	12.4	43
10	Humic Acid Facilitates the Transport of ARS-Labeled Hydroxyapatite Nanoparticles in Iron Oxyhydroxide-Coated Sand. <i>Environmental Science & Technology</i> , 2012, 46, 2738-2745.	10.0	172
11	Impact of fluorochrome stains used to study bacterial transport in shallow aquifers on motility and chemotaxis of <i>Pseudomonas</i> species. <i>FEMS Microbiology Ecology</i> , 2012, 81, 163-171.	2.7	4
12	Effects of the Antimicrobial Sulfamethoxazole on Groundwater Bacterial Enrichment. <i>Environmental Science & Technology</i> , 2011, 45, 3096-3101.	10.0	175
13	Effects of Sediment-Associated Extractable Metals, Degree of Sediment Grain Sorting, and Dissolved Organic Carbon upon <i>Cryptosporidium parvum</i> Removal and Transport within Riverbank Filtration Sediments, Sonoma County, California. <i>Environmental Science & Technology</i> , 2011, 45, 5587-5595.	10.0	6
14	Differential Effects of Dissolved Organic Carbon upon Re-Entrainment and Surface Properties of Groundwater Bacteria and Bacteria-Sized Microspheres during Transport through a Contaminated, Sandy Aquifer. <i>Environmental Science & Technology</i> , 2011, 45, 3252-3259.	10.0	19
15	What Makes a Natural Clay Antibacterial?. <i>Environmental Science & Technology</i> , 2011, 45, 3768-3773.	10.0	163
16	Fluorescent Microspheres as Surrogates in Evaluating the Efficacy of Riverbank Filtration for Removing <i>Cryptosporidium parvum</i> Oocysts and Other Pathogens. <i>NATO Science for Peace and Security Series C: Environmental Security</i> , 2011, , 81-96.	0.2	6
17	Effects of altered groundwater chemistry upon the pH-dependency and magnitude of bacterial attachment during transport within an organically contaminated sandy aquifer. <i>Water Research</i> , 2010, 44, 1062-1071.	11.3	33
18	Influence of organic matter on the transport of <i>Cryptosporidium parvum</i> oocysts in a ferric oxyhydroxide-coated quartz sand saturated porous medium. <i>Water Research</i> , 2010, 44, 1104-1113.	11.3	64

#	ARTICLE	IF	CITATIONS
19	Influence of organic carbon loading, sediment associated metal oxide content and sediment grain size distributions upon <i>Cryptosporidium parvum</i> removal during riverbank filtration operations, Sonoma County, CA. <i>Water Research</i> , 2010, 44, 1126-1137.	11.3	21
20	Comparison of transport and attachment behaviors of <i>Cryptosporidium parvum</i> oocysts and oocyst-sized microspheres being advected through three mineralogically different granular porous media. <i>Water Research</i> , 2010, 44, 5334-5344.	11.3	25
21	Surface Complexation of Carboxylate Adheres <i>Cryptosporidium parvum</i> Oocysts to the Hematite-Water Interface. <i>Environmental Science & Technology</i> , 2009, 43, 7423-7429.	10.0	38
22	Pathogen and chemical transport in the karst limestone of the Biscayne aquifer: 1. Revised conceptualization of groundwater flow. <i>Water Resources Research</i> , 2008, 44, .	4.2	32
23	Pathogen and chemical transport in the karst limestone of the Biscayne aquifer: 2. Chemical retention from diffusion and slow advection. <i>Water Resources Research</i> , 2008, 44, .	4.2	23
24	Pathogen and chemical transport in the karst limestone of the Biscayne aquifer: 3. Use of microspheres to estimate the transport potential of <i>Cryptosporidium parvum</i> oocysts. <i>Water Resources Research</i> , 2008, 44, .	4.2	36
25	Coupled Effect of Chemotaxis and Growth on Microbial Distributions in Organic-Amended Aquifer Sediments: Observations from Laboratory and Field Studies. <i>Environmental Science & Technology</i> , 2008, 42, 3556-3562.	10.0	28
26	Use of Carboxylated Microspheres to Assess Transport Potential of <i>Cryptosporidium parvum</i> Oocysts at the Russian River Water Supply Facility, Sonoma County, California. <i>Geomicrobiology Journal</i> , 2007, 24, 231-245.	2.0	15
27	Revisiting the Cape Cod Bacteria Injection Experiment Using a Stochastic Modeling Approach. <i>Environmental Science & Technology</i> , 2007, 41, 5548-5558.	10.0	41
28	Role of chemotaxis in the transport of bacteria through saturated porous media. <i>Advances in Water Resources</i> , 2007, 30, 1608-1617.	3.8	132
29	Assessing the Vulnerability of a Municipal Well Field to Contamination in a Karst Aquifer. <i>Environmental and Engineering Geoscience</i> , 2005, 11, 319-331.	0.9	61
30	Effect of Ferric Oxyhydroxide Grain Coatings on the Transport of Bacteriophage PRD1 and <i>Cryptosporidium parvum</i> Oocysts in Saturated Porous Media. <i>Environmental Science & Technology</i> , 2005, 39, 6412-6419.	10.0	98
31	Influence of water chemistry and travel distance on bacteriophage PRD-1 transport in a sandy aquifer. <i>Water Research</i> , 2005, 39, 2345-2357.	11.3	41
32	Evaluating Microbial Purification during Soil Treatment of Wastewater with Multicomponent Tracer and Surrogate Tests. <i>Journal of Environmental Quality</i> , 2004, 33, 316-329.	2.0	27
33	Effect of cell physicochemical characteristics and motility on bacterial transport in groundwater. <i>Journal of Contaminant Hydrology</i> , 2004, 69, 195-213.	3.3	64
34	Use of PRD1 bacteriophage in groundwater viral transport, inactivation, and attachment studies. <i>FEMS Microbiology Ecology</i> , 2004, 49, 3-16.	2.7	75
35	Transport of <i>Cryptosporidium</i> Oocysts in Porous Media: A Role of Straining and Physicochemical Filtration. <i>Environmental Science & Technology</i> , 2004, 38, 5932-5938.	10.0	219
36	Evaluating Microbial Purification during Soil Treatment of Wastewater with Multicomponent Tracer and Surrogate Tests. <i>Journal of Environmental Quality</i> , 2004, 33, 316.	2.0	12

#	ARTICLE	IF	CITATIONS
37	Bacterial Transport Experiments in Fractured Crystalline Bedrock. <i>Ground Water</i> , 2003, 41, 682-689.	1.3	70
38	Effect of Growth Conditions and Staining Procedure upon the Subsurface Transport and Attachment Behaviors of a Groundwater Protist. <i>Applied and Environmental Microbiology</i> , 2002, 68, 1872-1881.	3.1	15
39	Field Evidence for a Protistan Role in an Organically-Contaminated Aquifer. <i>Environmental Science & Technology</i> , 2002, 36, 4312-4318.	10.0	44
40	Field and Laboratory Investigations of Inactivation of Viruses (PRD1 and MS2) Attached to Iron Oxide-Coated Quartz Sand. <i>Environmental Science & Technology</i> , 2002, 36, 2403-2413.	10.0	141
41	Reply [to "Comment on "Stochastic analysis of virus transport in aquifers," by Linda L. Campbell Rehmann, Claire Welty, and Ronald W. Harvey"]. <i>Water Resources Research</i> , 2000, 36, 1983-1984.	4.2	5
42	Stochastic analysis of virus transport in aquifers. <i>Water Resources Research</i> , 1999, 35, 1987-2006.	4.2	64
43	Bacteriophage PRD1 and Silica Colloid Transport and Recovery in an Iron Oxide-Coated Sand Aquifer. <i>Environmental Science & Technology</i> , 1999, 33, 63-73.	10.0	199
44	Transport and Recovery of Bacteriophage PRD1 in a Sand and Gravel Aquifer: A Effect of Sewage-Derived Organic Matter. <i>Environmental Science & Technology</i> , 1997, 31, 1163-1170.	10.0	163
45	Physiological Considerations in Applying Laboratory-Determined Buoyant Densities to Predictions of Bacterial and Protozoan Transport in Groundwater: A Results of In-Situ and Laboratory Tests. <i>Environmental Science & Technology</i> , 1997, 31, 289-295.	10.0	53
46	Effect of flagellates on free-living bacterial abundance in an organically contaminated aquifer. <i>FEMS Microbiology Reviews</i> , 1997, 20, 249-259.	8.6	24
47	Protistan communities in aquifers: a review. <i>FEMS Microbiology Reviews</i> , 1997, 20, 261-275.	8.6	90
48	Microorganisms as tracers in groundwater injection and recovery experiments: a review. <i>FEMS Microbiology Reviews</i> , 1997, 20, 461-472.	8.6	77
49	Microorganisms as tracers in groundwater injection and recovery experiments: a review. <i>FEMS Microbiology Reviews</i> , 1997, 20, 461-472.	8.6	3
50	The reversibility of virus attachment to mineral surfaces. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 1996, 107, 205-221.	4.7	162
51	Virus and Bacteria Transport in a Sandy Aquifer, Cape Cod, MA. <i>Ground Water</i> , 1995, 33, 653-661.	1.3	136
52	Transport behavior of groundwater protozoa and protozoan-sized microspheres in sandy aquifer sediments. <i>Applied and Environmental Microbiology</i> , 1995, 61, 209-217.	3.1	103
53	Protists from a sewage-contaminated aquifer on cape cod, Massachusetts. <i>Geomicrobiology Journal</i> , 1994, 12, 23-36.	2.0	32
54	Fate and transport of bacteria injected into aquifers. <i>Current Opinion in Biotechnology</i> , 1993, 4, 312-317.	6.6	5

#	ARTICLE	IF	CITATIONS
55	Role of physical heterogeneity in the interpretation of small-scale laboratory and field observations of bacteria, microbial-sized microsphere, and bromide transport through aquifer sediments. <i>Water Resources Research</i> , 1993, 29, 2713-2721.	4.2	153
56	Effect of treated-sewage contamination upon bacterial energy charge, adenine nucleotides, and DNA content in a sandy aquifer on Cape Cod. <i>Applied and Environmental Microbiology</i> , 1993, 59, 2304-2310.	3.1	24
57	Correspondence. Response to comment on "Use of colloid filtration theory in modeling movement of bacteria through a contaminated sandy aquifer". <i>Environmental Science & Technology</i> , 1992, 26, 401-402.	10.0	3
58	Laboratory investigations on the role of sediment surface and groundwater chemistry in transport of bacteria through a contaminated sandy aquifer. <i>Environmental Science & Technology</i> , 1992, 26, 1410-1417.	10.0	170
59	Associations of free-living bacteria and dissolved organic compounds in a plume of contaminated groundwater. <i>Journal of Contaminant Hydrology</i> , 1992, 9, 91-103.	3.3	57
60	Use of colloid filtration theory in modeling movement of bacteria through a contaminated sandy aquifer. <i>Environmental Science & Technology</i> , 1991, 25, 178-185.	10.0	467
61	Importance of closely spaced vertical sampling in delineating chemical and microbiological gradients in groundwater studies. <i>Journal of Contaminant Hydrology</i> , 1991, 7, 285-300.	3.3	110
62	Application of a Hollow-Fiber, Tangential-Flow Device for Sampling Suspended Bacteria and Particles from Natural Waters. <i>Journal of Environmental Quality</i> , 1990, 19, 625-629.	2.0	15
63	Transport of microspheres and indigenous bacteria through a sandy aquifer: results of natural- and forced-gradient tracer experiments. <i>Environmental Science & Technology</i> , 1989, 23, 51-56.	10.0	307
64	A fluorochrome-staining technique for counting bacteria in saline, organically enriched, alkaline lakes. <i>Limnology and Oceanography</i> , 1987, 32, 993-995.	3.1	13
65	Sorption of lead onto two gram-negative marine bacteria in seawater. <i>Marine Chemistry</i> , 1985, 15, 333-344.	2.3	57
66	The role of bacterial exopolymer and suspended bacteria in the nutrition of the deposit-feeding clam, <i>Macoma balthica</i> . <i>Journal of Marine Research</i> , 1984, 42, 957-968.	0.3	31
67	Effect of organic contamination upon microbial distributions and heterotrophic uptake in a Cape Cod, Mass., aquifer. <i>Applied and Environmental Microbiology</i> , 1984, 48, 1197-1202.	3.1	242
68	Transport and distribution of bacteria and diatoms in the aqueous surface microlayer of a salt marsh. <i>Estuarine, Coastal and Shelf Science</i> , 1983, 16, 543-547.	2.1	7
69	Mechanisms for trace metal enrichment at the surface microlayer in an estuarine salt marsh. <i>Marine Chemistry</i> , 1982, 11, 235-244.	2.3	21
70	Enrichment and Association of Bacteria and Particulates in Salt Marsh Surface Water. <i>Applied and Environmental Microbiology</i> , 1980, 39, 894-899.	3.1	52
71	Enumeration of Particle-Bound and Unattached Respiring Bacteria in the Salt Marsh Environment. <i>Applied and Environmental Microbiology</i> , 1980, 40, 156-160.	3.1	105
72	Particulate matter. Its association with microorganisms and trace metals in an estuarine salt marsh microlayer. <i>Environmental Science & Technology</i> , 1979, 13, 1522-1525.	10.0	29