

Anne M HyvÄärrinen

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3747199/publications.pdf>

Version: 2024-02-01

95
papers

4,660
citations

76326

40
h-index

102487

66
g-index

97
all docs

97
docs citations

97
times ranked

4681
citing authors

#	ARTICLE	IF	CITATIONS
1	Toxicological transcriptome of human airway constructs after exposure to indoor air particulate matter: In search of relevant pathways of moisture damage-associated health effects. <i>Environment International</i> , 2022, 158, 106997.	10.0	6
2	Associations between dog keeping and indoor dust microbiota. <i>Scientific Reports</i> , 2021, 11, 5341.	3.3	10
3	Microbial diversity in homes and the risk of allergic rhinitis and inhalant atopy in two European birth cohorts. <i>Environmental Research</i> , 2021, 196, 110835.	7.5	19
4	Early age exposure to moisture and mould is related to FeNO at the age of 6 years. <i>Pediatric Allergy and Immunology</i> , 2021, 32, 1226-1237.	2.6	7
5	Microbial exposures in moisture-damaged schools and associations with respiratory symptoms in students: A multi-country environmental exposure study. <i>Indoor Air</i> , 2021, 31, 1952-1966.	4.3	13
6	Human airway construct model is suitable for studying transcriptome changes associated with indoor air particulate matter toxicity. <i>Indoor Air</i> , 2020, 30, 433-444.	4.3	10
7	Indoor air pollution, physical and comfort parameters related to schoolchildren's health: Data from the European SINPHONIE study. <i>Science of the Total Environment</i> , 2020, 739, 139870.	8.0	94
8	Healthy people in healthy premises: the Finnish Indoor Air and Health Programme 2018-2028. <i>Clinical and Translational Allergy</i> , 2020, 10, 4.	3.2	8
9	Indoor bacterial microbiota and development of asthma by 10.5 years of age. <i>Journal of Allergy and Clinical Immunology</i> , 2019, 144, 1402-1410.	2.9	50
10	Parents know it best: Prediction of asthma and lung function by parental perception of early wheezing episodes. <i>Pediatric Allergy and Immunology</i> , 2019, 30, 795-802.	2.6	7
11	TNF- α -induced protein 3 is a key player in childhood asthma development and environment-mediated protection. <i>Journal of Allergy and Clinical Immunology</i> , 2019, 144, 1684-1696.e12.	2.9	40
12	Farm-like indoor microbiota in non-farm homes protects children from asthma development. <i>Nature Medicine</i> , 2019, 25, 1089-1095.	30.7	219
13	Association between antibiotic treatment during pregnancy and infancy and the development of allergic diseases. <i>Pediatric Allergy and Immunology</i> , 2019, 30, 423-433.	2.6	68
14	Oxidative capacity and hemolytic activity of settled dust from moisture-damaged schools. <i>Indoor Air</i> , 2019, 29, 299-307.	4.3	6
15	Indoor bacteria and asthma in adults: a multicentre case-control study within ECRHS II. <i>European Respiratory Journal</i> , 2018, 51, 1701241.	6.7	21
16	Exposure to nonmicrobial N-glycolylneuraminic acid protects farmers' children against airway inflammation and colitis. <i>Journal of Allergy and Clinical Immunology</i> , 2018, 141, 382-390.e7.	2.9	44
17	Quantitative assessment of microbes from samples of indoor air and dust. <i>Journal of Exposure Science and Environmental Epidemiology</i> , 2018, 28, 231-241.	3.9	55
18	Infant and Adult Inhalation Exposure to Resuspended Biological Particulate Matter. <i>Environmental Science & Technology</i> , 2018, 52, 237-247.	10.0	57

#	ARTICLE	IF	CITATIONS
19	Indoor visible mold and mold odor are associated with new-onset childhood wheeze in a dose-dependent manner. <i>Indoor Air</i> , 2018, 28, 6-15.	4.3	51
20	Crawling-induced floor dust resuspension affects the microbiota of the infant breathing zone. <i>Microbiome</i> , 2018, 6, 25.	11.1	40
21	Phenotypes of Atopic Dermatitis Depending on the Timing of Onset and Progression in Childhood. <i>JAMA Pediatrics</i> , 2017, 171, 655.	6.2	197
22	Floor dust bacteria and fungi and their coexistence with PAHs in Jordanian indoor environments. <i>Science of the Total Environment</i> , 2017, 601-602, 940-945.	8.0	18
23	Toxicity of airborne dust as an indicator of moisture problems in school buildings. <i>Inhalation Toxicology</i> , 2017, 29, 75-81.	1.6	3
24	Asthmatic farm children show increased CD3+CD8low T-cells compared to non-asthmatic farm children. <i>Clinical Immunology</i> , 2017, 183, 285-292.	3.2	3
25	Latent class analysis reveals clinically relevant atopy phenotypes in 2 birth cohorts. <i>Journal of Allergy and Clinical Immunology</i> , 2017, 139, 1935-1945.e12.	2.9	76
26	Indoor microbiota in severely moisture damaged homes and the impact of interventions. <i>Microbiome</i> , 2017, 5, 138.	11.1	40
27	Fungi in Low-contamination Occupational Environments. , 2016, , 107-125.		2
28	Occurrence of Mycotoxins in Indoor Environments. , 2016, , 299-323.		6
29	Evaluation of sampling methods for toxicological testing of indoor air particulate matter. <i>Inhalation Toxicology</i> , 2016, 28, 500-507.	1.6	6
30	Author response to Dr Wise's letter. <i>Occupational and Environmental Medicine</i> , 2016, 73, 215.2-216.	2.8	0
31	Objective assessment of domestic mold contamination using quantitative PCR. <i>Journal of Allergy and Clinical Immunology</i> , 2016, 137, 622-624.	2.9	13
32	Application of the Environmental Relative Moldiness Index in Finland. <i>Applied and Environmental Microbiology</i> , 2016, 82, 578-584.	3.1	24
33	The Early Development of Wheeze. Environmental Determinants and Genetic Susceptibility at 17q21. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2016, 193, 889-897.	5.6	130
34	Comparison of methods for assessing temporal variation of growth of fungi on building materials. <i>Microbiology (United Kingdom)</i> , 2016, 162, 1895-1903.	1.8	13
35	Bacterial Exposures and Associations with Atopy and Asthma in Children. <i>PLoS ONE</i> , 2015, 10, e0131594.	2.5	41
36	Passive dust collectors for assessing airborne microbial material. <i>Microbiome</i> , 2015, 3, 46.	11.1	55

#	ARTICLE	IF	CITATIONS
37	Consumption of unprocessed cow's milk protects infants from common respiratory infections. <i>Journal of Allergy and Clinical Immunology</i> , 2015, 135, 56-62.e2.	2.9	96
38	Moisture Damage and Asthma: A Birth Cohort Study. <i>Pediatrics</i> , 2015, 135, e598-e606.	2.1	77
39	Early exposure to bio-contaminants and asthma up to 10 years of age: results of the HITEA study. <i>European Respiratory Journal</i> , 2015, 45, 328-337.	6.7	18
40	Domestic use of bleach and infections in children: a multicentre cross-sectional study. <i>Occupational and Environmental Medicine</i> , 2015, 72, 602-604.	2.8	22
41	Predictors of microbial agents in dust and respiratory health in the Ecrhs. <i>BMC Pulmonary Medicine</i> , 2015, 15, 48.	2.0	29
42	Indoor air quality in London schools. Part 2: long-term integrated assessment. <i>Intelligent Buildings International</i> , 2015, 7, 130-146.	2.3	13
43	LATE-BREAKING ABSTRACT: Chr17q21 modifies environmental effects on respiratory infections in infancy and effects on asthma. , 2015, , .		1
44	Clinical and Epidemiologic Phenotypes of Childhood Asthma. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2014, 189, 129-138.	5.6	159
45	Increased food diversity in the first year of life is inversely associated with allergic diseases. <i>Journal of Allergy and Clinical Immunology</i> , 2014, 133, 1056-1064.e7.	2.9	237
46	Dampness, bacterial and fungal components in dust in primary schools and respiratory health in schoolchildren across Europe. <i>Occupational and Environmental Medicine</i> , 2014, 71, 704-712.	2.8	51
47	The effect of assay type and sample matrix on detected cytokine concentrations in human blood serum and nasal lavage fluid. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2014, 96, 151-155.	2.8	5
48	Early life microbial exposure and fractional exhaled nitric oxide in school-age children: a prospective birth cohort study. <i>Environmental Health</i> , 2013, 12, 103.	4.0	15
49	Dampness and mould in schools and respiratory symptoms in children: the HITEA study. <i>Occupational and Environmental Medicine</i> , 2013, 70, 681-687.	2.8	58
50	Use of household cleaning products, exhaled nitric oxide and lung function in children: Table 1â€“. <i>European Respiratory Journal</i> , 2013, 42, 1415-1418.	6.7	20
51	Inflammatory response and IgE sensitization at early age. <i>Pediatric Allergy and Immunology</i> , 2013, 24, 395-401.	2.6	16
52	Microbial toxins in residential indoor environment. <i>ISEE Conference Abstracts</i> , 2013, 2013, 4560.	0.0	1
53	Microbial secondary metabolites in indoor environments. <i>ISEE Conference Abstracts</i> , 2013, 2013, 5929.	0.0	1
54	High Indoor Microbial Levels Are Associated with Reduced Th1 Cytokine Secretion Capacity in Infancy. <i>International Archives of Allergy and Immunology</i> , 2012, 159, 194-203.	2.1	13

#	ARTICLE	IF	CITATIONS
55	Microbial secondary metabolites in school buildings inspected for moisture damage in Finland, The Netherlands and Spain. <i>Journal of Environmental Monitoring</i> , 2012, 14, 2044.	2.1	48
56	Development of atopic dermatitis according to age of onset and association with early-life exposures. <i>Journal of Allergy and Clinical Immunology</i> , 2012, 130, 130-136.e5.	2.9	116
57	Determinants of stimulated peripheral blood cytokine production among farming women. <i>International Journal of Hygiene and Environmental Health</i> , 2011, 214, 205-209.	4.3	1
58	Molecular profiling of fungal communities in moisture damaged buildings before and after remediation - a comparison of culture-dependent and culture-independent methods. <i>BMC Microbiology</i> , 2011, 11, 235.	3.3	80
59	Concentrations and Diversity of Microbes from Four Local Bioaerosol Emission Sources in Finland. <i>Journal of the Air and Waste Management Association</i> , 2011, 61, 1382-1392.	1.9	11
60	Airborne cultivable microflora and microbial transfer in farm buildings and rural dwellings. <i>Occupational and Environmental Medicine</i> , 2011, 68, 849-855.	2.8	45
61	The effect of ozonization on furniture dust: Microbial content and immunotoxicity in vitro. <i>Science of the Total Environment</i> , 2010, 408, 2305-2311.	8.0	2
62	Risk of atopy associated with microbial components in house dust. <i>Annals of Allergy, Asthma and Immunology</i> , 2010, 104, 269-270.	1.0	10
63	Determination of bacterial load in house dust using qPCR, chemical markers and culture. <i>Journal of Environmental Monitoring</i> , 2010, 12, 759.	2.1	47
64	Cord blood cytokines are modulated by maternal farming activities and consumption of farm dairy products during pregnancy: The PASTURE Study. <i>Journal of Allergy and Clinical Immunology</i> , 2010, 125, 108-115.e3.	2.9	157
65	Microbial content of house dust samples determined with qPCR. <i>Science of the Total Environment</i> , 2009, 407, 4673-4680.	8.0	72
66	Confirmed Moisture Damage at Home, Respiratory Symptoms and Atopy in Early Life: A Birth-Cohort Study. <i>Pediatrics</i> , 2009, 124, e329-e338.	2.1	100
67	The occupant as a source of house dust bacteria. <i>Journal of Allergy and Clinical Immunology</i> , 2009, 124, 834-840.e47.	2.9	180
68	Seasonal Variation in Airborne Microbial Concentrations and Diversity at Landfill, Urban and Rural Sites. <i>Clean - Soil, Air, Water</i> , 2008, 36, 556-563.	1.1	46
69	Predominance of Gram-positive bacteria in house dust in the low-allergy risk Russian Karelia. <i>Environmental Microbiology</i> , 2008, 10, 3317-3325.	3.8	126
70	Monitoring success of remediation: Seven case studies of moisture and mold damaged buildings. <i>Science of the Total Environment</i> , 2008, 399, 19-27.	8.0	37
71	Quantitative PCR analysis of fungi and bacteria in building materials and comparison to culture-based analysis. <i>Journal of Environmental Monitoring</i> , 2008, 10, 655.	2.1	39
72	Prenatal exposure to a farm environment modifies atopic sensitization at birth. <i>Journal of Allergy and Clinical Immunology</i> , 2008, 122, 407-412.e4.	2.9	165

#	ARTICLE	IF	CITATIONS
73	Indoor air particles and bioaerosols before and after renovation of moisture-damaged buildings: The effect on biological activity and microbial flora. <i>Environmental Research</i> , 2008, 107, 291-298.	7.5	32
74	Endotoxin levels in cow's milk samples from farming and non-farming families – The PASTURE study. <i>Environment International</i> , 2008, 34, 1132-1136.	10.0	36
75	<i>Simkania negevensis</i> and newly diagnosed asthma: A case-control study in 1- to 6-year-old children. <i>Respirology</i> , 2006, 11, 80-83.	2.3	23
76	Skin test reactivity to molds in pre-school children with newly diagnosed asthma. <i>Pediatrics International</i> , 2006, 48, 577-581.	0.5	8
77	Characterizing Microbial Exposure With Ergosterol, 3-Hydroxy Fatty Acids, and Viable Microbes in House Dust: Determinants and Association With Childhood Asthma. <i>Archives of Environmental and Occupational Health</i> , 2006, 61, 149-157.	1.4	37
78	Occurrence and Characteristics of Moisture Damage in Residential Buildings as a Function of Occupant and Engineer Observations. <i>Indoor and Built Environment</i> , 2005, 14, 133-140.	2.8	23
79	Change in IFN- γ -producing capacity in early life and exposure to environmental microbes. <i>Journal of Allergy and Clinical Immunology</i> , 2005, 116, 1048-1052.	2.9	39
80	<i>Chlamydia pneumoniae</i> and newly diagnosed asthma: a case-control study in 1 to 6-year-old children. <i>Respirology</i> , 2004, 9, 255-259.	2.3	25
81	Effect of Building Frame and Moisture Damage on Microbiological Indoor Air Quality in School Buildings. <i>AIHA Journal: A Journal for the Science of Occupational and Environmental Health and Safety</i> , 2003, 64, 108-116.	0.4	40
82	Production of proinflammatory mediators by indoor air bacteria and fungal spores in mouse and human cell lines. <i>Environmental Health Perspectives</i> , 2003, 111, 85-92.	6.0	97
83	Nasal symptoms among residents in moldy housing. <i>Scandinavian Journal of Work, Environment and Health</i> , 2003, 29, 461-467.	3.4	7
84	Isolation and Identification of <i>Aspergillus fumigatus</i> Mycotoxins on Growth Medium and Some Building Materials. <i>Applied and Environmental Microbiology</i> , 2002, 68, 4871-4875.	3.1	57
85	Media for cultivation of indoor streptomycetes. <i>Journal of Microbiological Methods</i> , 2002, 51, 411-416.	1.6	27
86	Fungi and actinobacteria in moisture-damaged building materials – concentrations and diversity. <i>International Biodeterioration and Biodegradation</i> , 2002, 49, 27-37.	3.9	180
87	Metabolite profiles of <i>Stachybotrys</i> isolates from water-damaged buildings and their induction of inflammatory mediators and cytotoxicity in macrophages. <i>Mycopathologia</i> , 2002, 154, 201-206.	3.1	53
88	Mold-specific IgE antibodies in relation to exposure and skin test data in schoolchildren. <i>Allergy International</i> , 2001, 50, 239-245.	3.3	13
89	Nitric Oxide and Proinflammatory Cytokines in Nasal Lavage Fluid Associated with Symptoms and Exposure to Moldy Building Microbes. <i>American Journal of Respiratory and Critical Care Medicine</i> , 1999, 160, 1943-1946.	5.6	82
90	Cytotoxicity, production of reactive oxygen species and cytokines induced by different strains of <i>Stachybotrys</i> sp. from moldy buildings in RAW264.7 macrophages. <i>Environmental Toxicology and Pharmacology</i> , 1998, 6, 193-199.	4.0	32

#	ARTICLE	IF	CITATIONS
91	Two Moldy Day-care Centers: a Follow-up Study of Respiratory Symptoms and Infections. <i>Indoor Air</i> , 1997, 7, 262-268.	4.3	33
92	Exposure to Airborne Microbes During the Repair of Moldy Buildings. <i>AIHA Journal</i> , 1996, 57, 279-284.	0.4	52
93	Respiratory Symptoms and Infections among Children in a Day-Care Center with Mold Problems. <i>Indoor Air</i> , 1995, 5, 3-9.	4.3	51
94	Comparison of concentrations and size distributions of fungal spores in buildings with and without mould problems. <i>Journal of Aerosol Science</i> , 1994, 25, 1595-1603.	3.8	63
95	Characterizing Mold Problem Buildings - Concentrations And Flora Of Viable Fungi. <i>Indoor Air</i> , 1993, 3, 337-343.	4.3	74