

Chao Wu

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3748417/publications.pdf>

Version: 2024-02-01

67
papers

9,058
citations

57758

44
h-index

98798

67
g-index

68
all docs

68
docs citations

68
times ranked

10006
citing authors

#	ARTICLE	IF	CITATIONS
1	2D anionic nanosheet additive for stable Zn metal anodes in aqueous electrolyte. <i>Chemical Engineering Journal</i> , 2022, 430, 133042.	12.7	22
2	Understanding the morphology evolution of 1D BiVO ₄ nanoarrays from nanorods to nanocones with enhanced photocatalytic performance. <i>CrystEngComm</i> , 2022, 24, 3297-3306.	2.6	6
3	Carbon-based current collector materials for sodium metal anodes. <i>New Carbon Materials</i> , 2022, 37, 93-108.	6.1	11
4	Double interface regulation: Toward highly stable lithium metal anode with high utilization. <i>Informa Mater</i> , 2022, 4, .	17.3	21
5	Recent Progress on Fe-Based Single/Dual-Atom Catalysts for Zn-Air Batteries. <i>Small</i> , 2022, 18, e2106635.	10.0	47
6	Towards stable sodium metal battery with high voltage output through dual electrolyte design. <i>Energy Storage Materials</i> , 2022, 48, 466-474.	18.0	10
7	An in-situ generated Bi-based sodiophilic substrate with high structural stability for high-performance sodium metal batteries. <i>Journal of Energy Chemistry</i> , 2022, 71, 595-603.	12.9	7
8	Honeycomb-like 3D carbon skeletons with embedded phosphorus-rich phosphide nanoparticles as advanced anodes for lithium-ion batteries. <i>Nanoscale</i> , 2022, 14, 8744-8752.	5.6	6
9	Stable sodium metal anodes enabled by an in-situ generated mixed-ion/electron-conducting interface. <i>Chemical Engineering Journal</i> , 2022, 446, 136917.	12.7	5
10	Molecularly engineered three-dimensional covalent organic framework protection films for highly stable zinc anodes in aqueous electrolyte. <i>Energy Storage Materials</i> , 2022, 51, 391-399.	18.0	31
11	2D Sn/C freestanding frameworks as a robust nucleation layer for highly stable sodium metal anodes with a high utilization. <i>Nano Energy</i> , 2021, 79, 105457.	16.0	46
12	Highly reversible and dendrite-free Zn electrodeposition enabled by a thin metallic interfacial layer in aqueous batteries. <i>Chemical Engineering Journal</i> , 2021, 416, 128062.	12.7	75
13	Stable Sodium Metal Anode Enabled by an Interface Protection Layer Rich in Organic Sulfide Salt. <i>Nano Letters</i> , 2021, 21, 619-627.	9.1	58
14	An in-depth insight of a highly reversible and dendrite-free Zn metal anode in an hybrid electrolyte. <i>Journal of Materials Chemistry A</i> , 2021, 9, 4253-4261.	10.3	67
15	Constructing nitrated interfaces for stabilizing Li metal electrodes in liquid electrolytes. <i>Chemical Science</i> , 2021, 12, 8945-8966.	7.4	72
16	Regulation methods for the Zn/electrolyte interphase and the effectiveness evaluation in aqueous Zn-ion batteries. <i>Energy and Environmental Science</i> , 2021, 14, 5669-5689.	30.8	314
17	Stable sodium metal anodes with a high utilization enabled by an interfacial layer composed of yolk-shell nanoparticles. <i>Journal of Materials Chemistry A</i> , 2021, 9, 13200-13208.	10.3	21
18	Bi Nanoparticles Embedded in 2D Carbon Nanosheets as an Interfacial Layer for Advanced Sodium Metal Anodes. <i>Small</i> , 2021, 17, e2007578.	10.0	28

#	ARTICLE	IF	CITATIONS
19	Dendritesâ€Free Zn Metal Anodes Enabled by an Artificial Protective Layer Filled with 2D Anionic Nanosheets. <i>Small Methods</i> , 2021, 5, e2100650.	8.6	50
20	An in-situ formed stable interface layer for high-performance sodium metal anode in a non-flammable electrolyte. <i>Energy Storage Materials</i> , 2021, 42, 145-153.	18.0	42
21	Highly Stable Lithium/Sodium Metal Batteries with High Utilization Enabled by a Holey Two-Dimensional N-Doped TiNb ₂ O ₇ Host. <i>Nano Letters</i> , 2021, 21, 10453-10461.	9.1	18
22	Computable Bulk and Interfacial Electronic Structure Features as Proxies for Dielectric Breakdown of Polymers. <i>ACS Applied Materials & Interfaces</i> , 2020, 12, 37182-37187.	8.0	21
23	Coreâ€Shell C@Sb Nanoparticles as a Nucleation Layer for High-Performance Sodium Metal Anodes. <i>Nano Letters</i> , 2020, 20, 4464-4471.	9.1	75
24	An Inâ€Depth Study of Zn Metal Surface Chemistry for Advanced Aqueous Znâ€Ion Batteries. <i>Advanced Materials</i> , 2020, 32, e2003021.	21.0	707
25	Dendriteâ€Free Sodium Metal Anodes Enabled by a Sodium Benzenedithiolateâ€Rich Protection Layer. <i>Angewandte Chemie - International Edition</i> , 2020, 59, 6596-6600.	13.8	89
26	Dendriteâ€Free Sodium Metal Anodes Enabled by a Sodium Benzenedithiolateâ€Rich Protection Layer. <i>Angewandte Chemie</i> , 2020, 132, 6658-6662.	2.0	33
27	Graphene-Encapsulated CuP ₂ : A Promising Anode Material with High Reversible Capacity and Superior Rate-Performance for Sodium-Ion Batteries. <i>Nano Letters</i> , 2019, 19, 2575-2582.	9.1	60
28	Stable lithium metal anodes enabled by inorganic/organic double-layered alloy and polymer coating. <i>Journal of Materials Chemistry A</i> , 2019, 7, 25369-25376.	10.3	35
29	The State and Challenges of Anode Materials Based on Conversion Reactions for Sodium Storage. <i>Small</i> , 2018, 14, e1703671.	10.0	106
30	Effect of Cu-Ti-C reaction composition on reinforcing particles size of TiC x /Cu composites. <i>Journal Wuhan University of Technology, Materials Science Edition</i> , 2018, 33, 43-48.	1.0	8
31	Top-down synthesis of interconnected two-dimensional carbon/antimony hybrids as advanced anodes for sodium storage. <i>Energy Storage Materials</i> , 2018, 10, 122-129.	18.0	50
32	New Nanoconfined Galvanic Replacement Synthesis of Hollow Sb@C Yolkâ€Shell Spheres Constituting a Stable Anode for High-Rate Li/Na-Ion Batteries. <i>Nano Letters</i> , 2017, 17, 2034-2042.	9.1	386
33	Challenges and Perspectives for NASICONâ€Type Electrode Materials for Advanced Sodiumâ€Ion Batteries. <i>Advanced Materials</i> , 2017, 29, 1700431.	21.0	499
34	A High Powerâ€High Energy Na ₃ V ₂ (PO ₄) ₂ F ₃ Sodium Cathode: Investigation of Transport Parameters, Rational Design and Realization. <i>Chemistry of Materials</i> , 2017, 29, 5207-5215.	6.7	141
35	Highly Reversible and Durable Na Storage in Niobium Pentoxide through Optimizing Structure, Composition, and Nanoarchitecture. <i>Advanced Materials</i> , 2017, 29, 1605607.	21.0	122
36	High Performance Graphene/Ni ₂ P Hybrid Anodes for Lithium and Sodium Storage through 3D Yolkâ€Shellâ€Like Nanostructural Design. <i>Advanced Materials</i> , 2017, 29, 1604015.	21.0	220

#	ARTICLE	IF	CITATIONS
37	Peapodâ€Like Carbonâ€Encapsulated Cobalt Chalcogenide Nanowires as Cycleâ€Stable and Highâ€Rate Materials for Sodiumâ€Ion Anodes. <i>Advanced Materials</i> , 2016, 28, 7276-7283.	21.0	237
38	Selfâ€Supported Nanotube Arrays of Sulfurâ€Doped TiO ₂ Enabling Ultrastable and Robust Sodium Storage. <i>Advanced Materials</i> , 2016, 28, 2259-2265.	21.0	457
39	MOFâ€Derived Hollow Co ₉ S ₈ Nanoparticles Embedded in Graphitic Carbon Nanocages with Superior Liâ€Ion Storage. <i>Small</i> , 2016, 12, 2354-2364.	10.0	306
40	Generalizable Synthesis of Metalâ€Sulfides/Carbon Hybrids with Multiscale, Hierarchically Ordered Structures as Advanced Electrodes for Lithium Storage. <i>Advanced Materials</i> , 2016, 28, 174-180.	21.0	145
41	Superior Sodium Storage in Na ₂ Ti ₃ O ₇ Nanotube Arrays through Surface Engineering. <i>Advanced Energy Materials</i> , 2016, 6, 1502568.	19.5	219
42	Grapheneâ€Protected 3D Sbâ€Based Anodes Fabricated via Electrostatic Assembly and Confinement Replacement for Enhanced Lithium and Sodium Storage. <i>Small</i> , 2015, 11, 6026-6035.	10.0	87
43	Synthesizing Porous NaTi ₂ (PO ₄) ₃ Nanoparticles Embedded in 3D Graphene Networks for High-Rate and Long Cycle-Life Sodium Electrodes. <i>ACS Nano</i> , 2015, 9, 6610-6618.	14.6	260
44	3D V ₆ O ₁₃ Nanotextiles Assembled from Interconnected Nanogrooves as Cathode Materials for High-Energy Lithium Ion Batteries. <i>Nano Letters</i> , 2015, 15, 1388-1394.	9.1	194
45	Snâ€Based Nanoparticles Encapsulated in a Porous 3D Graphene Network: Advanced Anodes for Highâ€Rate and Long Life Liâ€Ion Batteries. <i>Advanced Functional Materials</i> , 2015, 25, 3488-3496.	14.9	156
46	Free-standing graphene-based porous carbon films with three-dimensional hierarchical architecture for advanced flexible Liâ€sulfur batteries. <i>Journal of Materials Chemistry A</i> , 2015, 3, 9438-9445.	10.3	51
47	An Advanced Sodiumâ€Ion Battery Composed of Carbon Coated Na ₃ V ₂ (PO ₄) ₃ in a Porous Graphene Network. <i>Advanced Materials</i> , 2015, 27, 6670-6676.	21.0	448
48	Uniform yolkâ€shell Sn ₄ P ₃ @C nanospheres as high-capacity and cycle-stable anode materials for sodium-ion batteries. <i>Energy and Environmental Science</i> , 2015, 8, 3531-3538.	30.8	401
49	Three-Dimensional Highly Conductive Grapheneâ€Silver Nanowire Hybrid Foams for Flexible and Stretchable Conductors. <i>ACS Applied Materials & Interfaces</i> , 2014, 6, 21026-21034.	8.0	118
50	Role of interface in highly filled epoxy/BaTiO ₃ nanocomposites. Part II- effect of nanoparticle surface chemistry on processing, thermal expansion, energy storage and breakdown strength of the nanocomposites. <i>IEEE Transactions on Dielectrics and Electrical Insulation</i> , 2014, 21, 480-487.	2.9	43
51	Role of interface in highly filled epoxy/BaTiO ₃ nanocomposites. Part I-correlation between nanoparticle surface chemistry and nanocomposite dielectric property. <i>IEEE Transactions on Dielectrics and Electrical Insulation</i> , 2014, 21, 467-479.	2.9	60
52	A crosslinking method of UHMWPE irradiated by electron beam using TMPTMA as radiosensitizer. <i>Journal of Applied Polymer Science</i> , 2013, 127, 111-119.	2.6	16
53	Mechanically Flexible and Multifunctional Polymerâ€Based Graphene Foams for Elastic Conductors and Oilâ€Water Separators. <i>Advanced Materials</i> , 2013, 25, 5658-5662.	21.0	358
54	Alumina-coated graphene sheet hybrids for electrically insulating polymer composites with high thermal conductivity. <i>RSC Advances</i> , 2013, 3, 17373.	3.6	176

#	ARTICLE	IF	CITATIONS
55	Graphene oxide-encapsulated carbon nanotube hybrids for high dielectric performance nanocomposites with enhanced energy storage density. <i>Nanoscale</i> , 2013, 5, 3847.	5.6	182
56	Highly Conductive Nanocomposites with Three-Dimensional, Compactly Interconnected Graphene Networks via a Self-Assembly Process. <i>Advanced Functional Materials</i> , 2013, 23, 506-513.	14.9	200
57	Functional graphene for high dielectric performance polymer composites. , 2013, , .		0
58	Influence of interface structure on dielectric properties of epoxy/alumina nanocomposites. <i>Macromolecular Research</i> , 2012, 20, 816-826.	2.4	100
59	Hyperbranched-polymer functionalization of graphene sheets for enhanced mechanical and dielectric properties of polyurethane composites. <i>Journal of Materials Chemistry</i> , 2012, 22, 7010.	6.7	235
60	Fabrication of two-dimensional hybrid sheets by decorating insulating PANI on reduced graphene oxide for polymer nanocomposites with low dielectric loss and high dielectric constant. <i>Journal of Materials Chemistry</i> , 2012, 22, 23477.	6.7	183
61	Flammability of EVA/IFR (APP/PER/ZB system) and EVA/IFR/synergist (CaCO ₃ , NG, and EG) composites. <i>Journal of Applied Polymer Science</i> , 2012, 126, 1917-1928.	2.6	30
62	Morphology-controllable graphene-TiO ₂ nanorod hybrid nanostructures for polymer composites with high dielectric performance. <i>Journal of Materials Chemistry</i> , 2011, 21, 17729.	6.7	130
63	Permittivity, thermal conductivity and thermal stability of poly(vinylidene fluoride)/graphene nanocomposites. <i>IEEE Transactions on Dielectrics and Electrical Insulation</i> , 2011, 18, 478-484.	2.9	160
64	Core-shell structured poly(methyl methacrylate)/BaTiO ₃ nanocomposites prepared by in situ atom transfer radical polymerization: a route to high dielectric constant materials with the inherent low loss of the base polymer. <i>Journal of Materials Chemistry</i> , 2011, 21, 5897.	6.7	349
65	Preparation of hyperbranched aromatic polyamide grafted nanoparticles for thermal properties reinforcement of epoxy composites. <i>Polymer Chemistry</i> , 2011, 2, 1380.	3.9	117
66	Graphene nanocomposites based on poly(vinylidene fluoride): Structure and properties. <i>Polymer Composites</i> , 2011, 32, 1483-1491.	4.6	77
67	Preparation of PbSe nanoparticles by electron beam irradiation method. <i>Bulletin of Materials Science</i> , 2008, 31, 825-829.	1.7	9