
Patrizia Campolongo

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3749487/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Perinatal supplementation with omega-3 fatty acids corrects the aberrant social and cognitive traits observed in a genetic model of autism based on FMR1 deletion in rats. Nutritional Neuroscience, 2022, 25, 898-911.	3.1	21
2	Hippocampal glucocorticoid target genes associated with enhancement of memory consolidation. European Journal of Neuroscience, 2022, 55, 2666-2683.	2.6	20
3	Altered Hippocampal Resting-state Functional Connectivity in Highly Superior Autobiographical Memory. Neuroscience, 2022, 480, 1-8.	2.3	8
4	Circadian regulation of memory under stress: Endocannabinoids matter. Neuroscience and Biobehavioral Reviews, 2022, 138, 104712.	6.1	3
5	Basolateral amygdala activation enhances object recognition memory by inhibiting anterior insular cortex activity. Proceedings of the National Academy of Sciences of the United States of America, 2022, 119, .	7.1	4
6	Co-Ultramicronized Palmitoylethanolamide/Luteolin Restores Oligodendrocyte Homeostasis via Peroxisome Proliferator-Activated Receptor-α in an In Vitro Model of Alzheimer's Disease. Biomedicines, 2022, 10, 1236.	3.2	10
7	Individuals with highly superior autobiographical memory do not show enhanced creative thinking. Memory, 2022, 30, 1148-1157.	1.7	3
8	Ketamine anesthesia enhances fear memory consolidation via noradrenergic activation in the basolateral amygdala. Neurobiology of Learning and Memory, 2021, 178, 107362.	1.9	7
9	Amphetamine Modulation of Long-Term Object Recognition Memory in Rats: Influence of Stress. Frontiers in Pharmacology, 2021, 12, 644521.	3.5	1
10	Social Defeat Stress during Early Adolescence Confers Resilience against a Single Episode of Prolonged Stress in Adult Rats. Cells, 2021, 10, 360.	4.1	14
11	The neurochemistry of social reward during development: What have we learned from rodent models?. Journal of Neurochemistry, 2021, 157, 1408-1435.	3.9	17
12	Sex-divergent long-term effects of single prolonged stress in adult rats. Behavioural Brain Research, 2021, 401, 113096.	2.2	21
13	A novel arousal-based individual screening reveals susceptibility and resilience to PTSD-like phenotypes in mice. Neurobiology of Stress, 2021, 14, 100286.	4.0	42
14	Highly superior autobiographical memory in aging: A single case study. Cortex, 2021, 143, 267-280.	2.4	10
15	Sex-dependent Effects of the Drugs of Abuse Amphetamine and the Smart Drug 3,4-Methylenedioxypyrovalerone on Fear Memory Generalization in Rats. Neuroscience, 2021, , .	2.3	2
16	Predicting susceptibility and resilience in an animal model of post-traumatic stress disorder (PTSD). Translational Psychiatry, 2020, 10, 243.	4.8	24
17	Hippocampal 2-Arachidonoyl Glycerol Signaling Regulates Time-of-Day- and Stress-Dependent Effects on Rat Short-Term Memory. International Journal of Molecular Sciences, 2020, 21, 7316.	4.1	9
18	Looking for a Treatment for the Early Stage of Alzheimer's Disease: Preclinical Evidence with Co-Ultramicronized Palmitoylethanolamide and Luteolin. International Journal of Molecular Sciences, 2020, 21, 3802.	4.1	24

PATRIZIA CAMPOLONGO

#	Article	IF	CITATIONS
19	Detrimental effects of the †bath salt' methylenedioxypyrovalerone on social play behavior in male rats. Neuropsychopharmacology, 2020, 45, 2012-2019.	5.4	5
20	Perinatal exposure to omega-3 fatty acid imbalance leads to early behavioral alterations in rat pups. Behavioural Brain Research, 2020, 392, 112723.	2.2	5
21	Enhanced cortical specialization to distinguish older and newer memories in highly superior autobiographical memory. Cortex, 2020, 129, 476-483.	2.4	14
22	The prokineticin receptor antagonist PC1 rescues memory impairment induced by β amyloid administration through the modulation of prokineticin system. Neuropharmacology, 2019, 158, 107739.	4.1	18
23	Anandamide modulation of circadian- and stress-dependent effects on rat short-term memory. Psychoneuroendocrinology, 2019, 108, 155-162.	2.7	14
24	Endocannabinoid modulation of short-term recognition memory in rats: Influence of stress and circadian rhythm. Psychoneuroendocrinology, 2019, 107, 14.	2.7	0
25	Enduring effects induced by brief and repeated periods of social isolation stress during early adolescence. Psychoneuroendocrinology, 2019, 107, 5.	2.7	0
26	Unidirectional opioid-cannabinoid cross-tolerance in the modulation of social play behavior in rats. Psychopharmacology, 2019, 236, 2557-2568.	3.1	9
27	Amphetamine and the Smart Drug 3,4-Methylenedioxypyrovalerone (MDPV) Induce Generalization of Fear Memory in Rats. Frontiers in Molecular Neuroscience, 2019, 12, 292.	2.9	9
28	Glucocorticoid interactions with the dorsal striatal endocannabinoid system in regulating inhibitory avoidance memory. Psychoneuroendocrinology, 2019, 99, 97-103.	2.7	16
29	Acute and chronic neurobehavioral effects of the designer drug and bath salt constituent 3,4-methylenedioxypyrovalerone in the rat. Journal of Psychopharmacology, 2019, 33, 392-405.	4.0	21
30	Enhancing Endocannabinoid Neurotransmission Augments The Efficacy of Extinction Training and Ameliorates Traumatic Stress-Induced Behavioral Alterations in Rats. Neuropsychopharmacology, 2018, 43, 1284-1296.	5.4	63
31	Integrating Endocannabinoid Signaling and Cannabinoids into the Biology and Treatment of Posttraumatic Stress Disorder. Neuropsychopharmacology, 2018, 43, 80-102.	5.4	170
32	Impaired repair of DNA damage is associated with autistic-like traits in rats prenatally exposed to valproic acid. European Neuropsychopharmacology, 2018, 28, 85-96.	0.7	40
33	Modulations of Neuroendocrine Stress Responses During Confinement in Antarctica and the Role of Hypobaric Hypoxia. Frontiers in Physiology, 2018, 9, 1647.	2.8	17
34	Pharmacological inhibition of 2-arachidonoilglycerol hydrolysis enhances memory consolidation in rats through CB2 receptor activation and mTOR signaling modulation. Neuropharmacology, 2018, 138, 210-218.	4.1	40
35	Sexâ€specific autistic endophenotypes induced by prenatal exposure to valproic acid involve anandamide signalling. British Journal of Pharmacology, 2018, 175, 3699-3712.	5.4	97
36	Enhanced brain activity associated with memory access in highly superior autobiographical memory. Proceedings of the National Academy of Sciences of the United States of America, 2018, 115, 7795-7800.	7.1	46

#	Article	IF	CITATIONS
37	Effects of ketamine, dexmedetomidine and propofol anesthesia on emotional memory consolidation in rats: Consequences for the development of post-traumatic stress disorder. Behavioural Brain Research, 2017, 329, 215-220.	2.2	45
38	Lifelong imbalanced LA/ALA intake impairs emotional and cognitive behavior via changes in brain endocannabinoid system. Journal of Lipid Research, 2017, 58, 301-316.	4.2	28
39	Lipid nanoparticles for administration of poorly water soluble neuroactive drugs. Biomedical Microdevices, 2017, 19, 44.	2.8	22
40	Testing the correlation between experimentally-induced hypothyroidism during pregnancy and autistic-like symptoms in the rat offspring. Behavioural Brain Research, 2017, 321, 113-122.	2.2	21
41	Building Bridges through Science. Neuron, 2017, 96, 730-735.	8.1	2
42	Cannabinoid Modulation of Memory Consolidation in Rats: Beyond the Role of Cannabinoid Receptor Subtype 1. Frontiers in Pharmacology, 2017, 08, 200.	3.5	34
43	Effects of sevoflurane and clonidine on acid base status and long-term emotional and cognitive outcomes in spontaneously breathing rat pups. PLoS ONE, 2017, 12, e0173969.	2.5	4
44	Interacting Cannabinoid and Opioid Receptors in the Nucleus Accumbens Core Control Adolescent Social Play. Frontiers in Behavioral Neuroscience, 2016, 10, 211.	2.0	55
45	Targeting anandamide metabolism rescues core and associated autistic-like symptoms in rats prenatally exposed to valproic acid. Translational Psychiatry, 2016, 6, e902-e902.	4.8	93
46	The endocannabinoid system and Post Traumatic Stress Disorder (PTSD): From preclinical findings to innovative therapeutic approaches in clinical settings. Pharmacological Research, 2016, 111, 668-678.	7.1	57
47	Emotional arousal state influences the ability of amygdalar endocannabinoid signaling to modulate anxiety. Neuropharmacology, 2016, 111, 59-69.	4.1	58
48	Dopaminergic Neurotransmission in the Nucleus Accumbens Modulates Social Play Behavior in Rats. Neuropsychopharmacology, 2016, 41, 2215-2223.	5.4	109
49	Soluble beta amyloid evokes alteration in brain norepinephrine levels: role of nitric oxide and interleukin-1. Frontiers in Neuroscience, 2015, 9, 428.	2.8	27
50	Endocannabinoid Signaling within the Basolateral Amygdala Integrates Multiple Stress Hormone Effects on Memory Consolidation. Neuropsychopharmacology, 2015, 40, 1485-1494.	5.4	73
51	Distinct roles of the endocannabinoids anandamide and 2-arachidonoylglycerol in social behavior and emotionality at different developmental ages in rats. European Neuropsychopharmacology, 2015, 25, 1362-1374.	0.7	51
52	Endocannabinoid signaling integrates multiple stress hormone effects on memory consolidation. Psychoneuroendocrinology, 2015, 61, 5.	2.7	5
53	Training-Associated Emotional Arousal Shapes Endocannabinoid Modulation of Spatial Memory Retrieval in Rats. Journal of Neuroscience, 2015, 35, 13962-13974.	3.6	58
54	"Natural―relief of pregnancy-related symptoms and neonatal outcomes: above all do no harm. Journal of Ethnopharmacology, 2015, 174, 396-402.	4.1	26

#	Article	IF	CITATIONS
55	Cannabinoid antagonist in nanostructured lipid carriers (NLCs): design, characterization and in vivo study. Materials Science and Engineering C, 2015, 48, 328-336.	7.3	43
56	Endocannabinoid Modulation of Memory for Emotionally Arousing Experiences. , 2015, , 3-21.		0
57	An updated animal model capturing both the cognitive and emotional features of post-traumatic stress disorder (PTSD). Frontiers in Behavioral Neuroscience, 2014, 8, 142.	2.0	41
58	Palmitoylethanolamide controls reactive gliosis and exerts neuroprotective functions in a rat model of Alzheimer's disease. Cell Death and Disease, 2014, 5, e1419-e1419.	6.3	79
59	Endogenous cannabinoid release within prefrontal-limbic pathways affects memory consolidation of emotional training. Proceedings of the National Academy of Sciences of the United States of America, 2014, 111, 18333-18338.	7.1	115
60	Quantification of anandamide and 2â€arachidonoylglycerol plasma levels to examine potential influences of tetrahydrocannabinol application on the endocannabinoid system in humans. Drug Testing and Analysis, 2014, 6, 17-23.	2.6	28
61	The endocannabinoid system: An emotional buffer in the modulation of memory function. Neurobiology of Learning and Memory, 2014, 112, 30-43.	1.9	119
62	The role of glucocorticoids, catecholamines and endocannabinoids in the development of traumatic memories and posttraumatic stress symptoms in survivors of critical illness. Neurobiology of Learning and Memory, 2014, 112, 68-74.	1.9	43
63	Social play behavior, ultrasonic vocalizations and their modulation by morphine and amphetamine in Wistar and Sprague-Dawley rats. Psychopharmacology, 2014, 231, 1661-1673.	3.1	64
64	Strain- and context-dependent effects of the anandamide hydrolysis inhibitor URB597 on social behavior in rats. European Neuropsychopharmacology, 2014, 24, 1337-1348.	0.7	53
65	Memantine prevents memory consolidation failure induced by soluble beta amyloid in rats. Frontiers in Behavioral Neuroscience, 2014, 8, 332.	2.0	38
66	Role of Endocannabinoids in Regulating Glucocorticoid Effects on Memory for Emotionally Arousing Experiences. , 2014, , 71-98.		0
67	Novelty-Induced Emotional Arousal Modulates Cannabinoid Effects on Recognition Memory and Adrenocortical Activity. Neuropsychopharmacology, 2013, 38, 1276-1286.	5.4	61
68	E.12 - DOPAMINERGIC NEUROTRANSMISSION IN NUCLEUS ACCUMBENS MEDIATES SOCIAL PLAY BEHAVIOR IN ADOLESCENT RATS. Behavioural Pharmacology, 2013, 24, e44.	1.7	1
69	NANOSYMPOSIUM N 2 SOCIAL BEHAVIOR. Behavioural Pharmacology, 2013, 24, e18-e19.	1.7	0
70	Systemic Administration of Substance P Recovers Beta Amyloid-Induced Cognitive Deficits in Rat: Involvement of Kv Potassium Channels. PLoS ONE, 2013, 8, e78036.	2.5	26
71	The endocannabinoid system as a possible target to treat both the cognitive and emotional features of post-traumatic stress disorder (PTSD). Frontiers in Behavioral Neuroscience, 2013, 7, 100.	2.0	69
72	Plasma Concentrations of Endocannabinoids and Related Primary Fatty Acid Amides in Patients with Post-Traumatic Stress Disorder. PLoS ONE, 2013, 8, e62741.	2.5	162

#	Article	IF	CITATIONS
73	Glucocorticoid-endocannabinoid interaction in cardiac surgical patients: relationship to early cognitive dysfunction and late depression. Reviews in the Neurosciences, 2012, 23, 681-90.	2.9	30
74	Modeling specific phobias and posttraumatic stress disorder in rodents: the challenge to convey both cognitive and emotional features. Reviews in the Neurosciences, 2012, 23, 645-57.	2.9	18
75	Glucocorticoids interact with the hippocampal endocannabinoid system in impairing retrieval of contextual fear memory. Proceedings of the National Academy of Sciences of the United States of America, 2012, 109, 3504-3509.	7.1	117
76	The endocannabinoid system: a key modulator of emotions and cognition. Frontiers in Behavioral Neuroscience, 2012, 6, 73.	2.0	18
77	Endocannabinoids in Amygdala and Nucleus Accumbens Mediate Social Play Reward in Adolescent Rats. Journal of Neuroscience, 2012, 32, 14899-14908.	3.6	144
78	Cannabinoid modulation of mother-infant interaction: is it just about milk?. Reviews in the Neurosciences, 2012, 23, 707-22.	2.9	19
79	Role of the endocannabinoid system in regulating glucocorticoid effects on memory for emotional experiences. Neuroscience, 2012, 204, 104-116.	2.3	89
80	Altering endocannabinoid neurotransmission at critical developmental ages: impact on rodent emotionality and cognitive performance. Frontiers in Behavioral Neuroscience, 2012, 6, 2.	2.0	55
81	The endocannabinoid transport inhibitor AM404 differentially modulates recognition memory in rats depending on environmental aversiveness. Frontiers in Behavioral Neuroscience, 2012, 6, 11.	2.0	41
82	Evaluating the rewarding nature of social interactions in laboratory animals. Developmental Cognitive Neuroscience, 2011, 1, 444-458.	4.0	203
83	Effects of myosin heavy chain (MHC) plasticity induced by HMGCoAâ€reductase inhibition on skeletal muscle functions. FASEB Journal, 2011, 25, 4037-4047.	0.5	21
84	Propofol Enhances Memory Formation <i>via</i> Â an Interaction with the Endocannabinoid System. Anesthesiology, 2011, 114, 1380-1388.	2.5	59
85	Developmental consequences of perinatal cannabis exposure: behavioral and neuroendocrine effects in adult rodents. Psychopharmacology, 2011, 214, 5-15.	3.1	109
86	Functional Interactions between Stress and the Endocannabinoid System: From Synaptic Signaling to Behavioral Output. Journal of Neuroscience, 2010, 30, 14980-14986.	3.6	202
87	Chapter 9 Developmental Exposure to Cannabinoids Causes Subtle and Enduring Neurofunctional Alterations. International Review of Neurobiology, 2009, 85, 117-133.	2.0	56
88	Toward Understanding the Neurobiology of Social Attachment: Role of Estrogen Receptors in the Medial Amygdala. Journal of Neuroscience, 2009, 29, 1-2.	3.6	16
89	Fat-induced satiety factor oleoylethanolamide enhances memory consolidation. Proceedings of the National Academy of Sciences of the United States of America, 2009, 106, 8027-8031.	7.1	123
90	Enhanced Anandamide Plasma Levels in Patients with Complex Regional Pain Syndrome following Traumatic Injury: A Preliminary Report. European Surgical Research, 2009, 43, 325-329.	1.3	33

#	Article	IF	CITATIONS
91	Endocannabinoids in the rat basolateral amygdala enhance memory consolidation and enable glucocorticoid modulation of memory. Proceedings of the National Academy of Sciences of the United States of America, 2009, 106, 4888-4893.	7.1	271
92	Effects of perinatal exposure to delta-9-tetrahydrocannabinol on the emotional reactivity of the offspring: a longitudinal behavioral study in Wistar rats. Psychopharmacology, 2008, 198, 529-537.	3.1	110
93	Anandamide and neutrophil function in patients with fibromyalgia. Psychoneuroendocrinology, 2008, 33, 676-685.	2.7	65
94	The Lipid Messenger OEA Links Dietary Fat Intake to Satiety. Cell Metabolism, 2008, 8, 281-288.	16.2	321
95	Perinatal exposure to delta-9-tetrahydrocannabinol causes enduring cognitive deficits associated with alteration of cortical gene expression and neurotransmission in rats. Addiction Biology, 2007, 12, 485-495.	2.6	98
96	Cognitive impairment and increased brain neurosteroids in adult rats perinatally exposed to low millimolar blood alcohol concentrations. Psychoneuroendocrinology, 2007, 32, 931-942.	2.7	15
97	Role of cannabinoidergic mechanisms in ethanol self-administration and ethanol seeking in rat adult offspring following perinatal exposure to Δ9-tetrahydrocannabinol. Toxicology and Applied Pharmacology, 2007, 223, 73-85.	2.8	41
98	Anxiolytic-Like Properties of the Anandamide Transport Inhibitor AM404. Neuropsychopharmacology, 2006, 31, 2652-2659.	5.4	208
99	Modulation of Neuropathic and Inflammatory Pain by the Endocannabinoid Transport Inhibitor AM404 [N-(4-Hydroxyphenyl)-eicosa-5,8,11,14-tetraenamide]. Journal of Pharmacology and Experimental Therapeutics, 2006, 317, 1365-1371.	2.5	93
100	Antidepressant-like activity and modulation of brain monoaminergic transmission by blockade of anandamide hydrolysis. Proceedings of the National Academy of Sciences of the United States of America, 2005, 102, 18620-18625.	7.1	615
101	Rhes Is Involved in Striatal Function. Molecular and Cellular Biology, 2004, 24, 5788-5796.	2.3	63
102	Effect on rat arterial blood pressure of chemically generated peroxyl radicals and protection by antioxidants. Journal of Nutritional Biochemistry, 2004, 15, 323-327.	4.2	8
103	Scopolamine effects on ultrasonic vocalization emission and behavior in the neonatal mouse. Behavioural Brain Research, 2004, 151, 9-16.	2.2	26
104	INTESTINAL MOTILITY DISORDER INDUCED BY FREE RADICALS: A NEW MODEL MIMICKING OXIDATIVE STRESS IN GUT. Pharmacological Research, 2002, 46, 533-538.	7.1	20