
Guillermo Elizondo

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/375529/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Regulation of Parkin expression as the key balance between neural survival and cancer cell death. Biochemical Pharmacology, 2021, 190, 114650.	4.4	12
2	Activation of the Aryl Hydrocarbon Receptor (AHR) induces human glutathione S transferase alpha 1 (hGSTA1) expression. Chemico-Biological Interactions, 2020, 331, 109284.	4.0	4
3	Aryl Hydrocarbon Receptor in Post-Mortem Hippocampus and in Serum from Young, Elder, and Alzheimer's Patients. International Journal of Molecular Sciences, 2020, 21, 1983.	4.1	37
4	Association study of genetic polymorphisms in proteins involved in oseltamivir transport, metabolism, and interactions with adverse reactions in Mexican patients with acute respiratory diseases. Pharmacogenomics Journal, 2020, 20, 613-620.	2.0	3
5	2,3,7,8-Tetrachlorodibenzo-p-dioxin modifies alternative splicing in mouse liver. PLoS ONE, 2019, 14, e0219747.	2.5	7
6	Parkin is transcriptionally regulated by the aryl hydrocarbon receptor: Impact on α-synuclein protein levels. Biochemical Pharmacology, 2019, 168, 429-437.	4.4	19
7	Ubiquitination/sumoylation: An alternative pathway to modify gene regulation directed by xenosensors. Current Opinion in Toxicology, 2018, 8, 81-86.	5.0	0
8	Apoptosis induction and inhibition of HeLa cell proliferation by alpha-naphthoflavone and resveratrol are aryl hydrocarbon receptor-independent. Chemico-Biological Interactions, 2018, 281, 98-105.	4.0	16
9	Activation of aryl hydrocarbon receptor regulates the LPS/IFNÎ ³ -induced inflammatory response by inducing ubiquitin-proteosomal and lysosomal degradation of RelA/p65. Biochemical Pharmacology, 2018, 155, 141-149.	4.4	30
10	Downregulation of human paraoxonase 1 (PON1) by organophosphate pesticides in HepG2 cells. Environmental Toxicology, 2017, 32, 490-500.	4.0	28
11	Dexamethasone induces human glutathione S transferase alpha 1 (hGSTA1) expression through the activation of glucocorticoid receptor (hGR). Toxicology, 2017, 385, 59-66.	4.2	7
12	TCDD induces UbcH7 expression and synphilinâ€1 protein degradation in the mouse ventral midbrain. Journal of Biochemical and Molecular Toxicology, 2017, 31, e21947.	3.0	12
13	Aryl hydrocarbon receptor influences nitric oxide and arginine production and alters M1/M2 macrophage polarization. Life Sciences, 2016, 155, 76-84.	4.3	63
14	Absence of aryl hydrocarbon receptor alters CDC42 expression and prevents actin polymerization during capacitation. Molecular Reproduction and Development, 2016, 83, 1015-1026.	2.0	11
15	Absence of aryl hydrocarbon receptors increases endogenous kynurenic acid levels and protects mouse brain against excitotoxic insult and oxidative stress. Journal of Neuroscience Research, 2015, 93, 1423-1433.	2.9	38
16	Transcriptional regulation of human paraoxonase 1 by PXR and GR in human hepatoma cells. Toxicology in Vitro, 2015, 30, 348-354.	2.4	6
17	Activation of AHR mediates the ubiquitination and proteasome degradation of c-Fos through the induction of Ubcm4 gene expression. Toxicology, 2015, 337, 47-57.	4.2	18
18	Genotoxic and cytostatic effects of 6-pentadecyl salicylic anacardic acid in transformed cell lines and peripheral blood mononuclear cells. Mutation Research - Genetic Toxicology and Environmental Mutagenesis. 2015, 777, 43-53.	1.7	25

Guillermo Elizondo

#	Article	IF	CITATIONS
19	The PXR rs7643645 Polymorphism Is Associated with the Risk of Higher Prostate-Specific Antigen Levels in Prostate Cancer Patients. PLoS ONE, 2014, 9, e99974.	2.5	11
20	2,3,7,8-Tetrachlorodibenzo-p-dioxin enhances CCl ₄ -induced hepatotoxicity in an aryl hydrocarbon receptor-dependent manner. Xenobiotica, 2013, 43, 161-168.	1.1	11
21	CYP3A5 Polymorphism in Mexican Renal Transplant Recipients and its Association with Tacrolimus Dosing. Archives of Medical Research, 2012, 43, 283-287.	3.3	37
22	Levocetirizine Inhibits Migration of Immune Cells to Lymph Nodes and Induces Treg Cells in a Murine Type I Allergic Conjunctivitis Model. Open Ophthalmology Journal, 2012, 6, 129-136.	0.2	3
23	Deletion of the Aryl Hydrocarbon Receptor Enhances the Inflammatory Response to <i>Leishmania major</i> Infection. International Journal of Biological Sciences, 2011, 7, 1220-1229.	6.4	31
24	The Unexpected Role for the Aryl Hydrocarbon Receptor on Susceptibility to Experimental Toxoplasmosis. Journal of Biomedicine and Biotechnology, 2010, 2010, 1-15.	3.0	44
25	Susceptibility to the cytogenetic effects of dichloromethane is related to the glutathione S-transferase theta phenotype. Toxicology Letters, 2010, 199, 218-224.	0.8	20
26	Arsenite and its metabolites, MMAIII and DMAIII, modify CYP3A4, PXR and RXR alpha expression in the small intestine of CYP3A4 transgenic mice. Toxicology and Applied Pharmacology, 2009, 239, 162-168.	2.8	19
27	Retinoic acid modulates retinaldehyde dehydrogenase 1 gene expression through the induction of GADD153–C/EBPβ interaction. Biochemical Pharmacology, 2009, 77, 248-257.	4.4	34
28	Antiradical Capacity and Induction of Apoptosis on HeLa Cells by a Phaseolus vulgaris Extract. Plant Foods for Human Nutrition, 2008, 63, 35-40.	3.2	49
29	A Comparative Study of CYP3A4 Polymorphisms in Mexican Amerindian and Mestizo Populations. Pharmacology, 2008, 81, 97-103.	2.2	16
30	Pregnane X Receptor-Dependent Induction of the CYP3A4 Gene by 0,p′-1,1,1,-Trichloro-2,2-Bis (p-Chlorophenyl)ethane. Drug Metabolism and Disposition, 2007, 35, 95-102.	3.3	25
31	Non-optimal levels of dietary selenomethionine alter splenocyte response and modify oxidative stress markers in female mice. Food and Chemical Toxicology, 2007, 45, 1147-1153.	3.6	36
32	<i>CYP2D6</i> Genotype and Phenotype in Amerindians of Tepehuano Origin and Mestizos of Durango, Mexico. Journal of Clinical Pharmacology, 2006, 46, 527-536.	2.0	34
33	Over-production of IFN-Î ³ and IL-12 in AhR-null mice. FEBS Letters, 2005, 579, 6403-6410.	2.8	57
34	Transcriptional induction of CYP3A4 by 0,p′-DDT in HepG2 cells. Toxicology Letters, 2005, 157, 41-47.	0.8	38
35	Reversal of liver fibrosis in aryl hydrocarbon receptornull mice by dietary vitamin A depletion. Hepatology, 2004, 39, 157-166.	7.3	38
36	Induction of CYP3A4 by 1α,25-dyhydroxyvitamin D3 in HepG2 cells. Life Sciences, 2003, 73, 141-149.	4.3	29

Guillermo Elizondo

#	Article	IF	CITATIONS
37	Expression of the Human CYP3A4 Gene in the Small Intestine of Transgenic Mice: In Vitro Metabolism and Pharmacokinetics of Midazolam. Drug Metabolism and Disposition, 2003, 31, 548-558.	3.3	101
38	CYP3A4 allelic variants with amino acid substitutions in exons 7 and 12: Evidence for an allelic variant with altered catalytic activity. Clinical Pharmacology and Therapeutics, 2000, 67, 48-56.	4.7	286
39	Aryl Hydrocarbon Receptor Is Required for p300-Mediated Induction of DNA Synthesis by Adenovirus E1A. Molecular Pharmacology, 2000, 58, 845-851.	2.3	46
40	Feedback Inhibition of the Retinaldehyde Dehydrogenase GeneALDH1 by Retinoic Acid through Retinoic Acid Receptor α and CCAAT/Enhancer-binding Protein β. Journal of Biological Chemistry, 2000, 275, 39747-39753.	3.4	82
41	Characterization of the Human Dihydropyrimidine Dehydrogenase Gene. Genomics, 1998, 51, 391-400.	2.9	158
42	Genotoxic effects of metronidazole. Mutation Research - Genetic Toxicology Testing and Biomonitoring of Environmental Or Occupational Exposure, 1996, 370, 75-80.	1.2	46
43	Effects of metronidazole and its metabolites on histamine immunosuppression activity. Life Sciences, 1996, 59, 285-297.	4.3	12