

Antonius Schneider

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3759069/publications.pdf>

Version: 2024-02-01

85
papers

3,396
citations

331670

21
h-index

155660

55
g-index

90
all docs

90
docs citations

90
times ranked

4887
citing authors

#	ARTICLE	IF	CITATIONS
1	Implementation of an internet-based asthma patient education program in primary care: results of a single-arm trial. <i>Journal of Asthma</i> , 2023, 60, 195-202.	1.7	2
2	Association of pregnancies with risk of multiple sclerosis. <i>Multiple Sclerosis Journal</i> , 2022, 28, 1630-1640.	3.0	2
3	Diagnostic accuracy of FeNO in asthma and predictive value for inhaled corticosteroid responsiveness: A prospective, multicentre study. <i>EClinicalMedicine</i> , 2022, 50, 101533.	7.1	5
4	Diagnostic accuracy of FeNO [fractional exhaled nitric oxide] and asthma symptoms increased when evaluated with a superior reference standard. <i>Journal of Clinical Epidemiology</i> , 2021, 129, 86-96.	5.0	2
5	Health literacy and eHealth among adult asthma patients – results of a cross sectional survey. <i>Journal of Asthma</i> , 2021, 58, 262-270.	1.7	6
6	Increased professionalization and lower burnout scores were associated with structured residency training program: results of a cross sectional survey. <i>Medical Education Online</i> , 2021, 26, 1959284.	2.6	4
7	The diversity of opinion among general practitioners regarding the threat and measures against COVID-19 – Cross-sectional survey. <i>European Journal of General Practice</i> , 2021, 27, 176-183.	2.0	4
8	Evaluation of the diagnostic accuracy of fractional exhaled nitric oxide (FeNO) in patients with suspected asthma: study protocol for a prospective diagnostic study. <i>BMJ Open</i> , 2021, 11, e045420.	1.9	3
9	Educational Intervention Reduced Family Medicine Residents’ Intention to Request Diagnostic Tests: Results of a Controlled Trial. <i>Medical Decision Making</i> , 2021, 41, 329-339.	2.4	2
10	Systematic Assessment of Medical Diagnoses Preceding the First Diagnosis of Multiple Sclerosis. <i>Neurology</i> , 2021, 96, .	1.1	20
11	Specialized post-inpatient psychotherapy for sustained recovery in anorexia nervosa via videoconference – study protocol of the randomized controlled SUSTAIN trial. <i>Journal of Eating Disorders</i> , 2021, 9, 61.	2.7	10
12	The role of clinical signs and spirometry in the diagnosis of obstructive airway diseases: a systematic analysis adapted to general practice settings. <i>Journal of Thoracic Disease</i> , 2021, 13, 3369-3382.	1.4	0
13	Ambulatory specialist costs and morbidity of coordinated and uncoordinated patients before and after abolition of copayment: A cohort analysis. <i>PLoS ONE</i> , 2021, 16, e0253919.	2.5	1
14	Patients with somatoform disorders are prone to expensive and potentially harmful medical procedures. <i>Deutsches &#x0308;rzteblatt International</i> , 2021, 118, 425-431.	0.9	8
15	Prediction of lung emphysema in COPD by spirometry and clinical symptoms: results from COSYCONET. <i>Respiratory Research</i> , 2021, 22, 242.	3.6	7
16	Impact of COVID-19 on patient health and self-care practices: a mixed-methods survey with German patients. <i>BMJ Open</i> , 2021, 11, e051167.	1.9	13
17	SARS-CoV-2 infection and cardiovascular or pulmonary complications in ambulatory care: A risk assessment based on routine data. <i>PLoS ONE</i> , 2021, 16, e0258914.	2.5	7
18	COVID-19 assessment in family practice – A clinical decision rule based on self-rated symptoms and contact history. <i>Npj Primary Care Respiratory Medicine</i> , 2021, 31, 46.	2.6	3

#	ARTICLE	IF	CITATIONS
19	COVID-19 vaccine hesitancy in people with migratory backgrounds: a cross-sectional study among Turkish- and German-speaking citizens in Munich. <i>BMC Infectious Diseases</i> , 2021, 21, 1214.	2.9	11
20	The "General practitioner learning stations" development, implementation and optimization of an innovative format for sustainable teaching in general practice. <i>BMC Medical Education</i> , 2021, 21, 622.	2.4	2
21	Comorbidities of Patients with Functional Somatic Syndromes Before, During and After First Diagnosis: A Population-based Study using Bavarian Routine Data. <i>Scientific Reports</i> , 2020, 10, 9810.	3.3	17
22	Defining high probability when making a diagnosis of asthma in primary care: mixed-methods consensus workshop. <i>BMJ Open</i> , 2020, 10, e034559.	1.9	7
23	Impact of the abolition of copayments on the GP-centred coordination of care in Bavaria, Germany: analysis of routinely collected claims data. <i>BMJ Open</i> , 2020, 10, e035575.	1.9	5
24	Depression screening using patient-targeted feedback in general practices: study protocol of the German multicentre GET.FEEDBACK.GP randomised controlled trial. <i>BMJ Open</i> , 2020, 10, e035973.	1.9	10
25	An Internet-Based Asthma Self-Management Program Increases Knowledge About Asthma. <i>Deutsches A&#x0308;rztblatt International</i> , 2020, 117, 64-71.	0.9	8
26	Diagnostic accuracy of capnovolumetry for the identification of airway obstruction " results of a diagnostic study in ambulatory care. <i>Respiratory Research</i> , 2019, 20, 92.	3.6	11
27	On the edges of medicine " a qualitative study on the function of complementary, alternative, and non-specific therapies in handling therapeutically indeterminate situations. <i>BMC Family Practice</i> , 2019, 20, 55.	2.9	9
28	How European primary care practitioners think the timeliness of cancer diagnosis can be improved: a thematic analysis. <i>BMJ Open</i> , 2019, 9, e030169.	1.9	15
29	Participation factors for asthma education programs - a cross sectional survey. <i>BMC Pulmonary Medicine</i> , 2019, 19, 256.	2.0	5
30	Validity of the Somatic Symptom Disorder" B Criteria Scale (SSD-12) in primary care. <i>Family Practice</i> , 2018, 35, 342-347.	1.9	27
31	Incidence of irritable bowel syndrome and chronic fatigue following GI infection: a population-level study using routinely collected claims data. <i>Gut</i> , 2018, 67, 1078-1086.	12.1	57
32	Prospective observational study validating the German version of the Control of Allergic Rhinitis and Asthma Test (CARAT10). <i>Npj Primary Care Respiratory Medicine</i> , 2018, 28, 45.	2.6	3
33	A Systematic Assessment of Prevalence, Incidence and Regional Distribution of Multiple Sclerosis in Bavaria From 2006 to 2015. <i>Frontiers in Neurology</i> , 2018, 9, 871.	2.4	33
34	How often do general practitioners use placebos and non-specific interventions? Systematic review and meta-analysis of surveys. <i>PLoS ONE</i> , 2018, 13, e0202211.	2.5	44
35	Effect of a combined brief narrative exposure therapy with case management versus treatment as usual in primary care for patients with traumatic stress sequelae following intensive care medicine: study protocol for a multicenter randomized controlled trial (PICTURE). <i>Trials</i> , 2018, 19, 480.	1.6	8
36	Identifying important health system factors that influence primary care practitioners" referrals for cancer suspicion: a European cross-sectional survey. <i>BMJ Open</i> , 2018, 8, e022904.	1.9	17

#	ARTICLE	IF	CITATIONS
37	Do general practice patients with and without appointment differ? Cross-sectional study. BMC Family Practice, 2018, 19, 101.	2.9	8
38	Accuracy of FEV ₁ for diagnosing asthma: a systematic review. Thorax, 2017, 72, 109-116.	5.6	126
39	How do medical students engaging in elective courses on acupuncture and homeopathy differ from unselected students? A survey. BMC Complementary and Alternative Medicine, 2017, 17, 148.	3.7	9
40	A novel statistical model for analyzing data of a systematic review generates optimal cutoff values for fractional exhaled nitric oxide for asthma diagnosis. Journal of Clinical Epidemiology, 2017, 92, 69-78.	5.0	18
41	Weekly self-measurement of FEV1 and PEF and its impact on ACQ (asthma control) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 587 Medicine, 2017, 27, 64.	2.6	7
42	Reasons for encounters and psychiatric comorbidity in an urban Bavarian primary care out-of-hour service - results of a cross sectional study. BMC Health Services Research, 2017, 17, 783.	2.2	1
43	Impact of regional socioeconomic variation on coordination and cost of ambulatory care: investigation of claims data from Bavaria, Germany. BMJ Open, 2017, 7, e016218.	1.9	14
44	Self-help guidebook improved quality of life for patients with irritable bowel syndrome. PLoS ONE, 2017, 12, e0181764.	2.5	14
45	The Implications of Psychological Symptoms for Length of Sick Leave. Deutsches Ärztblatt International, 2017, 114, 291-297.	0.9	8
46	Family physicianâ€“patient relationship and frequent attendance of primary and specialist health care: Results from a German population-based cohort study. Patient Education and Counseling, 2016, 99, 1213-1219.	2.2	22
47	HbA1c Variability and Cardiovascular Events. Current Cardiovascular Risk Reports, 2016, 10, 1.	2.0	2
48	Costs of coordinated versus uncoordinated care in Germany: results of a routine data analysis in Bavaria. BMJ Open, 2016, 6, e011621.	1.9	24
49	Quantity, topics, methods and findings of randomised controlled trials published by German university departments of general practice â€“ systematic review. Trials, 2016, 17, 211.	1.6	0
50	Association of the average rate of change in HbA1c with severe adverse events: a longitudinal evaluation of audit data from the Bavarian Disease Management Program for patients with type 2 diabetes mellitus. Diabetologia, 2016, 59, 286-293.	6.3	27
51	Questionable assumptions hampered interpretation of a network meta-analysis of primary care depression treatments. Journal of Clinical Epidemiology, 2016, 71, 86-96.	5.0	21
52	Effects of a Web-Based Intervention for Stress Reduction in Primary Care: A Cluster Randomized Controlled Trial. Journal of Medical Internet Research, 2016, 18, e27.	4.3	10
53	How Effective Are Care Plans in Primary Care?. Deutsches Ärztblatt International, 2016, 113, 789-790.	0.9	0
54	Influence of the practice setting on diagnostic prediction rules using FENO measurement in combination with clinical signs and symptoms of asthma. BMJ Open, 2015, 5, e009676.	1.9	21

#	ARTICLE	IF	CITATIONS
55	Belief in and use of complementary therapies among family physicians, internists and orthopaedists in Germany – cross-sectional survey. <i>Family Practice</i> , 2015, 32, 62-68.	1.9	22
56	Effectiveness of Psychological Treatments for Depressive Disorders in Primary Care: Systematic Review and Meta-Analysis. <i>Annals of Family Medicine</i> , 2015, 13, 56-68.	1.9	157
57	Efficacy and Acceptability of Pharmacological Treatments for Depressive Disorders in Primary Care: Systematic Review and Network Meta-Analysis. <i>Annals of Family Medicine</i> , 2015, 13, 69-79.	1.9	124
58	Comparative effectiveness of psychological treatments for depressive disorders in primary care: network meta-analysis. <i>BMC Family Practice</i> , 2015, 16, 103.	2.9	41
59	Whole-Body Plethysmography in Suspected Asthma. <i>Deutsches A&#x0308;rztblatt International</i> , 2015, 112, 405-11.	0.9	16
60	The Use of Placebo and Non-Specific Therapies and Their Relation to Basic Professional Attitudes and the Use of Complementary Therapies among German Physicians – A Cross-Sectional Survey. <i>PLoS ONE</i> , 2014, 9, e92938.	2.5	22
61	Communicating and Dealing with Uncertainty in General Practice: The Association with Neuroticism. <i>PLoS ONE</i> , 2014, 9, e102780.	2.5	25
62	Modern Education, Modern Media. <i>Deutsches A&#x0308;rztblatt International</i> , 2014, 111, 605-6.	0.9	0
63	Disease Management Programs for Patients With COPD in Germany: A Longitudinal Evaluation of Routinely Collected Patient Records. <i>Respiratory Care</i> , 2014, 59, 1123-1132.	1.6	20
64	Prognostic value of bronchial provocation and FENO measurement for asthma diagnosis – Results of a delayed type of diagnostic study. <i>Respiratory Medicine</i> , 2014, 108, 34-40.	2.9	11
65	Effects of a Guided Web-Based Smoking Cessation Program With Telephone Counseling: A Cluster Randomized Controlled Trial. <i>Journal of Medical Internet Research</i> , 2014, 16, e218.	4.3	13
66	Effects of a general practice guided web-based weight reduction program - results of a cluster-randomized controlled trial. <i>BMC Family Practice</i> , 2013, 14, 76.	2.9	42
67	FENO measurement and sputum analysis for diagnosing asthma in clinical practice. <i>Respiratory Medicine</i> , 2013, 107, 209-216.	2.9	44
68	The impact of psychosomatic co-morbidity on discordance with respect to reasons for encounter in general practice. <i>Journal of Psychosomatic Research</i> , 2013, 74, 82-85.	2.6	18
69	Disease Management Programs for Patients With Asthma in Germany: A Longitudinal Population-Based Study. <i>Respiratory Care</i> , 2013, 58, 1170-1177.	1.6	21
70	The Effect of Mental Comorbidity on Service Delivery Planning in Primary Care. <i>Deutsches A&#x0308;rztblatt International</i> , 2013, 110, 653-9.	0.9	13
71	Diagnostic accuracy of clinical symptoms in obstructive airway diseases varied within different health care sectors. <i>Journal of Clinical Epidemiology</i> , 2012, 65, 846-854.	5.0	21
72	The development of general practice as an academic discipline in Germany - an analysis of research output between 2000 and 2010. <i>BMC Family Practice</i> , 2012, 13, 58.	2.9	21

#	ARTICLE	IF	CITATIONS
73	Treatment of depressive disorders in primary care - protocol of a multiple treatment systematic review of randomized controlled trials. BMC Family Practice, 2011, 12, 127.	2.9	15
74	Unlimited access to health care - impact of psychosomatic co-morbidity on utilisation in German general practices. BMC Family Practice, 2011, 12, 51.	2.9	18
75	A 4-item measure of depression and anxiety: Validation and standardization of the Patient Health Questionnaire-4 (PHQ-4) in the general population. Journal of Affective Disorders, 2010, 122, 86-95.	4.1	1,581
76	How do primary care doctors deal with uncertainty in making diagnostic decisions?. Journal of Evaluation in Clinical Practice, 2010, 16, 431-437.	1.8	36
77	Diagnostic accuracy of spirometry in primary care. BMC Pulmonary Medicine, 2009, 9, 31.	2.0	87
78	Diagnosing asthma in general practice with portable exhaled nitric oxide measurement – results of a prospective diagnostic study. Respiratory Research, 2009, 10, 15.	3.6	47
79	Depression and panic disorder as predictors of health outcomes for patients with asthma in primary care. Respiratory Medicine, 2008, 102, 359-366.	2.9	51
80	Higher preference for participation in treatment decisions is associated with lower medication adherence in asthma patients. Patient Education and Counseling, 2007, 67, 57-62.	2.2	31
81	Asthma patients with low perceived burden of illness: a challenge for guideline adherence. Journal of Evaluation in Clinical Practice, 2007, 13, 070728052316004-???.	1.8	14
82	Validation and cultural adaptation of a German version of the Physicians' Reactions to Uncertainty scales. BMC Health Services Research, 2007, 7, 81.	2.2	16
83	Impact of age, health locus of control and psychological co-morbidity on patients'™ preferences for shared decision making in general practice. Patient Education and Counseling, 2006, 61, 292-298.	2.2	115
84	Physicians perceived usefulness of high-cost diagnostic imaging studies: results of a referral study in a German medical quality network. BMC Family Practice, 2005, 6, 22.	2.9	3
85	Perception of Bodily Sensation as a Predictor of Treatment Response to Acupuncture for Postoperative Nausea and Vomiting Prophylaxis. Journal of Alternative and Complementary Medicine, 2005, 11, 119-125.	2.1	21