

Tyler E Jacks

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/375982/publications.pdf>

Version: 2024-02-01

114
papers

45,006
citations

10070

75
h-index

26792

111
g-index

125
all docs

125
docs citations

125
times ranked

51899
citing authors

#	ARTICLE	IF	CITATIONS
1	p53 is required for radiation-induced apoptosis in mouse thymocytes. <i>Nature</i> , 1993, 362, 847-849.	13.7	2,829
2	Systematic RNA interference reveals that oncogenic KRAS-driven cancers require TBK1. <i>Nature</i> , 2009, 462, 108-112.	13.7	2,707
3	Hypoxia-mediated selection of cells with diminished apoptotic potential in solid tumours. <i>Nature</i> , 1996, 379, 88-91.	13.7	2,223
4	Preinvasive and invasive ductal pancreatic cancer and its early detection in the mouse. <i>Cancer Cell</i> , 2003, 4, 437-450.	7.7	2,150
5	Tumor spectrum analysis in p53-mutant mice. <i>Current Biology</i> , 1994, 4, 1-7.	1.8	1,903
6	Effects of an Rb mutation in the mouse. <i>Nature</i> , 1992, 359, 295-300.	13.7	1,730
7	Sunburn and p53 in the onset of skin cancer. <i>Nature</i> , 1994, 372, 773-776.	13.7	1,724
8	Analysis of lung tumor initiation and progression using conditional expression of oncogenic K-ras. <i>Genes and Development</i> , 2001, 15, 3243-3248.	2.7	1,663
9	Restoration of p53 function leads to tumour regression in vivo. <i>Nature</i> , 2007, 445, 661-665.	13.7	1,662
10	Radiation-induced cell cycle arrest compromised by p21 deficiency. <i>Nature</i> , 1995, 377, 552-557.	13.7	1,218
11	Mutant p53 Gain of Function in Two Mouse Models of Li-Fraumeni Syndrome. <i>Cell</i> , 2004, 119, 847-860.	13.5	1,140
12	Somatic activation of the K-ras oncogene causes early onset lung cancer in mice. <i>Nature</i> , 2001, 410, 1111-1116.	13.7	1,060
13	Genome editing with Cas9 in adult mice corrects a disease mutation and phenotype. <i>Nature Biotechnology</i> , 2014, 32, 551-553.	9.4	823
14	Tumour predisposition in mice heterozygous for a targeted mutation in Nf1. <i>Nature Genetics</i> , 1994, 7, 353-361.	9.4	731
15	Conditional mouse lung cancer models using adenoviral or lentiviral delivery of Cre recombinase. <i>Nature Protocols</i> , 2009, 4, 1064-1072.	5.5	711
16	CRISPR-mediated direct mutation of cancer genes in the mouse liver. <i>Nature</i> , 2014, 514, 380-384.	13.7	673
17	Role for the p53 homologue p73 in E2F-1-induced apoptosis. <i>Nature</i> , 2000, 407, 645-648.	13.7	656
18	p53-dependent apoptosis produced by Rb-deficiency in the developing mouse lens. <i>Nature</i> , 1994, 371, 72-74.	13.7	625

#	ARTICLE	IF	CITATIONS
19	Environment Impacts the Metabolic Dependencies of Ras-Driven Non-Small Cell Lung Cancer. <i>Cell Metabolism</i> , 2016, 23, 517-528.	7.2	616
20	KRAS and YAP1 Converge to Regulate EMT and Tumor Survival. <i>Cell</i> , 2014, 158, 171-184.	13.5	608
21	Commensal Microbiota Promote Lung Cancer Development via $\gamma\delta$ T Cells. <i>Cell</i> , 2019, 176, 998-1013.e16.	13.5	592
22	MHC-II neoantigens shape tumour immunity and response to immunotherapy. <i>Nature</i> , 2019, 574, 696-701.	13.7	563
23	Loss of NF1 results in activation of the Ras signaling pathway and leads to aberrant growth in haematopoietic cells. <i>Nature Genetics</i> , 1996, 12, 144-148.	9.4	555
24	A subset of p53-deficient embryos exhibit exencephaly. <i>Nature Genetics</i> , 1995, 10, 175-180.	9.4	544
25	The Differential Effects of Mutant p53 Alleles on Advanced Murine Lung Cancer. <i>Cancer Research</i> , 2005, 65, 10280-10288.	0.4	488
26	Expression of tumour-specific antigens underlies cancer immunoediting. <i>Nature</i> , 2012, 482, 405-409.	13.7	478
27	Keap1 loss promotes Kras-driven lung cancer and results in dependence on glutaminolysis. <i>Nature Medicine</i> , 2017, 23, 1362-1368.	15.2	462
28	Autophagy Is Required for Glucose Homeostasis and Lung Tumor Maintenance. <i>Cancer Discovery</i> , 2014, 4, 914-927.	7.7	450
29	Tissue of origin dictates branched-chain amino acid metabolism in mutant <i>Kras</i> -driven cancers. <i>Science</i> , 2016, 353, 1161-1165.	6.0	447
30	Mouse Models of Tumor Development in Neurofibromatosis Type 1. <i>Science</i> , 1999, 286, 2172-2176.	6.0	441
31	LincRNA-p21 Activates p21 In cis to Promote Polycomb Target Gene Expression and to Enforce the G1/S Checkpoint. <i>Molecular Cell</i> , 2014, 54, 777-790.	4.5	412
32	An oncogenic KRAS2 expression signature identified by cross-species gene-expression analysis. <i>Nature Genetics</i> , 2005, 37, 48-55.	9.4	392
33	PKM2, cancer metabolism, and the road ahead. <i>EMBO Reports</i> , 2016, 17, 1721-1730.	2.0	384
34	Suppression of lung adenocarcinoma progression by Nkx2-1. <i>Nature</i> , 2011, 473, 101-104.	13.7	383
35	Cooperative tumorigenic effects of germline mutations in Rb and p53. <i>Nature Genetics</i> , 1994, 7, 480-484.	9.4	379
36	Nf1;Trp53 mutant mice develop glioblastoma with evidence of strain-specific effects. <i>Nature Genetics</i> , 2000, 26, 109-113.	9.4	379

#	ARTICLE	IF	CITATIONS
37	Circadian Rhythm Disruption Promotes Lung Tumorigenesis. <i>Cell Metabolism</i> , 2016, 24, 324-331.	7.2	366
38	The retinoblastoma gene family in differentiation and development. <i>Oncogene</i> , 1999, 18, 7873-7882.	2.6	362
39	Regulatory T Cells in Tumor-Associated Tertiary Lymphoid Structures Suppress Anti-tumor T Cell Responses. <i>Immunity</i> , 2015, 43, 579-590.	6.6	360
40	Vascular system defects and neuronal apoptosis in mice lacking Ras GTPase-activating protein. <i>Nature</i> , 1995, 377, 695-701.	13.7	357
41	Rapid modelling of cooperating genetic events in cancer through somatic genome editing. <i>Nature</i> , 2014, 516, 428-431.	13.7	353
42	Combined inhibition of BET family proteins and histone deacetylases as a potential epigenetics-based therapy for pancreatic ductal adenocarcinoma. <i>Nature Medicine</i> , 2015, 21, 1163-1171.	15.2	349
43	Applications of the CRISPR-Cas9 system in cancer biology. <i>Nature Reviews Cancer</i> , 2015, 15, 387-393.	12.8	340
44	A mouse model for the learning and memory deficits associated with neurofibromatosis type I. <i>Nature Genetics</i> , 1997, 15, 281-284.	9.4	336
45	An intact HDM2 RING-finger domain is required for nuclear exclusion of p53. <i>Nature Cell Biology</i> , 2000, 2, 563-568.	4.6	312
46	Anatomically and Functionally Distinct Lung Mesenchymal Populations Marked by Lgr5 and Lgr6. <i>Cell</i> , 2017, 170, 1149-1163.e12.	13.5	304
47	Wildtype Kras2 can inhibit lung carcinogenesis in mice. <i>Nature Genetics</i> , 2001, 29, 25-33.	9.4	284
48	Cell-cycle control and its watchman. <i>Nature</i> , 1996, 381, 643-644.	13.7	278
49	Loss of E2F-1 reduces tumorigenesis and extends the lifespan of Rb1(+/-) mice. <i>Nature Genetics</i> , 1998, 18, 360-364.	9.4	274
50	A spatially and temporally restricted mouse model of soft tissue sarcoma. <i>Nature Medicine</i> , 2007, 13, 992-997.	15.2	274
51	A Wnt-producing niche drives proliferative potential and progression in lung adenocarcinoma. <i>Nature</i> , 2017, 545, 355-359.	13.7	265
52	A dominant-negative effect drives selection of TP53 missense mutations in myeloid malignancies. <i>Science</i> , 2019, 365, 599-604.	6.0	265
53	Stage-specific sensitivity to p53 restoration during lung cancer progression. <i>Nature</i> , 2010, 468, 572-575.	13.7	255
54	In vivo genome editing and organoid transplantation models of colorectal cancer and metastasis. <i>Nature Biotechnology</i> , 2017, 35, 569-576.	9.4	248

#	ARTICLE	IF	CITATIONS
55	Genetic and Clonal Dissection of Murine Small Cell Lung Carcinoma Progression by Genome Sequencing. <i>Cell</i> , 2014, 156, 1298-1311.	13.5	241
56	Small RNA combination therapy for lung cancer. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2014, 111, E3553-61.	3.3	210
57	Emergence of a High-Plasticity Cell State during Lung Cancer Evolution. <i>Cancer Cell</i> , 2020, 38, 229-246.e13.	7.7	210
58	Endogenous T Cell Responses to Antigens Expressed in Lung Adenocarcinomas Delay Malignant Tumor Progression. <i>Cancer Cell</i> , 2011, 19, 72-85.	7.7	209
59	Lung Adenocarcinoma Distally Rewires Hepatic Circadian Homeostasis. <i>Cell</i> , 2016, 165, 896-909.	13.5	195
60	Targeted point mutations of p53 lead to dominant-negative inhibition of wild-type p53 function. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2002, 99, 2948-2953.	3.3	176
61	Notum produced by Paneth cells attenuates regeneration of aged intestinal epithelium. <i>Nature</i> , 2019, 571, 398-402.	13.7	166
62	Mutational landscape of <i>EGFR</i> , <i>MYC</i> , and <i>Kras</i> driven genetically engineered mouse models of lung adenocarcinoma. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2016, 113, E6409-E6417.	3.3	158
63	p21 Is a Critical CDK2 Regulator Essential for Proliferation Control in Rb-deficient Cells. <i>Journal of Cell Biology</i> , 1998, 141, 503-514.	2.3	145
64	Nuclear factor I/B is an oncogene in small cell lung cancer. <i>Genes and Development</i> , 2011, 25, 1470-1475.	2.7	142
65	Epigenomic State Transitions Characterize Tumor Progression in Mouse Lung Adenocarcinoma. <i>Cancer Cell</i> , 2020, 38, 212-228.e13.	7.7	140
66	Survival of pancreatic cancer cells lacking KRAS function. <i>Nature Communications</i> , 2017, 8, 1090.	5.8	131
67	Germline loss of PKM2 promotes metabolic distress and hepatocellular carcinoma. <i>Genes and Development</i> , 2016, 30, 1020-1033.	2.7	122
68	Stromal Expression of miR-143/145 Promotes Neoangiogenesis in Lung Cancer Development. <i>Cancer Discovery</i> , 2016, 6, 188-201.	7.7	122
69	The CD155/TIGIT axis promotes and maintains immune evasion in neoantigen-expressing pancreatic cancer. <i>Cancer Cell</i> , 2021, 39, 1342-1360.e14.	7.7	119
70	Spatial genomics enables multi-modal study of clonal heterogeneity in tissues. <i>Nature</i> , 2022, 601, 85-91.	13.7	117
71	Insights into cancer from transgenic mouse models. , 1999, 187, 43-60.		113
72	Conventional type I dendritic cells maintain a reservoir of proliferative tumor-antigen specific TCF-1+ CD8+ T _H cells in tumor-draining lymph nodes. <i>Immunity</i> , 2021, 54, 2338-2353.e6.	6.6	111

#	ARTICLE	IF	CITATIONS
73	Assessment of ABT-263 activity across a cancer cell line collection leads to a potent combination therapy for small-cell lung cancer. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2015, 112, E1288-96.	3.3	110
74	Lineage tracing reveals the phylodynamics, plasticity, and paths of tumor evolution. <i>Cell</i> , 2022, 185, 1905-1923.e25.	13.5	108
75	TUMOR SUPPRESSOR GENE MUTATIONS IN MICE. <i>Annual Review of Genetics</i> , 1996, 30, 603-636.	3.2	104
76	Identification of DHODH as a therapeutic target in small cell lung cancer. <i>Science Translational Medicine</i> , 2019, 11, .	5.8	89
77	Foxa2 and Cdx2 cooperate with Nkx2-1 to inhibit lung adenocarcinoma metastasis. <i>Genes and Development</i> , 2015, 29, 1850-1862.	2.7	87
78	Antigen dominance hierarchies shape TCF1+ progenitor CD8 T cell phenotypes in tumors. <i>Cell</i> , 2021, 184, 4996-5014.e26.	13.5	84
79	In Vitro and In Vivo Effects of a Farnesyltransferase Inhibitor on Nf1-Deficient Hematopoietic Cells. <i>Blood</i> , 1999, 94, 2469-2476.	0.6	81
80	Endocrine-Exocrine Signaling Drives Obesity-Associated Pancreatic Ductal Adenocarcinoma. <i>Cell</i> , 2020, 181, 832-847.e18.	13.5	77
81	Colonoscopy-based colorectal cancer modeling in mice with CRISPR-Cas9 genome editing and organoid transplantation. <i>Nature Protocols</i> , 2018, 13, 217-234.	5.5	74
82	Radiation-induced neoantigens broaden the immunotherapeutic window of cancers with low mutational loads. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2021, 118, .	3.3	62
83	Dissecting cell-type-specific metabolism in pancreatic ductal adenocarcinoma. <i>ELife</i> , 2020, 9, .	2.8	61
84	Urinary detection of lung cancer in mice via noninvasive pulmonary protease profiling. <i>Science Translational Medicine</i> , 2020, 12, .	5.8	58
85	Low neoantigen expression and poor T-cell priming underlie early immune escape in colorectal cancer. <i>Nature Cancer</i> , 2021, 2, 1071-1085.	5.7	57
86	Myeloid Malignancies Induced by Alkylating Agents in Nf1 Mice. <i>Blood</i> , 1999, 93, 3617-3623.	0.6	55
87	A Modular Assembly Platform for Rapid Generation of DNA Constructs. <i>Scientific Reports</i> , 2016, 6, 16836.	1.6	54
88	IL-33 Signaling Alters Regulatory T Cell Diversity in Support of Tumor Development. <i>Cell Reports</i> , 2019, 29, 2998-3008.e8.	2.9	53
89	Optofluidic real-time cell sorter for longitudinal CTC studies in mouse models of cancer. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2019, 116, 2232-2236.	3.3	51
90	Regulated Expression of a Tumor-Associated Antigen Reveals Multiple Levels of T-Cell Tolerance in a Mouse Model of Lung Cancer. <i>Cancer Research</i> , 2008, 68, 9459-9468.	0.4	45

#	ARTICLE	IF	CITATIONS
91	Keap1 mutation renders lung adenocarcinomas dependent on Slc33a1. <i>Nature Cancer</i> , 2020, 1, 589-602.	5.7	44
92	The CCL2-CCR2 astrocyte-cancer cell axis in tumor extravasation at the brain. <i>Science Advances</i> , 2021, 7, .	4.7	40
93	Deciphering the immunopeptidome in vivo reveals new tumour antigens. <i>Nature</i> , 2022, 607, 149-155.	13.7	38
94	Rebalancing Protein Homeostasis Enhances Tumor Antigen Presentation. <i>Clinical Cancer Research</i> , 2019, 25, 6392-6405.	3.2	37
95	Therapeutic avenues for cancer neuroscience: translational frontiers and clinical opportunities. <i>Lancet Oncology</i> , The, 2022, 23, e62-e74.	5.1	36
96	Lessons from the p53 mutant mouse. <i>Journal of Cancer Research and Clinical Oncology</i> , 1996, 122, 319-327.	1.2	33
97	Inducible de novo expression of neoantigens in tumor cells and mice. <i>Nature Biotechnology</i> , 2021, 39, 64-73.	9.4	32
98	Live cell tagging tracking and isolation for spatial transcriptomics using photoactivatable cell dyes. <i>Nature Communications</i> , 2021, 12, 4995.	5.8	25
99	Isoform-specific deletion of PKM2 constrains tumor initiation in a mouse model of soft tissue sarcoma. <i>Cancer & Metabolism</i> , 2018, 6, 6.	2.4	24
100	Mycl Gene Fusion Drives Tumorigenesis and Metastasis in a Mouse Model of Small Cell Lung Cancer. <i>Cancer Discovery</i> , 2021, 11, 3214-3229.	7.7	24
101	Mitochondrial apoptotic priming is a key determinant of cell fate upon p53 restoration. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2021, 118, .	3.3	20
102	Measuring kinetics and metastatic propensity of CTCs by blood exchange between mice. <i>Nature Communications</i> , 2021, 12, 5680.	5.8	18
103	Deletion of p21 cannot substitute for p53 loss in rescue of mdm2 null lethality. <i>Nature Genetics</i> , 1997, 16, 336-337.	9.4	16
104	Dicer loss and recovery induce an oncogenic switch driven by transcriptional activation of the oncofetal Imp1 family. <i>Genes and Development</i> , 2017, 31, 674-687.	2.7	16
105	Pan-cancer Transcriptomic Predictors of Perineural Invasion Improve Occult Histopathologic Detection. <i>Clinical Cancer Research</i> , 2021, 27, 2807-2815.	3.2	12
106	p53 and treatment of bladder cancer. <i>Nature</i> , 1997, 385, 124-125.	13.7	10
107	A bumper crop of cancer genes. <i>Nature Genetics</i> , 1999, 23, 253-254.	9.4	9
108	A Conditional System to Specifically Link Disruption of Protein-Coding Function with Reporter Expression in Mice. <i>Cell Reports</i> , 2014, 7, 2078-2086.	2.9	9

#	ARTICLE	IF	CITATIONS
109	Protocol for single-cell ATAC sequencing using combinatorial indexing in mouse lung adenocarcinoma. STAR Protocols, 2021, 2, 100583.	0.5	9
110	A GATA4-regulated secretory program suppresses tumors through recruitment of cytotoxic CD8 T cells. Nature Communications, 2022, 13, 256.	5.8	8
111	Coordinate Loss of a MicroRNA Mir 145 and a Protein-Coding Gene RPS14 Cooperate in the Pathogenesis of 5q- Syndrome.. Blood, 2009, 114, 947-947.	0.6	7
112	Driving Rel-iant Tregs toward an Identity Crisis. Immunity, 2017, 47, 391-393.	6.6	5
113	The Role of K-ras Signaling in Erythropoiesis In Vivo.. Blood, 2005, 106, 3136-3136.	0.6	0
114	Anti-Tumor TCF1+ CD8 T Cells are Functionally Diverse and Evolve During Tumorigenesis and Progression. American Journal of Clinical Pathology, 2020, 154, S5-S6.	0.4	0