

Mota Mm

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3763969/publications.pdf>

Version: 2024-02-01

129
papers

8,067
citations

38742

50
h-index

54911

84
g-index

132
all docs

132
docs citations

132
times ranked

7814
citing authors

#	ARTICLE	IF	CITATIONS
1	The reciprocal influence of the liver and blood stages of the malaria parasite's life cycle. <i>International Journal for Parasitology</i> , 2022, 52, 711-715.	3.1	6
2	<i>Plasmodium</i> parasitophorous vacuole membrane-resident protein UIS4 manipulates host cell actin to avoid parasite elimination. <i>IScience</i> , 2022, 25, 104281.	4.1	6
3	Active APPL1 sequestration by <i>Plasmodium</i> favors liver-stage development. <i>Cell Reports</i> , 2022, 39, 110886.	6.4	4
4	Host lung microbiota promotes malaria-associated acute respiratory distress syndrome. <i>Nature Communications</i> , 2022, 13, .	12.8	6
5	Microbiota, a Third Player in the Host's <i>Plasmodium</i> Affair. <i>Trends in Parasitology</i> , 2020, 36, 11-18.	3.3	20
6	A Novel Chemically Differentiated Mouse Embryonic Stem Cell-Based Model to Study Liver Stages of <i>Plasmodium berghei</i> . <i>Stem Cell Reports</i> , 2020, 14, 1123-1134.	4.8	4
7	Disrupting <i>Plasmodium</i> UIS3's host LC3 interaction with a small molecule causes parasite elimination from host cells. <i>Communications Biology</i> , 2020, 3, 688.	4.4	13
8	<i>Plasmodium</i> translocon component EXP2 facilitates hepatocyte invasion. <i>Nature Communications</i> , 2020, 11, 5654.	12.8	12
9	Parasitism: Anopheles Mosquitoes and <i>Plasmodium</i> Parasites Share Resources. <i>Current Biology</i> , 2019, 29, R632-R634.	3.9	5
10	IL-1 β promotes liver inflammation and necrosis during blood-stage <i>Plasmodium chabaudi</i> malaria. <i>Scientific Reports</i> , 2019, 9, 7575.	3.3	19
11	γ -T cells promote IFN- γ -dependent <i>Plasmodium</i> pathogenesis upon liver-stage infection. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2019, 116, 9979-9988.	7.1	34
12	Targeting liver stage malaria with metformin. <i>JCI Insight</i> , 2019, 4, .	5.0	23
13	Fighting for Resources: Who Started the Battle? Who Is Winning It?. <i>Cell Metabolism</i> , 2018, 27, 708-709.	16.2	0
14	<i>Plasmodium</i> UIS3 sequesters host LC3 to avoid elimination by autophagy in hepatocytes. <i>Nature Microbiology</i> , 2018, 3, 17-25.	13.3	81
15	A <i>Plasmodium berghei</i> sporozoite-based vaccination platform against human malaria. <i>Npj Vaccines</i> , 2018, 3, 33.	6.0	32
16	<i>Plasmodium falciparum</i> subtilisin-like ookinete protein SOPT plays an important and conserved role during ookinete infection of the <i>Anopheles stephensi</i> midgut. <i>Molecular Microbiology</i> , 2018, 109, 458-473.	2.5	8
17	Parasite Sensing of Host Nutrients and Environmental Cues. <i>Cell Host and Microbe</i> , 2018, 23, 749-758.	11.0	68
18	<i>Plasmodium berghei</i> EXP-1 interacts with host Apolipoprotein H during <i>Plasmodium</i> liver-stage development. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2017, 114, E1138-E1147.	7.1	43

#	ARTICLE	IF	CITATIONS
19	Innate Immunity to Malaria. , 2017, , 3-25.		5
20	Towards a Humanized Mouse Model of Liver Stage Malaria Using Ectopic Artificial Livers. Scientific Reports, 2017, 7, 45424.	3.3	23
21	Adipose Tissue: A Safe Haven for Parasites?. Trends in Parasitology, 2017, 33, 276-284.	3.3	84
22	Dietary alterations modulate susceptibility to Plasmodium infection. Nature Microbiology, 2017, 2, 1600-1607.	13.3	46
23	Nutrient sensing modulates malaria parasite virulence. Nature, 2017, 547, 213-216.	27.8	146
24	Host AMPK Is a Modulator of Plasmodium Liver Infection. Cell Reports, 2016, 16, 2539-2545.	6.4	37
25	Host cell autophagy contributes to <i>Plasmodium</i> liver development. Cellular Microbiology, 2016, 18, 437-450.	2.1	60
26	A vacuolar iron-transporter homologue acts as a detoxifier in Plasmodium. Nature Communications, 2016, 7, 10403.	12.8	45
27	One nanoprobe, two pathogens: gold nanoprobe multiplexing for point-of-care. Journal of Nanobiotechnology, 2015, 13, 48.	9.1	17
28	Parasite-induced ER stress response in hepatocytes facilitates <i>Plasmodium</i> liver stage infection. EMBO Reports, 2015, 16, 955-964.	4.5	46
29	The cytoplasmic prolyl-tRNA synthetase of the malaria parasite is a dual-stage target of febrifugine and its analogs. Science Translational Medicine, 2015, 7, 288ra77.	12.4	82
30	<i>In Vitro</i> Alterations Do Not Reflect a Requirement for Host Cell Cycle Progression during Plasmodium Liver Stage Infection. Eukaryotic Cell, 2015, 14, 96-103.	3.4	10
31	Unveiling the pathogen behind the vacuole. Nature Reviews Microbiology, 2015, 13, 589-598.	28.6	21
32	Human iPSC-Derived Hepatocyte-like Cells Support Plasmodium Liver-Stage Infection <i>In Vitro</i> . Stem Cell Reports, 2015, 4, 348-359.	4.8	109
33	Innate Immunity Induced by Plasmodium Liver Infection Inhibits Malaria Reinfections. Infection and Immunity, 2015, 83, 1172-1180.	2.2	55
34	A mediator for malaria stickiness in A versus O blood. Nature Medicine, 2015, 21, 307-308.	30.7	3
35	Micropatterned coculture of primary human hepatocytes and supportive cells for the study of hepatotropic pathogens. Nature Protocols, 2015, 10, 2027-2053.	12.0	119
36	Hypoxia promotes liver stage malaria infection in primary human hepatocytes in vitro. DMM Disease Models and Mechanisms, 2014, 7, 215-24.	2.4	47

#	ARTICLE	IF	CITATIONS
37	Host Cell Phosphatidylcholine Is a Key Mediator of Malaria Parasite Survival during Liver Stage Infection. <i>Cell Host and Microbe</i> , 2014, 16, 778-786.	11.0	104
38	Simple, sensitive and quantitative bioluminescence assay for determination of malaria pre-patent period. <i>Malaria Journal</i> , 2014, 13, 15.	2.3	17
39	Host-cell sensors for Plasmodium activate innate immunity against liver-stage infection. <i>Nature Medicine</i> , 2014, 20, 47-53.	30.7	256
40	2-Octadecynoic acid as a dual life stage inhibitor of Plasmodium infections and plasmodial FAS-II enzymes. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2014, 24, 4151-4157.	2.2	7
41	Chemical Interrogation of the Malaria Kinome. <i>ChemBioChem</i> , 2014, 15, 1920-1930.	2.6	29
42	Novel Endoperoxide-Based Transmission-Blocking Antimalarials with Liver- and Blood-Schizontocidal Activities. <i>ACS Medicinal Chemistry Letters</i> , 2014, 5, 108-112.	2.8	40
43	Malaria infections: What and how can mice teach us. <i>Journal of Immunological Methods</i> , 2014, 410, 113-122.	1.4	29
44	A Microscale Human Liver Platform that Supports the Hepatic Stages of Plasmodium falciparum and vivax. <i>Cell Host and Microbe</i> , 2013, 14, 104-115.	11.0	195
45	Structural Optimization of Quinolon-4(1 <i>H</i>)-imines as Dual-Stage Antimalarials: Toward Increased Potency and Metabolic Stability. <i>Journal of Medicinal Chemistry</i> , 2013, 56, 7679-7690.	6.4	14
46	A Novel Flow Cytometric Hemozoin Detection Assay for Real-Time Sensitivity Testing of Plasmodium falciparum. <i>PLoS ONE</i> , 2013, 8, e61606.	2.5	37
47	Quinolin-4(1 <i>H</i>)-imines are Potent Antiplasmodial Drugs Targeting the Liver Stage of Malaria. <i>Journal of Medicinal Chemistry</i> , 2013, 56, 4811-4815.	6.4	21
48	Flavones as isosteres of 4(1 <i>H</i>)-quinolones: Discovery of ligand efficient and dual stage antimalarial lead compounds. <i>European Journal of Medicinal Chemistry</i> , 2013, 69, 872-880.	5.5	13
49	Targeting Host Factors to Circumvent Anti-Malarial Drug Resistance. <i>Current Pharmaceutical Design</i> , 2013, 19, 290-299.	1.9	27
50	Torins are potent antimalarials that block replenishment of Plasmodium liver stage parasitophorous vacuole membrane proteins. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2013, 110, E2838-47.	7.1	73
51	Assessment of Dual Life Stage Antiplasmodial Activity of British Seaweeds. <i>Marine Drugs</i> , 2013, 11, 4019-4034.	4.6	19
52	A Novel Carbon Monoxide-Releasing Molecule Fully Protects Mice from Severe Malaria. <i>Antimicrobial Agents and Chemotherapy</i> , 2012, 56, 1281-1290.	3.2	92
53	Drug Screen Targeted at Plasmodium Liver Stages Identifies a Potent Multistage Antimalarial Drug. <i>Journal of Infectious Diseases</i> , 2012, 205, 1278-1286.	4.0	97
54	Liver-stage malaria parasites vulnerable to diverse chemical scaffolds. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2012, 109, 8511-8516.	7.1	132

#	ARTICLE	IF	CITATIONS
55	<i>In Vivo</i> Hemozoin Kinetics after Clearance of <i>Plasmodium berghei</i> Infection in Mice. <i>Malaria Research and Treatment</i> , 2012, 2012, 1-9.	2.0	35
56	Early skin immunological disturbance after <i>Plasmodium</i> -infected mosquito bites. <i>Cellular Immunology</i> , 2012, 277, 22-32.	3.0	20
57	Quantification of Sporozoite Invasion, Migration, and Development by Microscopy and Flow Cytometry. <i>Methods in Molecular Biology</i> , 2012, 923, 385-400.	0.9	35
58	Targeting the Liver Stage of Malaria Parasites: A Yet Unmet Goal. <i>Journal of Medicinal Chemistry</i> , 2012, 55, 995-1012.	6.4	73
59	Highly Dynamic Host Actin Reorganization around Developing <i>Plasmodium</i> Inside Hepatocytes. <i>PLoS ONE</i> , 2012, 7, e29408.	2.5	22
60	Innate recognition of malarial parasites by mammalian hosts. <i>International Journal for Parasitology</i> , 2012, 42, 557-566.	3.1	34
61	Infection by <i>Plasmodium</i> changes shape and stiffness of hepatic cells. <i>Nanomedicine: Nanotechnology, Biology, and Medicine</i> , 2012, 8, 17-19.	3.3	36
62	Gold nanoparticle-based fluorescence immunoassay for malaria antigen detection. <i>Analytical and Bioanalytical Chemistry</i> , 2012, 402, 1019-1027.	3.7	69
63	The Next Opportunity in Anti-Malaria Drug Discovery: The Liver Stage. <i>PLoS Pathogens</i> , 2011, 7, e1002178.	4.7	54
64	Incorporation of Basic Side Chains into Cryptolepine Scaffold: Structure-Activity Relationships and Mechanistic Studies. <i>Journal of Medicinal Chemistry</i> , 2011, 54, 734-750.	6.4	57
65	The IFN- γ -Inducible GTPase, Irga6, Protects Mice against <i>Toxoplasma gondii</i> but Not against <i>Plasmodium berghei</i> and Some Other Intracellular Pathogens. <i>PLoS ONE</i> , 2011, 6, e20568.	2.5	68
66	Superinfection in malaria: <i>Plasmodium</i> shows its iron will. <i>EMBO Reports</i> , 2011, 12, 1233-1242.	4.5	53
67	Host-mediated regulation of superinfection in malaria. <i>Nature Medicine</i> , 2011, 17, 732-737.	30.7	212
68	A toolbox to study liver stage malaria. <i>Trends in Parasitology</i> , 2011, 27, 565-574.	3.3	106
69	The relevance of non-human primate and rodent malaria models for humans. <i>Malaria Journal</i> , 2011, 10, 23.	2.3	109
70	<i>Plasmodium</i> Cysteine Repeat Modular Proteins 3 and 4 are essential for malaria parasite transmission from the mosquito to the host. <i>Malaria Journal</i> , 2011, 10, 71.	2.3	35
71	Simple flow cytometric detection of haemozoin containing leukocytes and erythrocytes for research on diagnosis, immunology and drug sensitivity testing. <i>Malaria Journal</i> , 2011, 10, 74.	2.3	26
72	Immunization with genetically attenuated P52-deficient <i>Plasmodium berghei</i> sporozoites induces a long-lasting effector memory CD8 ⁺ T cell response in the liver. <i>Journal of Immune Based Therapies and Vaccines</i> , 2011, 9, 6.	2.4	14

#	ARTICLE	IF	CITATIONS
73	Design and Evaluation of Primaquine-Artemisinin Hybrids as a Multistage Antimalarial Strategy. Antimicrobial Agents and Chemotherapy, 2011, 55, 4698-4706.	3.2	65
74	Use of a Selective Inhibitor To Define the Chemotherapeutic Potential of the Plasmodial Hexose Transporter in Different Stages of the Parasite's Life Cycle. Antimicrobial Agents and Chemotherapy, 2011, 55, 2824-2830.	3.2	39
75	The crucial role of hepatocyte growth factor receptor during liver-stage infection is not conserved among Plasmodium species. Nature Medicine, 2011, 17, 1181-1181.	30.7	0
76	Reply to: Hepcidin in malaria superinfection: can findings be translated to humans?. Nature Medicine, 2011, 17, 1341-1342.	30.7	3
77	Transition of Plasmodium Sporozoites into Liver Stage-Like Forms Is Regulated by the RNA Binding Protein Pumilio. PLoS Pathogens, 2011, 7, e1002046.	4.7	82
78	Phosphothioate oligodeoxynucleotides inhibit Plasmodium sporozoite gliding motility. Cellular Microbiology, 2010, 12, 506-515.	2.1	12
79	Accumulation of Plasmodium berghei-Infected Red Blood Cells in the Brain Is Crucial for the Development of Cerebral Malaria in Mice. Infection and Immunity, 2010, 78, 4033-4039.	2.2	145
80	VEGF Promotes Malaria-Associated Acute Lung Injury in Mice. PLoS Pathogens, 2010, 6, e1000916.	4.7	89
81	Crystal Structure of Arginase from Plasmodium falciparum and Implications for Arginine Depletion in Malarial Infection. Biochemistry, 2010, 49, 5600-5608.	2.5	39
82	A Small Molecule Inhibitor of Signal Peptide Peptidase Inhibits Plasmodium Development in the Liver and Decreases Malaria Severity. PLoS ONE, 2009, 4, e5078.	2.5	27
83	Visualisation and Quantitative Analysis of the Rodent Malaria Liver Stage by Real Time Imaging. PLoS ONE, 2009, 4, e7881.	2.5	205
84	Host cell transcriptional profiling during malaria liver stage infection reveals a coordinated and sequential set of biological events. BMC Genomics, 2009, 10, 270.	2.8	101
85	Plasmodium berghei-infection induces volume-regulated anion channel-like activity in human hepatoma cells. Cellular Microbiology, 2009, 11, 1492-1501.	2.1	12
86	Imidazoquinones as Antimalarial and Antipneumocystis Agents. Journal of Medicinal Chemistry, 2009, 52, 7800-7807.	6.4	35
87	Cerebral malaria and the hemolysis/methemoglobin/heme hypothesis: Shedding new light on an old disease. International Journal of Biochemistry and Cell Biology, 2009, 41, 711-716.	2.8	56
88	Interactions of the malaria parasite and its mammalian host. Current Opinion in Microbiology, 2008, 11, 352-359.	5.1	56
89	New Pieces for the Malaria Liver Stage Puzzle: Where Will They Fit?. Cell Host and Microbe, 2008, 3, 63-65.	11.0	2
90	Heme Oxygenase-1 Is an Anti-Inflammatory Host Factor that Promotes Murine Plasmodium Liver Infection. Cell Host and Microbe, 2008, 3, 331-338.	11.0	127

#	ARTICLE	IF	CITATIONS
91	Host Scavenger Receptor SR-BI Plays a Dual Role in the Establishment of Malaria Parasite Liver Infection. <i>Cell Host and Microbe</i> , 2008, 4, 271-282.	11.0	162
92	Cross-Species Immunity in Malaria Vaccine Development: Two, Three, or Even Four for the Price of One?. <i>Infection and Immunity</i> , 2008, 76, 873-878.	2.2	23
93	Adenylyl Cyclase $\hat{\pm}$ and cAMP Signaling Mediate Plasmodium Sporozoite Apical Regulated Exocytosis and Hepatocyte Infection. <i>PLoS Pathogens</i> , 2008, 4, e1000008.	4.7	95
94	Kinome-Wide RNAi Screen Implicates at Least 5 Host Hepatocyte Kinases in Plasmodium Sporozoite Infection. <i>PLoS Pathogens</i> , 2008, 4, e1000201.	4.7	90
95	Malaria Liver Stage Susceptibility Locus Identified on Mouse Chromosome 17 by Congenic Mapping. <i>PLoS ONE</i> , 2008, 3, e1874.	2.5	18
96	Genistein-Supplemented Diet Decreases Malaria Liver Infection in Mice and Constitutes a Potential Prophylactic Strategy. <i>PLoS ONE</i> , 2008, 3, e2732.	2.5	20
97	Severe malaria increases the list of heme oxygenase-1-protected diseases. <i>Future Microbiology</i> , 2007, 2, 361-363.	2.0	8
98	To Migrate or to Invade: Those Are the Options. <i>Cell Host and Microbe</i> , 2007, 2, 286-288.	11.0	6
99	Bone marrow chimeric mice reveal a dual role for CD36 in Plasmodium berghei ANKA infection. <i>Malaria Journal</i> , 2007, 6, 32.	2.3	21
100	Heme oxygenase-1 and carbon monoxide suppress the pathogenesis of experimental cerebral malaria. <i>Nature Medicine</i> , 2007, 13, 703-710.	30.7	488
101	Transcriptome profile of dendritic cells during malaria: cAMP regulation of IL-6. <i>Cellular Microbiology</i> , 2007, 9, 1738-1752.	2.1	16
102	Dissecting in vitro host cell infection by Plasmodium sporozoites using flow cytometry. <i>Cellular Microbiology</i> , 2007, 10, 070816152918001-???	2.1	69
103	Genetically attenuated P36p-deficient Plasmodium berghei sporozoites confer long-lasting and partial cross-species protection. <i>International Journal for Parasitology</i> , 2007, 37, 1511-1519.	3.1	68
104	Be in motion . . . <i>Molecular Microbiology</i> , 2006, 60, 1327-1328.	2.5	0
105	The silent path to thousands of merozoites: the Plasmodium liver stage. <i>Nature Reviews Microbiology</i> , 2006, 4, 849-856.	28.6	394
106	Antimalarial drugs â€“ host targets (re)visited. <i>Biotechnology Journal</i> , 2006, 1, 321-332.	3.5	41
107	Improved transfection and new selectable markers for the rodent malaria parasite Plasmodium yoelii. <i>Molecular and Biochemical Parasitology</i> , 2006, 146, 242-250.	1.1	62
108	Infection by and protective immune responses against Plasmodium berghei ANKA are not affected in macrophage scavenger receptors A deficient mice. <i>BMC Microbiology</i> , 2006, 6, 73.	3.3	11

#	ARTICLE	IF	CITATIONS
109	HGF/MET signalling protects Plasmodium-infected host cells from apoptosis. <i>Cellular Microbiology</i> , 2005, 7, 603-609.	2.1	100
110	Apoptotic Plasmodium-infected Hepatocytes Provide Antigens to Liver Dendritic Cells. <i>Journal of Infectious Diseases</i> , 2005, 191, 1576-1581.	4.0	74
111	From The Cover: Murine malaria parasite sequestration: CD36 is the major receptor, but cerebral pathology is unlinked to sequestration. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2005, 102, 11468-11473.	7.1	283
112	Genetically attenuated, P36p-deficient malarial sporozoites induce protective immunity and apoptosis of infected liver cells. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2005, 102, 12194-12199.	7.1	245
113	Migration through host cells: the first steps of Plasmodium sporozoites in the mammalian host. <i>Cellular Microbiology</i> , 2004, 6, 1113-1118.	2.1	38
114	Survival of protozoan intracellular parasites in host cells. <i>EMBO Reports</i> , 2004, 5, 1142-1147.	4.5	29
115	Plasmodium berghei parasite transformed with green fluorescent protein for screening blood schizontocidal agents. <i>International Journal for Parasitology</i> , 2004, 34, 485-490.	3.1	23
116	Malaria sporozoite: migrating for a living "a response. <i>Trends in Molecular Medicine</i> , 2004, 10, 100-101.	6.7	4
117	Targeting Plasmodium host cells: survival within hepatocytes. <i>Trends in Molecular Medicine</i> , 2004, 10, 487-492.	6.7	4
118	Hepatocyte growth factor and its receptor are required for malaria infection. <i>Nature Medicine</i> , 2003, 9, 1363-1369.	30.7	133
119	Malaria Blood Stage Suppression of Liver Stage Immunity by Dendritic Cells. <i>Journal of Experimental Medicine</i> , 2003, 197, 143-151.	8.5	226
120	PSLAP, a protein with multiple adhesive motifs, is expressed in Plasmodium falciparum gametocytes. <i>Molecular and Biochemical Parasitology</i> , 2002, 121, 11-20.	1.1	51
121	Invasion of mammalian host cells by Plasmodium sporozoites. <i>BioEssays</i> , 2002, 24, 149-156.	2.5	46
122	Migration through host cells activates Plasmodium sporozoites for infection. <i>Nature Medicine</i> , 2002, 8, 1318-1322.	30.7	172
123	Fluorescent Plasmodium berghei sporozoites and pre-erythrocytic stages: a new tool to study mosquito and mammalian host interactions with malaria parasites. <i>Cellular Microbiology</i> , 2001, 3, 371-379.	2.1	98
124	Migration through host cells by apicomplexan parasites. <i>Microbes and Infection</i> , 2001, 3, 1123-1128.	1.9	31
125	Identification of the class XIV myosins Pb-MyoA and Py-MyoA and expression in Plasmodium sporozoites. <i>Molecular and Biochemical Parasitology</i> , 2001, 112, 157-161.	1.1	32
126	Gene targeting in the rodent malaria parasite Plasmodium yoelii. <i>Molecular and Biochemical Parasitology</i> , 2001, 113, 271-278.	1.1	55

#	ARTICLE	IF	CITATIONS
127	Antibody Recognition of Rodent Malaria Parasite Antigens Exposed at the Infected Erythrocyte Surface: Specificity of Immunity Generated in Hyperimmune Mice. <i>Infection and Immunity</i> , 2001, 69, 2535-2541.	2.2	18
128	<i>Plasmodium yoelii</i> : Efficient in Vitro Invasion and Complete Development of Sporozoites in Mouse Hepatic Cell Lines. <i>Experimental Parasitology</i> , 2000, 96, 257-259.	1.2	22
129	<i>Plasmodium chabaudi</i> -Infected Erythrocytes Adhere to CD36 and Bind to Microvascular Endothelial Cells in an Organ-Specific Way. <i>Infection and Immunity</i> , 2000, 68, 4135-4144.	2.2	78