

Dieter Seebach

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3765548/publications.pdf>

Version: 2024-02-01

443
papers

40,268
citations

2311

98
h-index

4203

174
g-index

490
all docs

490
docs citations

490
times ranked

15216
citing authors

#	ARTICLE	IF	CITATIONS
1	Peptide Folding: When Simulation Meets Experiment. <i>Angewandte Chemie - International Edition</i> , 1999, 38, 236-240.	7.2	1,611
2	Methods of Reactivity Umpolung. <i>Angewandte Chemie International Edition in English</i> , 1979, 18, 239-258.	4.4	1,142
3	The World of β^2 - and β^3 -Peptides Comprised of Homologated Proteinogenic Amino Acids and Other Components. <i>Chemistry and Biodiversity</i> , 2004, 1, 1111-1239.	1.0	870
4	Structure and Reactivity of Lithium Enolates. From Pinacolone to Selective C-Alkylations of Peptides. Difficulties and Opportunities Afforded by Complex Structures. <i>Angewandte Chemie International Edition in English</i> , 1988, 27, 1624-1654.	4.4	803
5	β^2 -Peptides: a surprise at every turn. <i>Chemical Communications</i> , 1997, , 2015-2022.	2.2	746
6	β^2 -Peptides: Synthesis by Arndt-Eistert homologation with concomitant peptide coupling. Structure determination by NMR and CD spectroscopy and by X-ray crystallography. Helical secondary structure of a β^2 -hexapeptide in solution and its stability towards pe. <i>Helvetica Chimica Acta</i> , 1996, 79, 913-941.	1.0	693
7	β^2 -Peptidic Peptidomimetics. <i>Accounts of Chemical Research</i> , 2008, 41, 1366-1375.	7.6	640
8	Methoden der Reaktivitätsumpolung. <i>Angewandte Chemie</i> , 1979, 91, 259-278.	1.6	536
9	Organic Synthesis – Where now?. <i>Angewandte Chemie International Edition in English</i> , 1990, 29, 1320-1367.	4.4	535
10	TADDOLs, Their Derivatives, and TADDOL Analogues: Versatile Chiral Auxiliaries. <i>Angewandte Chemie - International Edition</i> , 2001, 40, 92-138.	7.2	525
11	Self-Regeneration of Stereocenters (SRS) – Applications, Limitations, and Abandonment of a Synthetic Principle. <i>Angewandte Chemie International Edition in English</i> , 1996, 35, 2708-2748.	4.4	461
12	The Outstanding Biological Stability of β^2 - and β^3 -Peptides toward Proteolytic Enzymes: An In Vitro Investigation with Fifteen Peptidases. <i>ChemBioChem</i> , 2001, 2, 445-455.	1.3	381
13	Alkylation of amino acids without loss of the optical activity: preparation of α -substituted proline derivatives. A case of self-reproduction of chirality. <i>Journal of the American Chemical Society</i> , 1983, 105, 5390-5398.	6.6	380
14	Reversible peptide folding in solution by molecular dynamics simulation 1 Edited by R. Huber. <i>Journal of Molecular Biology</i> , 1998, 280, 925-932.	2.0	379
15	Poly(hydroxyalkanoates): A Fifth Class of Physiologically Important Organic Biopolymers?. <i>Angewandte Chemie International Edition in English</i> , 1993, 32, 477-502.	4.4	334
16	Probing the Helical Secondary Structure of Short-Chain β -Peptides. <i>Helvetica Chimica Acta</i> , 1996, 79, 2043-2066.	1.0	334
17	β^2 - and β^3 -Peptides with Proteinaceous Side Chains: Synthesis and solution structures of constitutional isomers, a novel helical secondary structure and the influence of solvation and hydrophobic interactions on folding. <i>Helvetica Chimica Acta</i> , 1998, 81, 932-982.	1.0	314
18	Helices and other secondary structures of β^2 - and β^3 -peptides. <i>Biopolymers</i> , 2006, 84, 23-37.	1.2	310

#	ARTICLE	IF	CITATIONS
19	β -amino acids?syntheses, occurrence in natural products, and components of β -peptides1,2. Biopolymers, 2004, 76, 206-243.	1.2	302
20	The Unambiguous Specification of the Steric Course of Asymmetric Syntheses. Angewandte Chemie International Edition in English, 1982, 21, 654-660.	4.4	301
21	Chirale Alkoxytitan(IV)-Komplexe für enantioselektive nucleophile Additionen an Aldehyde und als Lewis-Säuren in Diels-Alder-Reaktionen. Helvetica Chimica Acta, 1987, 70, 954-974.	1.0	292

22

#	ARTICLE	IF	CITATIONS
37	Umpolung of Amine Reactivity. Nucleophilic α -(Secondary Amino)-alkylation via Metalated Nitrosamines. <i>Angewandte Chemie International Edition in English</i> , 1975, 14, 15-32.	4.4	199
38	Addition of Chiral Glycine, Methionine, and Vinylglycine Enolate Derivatives to Aldehydes and Ketones in the Preparation of Enantiomerically Pure α -Amino- β -Hydroxy Acids. <i>Helvetica Chimica Acta</i> , 1987, 70, 237-261.	1.0	198
39	Resolution and use in α -amino acid synthesis of imidazolidinone glycine derivatives. <i>Tetrahedron</i> , 1988, 44, 5277-5292.	1.0	195
40	The α -Peptide Hairpin in Solution: A Conformational Study of a α -Hexapeptide in Methanol by NMR Spectroscopy and MD Simulation. <i>Journal of the American Chemical Society</i> , 2001, 123, 2393-2404.	6.6	193
41	Enantio- and diastereoselective titanium-TADDOLate catalyzed addition of diethyl and bis(3-buten-1-yl) zinc to aldehydes a full account with preparative details. <i>Tetrahedron</i> , 1994, 50, 4363-4384.	1.0	190
42	A Useful Modification of the Evans Auxiliary: 4-Isopropyl-5,5-diphenyloxazolidin-2-one. <i>Helvetica Chimica Acta</i> , 1998, 81, 2093-2126.	1.0	189
43	Über die Depolymerisierung von Poly-(R)-3-hydroxy-buttersäureester (PHB). <i>Helvetica Chimica Acta</i> , 1982, 65, 495-503.	1.0	185
44	Organocatalyzed α -Michael Addition of Aldehydes to Nitro Alkenes – Generally Accepted Mechanism Revisited and Revised. <i>Helvetica Chimica Acta</i> , 2011, 94, 719-745.	1.0	185
45	Organometallverbindungen von Titan und Zirkonium als selektive nucleophile Reagentien für die Organische Synthese. <i>Angewandte Chemie</i> , 1983, 95, 12-26.	1.6	183
46	Synthesis and Biological Evaluation of a Cyclo-tetrapeptide as a Somatostatin Analogue. <i>Angewandte Chemie - International Edition</i> , 1999, 38, 1223-1226.	7.2	180
47	Ti-TADDOLate-catalyzed, highly enantioselective addition of alkyl- and aryl-titanium derivatives to aldehydes. <i>Tetrahedron</i> , 1994, 50, 7473-7484.	1.0	178
48	“Mixed” α -peptides: A unique helical secondary structure in solution. Preliminary communication. <i>Helvetica Chimica Acta</i> , 1997, 80, 2033-2038.	1.0	174
49	Catalytic and Stoichiometric Enantioselective Addition of Diethylzinc to Aldehydes Using a Novel Chiral Spirotitanate. <i>Angewandte Chemie International Edition in English</i> , 1991, 30, 99-101.	4.4	169
50	Enantioselective Aldol and Michael Additions of Achiral Enolates in the Presence of Chiral Lithium Amides and Amines. <i>Synthesis</i> , 1993, 1993, 1271-1290.	1.2	169
51	Isolation and X-Ray Structures of Reactive Intermediates of Organocatalysis with Diphenylprolinol Ethers and with Imidazolidinones. <i>Helvetica Chimica Acta</i> , 2008, 91, 1999-2034.	1.0	168
52	Stereoselektive Alkylierung an C(α) von Serin, Glycerinsäure, Threonin und Weinsäure über heterocyclische Enolate mit exocyclischer Doppelbindung. <i>Helvetica Chimica Acta</i> , 1987, 70, 1194-1216.	1.0	167
53	Peptide Folding Induces High and Selective Affinity of a Linear and Small α -Peptide to the Human Somatostatin Receptor 4. <i>Journal of Medicinal Chemistry</i> , 2001, 44, 2460-2468.	2.9	167
54	Enantioselective Generation and Diastereoselective Reactions of Chiral Enolates Derived from α -Heterosubstituted Carboxylic Acids. Preliminary Communication. <i>Helvetica Chimica Acta</i> , 1981, 64, 2704-2708.	1.0	163

#	ARTICLE	IF	CITATIONS
55	Can One Derive the Conformational Preference of a β^2 -Peptide from Its CD Spectrum?. <i>Journal of the American Chemical Society</i> , 2002, 124, 12972-12978.	6.6	162
56	N,O-Acetals from Pivalaldehyde and Amino Acids for the α -Alkylation with Self-Reproduction of the Center of Chirality. Enolates of 3-Benzoyl-2-(tert-butyl)-1,3-oxazolidin-5-ones. <i>Helvetica Chimica Acta</i> , 1985, 68, 1243-1250.	1.0	161
57	Preparation of N-Fmoc-Protected α^2 - and β^3 -Amino Acids and their use as building blocks for the solid-phase synthesis of α -peptides. <i>Helvetica Chimica Acta</i> , 1998, 81, 187-206.	1.0	161
58	Structures of the Reactive Intermediates in Organocatalysis with Diarylprolinol Ethers. <i>Helvetica Chimica Acta</i> , 2009, 92, 1225-1259.	1.0	157
59	Brom-Lithium-Austausch an Vinyl- und Aryl-bromiden mittert-Butyllithium Zur Ringerweiterung $\alpha^1/4$ ber Dibromcarbenaddukte. <i>Chemische Berichte</i> , 1974, 107, 847-853.	0.2	150
60	On the Ti-TADDOLate-Catalyzed Diels-Alder Addition of 3-Butenoyl-1,3-oxazolidin-2-one to Cyclopentadiene. General Features of Ti-BINOLate- and Ti-TADDOLate-Mediated Reactions. <i>Journal of Organic Chemistry</i> , 1995, 60, 1788-1799.	1.7	150
61	cis-Stilbene and (1 β^1 ,2 β^2 ,3 β^3)-(2-Ethenyl-3-methoxycyclopropyl)benzene as Mechanistic Probes in the Mn(III)(salen)-Catalyzed Epoxidation: Influence of the Oxygen Source and the Counterion on the Diastereoselectivity of the Competitive Concerted and Radical-Type Oxygen Transfer. <i>Journal of the American Chemical Society</i> , 2002, 124, 5068-5073.	6.6	147
62	Cellular Uptake Studies with α -Peptides. <i>ChemBioChem</i> , 2002, 3, 257-259.	1.3	147
63	Derivatives of 1 β^1 ,1 β^2 ,1 β^3 -Tetraaryl-2,2-dimethyl-1,3-dioxolan-4,5-dimethanol (TADDOL) containing nitrogen, sulfur, and phosphorus atoms. New ligands and auxiliaries for enantioselective reactions.. <i>Tetrahedron</i> , 1993, 49, 1711-1724.	1.0	146
64	β^2 -, β^3 -, and $\beta^2,3,4$ -Amino Acids, Coupling to β^3 -Hexapeptides: CD Spectra, NMR Solution and X-ray Crystal Structures of β^3 -Peptides. <i>Chemistry - A European Journal</i> , 2002, 8, 573-584.	1.7	141
65	Preparation and Structural Analysis of Several New 1 β^1 ,1 β^2 ,1 β^3 -Tetraaryl-1,3-dioxolane-4,5-dimethanols (TADDOL's) and TADDOL analogs, their evaluation as titanium ligands in the enantioselective addition of methyltitanium and diethylzinc reagents to benzald. <i>Helvetica Chimica Acta</i> , 1994, 77, 2071-2110.	1.0	140
66	Enantioselective Preparation of β^2 -Amino Acid Derivatives for β^2 -Peptide Synthesis. <i>Synthesis</i> , 2009, 2009, 1-32.	1.2	137
67	Generation of Secondary, Tertiary, and Quaternary Centers by Geminal Disubstitution of Carbonyl Oxygens. <i>Angewandte Chemie - International Edition</i> , 2011, 50, 96-101.	7.2	131
68	2,2-Dimethyl-1 β^1 ,1 β^2 ,1 β^3 -tetrakis(β^2 -naphthyl)-1,3-dioxolan-4,5-dimethanol(DINOL) for the Titanate-Mediated Enantioselective Addition of Diethylzinc to Aldehydes. <i>Angewandte Chemie International Edition in English</i> , 1991, 30, 1321-1323.	4.4	129
69	Diastereoselektive Alkylierung von 3-Aminobutansäure in der 2-Stellung. <i>Helvetica Chimica Acta</i> , 1988, 71, 1824-1839.	1.0	125
70	Probing the Proteolytic Stability of β^2 -Peptides Containing β^1 -Fluoro- and β^1 -Hydroxy- β^2 -Amino Acids. <i>ChemBioChem</i> , 2004, 5, 691-706.	1.3	124
71	Dendritic TADDOLs: Synthesis, Characterization and Use in the Catalytic Enantioselective Addition of Et ₂ Zn to Benzaldehyde. <i>Chemistry - A European Journal</i> , 1999, 5, 3221-3236.	1.7	123
72	Umpolung der Reaktivität von Aminen. Nucleophile β^1 -Aminoalkylierung $\alpha^1/4$ ber metallierte Nitrosamine. <i>Angewandte Chemie</i> , 1975, 87, 1-18.	1.6	121

#	ARTICLE	IF	CITATIONS
73	Enantioselective preparation of sec. Alcohols from aldehydes and dialkyl zinc compounds, generated in situ from Grignard reagents, using substoichiometric amounts of TADDOL-titanates. <i>Tetrahedron</i> , 1992, 48, 5719-5730.	1.0	120
74	Studying the Stability of a Helical α -Heptapeptide by Molecular Dynamics Simulations. <i>Chemistry - A European Journal</i> , 1997, 3, 1410-1417.	1.7	120
75	Design, machine synthesis, and NMR-solution structure of a α -heptapeptide forming a salt-bridge stabilised 314-helix in methanol and in water. <i>Chemical Communications</i> , 2001, , 649-650.	2.2	120
76	Elektrochemische Decarboxylierung von L-Threonin- und Oligopeptid-Derivaten unter Bildung von N-Acyl-N, O-acetalen: Herstellung von Oligopeptiden mit Carboxamid- oder Phosphonat-C-Terminus. <i>Helvetica Chimica Acta</i> , 1989, 72, 401-425.	1.0	119
77	Immobilization of BINOL by Cross-Linking Copolymerization of Styryl Derivatives with Styrene, and Applications in Enantioselective Ti and Al Lewis Acid Mediated Additions of Et ₂ Zn and Me ₃ SiCN to Aldehydes and of Diphenyl Nitron to Enol Ethers. <i>Chemistry - A European Journal</i> , 2000, 6, 3692-3705.	1.7	118
78	α -alkylation of serine with self-reproduction of the center of chirality. <i>Tetrahedron Letters</i> , 1984, 25, 2545-2548.	0.7	117
79	Titanate-Catalyzed Enantioselective Addition of Dialkylzinc Compounds "Generated in situ from Grignard Reagents in Ether" to Aldehydes. <i>Angewandte Chemie International Edition in English</i> , 1991, 30, 1008-1009.	4.4	117
80	Structure and Reactivity of Five- and Six-Ring N, N-, N, O-, and O, O-acetals: A lesson in allylic 1, 3-strain (A1, 3strain). <i>Helvetica Chimica Acta</i> , 1992, 75, 913-934.	1.0	114
81	Preparation and Structure of α -Peptides Consisting of Geminally Disubstituted α , α - and β , β -Amino Acids: A Turn Motif for α -Peptides. <i>Helvetica Chimica Acta</i> , 1998, 81, 2218-2243.	1.0	112
82	How we drifted into peptide chemistry and where we have arrived at. <i>Tetrahedron</i> , 2004, 60, 7455-7506.	1.0	110
83	Resolution of racemic carboxylic acid derivatives by Ti-TADDOLate mediated esterification reactions "A general method for the preparation of enantiopure compounds. <i>Tetrahedron</i> , 1997, 53, 7539-7556.	1.0	109
84	Dendritically Cross-Linking Chiral Ligands: High Stability of a Polystyrene-Bound Ti-TADDOLate Catalyst with Diffusion Control. <i>Angewandte Chemie - International Edition</i> , 1999, 38, 1918-1920.	7.2	108
85	The Proteolytic Stability of "Designed" α -Peptides Containing α -Peptide-Bond Mimics and of Mixed α , β -Peptides: Application to the Construction of MHC-Binding Peptides. <i>Chemistry and Biodiversity</i> , 2005, 2, 591-632.	1.0	108
86	Poly(hydroxyfettsäureester), eine häufigste Klasse von physiologisch bedeutsamen organischen Biopolymeren?. <i>Angewandte Chemie</i> , 1993, 105, 483-509.	1.6	107
87	Synthesis of Nonproteinogenic (R)- or (S)-Amino Acids Analogues of Phenylalanine, Isotopically Labelled and Cyclic Amino Acids from (tert-butyl) β -methyl α -oxo α -imidazolidinecarboxylate (Boc-BMI). <i>Liebigs Annalen Der Chemie</i> , 1989, 106, 1215-1232.	0.8	106
88	Enantiomerically Pure Tertiary Alcohols by TADDOL-Assisted Additions to Ketones "or How to Make a Grignard Reagent Enantioselective. <i>Angewandte Chemie International Edition in English</i> , 1992, 31, 84-86.	4.4	103
89	Highly enantioselective addition of primary alkyl Grignard reagents to carbocyclic and heterocyclic arylketones in the presence of magnesium TADDOLate preparative and mechanistic aspects. <i>Tetrahedron</i> , 1994, 50, 6117-6128.	1.0	101
90	Synthesis, Crystal Structures, and Modelling of α -Oligopeptides Consisting of 1-(Aminomethyl)cyclopropanecarboxylic Acid: Ribbon-Type Arrangement of Eight-Membered H-Bonded Rings. <i>Helvetica Chimica Acta</i> , 1999, 82, 1559-1571.	1.0	101

#	ARTICLE	IF	CITATIONS
91	Preparation of TADOOH, a Hydroperoxide from TADDOL, and Use in Highly Enantioface- and Enantiomer-Differentiating Oxidations. <i>Helvetica Chimica Acta</i> , 2001, 84, 187-207.	1.0	101
92	Preparation of Chiral Building Blocks from Amino Acids and Peptides via Electrolytic Decarboxylation and TiCl ₄ -Induced Aminoalkylation. <i>Angewandte Chemie International Edition in English</i> , 1986, 25, 843-844.	4.4	100
93	Structure and Conformation of β^2 -Oligopeptide Derivatives with Simple Proteinogenic Side Chains: Circular Dichroism and Molecular Dynamics Investigations. <i>Helvetica Chimica Acta</i> , 2000, 83, 34-57.	1.0	100
94	Antibiotic and Hemolytic Activity of a β^2/β^3 Peptide Capable of Folding into a 12/10-Helical Secondary Structure. <i>ChemBioChem</i> , 2003, 4, 1345-1347.	1.3	100
95	Microreactor Synthesis of β^2 -Peptides. <i>Angewandte Chemie - International Edition</i> , 2006, 45, 7000-7003.	7.2	100
96	Catalytic Enantioselective Hydrosilylation of Aromatic Ketones Using Rhodium Complexes of TADDOL-Derived Cyclic Phosphonites and Phosphites. <i>Helvetica Chimica Acta</i> , 1993, 76, 2654-2665.	1.0	99
97	Synthesis of a β^2 -Hexapeptide from (<i>R</i>)-2-Aminomethyl-alkanoic Acids and Structural Investigations. <i>Synlett</i> , 1997, 1997, 437-438.	1.0	99
98	On the Antimicrobial and Hemolytic Activities of Amphiphilic β^2 -Peptides. <i>ChemBioChem</i> , 2001, 2, 771.	1.3	99
99	Preparation of Dendritic and Non-Dendritic Styryl-Substituted Salens for Cross-Linking Suspension Copolymerization with Styrene and Multiple Use of the Corresponding Mn and Cr Complexes in Enantioselective Epoxidations and Hetero-Diels-Alder Reactions. <i>Chemistry - A European Journal</i> , 2001, 7, 2873-2887.	1.7	99
100	On the preparation of β^2 -amino acids from β^1 -amino acids using the Arndt-Eistert reaction: Scope, limitations and stereoselectivity. Application to carbohydrate peptidation. Stereoselective β^1 -alkylations of some β^2 -amino acids. <i>Liebigs Annalen</i> , 1995, 1995, 1217-1228.	0.8	98
101	Chiral Dendrimers. <i>Topics in Current Chemistry</i> , 1998, , 125-164.	4.0	98
102	Enantiomerenreine Pyrrolidin-Derivate aus trans-4-Hydroxy-L-prolin durch elektrochemische oxidative Decarboxylierung und Titan-tetrachlorid-vermittelte Umsetzung mit Nucleophilen. <i>Helvetica Chimica Acta</i> , 1986, 69, 1704-1710.	1.0	97
103	Title is missing!. <i>Helvetica Chimica Acta</i> , 2002, 85, 2577-2593.	1.0	97
104	[3 + 3]-Carbocyclizations of nitroallylic esters and enamines with stereoselective formation of up to six new stereogenic centers. <i>Journal of the American Chemical Society</i> , 1990, 112, 7625-7638.	6.6	96
105	Preparation and determination of X-ray-crystal and NMR-solution structures of $\beta^2,3,4$ -peptides. <i>Chemical Communications</i> , 2001, , 207-208.	2.2	96
106	Preparation of the PdCl ₂ Complex of TADDOP, the Bis(diphenylphosphinite) of TADDOL: Use in enantioselective 1,3-diphenylallylations of nucleophiles and discussion of the mechanism. <i>Helvetica Chimica Acta</i> , 1995, 78, 1636-1650.	1.0	95
107	Detection, synthesis, structure, and function of oligo(3-hydroxyalkanoates): contributions by synthetic organic chemists. <i>International Journal of Biological Macromolecules</i> , 1999, 25, 217-236.	3.6	95
108	Stereochemical Models for Discussing Additions to β^1 , β^2 Unsaturated Aldehydes Organocatalyzed by Diarylprolinol or Imidazolidinone Derivatives - Is There an β^1/β^2 Dilemma? <i>Helvetica Chimica Acta</i> , 2010, 93, 603-634.	1.0	93

#	ARTICLE	IF	CITATIONS
109	Thiocyclosporins: Preparation, Solution and Crystal Structure, and Immunosuppressive Activity. <i>Helvetica Chimica Acta</i> , 1991, 74, 1953-1990.	1.0	92
110	Novel backbone conformation of cyclosporin A: the complex with lithium chloride. <i>Journal of the American Chemical Society</i> , 1992, 114, 2676-2686.	6.6	92
111	The Fourth Helical Secondary Structure of α^2 -Peptides: The (P)-28-Helix of a α^2 -Hexapeptide Consisting of (2R,3S)-3-Amino-2-hydroxy Acid Residues. <i>Angewandte Chemie - International Edition</i> , 2003, 42, 1534-1537.	7.2	92
112	Preparation by yeast reduction and determination of the sense of chirality of enantiomerically pure ethyl (α^2)-4,4,4-trichloro-3-hydroxy- and (+)-4,4,4-trifluoro-3-hydroxybutanoate. <i>Helvetica Chimica Acta</i> , 1984, 67, 1843-1853.	1.0	91
113	Enantioselektive Addition von Arylgruppen an aromatische Aldehyde mit Aryltitan- α -Binaphthol- α -Derivaten. <i>Chemische Berichte</i> , 1985, 118, 3673-3682.	0.2	91
114	Äußerer sterischer Verlauf der Umsetzung von Enaminen aus offenkettigen Aldehyden und Ketonen mit Nitroolefinen zu 2,3-disubstituierten 4-Nitroketonen. <i>Helvetica Chimica Acta</i> , 1985, 68, 162-172.	1.0	91
115	Selectivities in the Reactions of Alkyl-, Aryl- and Heterosubstituted Organotitanium Compounds Preliminary Communication. <i>Helvetica Chimica Acta</i> , 1981, 64, 357-361.	1.0	90
116	Dendritic styryl TADDOLs as novel polymer cross-linkers: First application in an enantioselective Et ₂ Zn addition mediated by a polymer-incorporated titanate. Preliminary communication. <i>Helvetica Chimica Acta</i> , 1997, 80, 2027-2032.	1.0	90
117	Electrophilic α -trifluoromethylation of Cysteine Side Chains in α^2 - and α^1 -Peptides: Isolation of Trifluoro- α -methylated α^2 -Sandostatatin- α - ¹⁸ O- (Octreotide) Derivatives. <i>Helvetica Chimica Acta</i> , 2008, 91, 2035-2056.	1.0	89
118	Matrix-assisted laser desorption and ionization as a mass spectrometric tool for the analysis of poly[(R)-3-hydroxybutanoates]. Comparison with gel permeation chromatography. <i>Macromolecules</i> , 1993, 26, 4783-4790.	2.2	88
119	Chiral Dendrimers from Tris(hydroxymethyl)methane Derivatives. <i>Angewandte Chemie International Edition in English</i> , 1994, 33, 440-442.	4.4	88
120	(S)- α^2 -3-Homolysine- and (S)- α^2 -3-Homoserine-Containing α^2 -Peptides: CD Spectra in Aqueous Solution. <i>Helvetica Chimica Acta</i> , 1998, 81, 2141-2156.	1.0	88
121	The outstanding metabolic stability of a ¹⁴ C-labeled α^2 -nonapeptide in rats -in vitro and in vivo pharmacokinetic studies. <i>Biopharmaceutics and Drug Disposition</i> , 2002, 23, 251-262.	1.1	88
122	Solubilization of Peptides in Non-polar Organic Solvents by the Addition of Inorganic Salts: Facts and Implications. <i>Helvetica Chimica Acta</i> , 1989, 72, 857-867.	1.0	87
123	The Arndt-Eistert Reaction in Peptide Chemistry: A Facile Access to Homopeptides. <i>Angewandte Chemie International Edition in English</i> , 1995, 34, 471-472.	4.4	87
124	Enantioselective conjugate addition of primary dialkylzinc reagents to 2-aryl- and 2-heteroaryl-nitroolefins mediated by titanium-TADDOLates preparation of enantioenriched 2-aryl-alkylamines. <i>Tetrahedron</i> , 1995, 51, 2305-2324.	1.0	87
125	Ring opening with kinetic resolution of azlactones by Ti-TADDOLates. <i>Tetrahedron</i> , 1999, 55, 723-738.	1.0	87
126	Asymmetrische Michael-Additionen. Stereoselektive Alkylierungen des (α^2 -R- und (α^2 -S-Enamins aus Cyclohexanon und α^2 -(Methoxymethyl)pyrrolidin durch α^2 -(Methoxycarbonyl)zimtsäure- α^2 -methylester. <i>Chemische Berichte</i> , 1983, 116, 2250-2260.	0.2	85

#	ARTICLE	IF	CITATIONS
127	On the steric course of addition of 1-lithio- and 1-magnesio-2-pivaloyl-1,2,3,4-tetrahydroisoquinoline to aldehydes and ketones. An x-ray crystal structure determination of the organomagnesium reagent. <i>Journal of Organometallic Chemistry</i> , 1985, 285, 1-13.	0.8	84
128	1,3-Dioxanone Derivatives from γ -Hydroxy-carboxylic Acids and Pivalaldehyde. Versatile Building Blocks for Syntheses of Enantiomerically Pure Compounds. A Chiral Acetoacetic Acid Derivative Preliminary Communication. <i>Helvetica Chimica Acta</i> , 1986, 69, 1147-1152.	1.0	84
129	Imaging of a β -peptide distribution in whole-body mice sections by MALDI mass spectrometry. <i>Journal of the American Society for Mass Spectrometry</i> , 2007, 18, 1921-1924.	1.2	84
130	Enantioselective synthesis of β -amino acids. 2. Preparation of the like stereoisomers of 2-methyl- and 2-benzyl-3-aminobutanoic acid. <i>Journal of Organic Chemistry</i> , 1992, 57, 2396-2398.	1.7	83
131	Design and Synthesis of β -Dipeptide Derivatives with Submicromolar Affinities for Human Somatostatin Receptors. <i>Angewandte Chemie - International Edition</i> , 2003, 42, 776-778.	7.2	82
132	Herstellung enantiomerenreiner cis- oder trans-konfigurierter 2-(tert-Butyl)-3-methylimidazolidin-4-one aus den Aminosäuren (S)-Alanin, (S)-Phenylalanin, (R)-Phenylglycin, (S)-Methionin und (S)-Valin. <i>Helvetica Chimica Acta</i> , 1985, 68, 135-143.	1.0	81
133	Modification of Cyclosporin A (CS): Generation of an enolate at the sarcosine residue and reactions with electrophiles. <i>Helvetica Chimica Acta</i> , 1993, 76, 1564-1590.	1.0	81
134	Michael-Additionen von Lithiumenolaten und schwefelsubstituierten Lithiumorganen an Nitroolefine. <i>Chemische Berichte</i> , 1975, 108, 1924-1945.	0.2	79
135	Asymmetric synthesis of β -amino acids. 1. Highly diastereoselective addition of a racemic β -alanine enolate derivative to electrophiles. <i>Journal of Organic Chemistry</i> , 1991, 56, 2553-2557.	1.7	79
136	The Cyclo- β -Tetrapeptide (β -HPhe- β -HThr- β -HLys- β -HTrp): Synthesis, NMR Structure in Methanol Solution, and Affinity for Human Somatostatin Receptors. <i>Helvetica Chimica Acta</i> , 2000, 83, 16-33.	1.0	79
137	C-Alkylation of Peptides through Polyolithiated and LiCl-Solvated Derivatives Containing Sarcosine Li-Enolate Units. <i>Helvetica Chimica Acta</i> , 1991, 74, 197-224.	1.0	78
138	Chiral Hydroperoxides as Oxygen Source in the Catalytic Stereoselective Epoxidation of Allylic Alcohols by Sandwich-Type Polyoxometalates: A Control of Enantioselectivity through a Metal-Coordinated Template. <i>Journal of Organic Chemistry</i> , 2003, 68, 8222-8231.	1.7	78
139	Synthesis of Chiral Starburst Dendrimers from PHB-Derived Triols as Central Cores. <i>Helvetica Chimica Acta</i> , 1994, 77, 1673-1688.	1.0	77
140	Isolation and 1H-NMR Spectroscopic Identification of Poly(3-Hydroxybutanoate) from Prokaryotic and Eukaryotic Organisms. Determination of the Absolute Configuration (R) of the Monomeric Unit 3-Hydroxybutanoic Acid from <i>Escherichia coli</i> and Spinach. <i>FEBS Journal</i> , 1994, 224, 317-328.	0.2	77
141	Synthesis, CD Spectra, and Enzymatic Stability of β -Oligoazapeptides Prepared from (S)-2-Hydrazino Carboxylic Acids Carrying the Side Chains of Val, Ala, and Leu. <i>Helvetica Chimica Acta</i> , 2003, 86, 4152-4168.	1.0	76
142	5- β -Benzyl- β -methylimidazolidin-4-one-Derived Reactive Intermediates of Organocatalysis – A Comforting Resemblance of X-Ray, NMR, and DFT Solid-Phase, Liquid-Phase, and Gas-Phase Structures. <i>Helvetica Chimica Acta</i> , 2009, 92, 1-13.	1.0	76
143	Synthesis and Enzymatic Degradation of Dendrimers from (R)-3-Hydroxybutanoic Acid and Trimesic Acid. <i>Angewandte Chemie International Edition in English</i> , 1996, 35, 2795-2797.	4.4	75
144	Immobilization of TADDOL with a High Degree of Loading on Porous Silica Gel and First Applications in Enantioselective Catalysis. <i>Angewandte Chemie - International Edition</i> , 2000, 39, 163-165.	7.2	75

#	ARTICLE	IF	CITATIONS
145	Stoichiometric Reactions of Enamines Derived from Diphenylprolinol Silyl Ethers with Nitro Olefins and Lessons for the Corresponding Organocatalytic Conversions – a Survey. <i>Helvetica Chimica Acta</i> , 2013, 96, 799-852.	1.0	75
146	Synthese monodisperser linearer und cyclischer Oligomere der (R)-3-Hydroxybuttersäure mit bis zu 128 Einheiten. <i>Helvetica Chimica Acta</i> , 1996, 79, 670-701.	1.0	74
147	Catalytic Enantioselective Hydrosilylation of Ketones with Rhodium-Phosphite Complexes Containing a TADDOLate and a Dihydrooxazole Unit. <i>Helvetica Chimica Acta</i> , 1999, 82, 1096-1110.	1.0	74
148	Cyclic nitronates from the diastereoselective addition of 1-trimethylsilyloxycyclohexene to nitroolefins. Starting materials for stereoselective Henry reactions and 1,3-dipolar cycloadditions. <i>Canadian Journal of Chemistry</i> , 1987, 65, 836-850.	0.6	73
149	Highly Enantioselective Ring Opening of Cyclic Meso-Anhydrides to Isopropyl Hemiesters with Ti ^{IV} -TADDOLates: An Alternative to Hydrolytic Enzymes?. <i>Journal of Organic Chemistry</i> , 1998, 63, 1190-1197.	1.7	73
150	Asymmetric Alkylation of β -aminobutanoates with α -1,2-induction. <i>Tetrahedron Letters</i> , 1987, 28, 3103-3106.	0.7	72
151	Die Selbstregeneration von Stereozentren (SRS) – Anwendungen, Grenzen und Preisgabe eines Synthesepinzips. <i>Angewandte Chemie</i> , 1996, 108, 2881-2921.	1.6	72
152	Enantioselective 1,4-Addition of Aliphatic Grignard Reagents to Enones Catalyzed by Readily Available Copper(I) thiolates derived from TADDOL. Preliminary communication. <i>Helvetica Chimica Acta</i> , 1997, 80, 2515-2519.	1.0	72
153	Lithiated 4-Isopropyl-3-(methylthiomethyl)-5,5-diphenyloxazolidin-2-one: A Chiral Formyl Anion Equivalent for Enantioselective Preparations of 1,2-Diols, 2-Amino Alcohols, 2-Hydroxy Esters, and 4-Hydroxy-2-alkenoates. <i>Journal of Organic Chemistry</i> , 2001, 66, 3059-3073.	1.7	72
154	Linear, Peptidase-Resistant β - and γ -Tetrapeptide Derivatives with Nanomolar Affinities to a Human Somatostatin Receptor, Preliminary Communication. <i>Helvetica Chimica Acta</i> , 2001, 84, 3503-3510.	1.0	72
155	Artificial Chemokines: Combining Chemistry and Molecular Biology for the Elucidation of Interleukin-8 Functionality. <i>Journal of the American Chemical Society</i> , 2008, 130, 15311-15317.	6.6	72
156	Total synthesis of (+)-11,11'-di-O-methylelaiophylidene, an aglycon of elaiophylin. <i>Journal of the American Chemical Society</i> , 1985, 107, 5292-5293.	6.6	71
157	Oligomers of β - and γ -Homoproline: What are the Secondary Structures of β -Peptides Lacking H-Bonds?. <i>Helvetica Chimica Acta</i> , 1999, 82, 1539-1558.	1.0	71
158	On the Biodegradation of β -Peptides Part of the PhD thesis of J.V.S. Dissertation no. 14298, ETH Zürich, 2001.. <i>ChemBioChem</i> , 2002, 3, 424.	1.3	71
159	Enantioselective Preparation of β -Amino Acids and β -Lactams from Nitro Olefins and Carboxylic Acids, with the Valine-Derived 4-Isopropyl-5,5-diphenyl-1,3-oxazolidin-2-one as an Auxiliary. <i>Helvetica Chimica Acta</i> , 1999, 82, 2365-2379.	1.0	69
160	X-Ray, Molecular Diffusion, and NOESY NMR Studies of Chiral, Tetranuclear CuI Catalysts Based on Monodentate Thiol Analogues of TADDOL. <i>Angewandte Chemie - International Edition</i> , 2000, 39, 153-156.	7.2	69
161	Synthesis of Cyclo- β -tripeptides and Their Biological in vitro Evaluation as Antiproliferatives against the Growth of Human Cancer Cell Lines. <i>Helvetica Chimica Acta</i> , 2001, 84, 2924-2937.	1.0	69
162	Chemical and Biological Investigations of β -Oligoarginines. <i>Chemistry and Biodiversity</i> , 2004, 1, 65-97.	1.0	69

#	ARTICLE	IF	CITATIONS
163	Interaction of L ⁺ - and L ² -Oligoarginine-Acids and Amides with Anionic Lipid Vesicles: A Mechanistic and Thermodynamic Study. <i>Biochemistry</i> , 2006, 45, 5817-5829.	1.2	69
164	Lithium-Salt Effects in Peptide Synthesis. Part II. Improvement of Degree of Resin Swelling and of Efficiency of Coupling in Solid-Phase Synthesis. <i>Helvetica Chimica Acta</i> , 1991, 74, 628-643.	1.0	67
165	Preparation of Polystyrene Beads with Dendritically Embedded TADDOL and Use in Enantioselective Lewis Acid Catalysis. <i>Helvetica Chimica Acta</i> , 2002, 85, 352-387.	1.0	67
166	Enantioselective Heterogeneous Epoxidation and Hetero-Diels-Alder Reaction with Mn- and Cr-salen Complexes Immobilized on Silica Gel by Radical Grafting. <i>Helvetica Chimica Acta</i> , 2002, 85, 913.	1.0	67
167	On the preparation of methyl and ethyl (r)-(S)-3-hydroxy-valerate by depolymerization of a mixed phb/phv biopolymer. <i>Tetrahedron Letters</i> , 1984, 25, 2747-2750.	0.7	66
168	Crystal and molecular structure of a THF-solvated lithium amide enolate dimer. <i>Chemische Berichte</i> , 1985, 118, 764-773.	0.2	65
169	2,2-Dimethyl-1,1,1-trimethyl-tetra(naphthyl)-1,3-dioxolan-4,5-dimethanol (DINOL) für die Titanat-vermittelte enantioselective Addition von Diethylzink an Aldehyde. <i>Angewandte Chemie</i> , 1991, 103, 1383-1385.	1.6	65
170	Highly Enantioselective Opening of Cyclic meso-Anhydrides to Isopropyl Hemiesters with Diisopropoxytitanium TADDOLates. <i>Angewandte Chemie International Edition in English</i> , 1995, 34, 2395-2396.	4.4	65
171	L ² -Thiopeptides: Synthesis, NMR Solution Structure, CD Spectra, and Photochemistry. <i>Helvetica Chimica Acta</i> , 1999, 82, 2067-2093.	1.0	64
172	Katalytische und stochiometrische enantioselective Additionen von Diethylzink an Aldehyde mit Hilfe eines neuartigen chiralen Spirotitanats. <i>Angewandte Chemie</i> , 1991, 103, 100-101.	1.6	62
173	Cyclische Oligomere von (R)-3-Hydroxybuttersäure: Herstellung und strukturelle Aspekte. <i>Helvetica Chimica Acta</i> , 1993, 76, 2004-2033.	1.0	62
174	Investigation of the Enzymatic Cleavage of Diastereomeric Oligo(3-hydroxybutanoates) Containing Two to Eight HB Units. A Model for the Stereoselectivity of PHB Depolymerase from <i>Alcaligenes faecalis</i> T1. <i>Macromolecules</i> , 1999, 32, 1777-1784.	2.2	62
175	Channel-Forming Activity of 3-Hydroxybutanoic-Acid Oligomers in Planar Lipid Bilayers. <i>Helvetica Chimica Acta</i> , 1996, 79, 507-517.	1.0	61
176	Exploring the Antibacterial and Hemolytic Activity of Shorter- and Longer-Chain- α -, β -, and γ -Peptides, and of β -Peptides from β -2-3-Aza- and β -3-2-Methylidene-amino Acids Bearing Proteinogenic Side Chains - A Survey. <i>Chemistry and Biodiversity</i> , 2005, 2, 401-420.	1.0	61
177	Improved Nitroaldol Reactions and Reductive Routes to Vicinal Aminoalcohols. <i>Helvetica Chimica Acta</i> , 1981, 64, 2264-2271.	1.0	60
178	Dichloro[TADDOLato(2 α)-O] ₂ titanium/Dichlorobis[1-methylethoxy]titanium-Mediated, Highly Diastereo- and Enantioselective Additions of Silyl Enol Ethers to Nitro Olefins and [3+2] Cycloadditions of Primary Adducts to Acetylenes. <i>Helvetica Chimica Acta</i> , 1999, 82, 1829-1842.	1.0	60
179	Lithierung und elektrophile Substitution an L ⁺ -Methylengruppen von Nitrosaminen Umpolung der Reaktivität sekundärer Amine. <i>Chemische Berichte</i> , 1977, 110, 1852-1865.	0.2	59
180	Diastereoselektive Synthese neuartiger Mannich-Basen mittels Titanderivaten, vorläufige Mitteilung. <i>Helvetica Chimica Acta</i> , 1984, 67, 1593-1597.	1.0	59

#	ARTICLE	IF	CITATIONS
181	Reversed Stereochemical Course of the Michael Addition of Cyclohexanone to α -Nitrostyrenes by Using 1-(Trimethylsiloxy)cyclohexene/Dichloro(diisopropoxy)titanium. Preliminary Communication. <i>Helvetica Chimica Acta</i> , 1985, 68, 319-324.	1.0	59
182	Chirale Synthesebausteine durch Kolbe-Elektrolyse enantiomerenreiner α -Hydroxy-carbonsäurederivate. (R)- und (S)-Methyl- sowie (R)-Trifluormethyl- α -butyrolactone und - α -valerolactone. <i>Helvetica Chimica Acta</i> , 1985, 68, 2342-2349.	1.0	59
183	Methionin als Vorläufer zur enantioselektiven Synthese α -verzweigter Vinylglycine und anderer Aminosäuren. <i>Helvetica Chimica Acta</i> , 1986, 69, 1365-1377.	1.0	59
184	C-Alkylation of Sarcosine Residues in Cyclic Tetrapeptides via Lithium Enolates. <i>Helvetica Chimica Acta</i> , 1993, 76, 563-595.	1.0	59
185	Temperature-Dependent NMR and CD Spectra of β -Peptides: On the Thermal Stability of β -Peptide Helices - Is the Folding Process of β -Peptides Non-cooperative?. <i>Helvetica Chimica Acta</i> , 1999, 82, 1-11.	1.0	59
186	Experimental and Theoretical Conformational Analysis of 5- β -Benzylimidazolidinone Derivatives as a "Playground" for Studying Dispersion Interactions and a "Windshield Wiper" Effect in Organocatalysis. <i>Helvetica Chimica Acta</i> , 2010, 93, 1-16.	1.0	59
187	Diastereoselektive Hydroxyalkylierungen in 1-Stellung von Tetrahydroisochinolin und Synthese von Aporphin-, Protoberberin- und Phthalid-Alkaloiden. <i>Helvetica Chimica Acta</i> , 1987, 70, 1357-1379.	1.0	58
188	A Valine-Derived Lithiated 3-Methylthiomethyl-1,3-oxazolidin-2-one for Enantioselective Nucleophilic Hydroxymethylation, Formylation, and Alkoxy-carbonylation of Aldehydes. <i>Organic Letters</i> , 2000, 2, 1501-1504.	2.4	58
189	Hydroxyalkylierungen von Cystein über das Enolat von (2R,5R)-2-(tert-Butyl)-1-aza-3-oxa-7-thiabicyclo[3.3.0]octan-4-on und unter Selbstreproduktion des Ciralitätszentrums. <i>Helvetica Chimica Acta</i> , 1984, 67, 1650-1661.	1.0	57
190	Synthesis and Properties of First to Third Generation Dendrimers with Doubly and Triply Branched Chiral Building Blocks. <i>Angewandte Chemie International Edition in English</i> , 1995, 34, 2116-2119.	4.4	57
191	Synthesis, and Helix or Hairpin-Turn Secondary Structures of Mixed β -Peptides Consisting of Residues with Proteinogenic Side Chains and of 2-Amino-2-methylpropanoic Acid (Aib). <i>Helvetica Chimica Acta</i> , 2006, 89, 1801-1825.	1.0	57
192	Synthesis of Linear Oligomers of (R)-3-Hydroxybutyrate and Solid-State Structural Investigations by electron microscopy and X-ray scattering. <i>Helvetica Chimica Acta</i> , 1994, 77, 1099-1123.	1.0	56
193	Highly Efficient Catalytic Asymmetric Epoxidation of Allylic Alcohols by an Oxovanadium-Substituted Polyoxometalate with a Regenerative TADDOL-Derived Hydroperoxide. <i>Organic Letters</i> , 2003, 5, 725-728.	2.4	56
194	The Effect of Backbone-Heteroatom Substitution on the Folding of Peptides - A Single Fluorine Substituent Prevents a β -Heptapeptide from Folding into a β 14-Helix (NMR Analysis). <i>Helvetica Chimica Acta</i> , 2005, 88, 266-280.	1.0	56
195	Electrochemical Decarboxylation of Hydroxyproline: A Simple Three-Step Conversion of (2S,4R)-4-Hydroxyproline to (R)- β -Amino- β -hydroxybutanoic Acid (GABOB). <i>Synthesis</i> , 1986, 1986, 424-426.	1.2	55
196	(E,R,R)- α -Cyanalkylen- α -tert-butyl- ϵ -methyl- ϵ -dioxanone: Herstellung aus α -Hydroxybuttersäure, Cuprat-Additionen und Hydrolysen zu β -Hydroxycarbonsäuren mit chiralen sekundären Alkylgruppen in α -Stellung. <i>Chemische Berichte</i> , 1990, 123, 2413-2428.	0.2	55
197	Enzymatic Degradation of β - and Mixed β -Oligopeptides. <i>Chemistry and Biodiversity</i> , 2006, 3, 1325-1348.	1.0	55
198	NMR Solution Structures of Fluoro-Substituted β -Peptides: A β 14-Helix and a Hairpin Turn. The First Case of a 90° O=C-C-F Dihedral Angle in an α -Fluoroamide Group. <i>Helvetica Chimica Acta</i> , 2007, 90, 2251-2273.	1.0	55

#	ARTICLE	IF	CITATIONS
199	1,2-Oxazine N-Oxides as Catalyst Resting States in Michael Additions of Aldehydes to Nitro Olefins Organocatalyzed by Δ^2 , Δ^2 -Diphenylprolinol Trimethylsilyl Ether. <i>Helvetica Chimica Acta</i> , 2012, 95, 1064-1078.	1.0	55
200	Titanat-katalysierte enantioselektive Addition von <i>in situ</i> aus Grignard-Reagentien in Ether erzeugten Alkylzinkverbindungen an Aldehyde. <i>Angewandte Chemie</i> , 1991, 103, 991-992.	1.6	54
201	TADDOLs with Unprecedented Helical Twisting Power in Liquid Crystals. Preliminary communication. <i>Helvetica Chimica Acta</i> , 1997, 80, 2507-2514.	1.0	54
202	A Theoretical and Experimental Study of the Effects of Silyl Substituents in Enantioselective Reactions Catalyzed by Diphenylprolinol Silyl Ether. <i>Chemistry - A European Journal</i> , 2014, 20, 17077-17088.	1.7	54
203	Azetidin-3-ones from (S)- α -Amino Acids and Their Reactions with Nucleophiles: Preparation of some azetidine-containing amino-alcohol and amino-acid derivatives. <i>Helvetica Chimica Acta</i> , 1995, 78, 1238-1246.	1.0	53
204	Circular dichroism spectra of Δ^2 -peptides: sensitivity to molecular structure and effects of motional averaging. <i>European Biophysics Journal</i> , 2003, 32, 661-670.	1.2	53
205	Syntheses and CD-Spectroscopic Investigations of Longer-Chain α -Peptides: Preparation by Solid-Phase Couplings of Single Amino Acids, Dipeptides, and Tripeptides. <i>Helvetica Chimica Acta</i> , 2003, 86, 1522-1553.	1.0	53
206	New Open-Chain and Cyclic Tetrapeptides, Consisting of Δ^2 , Δ^2 , and Δ^2 Amino Acid Residues, as Somatostatin Mimics - A Survey. <i>Helvetica Chimica Acta</i> , 2008, 91, 1736-1786.	1.0	53
207	Pyramidalization and reactivity of trigonal centers. X-ray crystal structure analysis of two silyl enol ethers from 1-benzoyl- and 1-(methoxycarbonyl)-2-tert-butyl-3,5-dimethyl-4-imidazolidinone (reagents) <i>TJ ETQq1 1 0.784314sgBT /Ov</i>		
208	Enantiomerenreine tertiäre Alkohole durch TADDOL-vermittelte Additionen an Ketone - oder wie man ein Grignard-Reagens enantioselektiv macht. <i>Angewandte Chemie</i> , 1992, 104, 96-97.	1.6	52
209	Preparation and Use in Amino Acid Synthesis of a New Chiral Glycine Derivative - (R)- and (S)-tert-Butyl 2-tert-Butyl-4-methoxy-2,5-dihydroimidazole-1-carboxylate (BDI)-. <i>European Journal of Organic Chemistry</i> , 1998, 1998, 1337-1351.	1.2	52
210	Preparation of TADDOL Derivatives for New Applications. <i>Organic Letters</i> , 1999, 1, 55-58.	2.4	52
211	Improved Efficacy of Fosmidomycin against Plasmodium and Mycobacterium Species by Combination with the Cell-Penetrating Peptide Octaarginine. <i>Antimicrobial Agents and Chemotherapy</i> , 2013, 57, 4689-4698.	1.4	52
212	Aldol- und Michael-Additionen fluorierter Nitroalkane an Aldehyde, Ketone und Δ^2 -ungesättigte	0.2	51
213	Präparative chromatographische Enantiomerentrennung von synthetisch natürlichen cyclischen Acetalen. <i>Helvetica Chimica Acta</i> , 1988, 71, 1303-1318.	1.0	50
214	Nonreductive Enantioselective Ring Opening of N-(Methylsulfonyl)dicarboximides with Diisopropoxytitanium Δ^2 , Δ^2 -Tetraaryl-1,3-dioxolane-4,5-dimethanolate. <i>Helvetica Chimica Acta</i> , 1996, 79, 875-894.	1.0	50
215	Synthesis and CD Spectra in MeCN, MeOH, and H ₂ O of Δ^3 -Oligopeptides with Hydroxy Groups on the Backbone, Preliminary Communication. <i>Helvetica Chimica Acta</i> , 2001, 84, 1181-1189.	1.0	50
216	Enantioselective Preparation of 2-Aminomethyl Carboxylic Acid Derivatives: Solving the 2-Amino Acid Problem with the Chiral Auxiliary 4-Isopropyl-5,5-diphenyloxazolidin-2-one (DIOZ). Preliminary Communication. <i>Helvetica Chimica Acta</i> , 2003, 86, 1852-1861.	1.0	50

#	ARTICLE	IF	CITATIONS
217	Probing the interactions of an acyl carrier protein domain from the 6â€ˆdeoxyerythronolide B synthase. <i>Protein Science</i> , 2011, 20, 1244-1255.	3.1	50
218	Tritylketone und Tritylenone. BeitrÄge zur sterisch erzwungenen Michael-Addition und zur diastereoselektiven Aldol-Addition. <i>Helvetica Chimica Acta</i> , 1985, 68, 264-282.	1.0	49
219	Enantiomer Separation of (R,S)-2-(tert-Butyl)-3-methyl-4-imidazolidinone, a Chiral Building Block for Amino Acid Synthesis. <i>Angewandte Chemie International Edition in English</i> , 1986, 25, 345-346.	4.4	49
220	Benzyl (<i>R</i>)â€ˆand (<i>S</i>)â€ˆtert-<i>butylâ€ˆoxoâ€ˆoxazolidineâ€ˆcarboxylate for convenient preparation of <sc>D</sc>â€ˆand <sc>L</sc>â€ˆthreonine analogs from aldehydes. <i>Liebigs Annalen Der Chemie</i> , 1991, 1991, 1067-1078.	0.8	49
221	Î²2/Î²3-di- and Î±/Î²3-tetrapeptide derivatives as potent agonists at somatostatin sst4 receptors. <i>Naunyn-Schmiedeberg's Archives of Pharmacology</i> , 2003, 367, 95-103.	1.4	49
222	Alkylierung in der 2-Stellung von (2S, 4R)- 4-Hydroxyprolin unter Retention. <i>Helvetica Chimica Acta</i> , 1985, 68, 155-161.	1.0	48
223	Peptide Enolates. C-Alkylation of Glycine Residues in linear tri-, tetra-, and pentapeptides via dilithium azadienediolates. <i>Helvetica Chimica Acta</i> , 1994, 77, 1124-1165.	1.0	48
224	Preparation and Characterization of TADDOLs Immobilized on Hydrophobic Controlled-Pore-Glass Silica Gel and Their Use in Enantioselective Heterogeneous Catalysis. <i>Chemistry - A European Journal</i> , 2002, 8, 559-572.	1.7	48
225	Î±-Alkylation of a cysteine derivative without racemization and without the use of a chiral auxiliary. <i>Tetrahedron Letters</i> , 1983, 24, 3315-3318.	0.7	47
226	Î±,Î±,Î±â€ˆ,Î±â€ˆ-Tetraaryl-1,3-dioxolane-4,5-dimethanols (TADDOLs) for Resolutions of Alcohols and as Chiral Solvating Agents in NMR Spectroscopy. <i>Helvetica Chimica Acta</i> , 1992, 75, 438-441.	1.0	47
227	Design, Synthesis and Structural Investigations of aÎ²-Peptide Forming a 314-Helix Stabilized by Electrostatic Interactions. <i>Chemistry - A European Journal</i> , 2004, 10, 1607-1615.	1.7	47
228	Herstellung chiraler Synthesebausteine aus AminosÄuren und Peptiden durch oxidative elektrolytische Decarboxylierung und TiCl₄â€ˆinduzierte Umsetzung mit Nucleophilen. <i>Angewandte Chemie</i> , 1986, 98, 836-838.	1.6	46
229	Synthesis of Î²-Hexa- and Î²-Heptapeptides Containing Novel Î²2,3-Amino Acids with Two Serine or Two Cysteine Side Chains - CD- and NMR-Spectroscopic Evidence for 314-Helical Secondary Structures in Water. <i>Helvetica Chimica Acta</i> , 2000, 83, 2115-2140.	1.0	46
230	Ergiebige Herstellung von (<i>R</i>)â€ˆund (<i>S</i>)â€ˆ3,3â€ˆ-TrifluormilchsÄure und von (<i>R</i>)â€ˆund (<i>S</i>)â€ˆ(Trifluormethyl)oxiran. <i>Chemische Berichte</i> , 1992, 125, 2795-2802.	0.2	45
231	Studies on the Conformation of Bocâ€ˆProtected (<i>S</i>(+))â€ˆisovaline Homopeptide Methyl Esters in the Solid State and in Solution. <i>Liebigs Annalen</i> , 1997, 1997, 1697-1710.	0.8	45
232	Permeation of a Î²-heptapeptide derivative across phospholipid bilayers. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , 2007, 1768, 2726-2736.	1.4	45
233	The Triolide of (R)-3-Hydroxybutyric acidâ€ˆDirect Preparation from Polyhydroxybutyrate and Formation of a Crown Ester Carbonyl Complex with Na Ions. <i>Angewandte Chemie International Edition in English</i> , 1992, 31, 434-435.	4.4	44
234	Carbon alkylations of Î±.Î±- and Î±.Î²-doubly deprotonated nitroalkanes. <i>Tetrahedron Letters</i> , 1977, 18, 1161-1164. 0.7		43

#	ARTICLE	IF	CITATIONS
235	<i>threo</i> - and <i>threo</i> -Alkyl- and <i>threo</i> -Arylglycamic Acid Derivatives by Michael Additions of Boc-BMI-Li-Enolates to 2,6-Di- <i>tert</i> -butyl-4-methoxyphenyl Alkenoates on the Diastereoselectivity of the Coupling of Trigonal Centers Involving Heterocyclic Li-Enolates. <i>Liebigs Annalen Der Chemie</i> , 1992, 1992, 51-61.	0.8	43
236	Preparation of Chiral Building Blocks for Starburst Dendrimer Synthesis. <i>Helvetica Chimica Acta</i> , 1993, 76, 2419-2432.	1.0	43
237	Chirale Tris(hydroxymethyl)methan- <i>Derivate</i> als Synthesebausteine für chirale Dendrimere. <i>Angewandte Chemie</i> , 1994, 106, 457-458.	1.6	43
238	The Miraculous CD Spectra (and Secondary Structures?) of α^2 -Peptides as They Grow Longer, Preliminary Communication. <i>Helvetica Chimica Acta</i> , 2001, 84, 271-279.	1.0	43
239	NMR-Structural Investigations of a α^3 -Dodecapeptide with Proteinogenic Side Chains in Methanol and in Aqueous Solutions. <i>Helvetica Chimica Acta</i> , 2002, 85, 1197.	1.0	43
240	Bacterial α -peptidyl aminopeptidases with unique substrate specificities for α -oligopeptides and mixed α,β -oligopeptides. <i>FEBS Journal</i> , 2006, 273, 5261-5272.	2.2	43
241	Erzeugung sekundärer, tertiärer und quartärer Zentren durch geminale Disubstitution von Carbonyl-Sauerstoffatomen. <i>Angewandte Chemie</i> , 2011, 123, 99-105.	1.6	43
242	Synthesis and Properties of First and Second Generation Chiral Dendrimers with Triply Branched Units: A Spectacular Case of Diastereoselectivity. <i>Helvetica Chimica Acta</i> , 1997, 80, 1648-1681.	1.0	42
243	Design, Synthesis, NMR-Solution and X-Ray Crystal Structure of N-Acyl- α^3 -dipeptide Amides That Form α^2 -Type Turn. <i>Helvetica Chimica Acta</i> , 2001, 84, 2155-2166.	1.0	42
244	α,β -Doppeldeprotonierte Nitroalkane: Super-Enamine? Vorläufige Mitteilung. <i>Helvetica Chimica Acta</i> , 1976, 59, 2213-2217.	1.0	41
245	N-Perbenzylation of Oligopeptides with P4-Phosphazene Base; A New Protecting-Group Technique for Modification and Solubilization of Peptides in Apolar Organic Solvents. <i>Angewandte Chemie International Edition in English</i> , 1992, 31, 1481-1482.	4.4	41
246	EPC-Synthesis of α^2 -Amino Acid Derivatives through Lithiated Hydroxypyrimidines. <i>European Journal of Organic Chemistry</i> , 1999, 1999, 335-360.	1.2	41
247	CD Spectra in Methanol of α^2 -Oligopeptides Consisting of α^2 -Amino Acids with Functionalized Side Chains, with Alternating Configuration, and with Geminal Backbone Substituents - Fingerprints of New Secondary Structures?. <i>Helvetica Chimica Acta</i> , 2000, 83, 2849-2864.	1.0	41
248	Determination of Enantiomer Purity of α^2 - and α^3 -Amino Acids by NMR Analysis of Diastereoisomeric Palladium Complexes. <i>Helvetica Chimica Acta</i> , 2000, 83, 3262-3278.	1.0	41
249	Molecular Dynamics Simulations of Small Peptides: Can One Derive Conformational Preferences from ROESY Spectra?. <i>Chemistry - A European Journal</i> , 2003, 9, 5838-5849.	1.7	41
250	Control of enantioselectivity through a hydrogen-bonded template in the vanadium(V)-catalyzed epoxidation of allylic alcohols by optically active hydroperoxides. <i>Tetrahedron: Asymmetry</i> , 2003, 14, 1355-1361.	1.8	41
251	Nucleophilic Thioacylation with Solutions of Dimethylthiocarbamoyllithium. <i>Angewandte Chemie International Edition in English</i> , 1973, 12, 1014-1015.	4.4	40
252	α -Alkylierung von α -Hydroxycarbonylurenen über 1,3-Dioxan-4-on-Enolate. <i>Helvetica Chimica Acta</i> , 1988, 71, 1143-1155.	1.0	40

#	ARTICLE	IF	CITATIONS
253	(R)- and (S)-4-Alkoxy-2-tert-butyl-2,5-dihydroimidazole-1-carboxylates – New Chiral Glycine Derivatives for Amino Acid Synthesis. <i>Angewandte Chemie International Edition in English</i> , 1993, 32, 1765-1766.	4.4	40
254	Do Valine Side Chains Have an Influence on the Folding Behavior of β^2 -Substituted β^2 -Peptides?. <i>Helvetica Chimica Acta</i> , 2004, 87, 2487-2506.	1.0	40
255	Bacterial Cell Penetration by β^2 -Oligohomoarginines: Indications for Passive Transfer through the Lipid Bilayer. <i>ChemBioChem</i> , 2005, 6, 982-985.	1.3	40
256	Kinetic Resolution of Aliphatic β^2 -Amino Acid Amides by β^2 -Aminopeptidases. <i>ChemBioChem</i> , 2009, 10, 1558-1563.	1.3	40
257	Preparative Asymmetric Reduction of 3-Ketobutyrate and -valerate by Suspended Cells of Thermophilic Bacteria (<i>Thermoanaerobium brockii</i>) in Ordinary Laboratory Equipment. <i>Helvetica Chimica Acta</i> , 1985, 68, 958-960.	1.0	39
258	High-Yield Synthesis of 20-, 24-, and 28-Membered Macropentolide, -hexolide, and -heptolide, Respectively, from (R)- or (S)-3-hydroxybutanoic acid under Yamaguchi's macrolactonization conditions. <i>Helvetica Chimica Acta</i> , 1988, 71, 155-167.	1.0	39
259	Synthesis of (R)- and (S)-2-tert-Butyl-6-trifluoro-methyl-1,3-dioxin-4-ones, Transformations into 3-Hydroxy-3-(trifluoromethyl)alkanoates, and Surprising Differences in the Reactivity of CH ₃ - and CF ₃ -Substituted Compounds. <i>Angewandte Chemie International Edition in English</i> , 1992, 31, 1083-1085.	4.4	39
260	Synthesis of (2R, 3S)- or (2S, 3R)-2-amino-3-trifluoromethyl-3-hydroxyalkanoic acid derivatives (threonine and allo-threonine analogs) from enantiopure 4,4,4-trifluoro-3-hydroxybutanoic acid. <i>Tetrahedron</i> , 1996, 52, 279-290.	1.0	39
261	Use of the Wolff Rearrangement of Diazo Ketones from Amino Acids as a synthetic method for the formation of oligonucleo-peptides: A novel approach to chimeric biomolecules. <i>Helvetica Chimica Acta</i> , 1997, 80, 1-13.	1.0	39
262	Die vierte helicale Sekundärstruktur von β^2 -Peptiden: (P)-28-Helix eines β^2 -Hexapeptids aus (2R,3S)-3-Amino-2-hydroxycarbonsäure-Einheiten. <i>Angewandte Chemie</i> , 2003, 115, 1573-1575.	1.6	39
263	Enzyme-Catalyzed Formation of β^2 -Peptides: β^2 -Peptidyl Aminopeptidases BapA and DmpA Acting as β^2 -Peptide-Synthesizing Enzymes. <i>Chemistry and Biodiversity</i> , 2007, 4, 2016-2030.	1.0	39
264	Solution Structures of β^2 Peptides from Raman Optical Activity. <i>Angewandte Chemie - International Edition</i> , 2008, 47, 6392-6394.	7.2	39
265	A Metalated Allylurea with Sterically protected Carbonyl Group as Novel β^2 -Reagent. <i>Angewandte Chemie International Edition in English</i> , 1979, 18, 399-400.	4.4	38
266	Enantiomerentrennung von (R)-, (S)- β^2 -tert-Butyl- β^2 -methyl- β^2 -imidazolidinon, einem chiralen Baustein für die Aminosäuresynthese. <i>Angewandte Chemie</i> , 1986, 98, 363-364.	1.6	38
267	Stereoselective hydroxyalkylations of (S)- β^2 -azetidincarboxylic acid. <i>Liebigs Annalen Der Chemie</i> , 1990, 1990, 687-695.	0.8	38
268	β^2 -Peptides: Oligo- β^2 -homoalanines – the Amide Analogues of Poly(β^2 -hydroxybutanoate). <i>Liebigs Annalen</i> , 1997, 1997, 1371-1379.	0.8	38
269	Metallations and Reactions with Electrophiles of 4-Isopropyl-5,5-diphenyloxazolidin-2-one (DIOZ) with N-Allyl and N-Propargyl Substituents: Chiral Homoenolate Reagents. <i>Helvetica Chimica Acta</i> , 2002, 85, 963.	1.0	38
270	Pharmacokinetic Investigation of a ¹⁴ C-Labelled β^2 Tetrapeptide in Rats. <i>Chemistry and Biodiversity</i> , 2004, 1, 1812-1828.	1.0	38

#	ARTICLE	IF	CITATIONS
271	Asymmetrische Synthese bei Photo-, Elektro- und Alkalimetall-Pinakolisierungen von Benzaldehyd und Phenonen im chiralen Medium DDB. <i>Chemische Berichte</i> , 1977, 110, 2316-2333.	0.2	37
272	Preparation of (<i>R</i>)- and (<i>S</i>)-alkyl- α -amino-(methylamino)propanoic and other 2,3-diaminoalkanoic acid derivatives from a chiral imidazoline. <i>Liebigs Annalen Der Chemie</i> , 1991, 1991, 1323-1336.	0.8	37
273	Cation Transport across Bulk Liquid Organic Membranes with Oligomers of (<i>R</i>)-3-Hydroxybutanoic Acid. <i>Helvetica Chimica Acta</i> , 1993, 76, 2570-2580.	1.0	37
274	Preparation and Structure of Oligolides from (<i>R</i>)-3-Hydroxypentanoic Acid and comparison with the hydroxybutanoic-acid derivatives: A small change with large consequences. <i>Helvetica Chimica Acta</i> , 1994, 77, 2007-2034.	1.0	37
275	Enantioselective synthesis of β -branched α -amino acids with bulky substituents. <i>Liebigs Annalen</i> , 1995, 1995, 217-222.	0.8	37
276	A Novel β -Peptidyl Aminopeptidase (BapA) from Strain 3-2W4 Cleaves Peptide Bonds of Synthetic β -Tri- and β -Dipeptides. <i>Journal of Bacteriology</i> , 2005, 187, 5910-5917.	1.0	37
277	Lithium-Salt Effects in Peptide Synthesis. Part I. Conditions for the Use of Lithium-Salts in Coupling Reactions. <i>Helvetica Chimica Acta</i> , 1991, 74, 617-627.	1.0	36
278	Further α -Alkylations of Cyclotetrapeptides via Lithium and Phosphazanium (P ₄) Enolates: Discovery of a New Conformation. <i>Helvetica Chimica Acta</i> , 1996, 79, 588-608.	1.0	36
279	Synthesis of β -Peptides and Mixed α/β -Peptides by Thioligation. <i>Helvetica Chimica Acta</i> , 2002, 85, 1812-1826.	1.0	36
280	Solid-Phase Synthesis of a β -Dodecapeptide with Seven Functionalized Side Chains and CD-Spectroscopic Evidence for a Dramatic Structural Switch When Going from Water to Methanol Solution. <i>Helvetica Chimica Acta</i> , 2000, 83, 3139-3152.	1.0	35
281	Synthesis and CD Spectra of Fluoro- and Hydroxy-Substituted β -Peptides. <i>Helvetica Chimica Acta</i> , 2003, 86, 1862-1870.	1.0	35
282	Cycloadditionen an die Doppelbindung von (<i>R</i>)- α -tert-butyl- γ -butyrolactam-1,3-oxazolin- α -carbonsäuremethylestern. <i>Chemische Berichte</i> , 1989, 122, 2377-2389.	0.2	34
283	Herstellung und Umsetzungen von (<i>R</i>)- und (<i>S</i>)-trifluormethyloxiran- α -carbonsäureethylester, einem vielseitigen, leicht zugänglichen CF ₃ -haltigen Synthesebaustein. <i>Chemische Berichte</i> , 1992, 125, 1273-1281.	0.2	34
284	Die Arndt-Eistert-Reaktion in der Peptidchemie: ein einfacher Zugang zu Homopeptiden. <i>Angewandte Chemie</i> , 1995, 107, 507-509.	1.6	34
285	Herstellung von β -verzweigten Phenylalaninen und von 1,1-disubstituierten Ethylendiaminen über chirale Imidazolidinone und Oxazolidinone aus Glycin – präparative und mechanistische Aspekte. <i>Liebigs Annalen Der Chemie</i> , 1993, 1993, 785-799.	0.8	33
286	Synthesis of Monodisperse Macromolecular Bicyclic and dendritic compounds from (<i>R</i>)-3-hydroxybutanoic acid and benzene-1,3,5-tricarboxylic acid and analysis by fragmenting MALDI-TOF mass spectroscopy. <i>Helvetica Chimica Acta</i> , 1997, 80, 989-1026.	1.0	33
287	Preparation and NMR Structure of the Cyclo- β -tripeptide [β -H ₂ Glu] ₃ in Aqueous Solution: A New Class of Enterobactin-Type C ₃ -Symmetrical Ligands?, Preliminary Communication. <i>Helvetica Chimica Acta</i> , 1999, 82, 957-962.	1.0	33
288	Lithiated <i>N</i> -pivaloyl-tetrahydroisoquinoline – a Supernucleophile. <i>Angewandte Chemie International Edition in English</i> , 1981, 20, 128-129.	4.4	32

#	ARTICLE	IF	CITATIONS
289	The Dienolate of (R)-2-tert-Butyl-6-methyl-1,3-dioxin-4(2H)-one? a Chiral Acetoacetic Ester d ⁴ -Reagent. <i>Angewandte Chemie International Edition in English</i> , 1989, 28, 472-473.	4.4	32
290	A stereoselective synthesis of MeBmt employing a new chiral glycine enolate derivative. <i>Journal of Organic Chemistry</i> , 1991, 56, 6230-6233.	1.7	32
291	Synthesis and Structure of Linear and Cyclic Oligomers of 3-Hydroxybutanoic Acid with Specific Sequences of (R)- and (S)-Configurations. <i>Helvetica Chimica Acta</i> , 1998, 81, 2430-2461.	1.0	32
292	Linear and cyclic β^3 -oligopeptides with functionalised side-chains (-CH ₂ OBn, -CO ₂ Bn, -CH ₂ CH ₂ CO ₂ Bn) derived from serine and from aspartic and glutamic acid. <i>Journal of the Chemical Society Perkin Transactions 1</i> , 1998, , 3331-3340.	0.9	32
293	NMR Structure in methanol of a β^2 -hexapeptide with a disulfide clamp. <i>Chemical Communications</i> , 2000, , 2267-2268.	2.2	32
294	Crystal Structuresâ€“ A Manifesto for the Superiority of the Valine-Derived 5,5-Diphenyloxazolidinone as an Auxiliary in Enantioselective Organic Synthesis. <i>Helvetica Chimica Acta</i> , 2002, 85, 1546-1566.	1.0	32
295	NMR-Solution Structures in Methanol of an α^1 -Heptapeptide, of an α^2/β^2 -Nonapeptide, and of an all- β^3 -Icosapeptide Carrying the 20 Proteinogenic Side Chains. <i>Helvetica Chimica Acta</i> , 2005, 88, 1969-1982.	1.0	32
296	Double Deprotonation of 3-Nitropropene and 4-Nitro-1-butene: Derivatives of Their Dianions as Novel Reagents for CC-Linkage. <i>Angewandte Chemie International Edition in English</i> , 1978, 17, 458-459.	4.4	31
297	Di- and Trifluoro-Substituted Dilithium Compounds for Organic Syntheses. <i>Angewandte Chemie International Edition in English</i> , 1986, 25, 98-99.	4.4	31
298	A Simple Procedure for the Preparation of Chiral ?Tris(hydroxymethyl)methane? Derivatives. <i>Helvetica Chimica Acta</i> , 1993, 76, 459-475.	1.0	31
299	Complexes of the Triolide from (R)-3-Hydroxybutanoic Acid with Sodium, Potassium, and Barium Salts: Crystal Structures, Ester Chelates and Ester Crowns, Crystal Packing, Bonding, and Electron-Localization Functions. <i>Helvetica Chimica Acta</i> , 1993, 76, 2581-2601.	1.0	31
300	Preparation and reactions of silyl nitronates derived from 2,2,2-trifluoronitroethane. Diastereoselective synthesis of trifluoromethylâ€“substituted aminoethanols and â€“propanols. <i>Liebigs Annalen</i> , 1995, 1995, 1193-1215.	0.8	31
301	ADME Investigations of Unnatural Peptides: Distribution of a ¹⁴ C-labeled β^3 -Octaarginine in Rats. <i>Chemistry and Biodiversity</i> , 2007, 4, 1413-1437.	1.0	31
302	Nucleophilic addition to an achiral dehydroalanine Schiff base Ni(II) complex as a route to amino acids. A case of stereodetermining asymmetric protonation in the presence of TADDOL. <i>Arkivoc</i> , 2004, 2004, 132-150.	0.3	31
303	Preparative Resolution of Heterocyclic Acetals Derived from Glycine, Mercapto-acetic Acid, ?-Alanine, and Formyl- or Acetylacetic Acid by Recycling Chromatography on Chiraspher and Temperature Dependence of Separation Factors. <i>Helvetica Chimica Acta</i> , 1991, 74, 1622-1635.	1.0	30
304	Reactions of Dienolates from (R)-2-tert-butyl-6-methyl-1,3-dioxin-4-one with Aldehydes and Ketones â€“ a Chiral Acetoacetic Ester d ⁴ -Reagent. <i>Chemische Berichte</i> , 1991, 124, 1845-1852.	0.2	30
305	A Simple Batch Reactor for the Efficient Multiple Use of Polymer-Bound $\beta^1, \beta^2, \beta^3$ -Tetraaryl-1,3-dioxolane-4,5-dimethanol Titanates in the Nucleophilic Addition of Dialkylzinc Reagents to Aldehydes. <i>Organic Process Research and Development</i> , 1998, 2, 18-26.	1.3	30
306	Nonapeptide Analogues Containing (R)-3-Hydroxybutanoate and β^2 -Homocysteine Oligomers:â€“ Synthesis and Binding Affinity to a Class I Major Histocompatibility Complex Protein. <i>Journal of Medicinal Chemistry</i> , 1999, 42, 2318-2331.	2.9	30

#	ARTICLE	IF	CITATIONS
307	Synthetic substrates and inhibitors of $\hat{1}^2$ -poly(L-malate)-hydrolase (polymalataze). FEBS Journal, 2000, 267, 5101-5105.	0.2	30
308	Diastereoselective Hydroxyalkylation of the 1-Position of 2-Pivaloyl 1,2,3,4-tetrahydroisoquinoline via Magnesium Derivatives. Angewandte Chemie International Edition in English, 1984, 23, 248-249.	4.4	29
309	A Highly Convergent Total Synthesis of (+)-Myxovirescine M2. Preliminary Communication. Helvetica Chimica Acta, 1991, 74, 2112-2118.	1.0	29
310	In 2- und 3-Stellung verzweigte, enantiomerenreine 4,4-Trifluor-3-hydroxybuttersäure-Derivate aus 6-Trifluormethyl-1,3-dioxan- und -dioxin-4-onen. Chemische Berichte, 1994, 127, 565-579.	0.2	29
311	Preparation of Protected 2- and 3-Homocysteine, 2- and 3-Homohistidine, and 2-Homoserine for Solid-Phase Syntheses. Helvetica Chimica Acta, 2004, 87, 3131-3159.	1.0	29
312	On the Terminal Homologation of Physiologically Active Peptides as a Means of Increasing Stability in Human Serum – Neutrotenin, Opiorphin, B27-KK10 Epitope, NPY. Chemistry and Biodiversity, 2011, 8, 711-739.	1.0	29
313	Synthesis and Properties of Monodisperse Chiral Dendrimers (up to Fourth Generation) with doubly branched building blocks: An intriguing solvent effect. Helvetica Chimica Acta, 1998, 81, 603-631.	1.0	28
314	Oligoesters of (R)-3-Hydroxybutanoic Acid: A Transmembrane Transport of Ca ²⁺ across Vesicle Bilayers. Macromolecules, 1999, 32, 574-580.	2.2	28
315	Synthesis, Characterization, and Folding Behavior of $\hat{1}^2$ -Amino Acid Derived Polyisocyanides. Chemistry - A European Journal, 2006, 12, 2778-2786.	1.7	28
316	On the Mechanism of Eukaryotic Cell Penetration by $\hat{1}^2$ - and $\hat{1}^3$ -Oligoarginines – Targeting Infected Erythrocytes. Chemistry and Biodiversity, 2011, 8, 1-12.	1.0	28
317	Permeation through Phospholipid Bilayers, Skin Cell Penetration, Plasma Stability, and CD Spectra of $\hat{1}^2$ - and $\hat{1}^3$ -Oligoproline Derivatives. Chemistry and Biodiversity, 2013, 10, 1-38.	1.0	28
318	Substitutionen und Additionen an (<i>R</i>)-2-tert-Butyl-1,3-oxazolin-3-carbonsäuremethylester. Chemische Berichte, 1989, 122, 2365-2375.	0.2	27
319	Dipeptide Derivatives with a Phosphonate Instead of Carboxylate Terminus by C-Alkylation of Protected (Decarboxy-dipeptidyl)phosphonates. Helvetica Chimica Acta, 1991, 74, 1373-1385.	1.0	27
320	Preparation of $\hat{1}^2$ -Amino Acid Derivatives ($\hat{1}^2$ hThr, $\hat{1}^2$ hTrp, $\hat{1}^2$ hMet, $\hat{1}^2$ hPro, $\hat{1}^2$ hLys, Pyrrolidine-3-carboxylic Acid) by Using DIOZ as Chiral Auxiliary. Helvetica Chimica Acta, 2005, 88, 2235-2250.	1.0	27
321	NMR Solution Structures and Affinities for the Human Somatostatin G-Protein Coupled Receptors hss ₁₋₅ of CF ₃ Derivatives of <i>Sandostatin</i> [®] . Helvetica Chimica Acta, 2009, 92, 2577-2586.	1.0	27
322	Preparation and Characterization of New C ₂ - and C ₁ -Symmetric Nitrogen, Oxygen, Phosphorous, and Sulfur Derivatives and Analogs of TADDOL. Part III. Helvetica Chimica Acta, 2012, 95, 1303-1324.	1.0	27
323	Synthesis of Tri-, Penta-, and Heptapeptides Containing and (R)-2-alkyl-2-amino-3-(methylamino)-propionic acid residue in the central position. Helvetica Chimica Acta, 1994, 77, 2035-2050.	1.0	26
324	Second-Generation Trifluoromethyl-Substituted Chiral Dendrimers Containing Triply Branched Building Blocks: CF ₃ as sensitive NMR probe for remote diastereotopicity. Helvetica Chimica Acta, 1998, 81, 1003-1022.	1.0	26

#	ARTICLE	IF	CITATIONS
325	Highly Enantioselective Protonation of the 3,4-Dihydro-2-methylnaphthalen-1(2H)-one Li-Enolate by TADDOLs. <i>Helvetica Chimica Acta</i> , 2000, 83, 3153-3162.	1.0	26
326	Note: Helix or No Helix of α -Peptides Containing β -Ala(\pm F) Residues?. <i>Helvetica Chimica Acta</i> , 2011, 94, 355-361.	1.0	26
327	Enantiomeric and Diastereoisomeric (Mixed) α -D α -Octaarginine Derivatives – A Simple Way of Modulating the Properties of Cell-Penetrating Peptides. <i>Chemistry and Biodiversity</i> , 2013, 10, 1165-1184.	1.0	26
328	Dehydroalanine-Containing Peptides by AcOH-Elimination from O-Acetylserine Residues with DBU/LiClO ₄ in Tetrahydrofuran. <i>Helvetica Chimica Acta</i> , 1993, 76, 1702-1714.	1.0	25
329	Total Synthesis of Myxovirescins, 1 Strategy and Construction of the α -Southeastern-Part [O(1) α -C(14)]. <i>Liebigs Annalen Der Chemie</i> , 1994, 1994, 701-717.	0.8	25
330	Preparation of Oxazolidine-Containing Peptides: Unusual effects in RhIII-catalyzed acetalizations of aldehydes with urethane-protected serine and threonine esters and with dipeptides containing serine or threonine residues at the N-terminus. <i>Helvetica Chimica Acta</i> , 1994, 77, 1313-1330.	1.0	25
331	How To Stabilize or Break β -Peptidic Helices by Disulfide Bridges: Synthesis and CD Investigation of β -Peptides with Cysteine and Homocysteine Side Chains. <i>Helvetica Chimica Acta</i> , 1999, 82, 1150-1172.	1.0	25
332	Preparation of β -Homotryptophan Derivatives for β -Peptide Synthesis. <i>Helvetica Chimica Acta</i> , 2002, 85, 1567-1577.	1.0	25
333	β -Peptidic Secondary Structures Fortified and Enforced by Zn ²⁺ Complexation – On the Way to β -Peptidic Zinc Fingers?. <i>Helvetica Chimica Acta</i> , 2006, 89, 361-403.	1.0	25
334	Stereoselective Preparation of α -Amino- α -fluoro Carboxylic Acid Derivatives, and Their Incorporation in Tetrahydropyrimidin-4(1H)-ones, and in Open-Chain and Cyclic α -Peptides. <i>Helvetica Chimica Acta</i> , 2011, 94, 1908-1942.	1.0	25
335	Nucleophile Aminoalkylierung. Lithiertes α -N, α -Dimethyl- α -thiopivalamid. <i>Angewandte Chemie</i> , 1976, 88, 339-340.	1.6	24
336	The reactions of silyl nitronates with organolithium reagents. <i>Journal of the Chemical Society Chemical Communications</i> , 1981, , 952.	2.0	24
337	On the Macrolactonization of β -Hydroxy Acids. Crystal structures of the pentolide and the hexolide from (R)-3-hydroxybutanoic acid. Molecular modeling studies of the tetrolide. <i>Helvetica Chimica Acta</i> , 1989, 72, 1704-1717.	1.0	24
338	Ab-initio-Studien an N-Acyliminium-Ionen. <i>Helvetica Chimica Acta</i> , 1992, 75, 1095-1110.	1.0	24
339	Preparation, Structure, and Properties of All Possible Cyclic Dimers (Diolides) of 3-Hydroxybutanoic Acid. <i>Helvetica Chimica Acta</i> , 1995, 78, 1525-1540.	1.0	24
340	Biodegradation of cyclic and substituted linear oligomers of poly(3-hydroxybutyrate). <i>Canadian Journal of Microbiology</i> , 1995, 41, 180-186.	0.8	24
341	EPC Syntheses of Trifluorocitronellol and of Hexafluoropyrenophorin – A Comparison of Their Physiological Properties with the Nonfluorinated Analogs. <i>European Journal of Organic Chemistry</i> , 1999, 1999, 2533-2544.	1.2	24
342	Zn ²⁺ -Complexation by β -Peptidic Helix and Hairpin Containing β -Cys and β -His Building Blocks: Evidence from CD Measurements. Preliminary Communication. <i>Helvetica Chimica Acta</i> , 2003, 86, 2653-2661.	1.0	24

#	ARTICLE	IF	CITATIONS
343	Structures and function of the amino acid polymerase cyanophycin synthetase. <i>Nature Chemical Biology</i> , 2021, 17, 1101-1110.	3.9	24
344	\hat{I}^2 -Peptidic Secondary Structures Fortified and Enforced by Zn ²⁺ Complexation – “On the Way to \hat{I}^2 -Peptidic Zinc Fingers?. <i>Helvetica Chimica Acta</i> , 2006, 89, 361-403.	1.0	24
345	Synthese und Eigenschaften von Dendrimeren erster bis dritter Generation mit zwei- und dreifach verzweigenden chiralen Bausteinen. <i>Angewandte Chemie</i> , 1995, 107, 2297-2300.	1.6	23
346	Substituting Nonpeptidic Spacers for the T Cell Receptor-binding Part of Class I Major Histocompatibility Complex-binding Peptides. <i>Journal of Biological Chemistry</i> , 1998, 273, 19072-19079.	1.6	23
347	On the Structure of Poly(3-hydroxybutanoic acid) in Solution and in Phospholipid Bilayers. Circular Dichroism and Fluorescence Spectroscopy with Oligo(3-hydroxybutanoic acid) Derivatives. <i>Macromolecules</i> , 2001, 34, 7042-7048.	2.2	23
348	On the Solution Structure of PHB: Preparation and NMR Analysis of Isotopically Labeled Oligo[(R)-3-hydroxybutanoic Acids] (OHBs). <i>Helvetica Chimica Acta</i> , 2001, 84, 1821-1845.	1.0	23
349	Title is missing!. <i>Helvetica Chimica Acta</i> , 2002, 85, 2877-2917.	1.0	23
350	On the Influence of Charged Side Chains on the Folding–Unfolding Equilibrium of \hat{I}^2 -Peptides: A Molecular Dynamics Simulation Study. <i>Chemistry - A European Journal</i> , 2005, 11, 7276-7293.	1.7	23
351	Kinetic Analysis of $\langle \text{sc} \rangle \text{L} \langle \text{sc} \rangle$ -Carnosine Formation by \hat{I}^2 -Aminoamidases. <i>Advanced Synthesis and Catalysis</i> , 2010, 352, 407-415.	2.1	23
352	Enantioselective Synthesis of β -Amino Acids. 5. Stereoselective Reaction of Chiral Pyrimidinone Enolates with Aldehydes. <i>Heterocycles</i> , 1994, 39, 319.	0.4	23
353	Nucleophile Thioacylierung mit \hat{L}^2 -Säuren von Dimethyl- \hat{L}^2 -thiocarbonyllithium. <i>Angewandte Chemie</i> , 1973, 85, 1104-1104.	1.6	22
354	Elektrochemische Oxidation von (S)- \hat{L}^2 -Aminosäure-Derivaten: ein Weg zu enantiomerenreinen alkylierten Malonaldehyd- \hat{L}^2 -estern. <i>Helvetica Chimica Acta</i> , 1987, 70, 292-298.	1.0	22
355	($\langle \text{R} \rangle$ - und ($\langle \text{S} \rangle$ -) \hat{L}^2 -Alkoxy- \hat{L}^2 -tert-Butyl- \hat{L}^2 -5,5-dihydroimidazol- \hat{L}^2 -carbonsäureester – neue chirale Glycinderivate für die Aminosäuresynthese. <i>Angewandte Chemie</i> , 1993, 105, 1780-1781.	1.6	22
356	Preparation of Free and of Specifically Protected Oligo[\hat{I}^2 -Malic Acids] for Enzymatic Degradation Studies. <i>European Journal of Organic Chemistry</i> , 2000, 2000, 1207-1218.	1.2	22
357	N-Linked Glycosylated \hat{I}^2 -Peptides Are Resistant to Degradation by Glycoamidase A. <i>Chemistry and Biodiversity</i> , 2005, 2, 1624-1634.	1.0	22
358	Syntheses, Receptor Bindings, $\langle \text{in vitro} \rangle$ and $\langle \text{in vivo} \rangle$ Stabilities and Biodistributions of DOTA-Neurotensin(8–13) Derivatives Containing $\langle \hat{I}^2 \rangle$ -Amino Acid Residues – A Lesson about the Importance of Animal Experiments. <i>Chemistry and Biodiversity</i> , 2013, 10, 2101-2121.	1.0	22
359	Di- und trifluorsubstituierte Dilithium-Verbindungen für die Organische Synthese. <i>Angewandte Chemie</i> , 1986, 98, 96-97.	1.6	21
360	Das Dienolat von ($\langle \text{R} \rangle$ -) \hat{L}^2 -tert-Butyl- \hat{L}^2 -methyl- \hat{L}^2 -3,3-dioxin- \hat{L}^2 - $\langle \text{H} \rangle$ -con – ein chirales Acetessigestere- $\langle \text{D} \rangle$ - $\langle \text{sup} \rangle 4 \langle \text{sup} \rangle$ -Reagens. <i>Angewandte Chemie</i> , 1989, 101, 484-485.	1.6	21

#	ARTICLE	IF	CITATIONS
361	<i>Perbenzylierung von Oligopeptiden mit der P4-Phosphazenebase; eine neue Schutzgruppentechnik zur Modifikation und Solubilisierung von Peptiden in unpolaren organischen Lösungsmitteln. Angewandte Chemie, 1992, 104, 1543-1545.</i>	1.6	21
362	A Molecular-Dynamics Simulation Study of the Conformational Preferences of Oligo(3-hydroxyalkanoic acids) in Chloroform Solution. <i>Helvetica Chimica Acta</i> , 2002, 85, 618-632.	1.0	21
363	Fluoro(phenylsufinyl)methylolithium. Note on the ¹³ C-NMR Spectrum of a Fluorocarbonoid. <i>Helvetica Chimica Acta</i> , 1984, 67, 1100-1103.	1.0	20
364	Calorimetric Measurements of the Complexation of Cyclosporin A, Ascomycin, Fujimycin, and Rapamycin with Lithium Chloride and with an Immunophilin. <i>Helvetica Chimica Acta</i> , 1994, 77, 291-305.	1.0	20
365	Synthesis of β -[SCH ₂]-, β -[SOCH ₂]-, and β -[SO ₂ CH ₂]-Peptide Isosters. <i>Angewandte Chemie International Edition in English</i> , 1995, 34, 553-554.	4.4	20
366	β -Depsipeptides – the effect of a missing and a weakened hydrogen bond on the stability of the β -peptidic 314-helix Electronic supplementary information (ESI) available: NMR and NOE data. See http://www.rsc.org/suppdata/cc/b2/b204187c/ . <i>Chemical Communications</i> , 2002, , 1598-1599.	2.2	20
367	Synthesis and NMR Analysis in Solution of Oligo(3-hydroxyalkanoic acid) Derivatives with the Side Chains of Alanine, Valine, and Leucine (β -Depsides): Coming Full Circle from PHB to β -Peptides to PHB. <i>Helvetica Chimica Acta</i> , 2002, 85, 633-658.	1.0	20
368	Comparative Metabolism of β - and β -Peptides in the Insect <i>Heliothis virescens</i> and in Plant Cells of Black Mexican Sweet Maize. <i>Chemistry and Biodiversity</i> , 2004, 1, 1391-1400.	1.0	20
369	Herstellung von (<i>R,R</i>)- oder (<i>S,S</i>)-2-Amino-3-Hydroxycarbonsäuren (allo-Threonin-Analoga) durch Acylierung/Reduktion von 2-tert-Butyl-3-methyl-4-oximidazolidin-1-carbonsäure- <i>t</i> -butylester (Boc-BMI). <i>Liebigs Annalen Der Chemie</i> , 1993, 1993, 889-896.	0.8	19
370	Chromatographic resolution of synthetically useful chiral glycine derivatives by high-performance liquid chromatography. <i>Journal of Chromatography A</i> , 1998, 796, 299-307.	1.8	19
371	Rigorous Conformational Analysis of Pyrrolidine Enamines with Relevance to Organocatalysis. <i>Helvetica Chimica Acta</i> , 2017, 100, e1700182.	1.0	19
372	Herstellung von (<i>R,R</i>)- und (<i>S,S</i>)-2-tert-Butyl-6-trifluormethyl-1,3-dioxin-4-on, Umsetzungen zu 3-Hydroxy-3-trifluormethylalkanoaten und überraschende Reaktivitätsunterschiede zwischen CH ₃ und CF ₃ -substituierten Verbindungen. <i>Angewandte Chemie</i> , 1992, 104, 1061-1062.	1.6	18
373	Synthesis of Amino-Acid-, Carbohydrate-, Coumarin-, and Biotin-Labelled Oligo[(<i>R</i>)-3-Hydroxybutanoic Acids] (OHB). <i>Helvetica Chimica Acta</i> , 1998, 81, 2414-2429.	1.0	18
374	Title is missing!. <i>Angewandte Chemie</i> , 2003, 115, 800-802.	1.6	18
375	Selective Acylations of Multifunctional Nucleophiles, Including Carbohydrates and Nucleosides, with Intermediates Generated by Wolff Rearrangement of Amino Acid Derived Diazo Ketones: Preparation of β -Amino Acid Derivatives. <i>Liebigs Annalen</i> , 1996, 1996, 1121-1129.	0.8	18
376	β -Aminopeptidase-Catalyzed Biotransformations of β -Dipeptides: Kinetic Resolution and Enzymatic Coupling. <i>ChemBioChem</i> , 2010, 11, 1129-1136.	1.3	18
377	Antibacterial Activity of Enrofloxacin and Ciprofloxacin Derivatives of β -Octaarginine. <i>Chemistry and Biodiversity</i> , 2015, 12, 179-193.	1.0	18
378	Synthesis and High-Resolution NMR Structure of a β -Octapeptide with and without a Tether Introduced by Olefin Metathesis. <i>Helvetica Chimica Acta</i> , 2009, 92, 2643-2658.	1.0	17

#	ARTICLE	IF	CITATIONS
379	Interaction of α -Peptides, Consisting of Val-Ala-Leu Segments, with POPC Giant Unilamellar Vesicles (GUVs) and White Blood Cancer Cells (U937) – A New Type of Cell-Penetrating Peptides, and a Surprising Chain-Length Dependence of Their Vesicle- and Cell-Lysing Activity. <i>Chemistry and Biodiversity</i> , 2015, 12, 697-732.	1.0	17
380	Cell Penetration, Herbicidal Activity, and <i>in vivo</i> Toxicity of Oligo-Arginine Derivatives and of Novel Guanidinium-Rich Compounds Derived from the Biopolymer Cyanophycin. <i>Helvetica Chimica Acta</i> , 2018, 101, e1800112.	1.0	17
381	α - versus β -ungesättigte Carbonylverbindungen mit sterisch geschützter Carbonylgruppe – Erzwungene Reaktivität. <i>Angewandte Chemie</i> , 1979, 91, 1024-1025.	1.6	16
382	Erhöhung der Nachweisempfindlichkeit von Cyclosporin A durch Derivatisierung mit 2-Naphthylselenenylchlorid. <i>Helvetica Chimica Acta</i> , 1980, 63, 728-732.	1.0	16
383	Diastereoselektive Hydroxyalkylierungen in β -Stellung von α -Pivaloyl- β -2,3,4-tetrahydroisochinolin-1/4-ber ein Magnesiumderivat. <i>Angewandte Chemie</i> , 1984, 96, 235-236.	1.6	16
384	Reaktivität von α - und β -Butyldihydrooxazolinderivaten aus Serin und Threonin – neuartige und vielseitig einsetzbare chirale Synthesebausteine. <i>Angewandte Chemie</i> , 1988, 100, 1398-1404.	1.6	16
385	Synthese und enzymatischer Abbau von Dendrimeren aus α -Hydroxybuttersäure und Trimesinsäure. <i>Angewandte Chemie</i> , 1996, 108, 2969-2972.	1.6	16
386	Preparation of (S,S)-Fmoc- β -Hlle-OH, (S)-Fmoc- β -Hmet-OH, and (S)-Fmoc- β -Htyr(tBu)-OH for Solid-Phase Syntheses of β - and β -Peptides. <i>Helvetica Chimica Acta</i> , 2003, 86, 4061-4072.	1.0	16
387	Applications of the Chiral Auxiliaries DIOZ and TRIOZ for Conjugate Additions and Comparison with Other Auxiliaries. <i>Helvetica Chimica Acta</i> , 2010, 93, 90-110.	1.0	16
388	Preparation and Characterization of New α - and β -Symmetric Nitrogen, Oxygen, Phosphorous, and Sulfur Derivatives and Analogs of TADDOL. Part II. <i>Helvetica Chimica Acta</i> , 2012, 95, 1273-1302.	1.0	16
389	Preparation and Structures of α -Substituted β -Benzyl- β -methylimidazolidinone-Derived Iminium Salts, Reactive Intermediates in Organocatalytic Transformations Involving α - and β -Unsaturated Aldehydes. <i>Helvetica Chimica Acta</i> , 2014, 97, 751-796.	1.0	16
390	Synthesis of Oligo(3-hydroxybutanoate)(OHB)-Containing Peptides with High Binding Affinity to a Class-I-MHC Protein. <i>Helvetica Chimica Acta</i> , 1998, 81, 1181-1200.	1.0	15
391	C-Alkylation of Peptides Containing Aminomalonate and (Amino)(cyano)acetate Residues. <i>Helvetica Chimica Acta</i> , 1998, 81, 1845-1895.	1.0	15
392	pH-Sensitive Vesicles Containing a Lipidic α -Amino Acid with Two Hydrophobic Chains. <i>Chemistry and Biodiversity</i> , 2008, 5, 16-30.	1.0	15
393	Preparation and Characterization of New α - and β -Symmetric Nitrogen, Oxygen, Phosphorous, and Sulfur Derivatives and Analogs of TADDOL. Part I. <i>Helvetica Chimica Acta</i> , 2012, 95, 1239-1272.	1.0	15
394	Diastereoselective Michael Additions of Chiral Imidazolidines to Trityl Enones. <i>Liebigs Annalen Der Chemie</i> , 1992, 1992, 1145-1151.	0.8	14
395	Evidence from Circular Dichroism and from Melting Behavior for Helix-Inducing Complexation of a Designed 3-Pentadecapeptide with DNA Duplexes. Preliminary Communication. <i>Helvetica Chimica Acta</i> , 2003, 86, 2104-2109.	1.0	14
396	Enantioselective Preparation of β -Amino Acids with Aspartate, Glutamate, Asparagine, and Glutamine Side Chains. <i>Helvetica Chimica Acta</i> , 2004, 87, 1545-1560.	1.0	14

#	ARTICLE	IF	CITATIONS
397	Comparison of Permeation through Phosphatidylcholine Bilayers of N-Dipicolinyl- β - and β -Oligopeptides. <i>Chemistry and Biodiversity</i> , 2006, 3, 1181-1201.	1.0	14
398	Investigation of the Interactions of β -Peptides with DNA Duplexes by Circular Dichroism Spectroscopy. <i>Helvetica Chimica Acta</i> , 2006, 89, 3087-3103.	1.0	14
399	Reaction of Fe ₃ (CO) ₁₂ with octreotide—chemical, electrochemical and biological investigations. <i>Dalton Transactions</i> , 2010, 39, 3065.	1.6	14
400	Autoproteolytic and Catalytic Mechanisms for the β -Aminopeptidase BapA—A Member of the Ntn Hydrolase Family. <i>Structure</i> , 2012, 20, 1850-1860.	1.6	14
401	Helical Content of a β -Octapeptide in Methanol: Molecular Dynamics Simulations Explain a Seeming Discrepancy between Conclusions Derived from CD and NMR Data. <i>Chemistry - A European Journal</i> , 2012, 18, 586-593.	1.7	14
402	Preparation, Structure, and Reactivity of Thio- and Imino Derivatives of the Triolide (and Pentolide) from (R)-3-Hydroxybutanoic Acid. <i>Helvetica Chimica Acta</i> , 1996, 79, 319-345.	1.0	13
403	Solid-Phase Synthesis of a 3-Icosapeptide Containing the Homologs of the Twenty Common Proteinaceous Amino Acids. Preliminary Communication. <i>Helvetica Chimica Acta</i> , 2003, 86, 2098-2103.	1.0	13
404	Lithiiertes β -Pivaloyl-tetrahydroisochinolin — ein Supernucleophil. <i>Angewandte Chemie</i> , 1981, 93, 125-126.	1.6	13
405	Inversion of the Configuration of a Single Stereocenter in a β -Heptapeptide Leads to Drastic Changes in its Interaction with Phospholipid Bilayers. <i>ChemBioChem</i> , 2009, 10, 1978-1981.	1.3	12
406	β -Peptide Conjugates: Syntheses and CD and NMR Investigations of β -Chimeric Peptides, of a DPA- β -Decapeptide, and of a PEGylated β -Heptapeptide. <i>Helvetica Chimica Acta</i> , 2009, 92, 2698-2721.	1.0	12
407	Structure-Based Design of Nonnatural Ligands for the HLA-B27 Protein. <i>Journal of Receptor and Signal Transduction Research</i> , 1999, 19, 645-657.	1.3	11
408	Determination of the Amide-Plane Orientations in a Cyclo- β -Peptide by Magic-Angle-Spinning Deuterium-Correlation Spectroscopy, and Comparison with the Powder X-Ray Structure. <i>Helvetica Chimica Acta</i> , 2001, 84, 208-221.	1.0	11
409	How Small Amounts of Impurities Are Sufficient to Catalyze the Interconversion of Carbonyl Compounds and Iminium Ions, or Is There a Metathesis through 1,3-Oxazetidinium Ions? Experiments, Speculations, and Calculations. <i>Helvetica Chimica Acta</i> , 2014, 97, 1177-1203.	1.0	11
410	Preparation of the β -Homoselenocysteine Derivatives Fmoc- β -hSec(PMB)-OH and Boc- β -hSec(PMB)-OH for Solution and Solid-Phase Peptide Synthesis and Selenoligation. <i>Helvetica Chimica Acta</i> , 2007, 90, 1651-1666.		10
411	Structure-Based Evolution of Subtype-Selective Neurotensin Receptor Ligands. <i>ChemistryOpen</i> , 2014, 3, 206-218.	0.9	10
412	Influence of the Membrane Dye R18 and of DMSO on Cell Penetration of Guanidinium-Rich Peptides. <i>Chemistry and Biodiversity</i> , 2018, 15, e1800302.	1.0	10
413	Syntheses of Cyanophycin Segments for Investigations of Cell-Penetration. <i>Synthesis</i> , 2019, 51, 31-39.	1.2	10
414	Separation of (R)- and (S)-tert-butyl 2-tert-butyl-4-methoxy-2,5-dihydro-1,3-imidazole-1-carboxylate (building block for amino acid synthesis) by preparative high performance liquid chromatography on a polysaccharide stationary phase. <i>Chirality</i> , 1998, 10, 217-222.	1.3	9

#	ARTICLE	IF	CITATIONS
415	Synthesis and Spectroscopic Characterization of $\hat{1}^2$ -Di-, $\hat{1}^2$ -Tri-, and $\hat{1}^2$ -Hexapeptides Built with (S)-2-Methylene-3-aminoalkanoic Acids Derived from Alanine, Valine, and Leucine. Australian Journal of Chemistry, 2004, 57, 859.	0.5	9
416	Synthesis of $\hat{1}^2$ -Homophenylalanine-Derived Amino Acids and Peptides by Suzuki Coupling in Solution and on Solid Support. Helvetica Chimica Acta, 2006, 89, 1427-1441.	1.0	9
417	Reversal of the Stereochemical Course of 1-Methyl- <i>cis</i> -5-Benzyl- $\hat{1}^2$ -indole Addition to Cinnamaldehyde with $\hat{1}^2$ -Fluorine Effect TM . Helvetica Chimica Acta, 2013, 96, 1815-1821.	1.0	8
418	Preparation of 12- and 16-Membered Macrolactones (Oligolides) from (S)-Malic Acid "Low Molecular-Mass Analogs of the Biopolymer Poly[(S)-Malic Acid] (PMA). Liebigs Annalen, 1996, 1996, 1277-1282.	0.8	7
419	The Enantiomer of Octreotate Binds to All Five Somatostatin Receptors with Almost Equal Micromolar Affinity " A Comparison with SANDOSTATIN [®] . Chemistry and Biodiversity, 2008, 5, 1213-1224.	1.0	7
420	Polymer Backbone Conformation " A Challenging Task for Database Information Retrieval. Angewandte Chemie - International Edition, 2009, 48, 9596-9598.	7.2	7
421	Joy and Frustration with Organofluorine Compounds " A Fluorous Autobiography. Chimia, 2014, 68, 348.	0.3	7
422	Solid-State CP/MAS ¹³ C-NMR Spectra of Oligolides derived from 3-hydroxybutanoic acid. Helvetica Chimica Acta, 1993, 76, 915-923.	1.0	6
423	Preparation of Enantiomerically Pure Compounds Employing Anodic Oxidations of Carboxylic Acids " A Late Review of Research Done in the 1980ies. Helvetica Chimica Acta, 2019, 102, e1900072.	1.0	6
424	Polythiated $\hat{1}^2$ -Peptides: like-Selective C-Terminal Alkylation of Boc- $\hat{1}^2$ -HVal- $\hat{1}^2$ -HALa- $\hat{1}^2$ -HLeu-OMe. European Journal of Organic Chemistry, 1998, 1998, 2379-2387.	1.2	5
425	Preparation of the <i>cis</i> - $\hat{1}^2$ -Homoselenocysteine Derivatives Fmoc-(S)- $\hat{1}^2$ -hSec(PMB)-OH and Boc-(S)- $\hat{1}^2$ -hSec(PMB)-OH for Solution and Solid-Phase Peptide Synthesis. Helvetica Chimica Acta, 2011, 94, 1-17.	1.0	5
426	Crystal Structures of BapA Complexes with $\hat{1}^2$ -Lactam-Derived Inhibitors Illustrate Substrate Specificity and Enantioselectivity of $\hat{1}^2$ -Aminopeptidases. ChemBioChem, 2012, 13, 2137-2145.	1.3	5
427	Visible-Light Microscopic Discovery of Up to 150 $\hat{1}^2$ nm Long Helical Amyloid Fibrils Built of the Dodecapeptide H-(Val-Ala-Leu) ₄ -OH and of Decapeptides Derived from Insulin. Chemistry and Biodiversity, 2016, 13, 1111-1117.	1.0	5
428	On the Structure of PHB (=Poly[(R)-3-hydroxybutanoic Acid]) in Phospholipid Bilayers: Preparation of Trifluoromethyl-Labeled Oligo[(R)-3-hydroxybutanoic Acid] Derivatives. Helvetica Chimica Acta, 2004, 87, 2473-2486.	1.0	4
429	$\hat{1}^2$ - and $\hat{1}^3$ -Di- and Tripeptides as Potential Substrates for the Oligopeptide Transporter hPepT1. Journal of Medicinal Chemistry, 2007, 50, 5238-5242.	2.9	4
430	Preparation of N-Fmoc-Protected (S)-5-Amino-4,4-difluoro-7-methyloctanoic Acid, a Possible Dipeptide Isostere. Helvetica Chimica Acta, 2009, 92, 1720-1728.	1.0	4
431	Solving the structures of light-atom compounds with powder charge flipping. Journal of Applied Crystallography, 2014, 47, 1569-1576.	1.9	4
432	Scalable Enantioselective Synthesis of Fmoc- $\hat{1}^2$ -Serine and Fmoc- $\hat{1}^2$ -Threonine by an Organocatalytic Mannich Reaction. European Journal of Organic Chemistry, 2015, 2015, 4883-4891.	1.2	4

#	ARTICLE	IF	CITATIONS
433	Dendritically Cross-Linking Chiral Ligands: High Stability of a Polystyrene-Bound Ti-TADDOLate Catalyst with Diffusion Control. , 1999, 38, 1918.		4
434	What I Have Learned from Jack Dunitz. Israel Journal of Chemistry, 2017, 57, 55-65.	1.0	3
435	Labeling and Protecting α -Terminal Protein Positions by β -Peptidyl Aminopeptidase-Catalyzed Attachment of β -Amino Acid Residues – Insulin as a First Example. Helvetica Chimica Acta, 2018, 101, 1.0 e1700259.		3
436	Pleated Sheets and Turns of β -Peptides with Proteinogenic Side Chains. , 1999, 38, 1595.		2
437	The World of β - and γ -Peptides Comprised of Homologated Proteinogenic Amino Acids and Other Components. ChemInform, 2005, 36, no.	0.1	1
438	A simple and efficient transfection protocol for Cryptosporidium parvum using Polyethylenimine (PEI) and Octaarginine. Parasitology, 2020, 147, 1065-1070.	0.7	1
439	EPC Syntheses of Trifluorocitronellol and of Hexafluoropyrenophorin – A Comparison of Their Physiological Properties with the Nonfluorinated Analogs. , 1999, 1999, 2533.		1
440	Synthesis and Biological Evaluation of a Cyclo- β -tetrapeptide as a Somatostatin Analogue. , 1999, 38, 1223.		1
441	Homologs of Amino Acids and Explorations into the Worlds of β - and γ -Peptides. , 0, , 17-29.		0
442	β -Amino Acids: Syntheses, Occurrence in Natural Products, and Components of β -Peptides. ChemInform, 2004, 35, no.	0.1	0
443	Enantioselective Synthesis of β -Homotryptophan for a Somatostatin Mimetic. , 2001, , 32-33.		0