

Mariangela Freitas da Silveira

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3765700/publications.pdf>

Version: 2024-02-01

127
papers

5,550
citations

159585

30
h-index

98798

67
g-index

157
all docs

157
docs citations

157
times ranked

8778
citing authors

#	ARTICLE	IF	CITATIONS
1	Mortality risk in preterm and small-for-gestational-age infants in low-income and middle-income countries: a pooled country analysis. <i>Lancet, The</i> , 2013, 382, 417-425.	13.7	637
2	National and regional estimates of term and preterm babies born small for gestational age in 138 low-income and middle-income countries in 2010. <i>The Lancet Global Health</i> , 2013, 1, e26-e36.	6.3	577
3	Congenital Zika virus syndrome in Brazil: a case series of the first 1501 livebirths with complete investigation. <i>Lancet, The</i> , 2016, 388, 891-897.	13.7	515
4	SARS-CoV-2 antibody prevalence in Brazil: results from two successive nationwide serological household surveys. <i>The Lancet Global Health</i> , 2020, 8, e1390-e1398.	6.3	292
5	Estimates of burden and consequences of infants born small for gestational age in low and middle income countries with INTERGROWTH-21st standard: analysis of CHERGÃ datasets. <i>BMJ: British Medical Journal</i> , 2017, 358, j3677.	2.3	258
6	The challenge of reducing neonatal mortality in middle-income countries: findings from three Brazilian birth cohorts in 1982, 1993, and 2004. <i>Lancet, The</i> , 2005, 365, 847-854.	13.7	235
7	Population-based surveys of antibodies against SARS-CoV-2 in Southern Brazil. <i>Nature Medicine</i> , 2020, 26, 1196-1199.	30.7	132
8	Short Maternal Stature Increases Risk of Small-for-Gestational-Age and Preterm Births in Low- and Middle-Income Countries: Individual Participant Data Meta-Analysis and Population Attributable Fraction. <i>Journal of Nutrition</i> , 2015, 145, 2542-2550.	2.9	126
9	Cohort Profile: The 2015 Pelotas (Brazil) Birth Cohort Study. <i>International Journal of Epidemiology</i> , 2018, 47, 1048-1048h.	1.9	125
10	Maternal complications and cesarean section without indication: systematic review and meta-analysis. <i>Revista De Saude Publica</i> , 2017, 51, 105.	1.7	117
11	Aumento da prematuridade no Brasil: revisÃ£o de estudos de base populacional. <i>Revista De Saude Publica</i> , 2008, 42, 957-964.	1.7	114
12	Assisted reproductive technology. <i>Revista De Saude Publica</i> , 2019, 53, 13.	1.7	100
13	Contraceptive use in Latin America and the Caribbean with a focus on long-acting reversible contraceptives: prevalence and inequalities in 23 countries. <i>The Lancet Global Health</i> , 2019, 7, e227-e235.	6.3	93
14	Preterm births, low birth weight, and intrauterine growth restriction in three birth cohorts in Southern Brazil: 1982, 1993 and 2004. <i>Cadernos De Saude Publica</i> , 2008, 24, s390-s398.	1.0	74
15	Associated factors and consequences of late preterm births: results from the 2004 Pelotas birth cohort. <i>Paediatric and Perinatal Epidemiology</i> , 2008, 22, 350-359.	1.7	62
16	A randomized controlled trial of exercise during pregnancy on maternal and neonatal outcomes: results from the PAMELA study. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2017, 14, 175.	4.6	61
17	Antenatal depressive symptoms among pregnant women: Evidence from a Southern Brazilian population-based cohort study. <i>Journal of Affective Disorders</i> , 2017, 209, 140-146.	4.1	59
18	Prenatal and postnatal maternal depression and infant hospitalization and mortality in the first year of life: A systematic review and meta-analysis. <i>Journal of Affective Disorders</i> , 2019, 243, 201-208.	4.1	58

#	ARTICLE	IF	CITATIONS
19	Reasons for nonuse of contraceptive methods by women with demand for contraception not satisfied: an assessment of low and middle-income countries using demographic and health surveys. <i>Reproductive Health</i> , 2019, 16, 148.	3.1	54
20	Efficacy of Regular Exercise During Pregnancy on the Prevention of Postpartum Depression. <i>JAMA Network Open</i> , 2019, 2, e186861.	5.9	52
21	Disrespect and abuse of women during the process of childbirth in the 2015 Pelotas birth cohort. <i>Reproductive Health</i> , 2018, 15, 54.	3.1	51
22	The association between disrespect and abuse of women during childbirth and postpartum depression: Findings from the 2015 Pelotas birth cohort study. <i>Journal of Affective Disorders</i> , 2019, 256, 441-447.	4.1	49
23	The emergence of vaccine hesitancy among upper-class Brazilians: Results from four birth cohorts, 1982-2015. <i>Vaccine</i> , 2020, 38, 482-488.	3.8	46
24	Missed childhood immunizations during the COVID-19 pandemic in Brazil: Analyses of routine statistics and of a national household survey. <i>Vaccine</i> , 2021, 39, 3404-3409.	3.8	43
25	Caesarean sections and the prevalence of preterm and early-term births in Brazil: secondary analyses of national birth registration. <i>BMJ Open</i> , 2018, 8, e021538.	1.9	41
26	Low birthweight and preterm birth: trends and inequalities in four population-based birth cohorts in Pelotas, Brazil, 1982-2015. <i>International Journal of Epidemiology</i> , 2019, 48, i46-i53.	1.9	38
27	Prevalence of antibodies against SARS-CoV-2 according to socioeconomic and ethnic status in a nationwide Brazilian survey. <i>Revista Panamericana De Salud Publica/Pan American Journal of Public Health</i> , 2020, 44, 1-7.	1.1	37
28	Determinants of preterm birth: Pelotas, Rio Grande do Sul State, Brazil, 2004 birth cohort. <i>Cadernos De Saude Publica</i> , 2010, 26, 185-194.	1.0	35
29	Trends and inequalities in maternal and child health in a Brazilian city: methodology and sociodemographic description of four population-based birth cohort studies, 1982-2015. <i>International Journal of Epidemiology</i> , 2019, 48, i4-i15.	1.9	32
30	Is intrauterine exposure to acetaminophen associated with emotional and hyperactivity problems during childhood? Findings from the 2004 Pelotas birth cohort. <i>BMC Psychiatry</i> , 2018, 18, 368.	2.6	31
31	RPS Brazilian Birth Cohorts Consortium (Ribeirão Preto, Pelotas and São Luís): history, objectives and methods. <i>Cadernos De Saude Publica</i> , 2021, 37, e00093320.	1.0	28
32	Prevalência de doença de sangue e fatores associados, Pelotas, RS. <i>Revista De Saude Publica</i> , 2010, 44, 112-120.	1.7	27
33	Vaccine coverage within the first year of life and associated factors with incomplete immunization in a Brazilian birth cohort. <i>Archives of Public Health</i> , 2020, 78, 21.	2.4	27
34	Antenatal care and caesarean sections: trends and inequalities in four population-based birth cohorts in Pelotas, Brazil, 1982-2015. <i>International Journal of Epidemiology</i> , 2019, 48, i37-i45.	1.9	25
35	Infant nutrition and growth: trends and inequalities in four population-based birth cohorts in Pelotas, Brazil, 1982-2015. <i>International Journal of Epidemiology</i> , 2019, 48, i80-i88.	1.9	23
36	Gestational weight gain charts: results from the Brazilian Maternal and Child Nutrition Consortium. <i>American Journal of Clinical Nutrition</i> , 2021, 113, 1351-1360.	4.7	23

#	ARTICLE	IF	CITATIONS
37	Secular trends in smoking during pregnancy according to income and ethnic group: four population-based perinatal surveys in a Brazilian city. <i>BMJ Open</i> , 2016, 6, e010127.	1.9	22
38	Infant sleep hygiene counseling (sleep trial): protocol of a randomized controlled trial. <i>BMC Psychiatry</i> , 2016, 16, 307.	2.6	22
39	Maternal anthropometry: trends and inequalities in four population-based birth cohorts in Pelotas, Brazil, 1982–2015. <i>International Journal of Epidemiology</i> , 2019, 48, i26-i36.	1.9	22
40	Estimativas corrigidas da prevalência de nascimentos pré-termo no Brasil, 2000 a 2011. <i>Epidemiologia E Servicos De Saude: Revista Do Sistema Unico De Saude Do Brasil</i> , 2013, 22, 557-564.	1.0	22
41	Short Communication: UGT1A1*28 Variant Allele Is a Predictor of Severe Hyperbilirubinemia in HIV-Infected Patients on HAART in Southern Brazil. <i>AIDS Research and Human Retroviruses</i> , 2012, 28, 1015-1018.	1.1	21
42	Prevalence of weight-loss strategies and use of substances for weight-loss among adults: a population study. <i>Cadernos De Saude Publica</i> , 2012, 28, 1439-1449.	1.0	21
43	Prevalence of <i>Trypanosoma cruzi</i> /HIV coinfection in southern Brazil. <i>Brazilian Journal of Infectious Diseases</i> , 2017, 21, 180-184.	0.6	21
44	Maternal and congenital syphilis in selected Latin America and Caribbean countries: a multi-country analysis using data from the Perinatal Information System. <i>Sexual Health</i> , 2015, 12, 164.	0.9	20
45	Prenatal care and child growth and schooling in four low- and medium-income countries. <i>PLoS ONE</i> , 2017, 12, e0171299.	2.5	19
46	Genetic polymorphisms in estrogen receptors and sexual dimorphism in fat redistribution in HIV-infected patients on HAART. <i>Aids</i> , 2012, 26, 19-26.	2.2	18
47	Quality assessment indicators in antenatal care worldwide: a systematic review. <i>International Journal for Quality in Health Care</i> , 2019, 31, 497-505.	1.8	18
48	Maternal perinatal depression and infant sleep problems at 1-year of age: Subjective and actigraphy data from a population-based birth cohort study. <i>Journal of Sleep Research</i> , 2021, 30, e13047.	3.2	18
49	High-risk papillomavirus infection among women living with human Immunodeficiency virus: Brazilian multicentric study. <i>Journal of Medical Virology</i> , 2017, 89, 2217-2223.	5.0	17
50	Repeat cesarean section in subsequent gestation of women from a birth cohort in Brazil. <i>Reproductive Health</i> , 2017, 14, 102.	3.1	17
51	Stillbirth, newborn and infant mortality: trends and inequalities in four population-based birth cohorts in Pelotas, Brazil, 1982–2015. <i>International Journal of Epidemiology</i> , 2019, 48, i54-i62.	1.9	17
52	Associations of acetaminophen use during pregnancy and the first year of life with neurodevelopment in early childhood. <i>Paediatric and Perinatal Epidemiology</i> , 2020, 34, 267-277.	1.7	17
53	Physical Activity and Sitting Time From 16 to 24 Weeks of Pregnancy to 12, 24, and 48 Months Postpartum: Findings From the 2015 Pelotas (Brazil) Birth Cohort Study. <i>Journal of Physical Activity and Health</i> , 2021, 18, 587-593.	2.0	17
54	Perfil de pessoas idosas vivendo com HIV/aids em Pelotas, sul do Brasil, 1998 a 2013. <i>Epidemiologia E Servicos De Saude: Revista Do Sistema Unico De Saude Do Brasil</i> , 2015, 24, 79-86.	1.0	16

#	ARTICLE	IF	CITATIONS
55	Phase II trial evaluating the clinical efficacy of cefixime for treatment of active syphilis in non-pregnant women in Brazil (CeBra). <i>BMC Infectious Diseases</i> , 2020, 20, 405.	2.9	15
56	Poor maternal nutritional status before and during pregnancy is associated with suspected child developmental delay in 2-year old Brazilian children. <i>Scientific Reports</i> , 2020, 10, 1851.	3.3	15
57	Medication Use among Pregnant Women from the 2015 Pelotas (Brazil) Birth Cohort Study. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 989.	2.6	15
58	Medidas de contenção de tipo lockdown para prevenção e controle da COVID-19: estudo ecológico descritivo, com dados da África do Sul, Alemanha, Brasil, Espanha, Estados Unidos, Itália e Nova Zelândia, fevereiro a agosto de 2020. <i>Epidemiologia E Serviços De Saude: Revista Do Sistema Unico De Saude Do Brasil</i> , 2021, 30, e2020513.	1.0	15
59	EPICoVID19 protocol: repeated serological surveys on SARS-CoV-2 antibodies in Brazil. <i>Ciencia E Saude Coletiva</i> , 2020, 25, 3573-3578.	0.5	15
60	COVID-19 and outpatient care: a nationwide household survey. <i>Cadernos De Saude Publica</i> , 2022, 38, e00194121.	1.0	15
61	Impact of an educational intervention to promote condom use among the male partners of HIV positive women. <i>Journal of Evaluation in Clinical Practice</i> , 2006, 12, 102-111.	1.8	14
62	Maternal Chlamydia trachomatis Infections and Preterm Births in a University Hospital in Vitoria, Brazil. <i>PLoS ONE</i> , 2015, 10, e0141367.	2.5	14
63	Prevalence of Chlamydia trachomatis and Neisseria gonorrhoea and associated factors among women living with Human Immunodeficiency Virus in Brazil: a multicenter study. <i>Brazilian Journal of Infectious Diseases</i> , 2017, 21, 402-407.	0.6	13
64	Trajectories of maternal depressive symptoms from the antenatal period to 24-months postnatal follow-up: findings from the 2015 Pelotas birth cohort. <i>BMC Psychiatry</i> , 2020, 20, 233.	2.6	13
65	Factors Associated With Risk Behaviors for Sexually Transmitted Disease/AIDS Among Urban Brazilian Women. <i>Sexually Transmitted Diseases</i> , 2002, 29, 536-541.	1.7	12
66	Factors associated with condom use in women from an urban area in southern Brazil. <i>Cadernos De Saude Publica</i> , 2005, 21, 1557-1564.	1.0	12
67	Chlamydia trachomatis infection in young pregnant women in Southern Brazil: a cross-sectional study. <i>Cadernos De Saude Publica</i> , 2017, 33, e00067415.	1.0	12
68	Prevalence and associated factors of supine sleep position in 3-month-old infants: findings from the 2015 Pelotas (Brazil) Birth Cohort. <i>BMC Pediatrics</i> , 2019, 19, 165.	1.7	12
69	Aptima <i>Trichomonas vaginalis</i> assay elucidates significant underdiagnosis of trichomoniasis among women in Brazil according to an observational study. <i>Sexually Transmitted Infections</i> , 2019, 95, 129-132.	1.9	12
70	Social Distancing, Mask Use, and Transmission of Severe Acute Respiratory Syndrome Coronavirus 2, Brazil, April–June 2020. <i>Emerging Infectious Diseases</i> , 2021, 27, 2135-2143.	4.3	12
71	LBW and IUGR temporal trend in 4 population-based birth cohorts: the role of economic inequality. <i>BMC Pediatrics</i> , 2016, 16, 115.	1.7	11
72	The effects of two early parenting interventions on child aggression and risk for violence in Brazil (The PIA-Trial): protocol for a randomised controlled trial. <i>Trials</i> , 2019, 20, 253.	1.6	11

#	ARTICLE	IF	CITATIONS
73	Maternal and child-health outcomes in pregnancies following Assisted Reproductive Technology (ART): a prospective cohort study. <i>BMC Pregnancy and Childbirth</i> , 2020, 20, 106.	2.4	11
74	Doenças crônicas não transmissíveis e covid-19: resultados do estudo Epicovid-19 Brasil. <i>Revista De Saude Publica</i> , 2021, 55, 38.	1.7	11
75	Characteristics and outcomes of pregnant women with SARS-CoV-2 infection and other severe acute respiratory infections (SARI) in Brazil from January to November 2020. <i>Brazilian Journal of Infectious Diseases</i> , 2021, 25, 101620.	0.6	11
76	The use of folic acid, iron salts and other vitamins by pregnant women in the 2015 Pelotas birth cohort: is there socioeconomic inequality?. <i>BMC Public Health</i> , 2019, 19, 889.	2.9	10
77	Maternal reproductive history: trends and inequalities in four population-based birth cohorts in Pelotas, Brazil, 1982–2015. <i>International Journal of Epidemiology</i> , 2019, 48, i16-i25.	1.9	10
78	Periodontal disease and preterm birth: Findings from the 2015 Pelotas birth cohort study. <i>Oral Diseases</i> , 2021, 27, 1519-1527.	3.0	10
79	High prevalence of symptoms among Brazilian subjects with antibodies against SARS-CoV-2. <i>Scientific Reports</i> , 2021, 11, 13279.	3.3	10
80	Maternal adverse childhood experiences (ACEs) and their associations with intimate partner violence and child maltreatment: Results from a Brazilian birth cohort. <i>Preventive Medicine</i> , 2022, 155, 106928.	3.4	10
81	Quality of Life of Pregnant Women Living with HIV/AIDS. <i>Revista Brasileira De Ginecologia E Obstetricia</i> , 2016, 38, 246-252.	0.8	9
82	Effect of Parental Counseling on Infants' Healthy Sleep Habits in Brazil. <i>JAMA Network Open</i> , 2019, 2, e1918062.	5.9	9
83	Time-dependent decay of detectable antibodies against SARS-CoV-2: A comparison of ELISA with two batches of a lateral-flow test. <i>Brazilian Journal of Infectious Diseases</i> , 2021, 25, 101601.	0.6	9
84	Quality of antenatal care and its sociodemographic determinants: results of the 2015 Pelotas birth cohort, Brazil. <i>BMC Health Services Research</i> , 2021, 21, 1070.	2.2	9
85	Uncommon non-oncogenic HPV genotypes, TP53 and MDM2 genes polymorphisms in HIV-infected women in Southern Brazil. <i>Brazilian Journal of Infectious Diseases</i> , 2014, 18, 643-650.	0.6	8
86	Trends and inequalities in unplanned pregnancy in three population-based birth cohorts in Pelotas, Brazil. <i>International Journal of Public Health</i> , 2020, 65, 1635-1645.	2.3	7
87	Population-level seropositivity trend for SARS-Cov-2 in Rio Grande do Sul, Brazil. <i>Revista De Saude Publica</i> , 2021, 55, 78.	1.7	7
88	Agreement of antenatal care indicators from self-reported questionnaire and the antenatal care card of women in the 2015 Pelotas birth cohort, Rio Grande do Sul, Brazil. <i>BMC Pregnancy and Childbirth</i> , 2019, 19, 410.	2.4	6
89	Fetal, neonatal, and post-neonatal mortality in the 2015 Pelotas (Brazil) birth cohort and associated factors. <i>Cadernos De Saude Publica</i> , 2019, 35, e00072918.	1.0	6
90	Hospital admissions in the first year of life: inequalities over three decades in a southern Brazilian city. <i>International Journal of Epidemiology</i> , 2019, 48, i63-i71.	1.9	6

#	ARTICLE	IF	CITATIONS
91	Introduction to complementary feeding in the first year of life and risk of overweight at 24 months of age: changes from 2004 to 2015 Pelotas (Brazil) Birth Cohorts. <i>British Journal of Nutrition</i> , 2020, 124, 620-630.	2.3	6
92	Use of Medications by Breastfeeding Women in the 2015 Pelotas (Brazil) Birth Cohort Study. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 568.	2.6	6
93	Slow Spread of SARS-CoV-2 in Southern Brazil Over a 6-Month Period: Report on 8 Sequential Statewide Serological Surveys Including 35,611 Participants. <i>American Journal of Public Health</i> , 2021, 111, 1542-1550.	2.7	6
94	Serological diagnosis of Chagas disease in HIV-infected patients. <i>Revista Da Sociedade Brasileira De Medicina Tropical</i> , 2015, 48, 331-333.	0.9	5
95	Hypertensive Disorders of Pregnancy and Medication Use in the 2015 Pelotas (Brazil) Birth Cohort Study. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 8541.	2.6	5
96	COVID-19 and social distancing among children and adolescents in Brazil. <i>Revista De Saude Publica</i> , 2021, 55, 42.	1.7	5
97	The associations that income, education, and ethnicity have with birthweight and prematurity: how close are they?. <i>Revista Panamericana De Salud Publica/Pan American Journal of Public Health</i> , 2018, 42, e92.	1.1	5
98	Physical Activity During Pregnancy and Preterm Birth: Findings From the 2015 Pelotas (Brazil) Birth Cohort Study. <i>Journal of Physical Activity and Health</i> , 2020, 17, 1065-1074.	2.0	5
99	Uso de máscara durante a pandemia de COVID-19 no Brasil: resultados do estudo EPICOID19-BR. <i>Cadernos De Saude Publica</i> , 2022, 38, .	1.0	5
100	Assessment of sexual risk behaviors and perception of vulnerability to sexually transmitted diseases/acquired immunodeficiency syndrome in women, 1999–2012: a population based survey in a medium-sized Brazilian city. <i>Brazilian Journal of Infectious Diseases</i> , 2014, 18, 414-420.	0.6	4
101	Illicit drug use among students of a university in Southern Brazil. <i>Revista De Saude Publica</i> , 2020, 54, 57.	1.7	4
102	The challenge of conducting epidemiological research in times of pandemic and denialism: 1-year anniversary of the EPICOID-19 project in Brazil. <i>International Journal of Epidemiology</i> , 2021, 50, 1049-1052.	1.9	4
103	Evidence for an Epistatic Effect between TP53 R72P and MDM2 T309G SNPs in HIV Infection: A Cross-Sectional Study in Women from South Brazil. <i>PLoS ONE</i> , 2014, 9, e89489.	2.5	4
104	Influence of center-based child care on development of two-year-olds in a Brazilian cohort. <i>Revista De Saude Publica</i> , 2021, 55, 32.	1.7	3
105	Coorte retrospectiva de crianças e adolescentes hospitalizados por COVID-19 no Brasil do início da pandemia a 1 ^ª de agosto de 2020. <i>Revista Brasileira De Epidemiologia</i> , 2020, 24, e200026.	0.8	3
106	Prevalence and inequalities in contraceptive use among adolescents and young women: data from a birth cohort in Brazil. <i>Cadernos De Saude Publica</i> , 2021, 37, e00335720.	1.0	3
107	Prevalence of erectile dysfunction oral drugs use in a city of southern Brazil. <i>Ciencia E Saude Coletiva</i> , 2017, 22, 2763-2770.	0.5	2
108	Lessons about the reliability of congenital syphilis and vertical HIV transmission data learned from case reviews in Uruguay: a cross-sectional study. <i>BMC Pregnancy and Childbirth</i> , 2019, 19, 400.	2.4	2

#	ARTICLE	IF	CITATIONS
109	Female infants are more susceptible to the effects of maternal antenatal depression; findings from the Pelotas (Brazil) Birth Cohort Study. <i>Journal of Affective Disorders</i> , 2020, 267, 315-324.	4.1	2
110	Dental caries and depression in pregnant women: The role of oral health self-perception as mediator. <i>Oral Diseases</i> , 2022, 28, 1733-1740.	3.0	2
111	Combined hormonal contraceptives use among women with contraindications according to the WHO criteria: A systematic review. <i>Sexual and Reproductive Healthcare</i> , 2021, 27, 100587.	1.2	2
112	Sociodemographic profile of primiparous mothers from nine birth cohorts in three Brazilian cities. <i>Cadernos De Saude Publica</i> , 2021, 37, e00057520.	1.0	2
113	Antenatal and Postnatal Maternal Depressive Symptoms and Trajectories and Child Hospitalization up to 24 Months of Life: Findings From the 2015 Pelotas (Brazil) Birth Cohort Study. <i>Journal of Pediatrics: X</i> , 2021, 6, 100065.	1.1	2
114	Acesso À vacina contra a hepatite B entre parturientes que realizaram o pré-natal em Pelotas, Rio Grande do Sul. <i>Epidemiologia E Servicos De Saude: Revista Do Sistema Unico De Saude Do Brasil</i> , 2014, 23, 447-454.	1.0	2
115	Factors associated with neonatal-near miss: birth cohorts in three Brazilian cities - Ribeirão Preto, Pelotas and São Luís, Brazil. <i>Ciencia E Saude Coletiva</i> , 2022, 27, 2729-2740.	0.5	2
116	Drug use in delivery hospitalization: Pelotas births cohort, 2015. <i>Revista De Saude Publica</i> , 2019, 53, 51.	1.7	1
117	Use of antibiotics in the health care unit: 2015 Pelotas Birth Cohort. <i>Revista De Saude Publica</i> , 2019, 53, 92.	1.7	1
118	Analysis of early and late maternal complications associated with delivery using propensity score. <i>Revista Brasileira De Epidemiologia</i> , 2021, 24, e210027.	0.8	1
119	Brazilian Protocol for Sexually Transmitted Infections 2020: human papillomavirus (HPV) infection. <i>Revista Da Sociedade Brasileira De Medicina Tropical</i> , 2021, 54, e2020790.	0.9	1
120	Influence of maternal excess weight before pregnancy on breast-feeding and weaning: pooled analyses of four population-based cohorts born between 1982 and 2015. <i>British Journal of Nutrition</i> , 2022, 128, 124-130.	2.3	1
121	Co-occurrence of alcohol, tobacco and illicit drug use among university students in Brazil. <i>Revista Brasileira Em Promoção Da Saúde</i> , 0, 34, 1-13.	0.1	1
122	Medication use in children from the 2015 Pelotas (Brazil) birth cohort aged between three months and four years. <i>Cadernos De Saude Publica</i> , 2022, 38, e00117221.	1.0	1
123	Prevalência de sintomas característicos de covid-19 no Rio Grande do Sul: resultados de um estudo de base populacional com 18 mil participantes. <i>Revista De Saude Publica</i> , 2021, 55, 82.	1.7	1
124	Brazilian Protocol for Sexually Transmitted Infections, 2020: infections that cause cervicitis. <i>Revista Da Sociedade Brasileira De Medicina Tropical</i> , 2021, 54, e2020587.	0.9	0
125	Wich factors influencing the number of teeth at 12 months of age: a birth cohort study. <i>Brazilian Oral Research</i> , 2021, 35, e059.	1.4	0
126	Social inequalities in maternal depressive symptomatology after childbirth: Comparison across birth cohorts in Brazil. <i>Journal of Affective Disorders Reports</i> , 2021, 6, 100247.	1.7	0

#	ARTICLE	IF	CITATIONS
127	Social Distancing, Mask Use and the Transmission of SARS-CoV-2: A Population-Based Case-Control Study. SSRN Electronic Journal, 0, , .	0.4	0