

# Mariangela Freitas da Silveira

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3765700/publications.pdf>

Version: 2024-02-01

127  
papers

5,550  
citations

159585

30  
h-index

98798

67  
g-index

157  
all docs

157  
docs citations

157  
times ranked

8778  
citing authors

#	ARTICLE	IF	CITATIONS
1	Dental caries and depression in pregnant women: The role of oral health self-perception as mediator. <i>Oral Diseases</i> , 2022, 28, 1733-1740.	3.0	2
2	Influence of maternal excess weight before pregnancy on breast-feeding and weaning: pooled analyses of four population-based cohorts born between 1982 and 2015. <i>British Journal of Nutrition</i> , 2022, 128, 124-130.	2.3	1
3	Maternal adverse childhood experiences (ACEs) and their associations with intimate partner violence and child maltreatment: Results from a Brazilian birth cohort. <i>Preventive Medicine</i> , 2022, 155, 106928.	3.4	10
4	Medication use in children from the 2015 Pelotas (Brazil) birth cohort aged between three months and four years. <i>Cadernos De Saude Publica</i> , 2022, 38, e00117221.	1.0	1
5	COVID-19 and outpatient care: a nationwide household survey. <i>Cadernos De Saude Publica</i> , 2022, 38, e00194121.	1.0	15
6	Factors associated with neonatal-near miss: birth cohorts in three Brazilian cities - Ribeirão Preto, Pelotas and São Luís, Brazil. <i>Ciencia E Saude Coletiva</i> , 2022, 27, 2729-2740.	0.5	2
7	Uso de máscara durante a pandemia de COVID-19 no Brasil: resultados do estudo EPICOVID19-BR. <i>Cadernos De Saude Publica</i> , 2022, 38, .	1.0	5
8	Periodontal disease and preterm birth: Findings from the 2015 Pelotas birth cohort study. <i>Oral Diseases</i> , 2021, 27, 1519-1527.	3.0	10
9	Maternal perinatal depression and infant sleep problems at 1-year of age: Subjective and actigraphy data from a population-based birth cohort study. <i>Journal of Sleep Research</i> , 2021, 30, e13047.	3.2	18
10	Analysis of early and late maternal complications associated with delivery using propensity score. <i>Revista Brasileira De Epidemiologia</i> , 2021, 24, e210027.	0.8	1
11	Brazilian Protocol for Sexually Transmitted Infections 2020: human papillomavirus (HPV) infection. <i>Revista Da Sociedade Brasileira De Medicina Tropical</i> , 2021, 54, e2020790.	0.9	1
12	Medidas de contenção de tipo lockdown para prevenção e controle da COVID-19: estudo ecológico descritivo, com dados da África do Sul, Alemanha, Brasil, Espanha, Estados Unidos, Itália e Nova Zelândia, fevereiro a agosto de 2020. <i>Epidemiologia E Servicos De Saude: Revista Do Sistema Unico De Saude Do Brasil</i> , 2021, 30, e2020513.	1.0	15
13	Brazilian Protocol for Sexually Transmitted Infections, 2020: infections that cause cervicitis. <i>Revista Da Sociedade Brasileira De Medicina Tropical</i> , 2021, 54, e2020587.	0.9	0
14	RPS Brazilian Birth Cohorts Consortium (Ribeirão Preto, Pelotas and São Luís): history, objectives and methods. <i>Cadernos De Saude Publica</i> , 2021, 37, e00093320.	1.0	28
15	Combined hormonal contraceptives use among women with contraindications according to the WHO criteria: A systematic review. <i>Sexual and Reproductive Healthcare</i> , 2021, 27, 100587.	1.2	2
16	Gestational weight gain charts: results from the Brazilian Maternal and Child Nutrition Consortium. <i>American Journal of Clinical Nutrition</i> , 2021, 113, 1351-1360.	4.7	23
17	Physical Activity and Sitting Time From 16 to 24 Weeks of Pregnancy to 12, 24, and 48 Months Postpartum: Findings From the 2015 Pelotas (Brazil) Birth Cohort Study. <i>Journal of Physical Activity and Health</i> , 2021, 18, 587-593.	2.0	17
18	Influence of center-based child care on development of two-year-olds in a Brazilian cohort. <i>Revista De Saude Publica</i> , 2021, 55, 32.	1.7	3

#	ARTICLE	IF	CITATIONS
19	Doenças crônicas não transmissíveis e covid-19: resultados do estudo Epicovid-19 Brasil. Revista De Saude Publica, 2021, 55, 38.	1.7	11
20	High prevalence of symptoms among Brazilian subjects with antibodies against SARS-CoV-2. Scientific Reports, 2021, 11, 13279.	3.3	10
21	COVID-19 and social distancing among children and adolescents in Brazil. Revista De Saude Publica, 2021, 55, 42.	1.7	5
22	Missed childhood immunizations during the COVID-19 pandemic in Brazil: Analyses of routine statistics and of a national household survey. Vaccine, 2021, 39, 3404-3409.	3.8	43
23	Time-dependent decay of detectable antibodies against SARS-CoV-2: A comparison of ELISA with two batches of a lateral-flow test. Brazilian Journal of Infectious Diseases, 2021, 25, 101601.	0.6	9
24	The challenge of conducting epidemiological research in times of pandemic and denialism: 1-year anniversary of the EPICOVID-19 project in Brazil. International Journal of Epidemiology, 2021, 50, 1049-1052.	1.9	4
25	Slow Spread of SARS-CoV-2 in Southern Brazil Over a 6-Month Period: Report on 8 Sequential Statewide Serological Surveys Including 35,611 Participants. American Journal of Public Health, 2021, 111, 1542-1550.	2.7	6
26	Social Distancing, Mask Use, and Transmission of Severe Acute Respiratory Syndrome Coronavirus 2, Brazil, April–June 2020. Emerging Infectious Diseases, 2021, 27, 2135-2143.	4.3	12
27	Characteristics and outcomes of pregnant women with SARS-CoV-2 infection and other severe acute respiratory infections (SARI) in Brazil from January to November 2020. Brazilian Journal of Infectious Diseases, 2021, 25, 101620.	0.6	11
28	Sociodemographic profile of primiparous mothers from nine birth cohorts in three Brazilian cities. Cadernos De Saude Publica, 2021, 37, e00057520.	1.0	2
29	Antenatal and Postnatal Maternal Depressive Symptoms and Trajectories and Child Hospitalization up to 24 Months of Life: Findings From the 2015 Pelotas (Brazil) Birth Cohort Study. Journal of Pediatrics: X, 2021, 6, 100065.	1.1	2
30	Wich factors influencing the number of teeth at 12 months of age: a birth cohort study. Brazilian Oral Research, 2021, 35, e059.	1.4	0
31	Quality of antenatal care and its sociodemographic determinants: results of the 2015 Pelotas birth cohort, Brazil. BMC Health Services Research, 2021, 21, 1070.	2.2	9
32	Social inequalities in maternal depressive symptomatology after childbirth: Comparison across birth cohorts in Brazil. Journal of Affective Disorders Reports, 2021, 6, 100247.	1.7	0
33	Prevalence and inequalities in contraceptive use among adolescents and young women: data from a birth cohort in Brazil. Cadernos De Saude Publica, 2021, 37, e00335720.	1.0	3
34	Population-level seropositivity trend for SARS-Cov-2 in Rio Grande do Sul, Brazil. Revista De Saude Publica, 2021, 55, 78.	1.7	7
35	Prevalência de sintomas característicos de covid-19 no Rio Grande do Sul: resultados de um estudo de base populacional com 18 mil participantes. Revista De Saude Publica, 2021, 55, 82.	1.7	1
36	The emergence of vaccine hesitancy among upper-class Brazilians: Results from four birth cohorts, 1982–2015. Vaccine, 2020, 38, 482-488.	3.8	46

#	ARTICLE	IF	CITATIONS
37	Hypertensive Disorders of Pregnancy and Medication Use in the 2015 Pelotas (Brazil) Birth Cohort Study. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 8541.	2.6	5
38	Trends and inequalities in unplanned pregnancy in three population-based birth cohorts in Pelotas, Brazil. <i>International Journal of Public Health</i> , 2020, 65, 1635-1645.	2.3	7
39	SARS-CoV-2 antibody prevalence in Brazil: results from two successive nationwide serological household surveys. <i>The Lancet Global Health</i> , 2020, 8, e1390-e1398.	6.3	292
40	Illicit drug use among students of a university in Southern Brazil. <i>Revista De Saude Publica</i> , 2020, 54, 57.	1.7	4
41	Introduction to complementary feeding in the first year of life and risk of overweight at 24 months of age: changes from 2004 to 2015 Pelotas (Brazil) Birth Cohorts. <i>British Journal of Nutrition</i> , 2020, 124, 620-630.	2.3	6
42	Trajectories of maternal depressive symptoms from the antenatal period to 24-months postnatal follow-up: findings from the 2015 Pelotas birth cohort. <i>BMC Psychiatry</i> , 2020, 20, 233.	2.6	13
43	Phase II trial evaluating the clinical efficacy of cefixime for treatment of active syphilis in non-pregnant women in Brazil (CeBra). <i>BMC Infectious Diseases</i> , 2020, 20, 405.	2.9	15
44	Population-based surveys of antibodies against SARS-CoV-2 in Southern Brazil. <i>Nature Medicine</i> , 2020, 26, 1196-1199.	30.7	132
45	Poor maternal nutritional status before and during pregnancy is associated with suspected child developmental delay in 2-year old Brazilian children. <i>Scientific Reports</i> , 2020, 10, 1851.	3.3	15
46	Medication Use among Pregnant Women from the 2015 Pelotas (Brazil) Birth Cohort Study. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 989.	2.6	15
47	Female infants are more susceptible to the effects of maternal antenatal depression; findings from the Pelotas (Brazil) Birth Cohort Study. <i>Journal of Affective Disorders</i> , 2020, 267, 315-324.	4.1	2
48	Maternal and child-health outcomes in pregnancies following Assisted Reproductive Technology (ART): a prospective cohort study. <i>BMC Pregnancy and Childbirth</i> , 2020, 20, 106.	2.4	11
49	Associations of acetaminophen use during pregnancy and the first year of life with neurodevelopment in early childhood. <i>Paediatric and Perinatal Epidemiology</i> , 2020, 34, 267-277.	1.7	17
50	Use of Medications by Breastfeeding Women in the 2015 Pelotas (Brazil) Birth Cohort Study. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 568.	2.6	6
51	Vaccine coverage within the first year of life and associated factors with incomplete immunization in a Brazilian birth cohort. <i>Archives of Public Health</i> , 2020, 78, 21.	2.4	27
52	Coorte retrospectiva de crianças e adolescentes hospitalizados por COVID-19 no Brasil do início da pandemia a 1 <sup>o</sup> de agosto de 2020. <i>Revista Brasileira De Epidemiologia</i> , 2020, 24, e200026.	0.8	3
53	EPICOV19 protocol: repeated serological surveys on SARS-CoV-2 antibodies in Brazil. <i>Ciencia E Saude Coletiva</i> , 2020, 25, 3573-3578.	0.5	15
54	Prevalence of antibodies against SARS-CoV-2 according to socioeconomic and ethnic status in a nationwide Brazilian survey. <i>Revista Panamericana De Salud Publica/Pan American Journal of Public Health</i> , 2020, 44, 1-7.	1.1	37

#	ARTICLE	IF	CITATIONS
55	Physical Activity During Pregnancy and Preterm Birth: Findings From the 2015 Pelotas (Brazil) Birth Cohort Study. <i>Journal of Physical Activity and Health</i> , 2020, 17, 1065-1074.	2.0	5
56	Low birthweight and preterm birth: trends and inequalities in four population-based birth cohorts in Pelotas, Brazil, 1982–2015. <i>International Journal of Epidemiology</i> , 2019, 48, i46-i53.	1.9	38
57	The use of folic acid, iron salts and other vitamins by pregnant women in the 2015 Pelotas birth cohort: is there socioeconomic inequality?. <i>BMC Public Health</i> , 2019, 19, 889.	2.9	10
58	Reasons for nonuse of contraceptive methods by women with demand for contraception not satisfied: an assessment of low and middle-income countries using demographic and health surveys. <i>Reproductive Health</i> , 2019, 16, 148.	3.1	54
59	Lessons about the reliability of congenital syphilis and vertical HIV transmission data learned from case reviews in Uruguay: a cross-sectional study. <i>BMC Pregnancy and Childbirth</i> , 2019, 19, 400.	2.4	2
60	Agreement of antenatal care indicators from self-reported questionnaire and the antenatal care card of women in the 2015 Pelotas birth cohort, Rio Grande do Sul, Brazil. <i>BMC Pregnancy and Childbirth</i> , 2019, 19, 410.	2.4	6
61	Fetal, neonatal, and post-neonatal mortality in the 2015 Pelotas (Brazil) birth cohort and associated factors. <i>Cadernos De Saude Publica</i> , 2019, 35, e00072918.	1.0	6
62	Contraceptive use in Latin America and the Caribbean with a focus on long-acting reversible contraceptives: prevalence and inequalities in 23 countries. <i>The Lancet Global Health</i> , 2019, 7, e227-e235.	6.3	93
63	The association between disrespect and abuse of women during childbirth and postpartum depression: Findings from the 2015 Pelotas birth cohort study. <i>Journal of Affective Disorders</i> , 2019, 256, 441-447.	4.1	49
64	Prevalence and associated factors of supine sleep position in 3-month-old infants: findings from the 2015 Pelotas (Brazil) Birth Cohort. <i>BMC Pediatrics</i> , 2019, 19, 165.	1.7	12
65	Drug use in delivery hospitalization: Pelotas births cohort, 2015. <i>Revista De Saude Publica</i> , 2019, 53, 51.	1.7	1
66	The effects of two early parenting interventions on child aggression and risk for violence in Brazil (The PIA-Trial): protocol for a randomised controlled trial. <i>Trials</i> , 2019, 20, 253.	1.6	11
67	Stillbirth, newborn and infant mortality: trends and inequalities in four population-based birth cohorts in Pelotas, Brazil, 1982–2015. <i>International Journal of Epidemiology</i> , 2019, 48, i54-i62.	1.9	17
68	Trends and inequalities in maternal and child health in a Brazilian city: methodology and sociodemographic description of four population-based birth cohort studies, 1982–2015. <i>International Journal of Epidemiology</i> , 2019, 48, i4-i15.	1.9	32
69	Infant nutrition and growth: trends and inequalities in four population-based birth cohorts in Pelotas, Brazil, 1982–2015. <i>International Journal of Epidemiology</i> , 2019, 48, i80-i88.	1.9	23
70	Antenatal care and caesarean sections: trends and inequalities in four population-based birth cohorts in Pelotas, Brazil, 1982–2015. <i>International Journal of Epidemiology</i> , 2019, 48, i37-i45.	1.9	25
71	Hospital admissions in the first year of life: inequalities over three decades in a southern Brazilian city. <i>International Journal of Epidemiology</i> , 2019, 48, i63-i71.	1.9	6
72	Maternal reproductive history: trends and inequalities in four population-based birth cohorts in Pelotas, Brazil, 1982–2015. <i>International Journal of Epidemiology</i> , 2019, 48, i16-i25.	1.9	10

#	ARTICLE	IF	CITATIONS
73	Maternal anthropometry: trends and inequalities in four population-based birth cohorts in Pelotas, Brazil, 1982–2015. <i>International Journal of Epidemiology</i> , 2019, 48, i26-i36.	1.9	22
74	Assisted reproductive technology. <i>Revista De Saude Publica</i> , 2019, 53, 13.	1.7	100
75	Effect of Parental Counseling on Infants'™ Healthy Sleep Habits in Brazil. <i>JAMA Network Open</i> , 2019, 2, e1918062.	5.9	9
76	Use of antibiotics in the health care unit: 2015 Pelotas Birth Cohort. <i>Revista De Saude Publica</i> , 2019, 53, 92.	1.7	1
77	Aptima <i>Trichomonas vaginalis</i> assay elucidates significant underdiagnosis of trichomoniasis among women in Brazil according to an observational study. <i>Sexually Transmitted Infections</i> , 2019, 95, 129-132.	1.9	12
78	Prenatal and postnatal maternal depression and infant hospitalization and mortality in the first year of life: A systematic review and meta-analysis. <i>Journal of Affective Disorders</i> , 2019, 243, 201-208.	4.1	58
79	Efficacy of Regular Exercise During Pregnancy on the Prevention of Postpartum Depression. <i>JAMA Network Open</i> , 2019, 2, e186861.	5.9	52
80	Quality assessment indicators in antenatal care worldwide: a systematic review. <i>International Journal for Quality in Health Care</i> , 2019, 31, 497-505.	1.8	18
81	Cohort Profile: The 2015 Pelotas (Brazil) Birth Cohort Study. <i>International Journal of Epidemiology</i> , 2018, 47, 1048-1048h.	1.9	125
82	Is intrauterine exposure to acetaminophen associated with emotional and hyperactivity problems during childhood? Findings from the 2004 Pelotas birth cohort. <i>BMC Psychiatry</i> , 2018, 18, 368.	2.6	31
83	Disrespect and abuse of women during the process of childbirth in the 2015 Pelotas birth cohort. <i>Reproductive Health</i> , 2018, 15, 54.	3.1	51
84	Caesarean sections and the prevalence of preterm and early-term births in Brazil: secondary analyses of national birth registration. <i>BMJ Open</i> , 2018, 8, e021538.	1.9	41
85	The associations that income, education, and ethnicity have with birthweight and prematurity: how close are they?. <i>Revista Panamericana De Salud Publica/Pan American Journal of Public Health</i> , 2018, 42, e92.	1.1	5
86	Antenatal depressive symptoms among pregnant women: Evidence from a Southern Brazilian population-based cohort study. <i>Journal of Affective Disorders</i> , 2017, 209, 140-146.	4.1	59
87	Prevalence of Chlamydia trachomatis and Neisseria gonorrhoea and associated factors among women living with Human Immunodeficiency Virus in Brazil: a multicenter study. <i>Brazilian Journal of Infectious Diseases</i> , 2017, 21, 402-407.	0.6	13
88	Prevalence of Trypanosoma cruzi/HIV coinfection in southern Brazil. <i>Brazilian Journal of Infectious Diseases</i> , 2017, 21, 180-184.	0.6	21
89	High-risk papillomavirus infection among women living with human Immunodeficiency virus: Brazilian multicentric study. <i>Journal of Medical Virology</i> , 2017, 89, 2217-2223.	5.0	17
90	Estimates of burden and consequences of infants born small for gestational age in low and middle income countries with INTERGROWTH-21<sup>st</sup> standard: analysis of CHERG datasets. <i>BMJ: British Medical Journal</i> , 2017, 358, j3677.	2.3	258

#	ARTICLE	IF	CITATIONS
91	Prevalence of erectile dysfunction oral drugs use in a city of southern Brazil. <i>Ciencia E Saude Coletiva</i> , 2017, 22, 2763-2770.	0.5	2
92	A randomized controlled trial of exercise during pregnancy on maternal and neonatal outcomes: results from the PAMELA study. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2017, 14, 175.	4.6	61
93	Repeat cesarean section in subsequent gestation of women from a birth cohort in Brazil. <i>Reproductive Health</i> , 2017, 14, 102.	3.1	17
94	Chlamydia trachomatis infection in young pregnant women in Southern Brazil: a cross-sectional study. <i>Cadernos De Saude Publica</i> , 2017, 33, e00067415.	1.0	12
95	Maternal complications and cesarean section without indication: systematic review and meta-analysis. <i>Revista De Saude Publica</i> , 2017, 51, 105.	1.7	117
96	Prenatal care and child growth and schooling in four low- and medium-income countries. <i>PLoS ONE</i> , 2017, 12, e0171299.	2.5	19
97	Congenital Zika virus syndrome in Brazil: a case series of the first 1501 livebirths with complete investigation. <i>Lancet, The</i> , 2016, 388, 891-897.	13.7	515
98	Secular trends in smoking during pregnancy according to income and ethnic group: four population-based perinatal surveys in a Brazilian city. <i>BMJ Open</i> , 2016, 6, e010127.	1.9	22
99	LBW and IUGR temporal trend in 4 population-based birth cohorts: the role of economic inequality. <i>BMC Pediatrics</i> , 2016, 16, 115.	1.7	11
100	Infant sleep hygiene counseling (sleep trial): protocol of a randomized controlled trial. <i>BMC Psychiatry</i> , 2016, 16, 307.	2.6	22
101	Quality of Life of Pregnant Women Living with HIV/AIDS. <i>Revista Brasileira De Ginecologia E Obstetricia</i> , 2016, 38, 246-252.	0.8	9
102	Serological diagnosis of Chagas disease in HIV-infected patients. <i>Revista Da Sociedade Brasileira De Medicina Tropical</i> , 2015, 48, 331-333.	0.9	5
103	Perfil de pessoas idosas vivendo com HIV/aids em Pelotas, sul do Brasil, 1998 a 2013. <i>Epidemiologia E Servicos De Saude: Revista Do Sistema Unico De Saude Do Brasil</i> , 2015, 24, 79-86.	1.0	16
104	Short Maternal Stature Increases Risk of Small-for-Gestational-Age and Preterm Births in Low- and Middle-Income Countries: Individual Participant Data Meta-Analysis and Population Attributable Fraction. <i>Journal of Nutrition</i> , 2015, 145, 2542-2550.	2.9	126
105	Maternal and congenital syphilis in selected Latin America and Caribbean countries: a multi-country analysis using data from the Perinatal Information System. <i>Sexual Health</i> , 2015, 12, 164.	0.9	20
106	Maternal Chlamydia trachomatis Infections and Preterm Births in a University Hospital in Vitoria, Brazil. <i>PLoS ONE</i> , 2015, 10, e0141367.	2.5	14
107	Uncommon non-oncogenic HPV genotypes, TP53 and MDM2 genes polymorphisms in HIV-infected women in Southern Brazil. <i>Brazilian Journal of Infectious Diseases</i> , 2014, 18, 643-650.	0.6	8
108	Assessment of sexual risk behaviors and perception of vulnerability to sexually transmitted diseases/acquired immunodeficiency syndrome in women, 1999â€“2012: a population based survey in a medium-sized Brazilian city. <i>Brazilian Journal of Infectious Diseases</i> , 2014, 18, 414-420.	0.6	4

#	ARTICLE	IF	CITATIONS
109	Evidence for an Epistatic Effect between TP53 R72P and MDM2 T309G SNPs in HIV Infection: A Cross-Sectional Study in Women from South Brazil. PLoS ONE, 2014, 9, e89489.	2.5	4
110	Acesso À vacina contra a hepatite B entre parturientes que realizaram o prÃ©-natal em Pelotas, Rio Grande do Sul. Epidemiologia E Servicos De Saude: Revista Do Sistema Unico De Saude Do Brasil, 2014, 23, 447-454.	1.0	2
111	National and regional estimates of term and preterm babies born small for gestational age in 138 low-income and middle-income countries in 2010. The Lancet Global Health, 2013, 1, e26-e36.	6.3	577
112	Mortality risk in preterm and small-for-gestational-age infants in low-income and middle-income countries: a pooled country analysis. Lancet, The, 2013, 382, 417-425.	13.7	637
113	Estimativas corrigidas da prevalÃªncia de nascimentos prÃ©-termo no Brasil, 2000 a 2011. Epidemiologia E Servicos De Saude: Revista Do Sistema Unico De Saude Do Brasil, 2013, 22, 557-564.	1.0	22
114	Genetic polymorphisms in estrogen receptors and sexual dimorphism in fat redistribution in HIV-infected patients on HAART. Aids, 2012, 26, 19-26.	2.2	18
115	Short Communication: UGT1A1*28 Variant Allele Is a Predictor of Severe Hyperbilirubinemia in HIV-Infected Patients on HAART in Southern Brazil. AIDS Research and Human Retroviruses, 2012, 28, 1015-1018.	1.1	21
116	Prevalence of weight-loss strategies and use of substances for weight-loss among adults: a population study. Cadernos De Saude Publica, 2012, 28, 1439-1449.	1.0	21
117	Determinants of preterm birth: Pelotas, Rio Grande do Sul State, Brazil, 2004 birth cohort. Cadernos De Saude Publica, 2010, 26, 185-194.	1.0	35
118	PrevalÃªncia de doaÃ§Ã£o de sangue e fatores associados, Pelotas, RS. Revista De Saude Publica, 2010, 44, 112-120.	1.7	27
119	Associated factors and consequences of late preterm births: results from the 2004 Pelotas birth cohort. Paediatric and Perinatal Epidemiology, 2008, 22, 350-359.	1.7	62
120	Aumento da prematuridade no Brasil: revisÃ£o de estudos de base populacional. Revista De Saude Publica, 2008, 42, 957-964.	1.7	114
121	Preterm births, low birth weight, and intrauterine growth restriction in three birth cohorts in Southern Brazil: 1982, 1993 and 2004. Cadernos De Saude Publica, 2008, 24, s390-s398.	1.0	74
122	Impact of an educational intervention to promote condom use among the male partners of HIV positive women. Journal of Evaluation in Clinical Practice, 2006, 12, 102-111.	1.8	14
123	Factors associated with condom use in women from an urban area in southern Brazil. Cadernos De Saude Publica, 2005, 21, 1557-1564.	1.0	12
124	The challenge of reducing neonatal mortality in middle-income countries: findings from three Brazilian birth cohorts in 1982, 1993, and 2004. Lancet, The, 2005, 365, 847-854.	13.7	235
125	Factors Associated With Risk Behaviors for Sexually Transmitted Disease/AIDS Among Urban Brazilian Women. Sexually Transmitted Diseases, 2002, 29, 536-541.	1.7	12
126	Co-occurrence of alcohol, tobacco and illicit drug use among university students in Brazil. Revista Brasileira Em PromoÃ§Ã£o Da SaÃºde, 0, 34, 1-13.	0.1	1

#	ARTICLE	IF	CITATIONS
127	Social Distancing, Mask Use and the Transmission of SARS-CoV-2: A Population-Based Case-Control Study. SSRN Electronic Journal, 0, , .	0.4	0