

# Susan Kaye Morton

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3773456/publications.pdf>

Version: 2024-02-01

261  
papers

9,587  
citations

57758

44  
h-index

51608

86  
g-index

264  
all docs

264  
docs citations

264  
times ranked

10409  
citing authors

#	ARTICLE	IF	CITATIONS
1	Repeatability, Completion Time, and Predictive Ability of Four Diabetes-Related Foot Ulcer Classification Systems. <i>Journal of Diabetes Science and Technology</i> , 2023, 17, 35-41.	2.2	3
2	Remotely Delivered Monitoring and Management of Diabetes-Related Foot Disease: An Overview of Systematic Reviews. <i>Journal of Diabetes Science and Technology</i> , 2023, 17, 59-69.	2.2	13
3	Mouse models for abdominal aortic aneurysm. <i>British Journal of Pharmacology</i> , 2022, 179, 792-810.	5.4	30
4	Adjustment for body mass index changes inverse associations of HDL-cholesterol with blood pressure and hypertension to positive associations. <i>Journal of Human Hypertension</i> , 2022, 36, 570-579.	2.2	8
5	Association of chronic venous disease with major adverse cardiovascular events. <i>Journal of Vascular Surgery: Venous and Lymphatic Disorders</i> , 2022, 10, 683-688.	1.6	3
6	Association of Diagnosis of Depression and Small Abdominal Aortic Aneurysm Growth. <i>Annals of Vascular Surgery</i> , 2022, 79, 256-263.	0.9	2
7	Cohort Study Examining the Association of Immunosuppressant Drug Prescription With Major Adverse Cardiovascular and Limb Events in Patients With Peripheral Artery Disease. <i>Annals of Vascular Surgery</i> , 2022, 78, 310-320.	0.9	1
8	A meta-analysis of randomized controlled trials evaluating the efficacy of smoking cessation interventions in people with peripheral artery disease. <i>Journal of Vascular Surgery</i> , 2022, 75, 721-729.e7.	1.1	12
9	Hearing impairment and frailty in later life: The Health in Men Study (HIMS). <i>Maturitas</i> , 2022, 156, 30-36.	2.4	5
10	Optimal Management of Asymptomatic Carotid Stenosis in 2021: The Jury is Still Out. An International, Multispecialty, Expert Review and Position Statement. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2022, 31, 106182.	1.6	14
11	The Hospital Frailty Risk Score Identifies Fewer Cases of Frailty in a Community-Based Cohort of Older Men Than the FRAIL Scale and Frailty Index. <i>Journal of the American Medical Directors Association</i> , 2022, 23, 1348-1353.e8.	2.5	6
12	Update on the pathophysiology and medical treatment of peripheral artery disease. <i>Nature Reviews Cardiology</i> , 2022, 19, 456-474.	13.7	64
13	Cohort Study Examining the Prevalence and Relationship with Outcome of Standard Modifiable Risk Factors in Patients with Peripheral Artery Occlusive and Aneurysmal Disease. <i>European Journal of Vascular and Endovascular Surgery</i> , 2022, 63, 305-313.	1.5	4
14	Effectiveness of Remotely Delivered Interventions to Simultaneously Optimize Management of Hypertension, Hyperglycemia and Dyslipidemia in People With Diabetes: A Systematic Review and Meta-Analysis of Randomized Controlled Trials. <i>Frontiers in Endocrinology</i> , 2022, 13, 848695.	3.5	6
15	Opinions about the most appropriate surgical management of diabetes-related foot infection: a cross-sectional survey. <i>Journal of Foot and Ankle Research</i> , 2022, 15, 18.	1.9	1
16	Genetic Predisposition to Diabetes and Abdominal Aortic Aneurysm: A Two Stage Mendelian Randomisation Study. <i>European Journal of Vascular and Endovascular Surgery</i> , 2022, 63, 512-519.	1.5	9
17	Athero-occlusive Disease Appears to be Associated with Slower Abdominal Aortic Aneurysm Growth: An Exploratory Analysis of the TEDY Trial. <i>European Journal of Vascular and Endovascular Surgery</i> , 2022, 63, 632-640.	1.5	7
18	Optimal management of asymptomatic carotid stenosis in 2021: the jury is still out. An international, multispecialty, expert review and position statement. <i>International Angiology</i> , 2022, 41, .	0.9	1

#	ARTICLE	IF	CITATIONS
19	Plasma polymers from oregano secondary metabolites: Antibacterial and biocompatible plant-based polymers. <i>Plasma Processes and Polymers</i> , 2022, 19, .	3.0	5
20	Comparison of Recent Practice Guidelines for the Management of Patients With Asymptomatic Carotid Stenosis. <i>Angiology</i> , 2022, 73, 903-910.	1.8	4
21	Reply. <i>Journal of Vascular Surgery</i> , 2022, 75, 1791-1792.	1.1	0
22	Risk factors, risk stratification and risk-specific surveillance strategies after endovascular aneurysm repair: study protocol for a Delphi study by the International Risk Stratification in EVAR (IRIS-EVAR) working group. <i>BMJ Open</i> , 2022, 12, e055803.	1.9	3
23	Role of Sclerostin in Cardiovascular Disease. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2022, 42, 101161ATVBAHA122317635.	2.4	10
24	Cohort Study Examining the Association of Optimal Blood Pressure Control at Entry With Infrarenal Abdominal Aortic Aneurysm Growth. <i>Frontiers in Cardiovascular Medicine</i> , 2022, 9, 868889.	2.4	2
25	Disrupted sleep and risk of depression in later life: A prospective cohort study with extended follow up and a systematic review and meta-analysis. <i>Journal of Affective Disorders</i> , 2022, 309, 314-323.	4.1	13
26	Efficacy of at home monitoring of foot temperature for risk reduction of diabetes-related foot ulcer: A meta-analysis. <i>Diabetes/Metabolism Research and Reviews</i> , 2022, 38, .	4.0	9
27	Health Professionals'™ Opinions About Secondary Prevention of Diabetes-Related Foot Disease. <i>Science of Diabetes Self-Management and Care</i> , 2022, 48, 349-361.	1.6	2
28	Effect of blood pressure lowering drugs and antibiotics on abdominal aortic aneurysm growth: a systematic review and meta-analysis. <i>Heart</i> , 2021, 107, 1465-1471.	2.9	14
29	Hyperuricemia is independently associated with hypertension in men under 60 years in a general Chinese population. <i>Journal of Human Hypertension</i> , 2021, 35, 1020-1028.	2.2	19
30	Re-œTrends in Lower Extremity Amputation Incidence in European Union 15+ Countries 1990œ2017œ. <i>European Journal of Vascular and Endovascular Surgery</i> , 2021, 61, 344-345.	1.5	3
31	The cost-effectiveness of intensive low-density lipoprotein cholesterol lowering in people with peripheral artery disease. <i>Journal of Vascular Surgery</i> , 2021, 73, 1396-1403.e3.	1.1	14
32	U-Shaped Relationship of Leukocyte Telomere Length With All-Cause and Cancer-Related Mortality in Older Men. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2021, 76, 164-171.	3.6	6
33	The reproducibility of measuring maximum abdominal aortic aneurysm diameter from ultrasound images. <i>Ultrasound Journal</i> , 2021, 13, 13.	3.3	8
34	Depression and the Risk of Fractures in Later Life: the Health In Men Cohort Study. <i>Maturitas</i> , 2021, 145, 6-11.	2.4	6
35	Role of Adipokines and Perivascular Adipose Tissue in Abdominal Aortic Aneurysm: A Systematic Review and Meta-Analysis of Animal and Human Observational Studies. <i>Frontiers in Endocrinology</i> , 2021, 12, 618434.	3.5	6
36	Effect of disease modifying anti-rheumatic drugs on major cardiovascular events: a meta-analysis of randomized controlled trials. <i>Scientific Reports</i> , 2021, 11, 6627.	3.3	8

#	ARTICLE	IF	CITATIONS
37	A Modified MTS Proliferation Assay for Suspended Cells to Avoid the Interference by Hydralazine and $\hat{I}^2$ -Mercaptoethanol. <i>Assay and Drug Development Technologies</i> , 2021, 19, 184-190.	1.2	7
38	Topical oxygen therapy for diabetes-related foot ulcers: A systematic review and meta-analysis. <i>Diabetic Medicine</i> , 2021, 38, e14585.	2.3	15
39	Systematic Review and Meta-Analysis of Interventions to Slow Progression of Abdominal Aortic Aneurysm in Mouse Models. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2021, 41, 1504-1517.	2.4	9
40	Relationship between requirement to stop during a six-minute walk test and health-related quality of life, physical activity and physical performance amongst people with intermittent claudication. <i>Annals of Vascular Surgery</i> , 2021, 76, 363-369.	0.9	4
41	Major amputation rates and outcomes for Aboriginal and Torres Strait Islander and non-Indigenous people in North Queensland Australia between 2000 and 2015. <i>BMC Endocrine Disorders</i> , 2021, 21, 101.	2.2	7
42	Control of modifiable risk factors and major adverse cardiovascular events in people with peripheral artery disease and diabetes. <i>World Journal of Diabetes</i> , 2021, 12, 883-892.	3.5	4
43	Systematic review of genome-wide association studies of abdominal aortic aneurysm. <i>Atherosclerosis</i> , 2021, 327, 39-48.	0.8	11
44	Evidence-Based Recommendations for Medical Management of Peripheral Artery Disease. <i>Journal of Atherosclerosis and Thrombosis</i> , 2021, 28, 573-583.	2.0	12
45	Potential Benefits of Phytochemicals for Abdominal Aortic Aneurysm. <i>Current Medicinal Chemistry</i> , 2021, 28, 8595-8607.	2.4	14
46	Digital Biomarkers of Physical Frailty and Frailty Phenotypes Using Sensor-Based Physical Activity and Machine Learning. <i>Sensors</i> , 2021, 21, 5289.	3.8	22
47	Systematic review and Meta-Analysis of Mendelian randomisation analyses of Abdominal aortic aneurysms. <i>IJC Heart and Vasculature</i> , 2021, 35, 100836.	1.1	7
48	Kallistatin limits abdominal aortic aneurysm by attenuating generation of reactive oxygen species and apoptosis. <i>Scientific Reports</i> , 2021, 11, 17451.	3.3	9
49	Cohort study examining the relationship between remoteness and requirement for surgery to treat peripheral artery disease at a tertiary hospital in North Queensland. <i>Australian Journal of Rural Health</i> , 2021, 29, 512-520.	1.5	1
50	Protocol for the Stimulating $\hat{I}^2 <sub>3 </sub>$ -Adrenergic Receptors for Peripheral Artery Disease (STAR-PAD) trial: a double-blinded, randomised, placebo-controlled study evaluating the effects of mirabegron on functional performance in patients with peripheral arterial disease. <i>BMJ Open</i> , 2021, 11, e049858.	1.9	5
51	The Potential Benefits and Costs of an Intensified Approach to Low Density Lipoprotein Cholesterol Lowering in People with Abdominal Aortic Aneurysm. <i>European Journal of Vascular and Endovascular Surgery</i> , 2021, 62, 643-650.	1.5	11
52	Meta-analysis of the association between angiotensin pathway inhibitors and COVID-19 severity and mortality. <i>Systematic Reviews</i> , 2021, 10, 243.	5.3	7
53	Editor's Choice " Association Between Metformin Prescription and Abdominal Aortic Aneurysm Growth and Clinical Events: a Systematic Review and Meta-Analysis. <i>European Journal of Vascular and Endovascular Surgery</i> , 2021, 62, 747-756.	1.5	16
54	Outcomes and Costs of Open and Endovascular Revascularisation for Chronic Limb Ischaemia in an Australian Cohort. <i>Heart Lung and Circulation</i> , 2021, 30, 1552-1561.	0.4	4

#	ARTICLE	IF	CITATIONS
55	Reduced renal function may explain the higher prevalence of hyperuricemia in older people. <i>Scientific Reports</i> , 2021, 11, 1302.	3.3	22
56	A Systematic Review and Meta-Analysis of the Effect of Pentagalloyl Glucose Administration on Aortic Expansion in Animal Models. <i>Biomedicines</i> , 2021, 9, 1442.	3.2	3
57	A histopathological classification scheme for abdominal aortic aneurysm disease. <i>JVS Vascular Science</i> , 2021, 2, 260-273.	1.1	8
58	Editor's Choice " Cohort Study Examining the Association Between Abdominal Aortic Size and Major Adverse Cardiovascular Events in Patients with Aortic and Peripheral Occlusive and Aneurysmal Disease. <i>European Journal of Vascular and Endovascular Surgery</i> , 2021, 62, 960-968.	1.5	6
59	Novel therapeutic targets for diabetes-related wounds or ulcers: an update on preclinical and clinical research. <i>Expert Opinion on Therapeutic Targets</i> , 2021, 25, 1061-1075.	3.4	5
60	Protocol for the Metformin Aneurysm Trial (MAT): a placebo-controlled randomised trial testing whether metformin reduces the risk of serious complications of abdominal aortic aneurysm. <i>Trials</i> , 2021, 22, 962.	1.6	8
61	Endotoxin Tolerance in Abdominal Aortic Aneurysm Macrophages, In Vitro: A Case-Control Study. <i>Antioxidants</i> , 2020, 9, 896.	5.1	5
62	Risk Factors and Mouse Models of Abdominal Aortic Aneurysm Rupture. <i>International Journal of Molecular Sciences</i> , 2020, 21, 7250.	4.1	20
63	Association of gout with major adverse cardiovascular events and all-cause mortality in patients with peripheral artery disease. <i>Atherosclerosis</i> , 2020, 312, 23-27.	0.8	6
64	A Randomised Controlled Trial Assessing the Effects of Peri-operative Fenofibrate Administration on Abdominal Aortic Aneurysm Pathology: Outcomes From the FAME Trial. <i>European Journal of Vascular and Endovascular Surgery</i> , 2020, 60, 452-460.	1.5	11
65	Opinions of vascular surgeons and podiatrists in Australia and New Zealand on the use of hyperbaric oxygen therapy for lower limb ulcers. <i>BMJ Open Diabetes Research and Care</i> , 2020, 8, e001590.	2.8	0
66	Skeletal muscle microvascular perfusion responses to cuff occlusion and submaximal exercise assessed by contrast-enhanced ultrasound: The effect of age. <i>Physiological Reports</i> , 2020, 8, e14580.	1.7	7
67	Health-related quality of life amongst people diagnosed with abdominal aortic aneurysm and peripheral artery disease and the effect of fenofibrate. <i>Scientific Reports</i> , 2020, 10, 14583.	3.3	3
68	Efficacy of Telmisartan to Slow Growth of Small Abdominal Aortic Aneurysms. <i>JAMA Cardiology</i> , 2020, 5, 1374.	6.1	45
69	Animal models of ischemic limb ulcers: a systematic review and meta-analysis. <i>BMJ Open Diabetes Research and Care</i> , 2020, 8, e001676.	2.8	6
70	An Improved 3-(4,5-Dimethylthiazol-2-yl)-5-(3-Carboxymethoxyphenyl)-2-(4-Sulfophenyl)-2H-Tetrazolium Proliferation Assay to Overcome the Interference of Hydralazine. <i>Assay and Drug Development Technologies</i> , 2020, 18, 379-384.	1.2	6
71	The Potential Role of Sensors, Wearables and Telehealth in the Remote Management of Diabetes-Related Foot Disease. <i>Sensors</i> , 2020, 20, 4527.	3.8	32
72	Systematic review and meta-analysis of mouse models of diabetes-associated ulcers. <i>BMJ Open Diabetes Research and Care</i> , 2020, 8, e000982.	2.8	12

#	ARTICLE	IF	CITATIONS
73	U-Shaped Association of Plasma Testosterone, and no Association of Plasma Estradiol, with Incidence of Fractures in Men. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2020, 105, 1489-1500.	3.6	11
74	Systematic review and meta-analysis of the association between intraluminal thrombus volume and abdominal aortic aneurysm rupture. <i>Journal of Vascular Surgery</i> , 2020, 71, 1070-1071.	1.1	0
75	Development of a two-stage limb ischemia model to better simulate human peripheral artery disease. <i>Scientific Reports</i> , 2020, 10, 3449.	3.3	36
76	Pathogenic mechanisms and the potential of drug therapies for aortic aneurysm. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2020, 318, H652-H670.	3.2	37
77	Relationship Between Disease Specific Quality of Life Measures, Physical Performance, and Activity in People with Intermittent Claudication Caused by Peripheral Artery Disease. <i>European Journal of Vascular and Endovascular Surgery</i> , 2020, 59, 957-964.	1.5	21
78	Factor XII blockade inhibits aortic dilatation in angiotensin II-infused apolipoprotein E-deficient mice. <i>Clinical Science</i> , 2020, 134, 1049-1061.	4.3	9
79	Vitamin D deficiency promotes large rupture-prone abdominal aortic aneurysms and cholecalciferol supplementation limits progression of aneurysms in a mouse model. <i>Clinical Science</i> , 2020, 134, 2521-2534.	4.3	10
80	Associations of plasma IGF1, IGFBP3 and estradiol with leucocyte telomere length, a marker of biological age, in men. <i>European Journal of Endocrinology</i> , 2020, 182, 23-33.	3.7	10
81	Asia-Pacific Consensus Statement on the Management of Peripheral Artery Disease: Report from the Asian Pacific Society of Atherosclerosis and Vascular Disease Asia-Pacific Peripheral Artery Disease Consensus Statement Project Committee. <i>Journal of Atherosclerosis and Thrombosis</i> , 2020, 27, 809-907.	2.0	49
82	Survival following abdominal aortic aneurysm repair in North Queensland is not associated with remoteness of place of residence. <i>PLoS ONE</i> , 2020, 15, e0241802.	2.5	1
83	High ankle brachial index predicts high risk of cardiovascular events amongst people with peripheral artery disease. <i>PLoS ONE</i> , 2020, 15, e0242228.	2.5	5
84	Prevalence and Outcomes of Undiagnosed Peripheral Arterial Disease Among High Risk Patients in Australia: An Australian REACH Sub-Study. <i>Heart Lung and Circulation</i> , 2019, 28, 939-945.	0.4	11
85	Gait in People With Nonhealing Diabetes-Related Plantar Ulcers. <i>Physical Therapy</i> , 2019, 99, 1602-1615.	2.4	6
86	Depression, antidepressants and the risk of cardiovascular events and death in older men. <i>Maturitas</i> , 2019, 128, 4-9.	2.4	18
87	Systematic review and meta-analysis of the association between intraluminal thrombus volume and abdominal aortic aneurysm rupture. <i>Journal of Vascular Surgery</i> , 2019, 70, 2065-2073.e10.	1.1	25
88	Aortic and Systemic Arterial Stiffness Responses to Acute Exercise in Patients With Small Abdominal Aortic Aneurysms. <i>European Journal of Vascular and Endovascular Surgery</i> , 2019, 58, 708-718.	1.5	13
89	A systematic review and meta-analysis of risk factors for and incidence of 30-day readmission after revascularization for peripheral artery disease. <i>Journal of Vascular Surgery</i> , 2019, 70, 996-1006.e7.	1.1	34
90	Omega-3 fatty acids decrease oxidative stress and inflammation in macrophages from patients with small abdominal aortic aneurysm. <i>Scientific Reports</i> , 2019, 9, 12978.	3.3	52

#	ARTICLE	IF	CITATIONS
91	Response to Letter to the Editor: "Advanced Glycation End Products and esRAGE Are Associated With Bone Turnover and Incidence of Hip Fracture in Older Men". <i>Journal of Clinical Endocrinology and Metabolism</i> , 2019, 104, 684-685.	3.6	0
92	Within- and Between-Body-Site Agreement of Skin Autofluorescence Measurements in People With and Without Diabetes-Related Foot Disease. <i>Journal of Diabetes Science and Technology</i> , 2019, 13, 836-846.	2.2	5
93	Differential associations of ferritin and 25-hydroxyvitamin D with fasting glucose and diabetes risk in community dwelling older men. <i>Diabetes/Metabolism Research and Reviews</i> , 2019, 35, e3172.	4.0	1
94	Cohort Study Examining the Association Between Blood Pressure and Cardiovascular Events in Patients With Peripheral Artery Disease. <i>Journal of the American Heart Association</i> , 2019, 8, e010748.	3.7	23
95	n-3 PUFAs improve erythrocyte fatty acid profile in patients with small AAA: a randomized controlled trial. <i>Journal of Lipid Research</i> , 2019, 60, 1154-1163.	4.2	11
96	The longitudinal association between natural outdoor environments and mortality in 9218 older men from Perth, Western Australia. <i>Environment International</i> , 2019, 125, 430-436.	10.0	33
97	Lipid management in people with peripheral artery disease. <i>Current Opinion in Lipidology</i> , 2019, 30, 470-476.	2.7	19
98	Editor's Choice "Metformin Prescription is Associated with a Reduction in the Combined Incidence of Surgical Repair and Rupture Related Mortality in Patients with Abdominal Aortic Aneurysm. <i>European Journal of Vascular and Endovascular Surgery</i> , 2019, 57, 94-101.	1.5	50
99	Response to "Re. Systematic Review and Meta-analysis of Clinical Trials Examining the Benefit of Exercise Programs Using Nordic Walking in Patients with Peripheral Artery Disease". <i>European Journal of Vascular and Endovascular Surgery</i> , 2019, 57, 465-466.	1.5	0
100	Hearing loss and incident psychosis in later life: The Health in Men Study (HIMS). <i>International Journal of Geriatric Psychiatry</i> , 2019, 34, 408-414.	2.7	8
101	Abdominal aortic aneurysm: update on pathogenesis and medical treatments. <i>Nature Reviews Cardiology</i> , 2019, 16, 225-242.	13.7	392
102	Editor's Choice "European Society for Vascular Surgery (ESVS) 2019 Clinical Practice Guidelines on the Management of Abdominal Aorto-iliac Artery Aneurysms. <i>European Journal of Vascular and Endovascular Surgery</i> , 2019, 57, 8-93.	1.5	1,684
103	Higher circulating androgens and higher physical activity levels are associated with less central adiposity and lower risk of cardiovascular death in older men. <i>Clinical Endocrinology</i> , 2019, 90, 375-383.	2.4	13
104	Risk of dementia associated with psychotic disorders in later life: the health in men study (HIMS). <i>Psychological Medicine</i> , 2019, 49, 232-242.	4.5	26
105	Depletion of CD11c+ dendritic cells in apolipoprotein E-deficient mice limits angiotensin II-induced abdominal aortic aneurysm formation and growth. <i>Clinical Science</i> , 2019, 133, 2203-2215.	4.3	15
106	Subclinical thyroid dysfunction and circulating thyroid hormones are not associated with bone turnover markers or incident hip fracture in older men. <i>Clinical Endocrinology</i> , 2018, 89, 93-99.	2.4	29
107	Comment on "Pharmacological inhibition of protein tyrosine phosphatase 1B protects against atherosclerotic plaque formation in the LDLR <sup>-/-</sup> /ApoE <sup>-/-</sup> mouse model of atherosclerosis". <i>Clinical Science</i> , 2018, 132, 37-38.	4.3	1
108	Diabetes Reduces Severity of Aortic Aneurysms Depending on the Presence of Cell Division Autoantigen 1 (CDA1). <i>Diabetes</i> , 2018, 67, 755-768.	0.6	17

#	ARTICLE	IF	CITATIONS
109	Hearing loss and the risk of dementia in later life. <i>Maturitas</i> , 2018, 112, 1-11.	2.4	111
110	Higher IGFBP3 is associated with increased incidence of colorectal cancer in older men independently of <sc>IGF</sc>>1. <i>Clinical Endocrinology</i> , 2018, 88, 333-340.	2.4	20
111	Plasma free thyroxine in the upper quartile is associated with an increased incidence of major cardiovascular events in older men that do not have thyroid dysfunction according to conventional criteria. <i>International Journal of Cardiology</i> , 2018, 254, 316-321.	1.7	7
112	Effects of acute exercise on endothelial function in patients with abdominal aortic aneurysm. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2018, 314, H19-H30.	3.2	31
113	Circulating biomarkers are not associated with endoleaks after endovascular repair of abdominal aortic aneurysms. <i>Journal of Vascular Surgery</i> , 2018, 67, 770-777.	1.1	14
114	Circulating MicroRNAs as Biomarkers for Acute Ischemic Stroke: A Systematic Review. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2018, 27, 522-530.	1.6	63
115	Association of Computed Tomographic Leg Muscle Characteristics With Lower Limb and Cardiovascular Events in Patients With Peripheral Artery Disease. <i>Journal of the American Heart Association</i> , 2018, 7, e009943.	3.7	18
116	A diet enriched with tree nuts reduces severity of atherosclerosis but not abdominal aneurysm in angiotensin II-infused apolipoprotein E deficient mice. <i>Atherosclerosis</i> , 2018, 277, 28-33.	0.8	8
117	Advanced Glycation End Products and esRAGE Are Associated With Bone Turnover and Incidence of Hip Fracture in Older Men. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2018, 103, 4224-4231.	3.6	32
118	Presentation and outcomes of indigenous Australians with peripheral artery disease. <i>BMC Cardiovascular Disorders</i> , 2018, 18, 94.	1.7	13
119	Systematic Review and Meta-analysis of Clinical Trials Examining the Benefit of Exercise Programmes Using Nordic Walking in Patients With Peripheral Artery Disease. <i>European Journal of Vascular and Endovascular Surgery</i> , 2018, 56, 534-543.	1.5	14
120	A meta-analysis of the efficacy of allopurinol in reducing the incidence of myocardial infarction following coronary artery bypass grafting. <i>BMC Cardiovascular Disorders</i> , 2018, 18, 143.	1.7	8
121	Older men with bipolar disorder: Clinical associations with early and late onset illness. <i>International Journal of Geriatric Psychiatry</i> , 2018, 33, 1613-1619.	2.7	17
122	Substance use among older adults with bipolar disorder varies according to age at first treatment contact. <i>Journal of Affective Disorders</i> , 2018, 239, 269-273.	4.1	8
123	Anionic nanoliposomes reduced atherosclerosis progression in Low Density Lipoprotein Receptor (<i>LDLR</i>) deficient mice fed a high fat diet. <i>Journal of Cellular Physiology</i> , 2018, 233, 6951-6964.	4.1	11
124	Sex hormones and incident dementia in older men: The health in men study. <i>Psychoneuroendocrinology</i> , 2018, 98, 139-147.	2.7	31
125	Leg blood flow and skeletal muscle microvascular perfusion responses to submaximal exercise in peripheral arterial disease. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2018, 315, H1425-H1433.	3.2	29
126	Older men with bipolar disorder diagnosed in early and later life: Physical health morbidity and general hospital service use. <i>Journal of Affective Disorders</i> , 2018, 241, 269-274.	4.1	9



#	ARTICLE	IF	CITATIONS
127	Transactivation of RAGE mediates angiotensin-induced inflammation and atherogenesis. <i>Journal of Clinical Investigation</i> , 2018, 129, 406-421.	8.2	59
128	Fenofibrate and Telmisartan in the Management of Abdominal Aortic Aneurysm. <i>Current Drug Targets</i> , 2018, 19, 1241-1246.	2.1	12
129	Excessive alcohol consumption increases mortality in later life: a genetic analysis of the health in men cohort study. <i>Addiction Biology</i> , 2017, 22, 570-578.	2.6	12
130	Parenteral administration of factor Xa/IIa inhibitors limits experimental aortic aneurysm and atherosclerosis. <i>Scientific Reports</i> , 2017, 7, 43079.	3.3	31
131	Higher Dihydrotestosterone Is Associated with the Incidence of Lung Cancer in Older Men. <i>Hormones and Cancer</i> , 2017, 8, 119-126.	4.9	20
132	Longevity Klotho gene polymorphism and the risk of dementia in older men. <i>Maturitas</i> , 2017, 101, 1-5.	2.4	17
133	High serum thrombospondin-1 concentration is associated with slower abdominal aortic aneurysm growth and deficiency of thrombospondin-1 promotes angiotensin II induced aortic aneurysm in mice. <i>Clinical Science</i> , 2017, 131, 1261-1281.	4.3	26
134	Cardiorespiratory fitness modulates the acute flow-mediated dilation response following high-intensity but not moderate-intensity exercise in elderly men. <i>Journal of Applied Physiology</i> , 2017, 122, 1238-1248.	2.5	23
135	A systematic review investigating the association of microRNAs with human abdominal aortic aneurysms. <i>Atherosclerosis</i> , 2017, 261, 78-89.	0.8	35
136	Wnt Signaling Pathway Inhibitor Sclerostin Inhibits Angiotensin II-Induced Aortic Aneurysm and Atherosclerosis. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2017, 37, 553-566.	2.4	127
137	Response to Re: A Systematic Review and Meta-analysis of the Association Between C-reactive Protein and Major Cardiovascular Events in Patients with Peripheral Artery Disease. <i>European Journal of Vascular and Endovascular Surgery</i> , 2017, 54, 661-662.	1.5	0
138	Resveratrol Inhibits Growth of Experimental Abdominal Aortic Aneurysm Associated With Upregulation of Angiotensin-Converting Enzyme 2. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2017, 37, 2195-2203.	2.4	67
139	Baseline serum phosphatidylcholine plasmalogen concentrations are inversely associated with incident myocardial infarction in patients with mixed peripheral artery disease presentations. <i>Atherosclerosis</i> , 2017, 263, 301-308.	0.8	32
140	Body Mass Index and Vascular Disease in Men Aged 65 Years and Over: HIMS (Health In Men Study). <i>Journal of the American Heart Association</i> , 2017, 6, .	3.7	2
141	Upregulation of arylsulfatase B in carotid atherosclerosis is associated with symptoms of cerebral embolization. <i>Scientific Reports</i> , 2017, 7, 4338.	3.3	5
142	Depression Among Nonfrail Old Men Is Associated With Reduced Physical Function and Functional Capacity After 9 Years Follow-up: The Health in Men Cohort Study. <i>Journal of the American Medical Directors Association</i> , 2017, 18, 65-69.	2.5	15
143	Higher thyrotropin concentration is associated with increased incidence of colorectal cancer in older men. <i>Clinical Endocrinology</i> , 2017, 86, 278-285.	2.4	8
144	Challenges and opportunities in limiting abdominal aortic aneurysm growth. <i>Journal of Vascular Surgery</i> , 2017, 65, 225-233.	1.1	99

#	ARTICLE	IF	CITATIONS
145	Combined Lower Limb Revascularisation and Supervised Exercise Training for Patients with Peripheral Arterial Disease: A Systematic Review of Randomised Controlled Trials. <i>Sports Medicine</i> , 2017, 47, 987-1002.	6.5	22
146	Bone turnover markers: Defining a therapeutic target. <i>Clinical Biochemistry</i> , 2017, 50, 162-163.	1.9	8
147	Use of Nanoparticles As Contrast Agents for the Functional and Molecular Imaging of Abdominal Aortic Aneurysm. <i>Frontiers in Cardiovascular Medicine</i> , 2017, 4, 16.	2.4	11
148	Optimizing the Definitions of Stroke, Transient Ischemic Attack, and Infarction for Research and Application in Clinical Practice. <i>Frontiers in Neurology</i> , 2017, 8, 537.	2.4	51
149	Plantar pressures are elevated in people with longstanding diabetes-related foot ulcers during follow-up. <i>PLoS ONE</i> , 2017, 12, e0181916.	2.5	23
150	Inositol in the MAnageMEnt of abdominal aortic aneurysm (IMAGEN): study protocol for a randomised controlled trial. <i>Trials</i> , 2017, 18, 547.	1.6	1
151	Effect of blood pressure lowering medications on leg ischemia in peripheral artery disease patients: A meta-analysis of randomised controlled trials. <i>PLoS ONE</i> , 2017, 12, e0178713.	2.5	14
152	Flavonols reduce aortic atherosclerosis lesion area in apolipoprotein E deficient mice: A systematic review and meta-analysis. <i>PLoS ONE</i> , 2017, 12, e0181832.	2.5	17
153	The Potential Role of Kallistatin in the Development of Abdominal Aortic Aneurysm. <i>International Journal of Molecular Sciences</i> , 2016, 17, 1312.	4.1	14
154	Gait parameters of people with diabetes-related neuropathic plantar foot ulcers. <i>Clinical Biomechanics</i> , 2016, 37, 98-107.	1.2	39
155	Plantar pressures are higher in cases with diabetic foot ulcers compared to controls despite a longer stance phase duration. <i>BMC Endocrine Disorders</i> , 2016, 16, 51.	2.2	60
156	Modulation of Kinin B2 Receptor Signaling Controls Aortic Dilatation and Rupture in the Angiotensin II-Infused Apolipoprotein E-Deficient Mouse. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2016, 36, 898-907.	2.4	22
157	Suicide in older men: The health in men cohort study (HIMS). <i>Preventive Medicine</i> , 2016, 93, 33-38.	3.4	23
158	A small animal model for early cerebral aneurysm pathology. <i>Journal of Clinical Neuroscience</i> , 2016, 34, 259-263.	1.5	6
159	Evaluation of the clinical relevance and limitations of current pre-clinical models of peripheral artery disease. <i>Clinical Science</i> , 2016, 130, 127-150.	4.3	53
160	Oxidative stress and abdominal aortic aneurysm: potential treatment targets. <i>Clinical Science</i> , 2016, 130, 301-315.	4.3	82
161	Reference Ranges for Thyroid-Stimulating Hormone and Free Thyroxine in Older Men: Results From the Health In Men Study. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2016, 72, glw132.	3.6	12
162	Angiotensin-2 attenuates angiotensin II-induced aortic aneurysm and atherosclerosis in apolipoprotein E-deficient mice. <i>Scientific Reports</i> , 2016, 6, 35190.	3.3	19

#	ARTICLE	IF	CITATIONS
163	Efficacy of brief behavioral counselling by allied health professionals to promote physical activity in people with peripheral arterial disease (BIPP): study protocol for a multi-center randomized controlled trial. <i>BMC Public Health</i> , 2016, 16, 1148.	2.9	6
164	Plasma ferritin concentrations are not associated with abdominal aortic aneurysm diagnosis, size or growth. <i>Atherosclerosis</i> , 2016, 251, 19-24.	0.8	8
165	Depression as a risk factor for cognitive impairment in later life: the Health In Men cohort study. <i>International Journal of Geriatric Psychiatry</i> , 2016, 31, 412-420.	2.7	30
166	Surrogate Markers of Abdominal Aortic Aneurysm Progression. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2016, 36, 236-244.	2.4	61
167	Duration of diabetes and its association with depression in later life: The Health In Men Study (HIMS). <i>Maturitas</i> , 2016, 86, 3-9.	2.4	57
168	The efficacy of extraembryonic stem cells in improving blood flow within animal models of lower limb ischaemia. <i>Heart</i> , 2016, 102, 69-74.	2.9	4
169	Epigenetics and Peripheral Artery Disease. <i>Current Atherosclerosis Reports</i> , 2016, 18, 15.	4.8	23
170	Diabetes and Aortic Aneurysm. <i>Angiology</i> , 2016, 67, 510-512.	1.8	4
171	The reproducibility of acquiring three dimensional gait and plantar pressure data using established protocols in participants with and without type 2 diabetes and foot ulcers. <i>Journal of Foot and Ankle Research</i> , 2016, 9, 4.	1.9	15
172	Serum homocysteine is associated with the severity of primary chronic venous disease. <i>Phlebology</i> , 2016, 31, 409-415.	1.2	8
173	A Systematic Review and Meta-Analysis of Circulating Biomarkers Associated with Failure of Arteriovenous Fistulae for Haemodialysis. <i>PLoS ONE</i> , 2016, 11, e0159963.	2.5	18
174	Affective Disorders, Psychosis and Dementia in a Community Sample of Older Men with and without Parkinson's Disease. <i>PLoS ONE</i> , 2016, 11, e0163781.	2.5	6
175	Lower limb biomechanical characteristics of patients with neuropathic diabetic foot ulcers: the diabetes foot ulcer study protocol. <i>BMC Endocrine Disorders</i> , 2015, 15, 59.	2.2	39
176	Physical activity and vascular disease in a prospective cohort study of older men: The Health In Men Study (HIMS). <i>BMC Geriatrics</i> , 2015, 15, 164.	2.7	11
177	TElmisartan in the management of abdominal aortic aneurysm (TEDY): The study protocol for a randomized controlled trial. <i>Trials</i> , 2015, 16, 274.	1.6	31
178	Prevalence, associated factors, mood and cognitive outcomes of traumatic brain injury in later life: the health in men study (HIMS). <i>International Journal of Geriatric Psychiatry</i> , 2015, 30, 1215-1223.	2.7	20
179	Letter by Morris et al Regarding Article, "Improved Quality of Life After 1 Year With an Invasive Versus a Noninvasive Treatment Strategy in Claudicants: One-Year Results of the Invasive Revascularization or Not in Intermittent Claudication (IRONIC) Trial". <i>Circulation</i> , 2015, 131, e508.	1.6	0
180	Differential gene expression in human abdominal aortic aneurysm and aortic occlusive disease. <i>Oncotarget</i> , 2015, 6, 12984-12996.	1.8	96

#	ARTICLE	IF	CITATIONS
181	The association of circulating 25-hydroxyvitamin D concentration with peripheral arterial disease: A meta-analysis of observational studies. <i>Atherosclerosis</i> , 2015, 243, 645-651.	0.8	47
182	The association between plasma matrix metalloproteinase-9 concentration and endoleak after endovascular aortic aneurysm repair: A meta-analysis. <i>Atherosclerosis</i> , 2015, 242, 535-542.	0.8	12
183	A Review of the Pathophysiology and Potential Biomarkers for Peripheral Artery Disease. <i>International Journal of Molecular Sciences</i> , 2015, 16, 11294-11322.	4.1	129
184	Influence of Regular Exercise on Body Fat and Eating Patterns of Patients with Intermittent Claudication. <i>International Journal of Molecular Sciences</i> , 2015, 16, 11339-11354.	4.1	6
185	The relevance of epigenetics to occlusive cerebral and peripheral arterial disease. <i>Clinical Science</i> , 2015, 128, 537-558.	4.3	15
186	Impact of fibrate therapy on plasma plasminogen activator inhibitor-1: A systematic review and meta-analysis of randomized controlled trials. <i>Atherosclerosis</i> , 2015, 240, 284-296.	0.8	11
187	Reported amount of salt added to food is associated with increased all-cause and cancer-related mortality in older men in a prospective cohort study. <i>Journal of Nutrition, Health and Aging</i> , 2015, 19, 805-811.	3.3	11
188	Depression, Frailty, and All-Cause Mortality: A Cohort Study of Men Older than 75 Years. <i>Journal of the American Medical Directors Association</i> , 2015, 16, 296-300.	2.5	89
189	Vitamin D concentration and its association with past, current and future depression in older men: The Health In Men Study. <i>Maturitas</i> , 2015, 81, 36-41.	2.4	39
190	A Peptide Antagonist of Thrombospondin-1 Promotes Abdominal Aortic Aneurysm Progression in the Angiotensin II-Infused Apolipoprotein-E Deficient Mouse. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2015, 35, 389-398.	2.4	51
191	Infra-renal abdominal aortic calcification volume does not predict small abdominal aortic aneurysm growth. <i>Atherosclerosis</i> , 2015, 243, 334-338.	0.8	14
192	Statin therapy and plasma vitamin E concentrations: A systematic review and meta-analysis of randomized placebo-controlled trials. <i>Atherosclerosis</i> , 2015, 243, 579-588.	0.8	5
193	Recommendations From the International Stroke Genetics Consortium, Part 1. <i>Stroke</i> , 2015, 46, 279-284.	2.0	22
194	Association of Depression with Sexual and Daily Activities: A Community Study of Octogenarian Men. <i>American Journal of Geriatric Psychiatry</i> , 2015, 23, 234-242.	1.2	4
195	Association between the Advanced Glycosylation End Product-Specific Receptor Gene and Cardiovascular Death in Older Men. <i>PLoS ONE</i> , 2015, 10, e0134475.	2.5	13
196	Carcinogenic Parasite Secretes Growth Factor That Accelerates Wound Healing and Potentially Promotes Neoplasia. <i>PLoS Pathogens</i> , 2015, 11, e1005209.	4.7	78
197	Plantar Pressure in Diabetic Peripheral Neuropathy Patients with Active Foot Ulceration, Previous Ulceration and No History of Ulceration: A Meta-Analysis of Observational Studies. <i>PLoS ONE</i> , 2014, 9, e99050.	2.5	79
198	Association of impaired fasting glucose, diabetes and their management with the presentation and outcome of peripheral artery disease: a cohort study. <i>Cardiovascular Diabetology</i> , 2014, 13, 147.	6.8	34

#	ARTICLE	IF	CITATIONS
199	Serum Endostatin Concentrations Are Higher in Men with Symptoms of Intermittent Claudication. <i>Disease Markers</i> , 2014, 2014, 1-5.	1.3	9
200	Angiogenesis inhibition and depression in older men. <i>Journal of Psychiatry and Neuroscience</i> , 2014, 39, 200-205.	2.4	11
201	Abdominal Aortic Calcification: Clinical Significance, Mechanisms and Therapies. <i>Current Pharmaceutical Design</i> , 2014, 20, 5834-5838.	1.9	13
202	Visceral adiposity is not associated with abdominal aortic aneurysm presence and growth. <i>Vascular Medicine</i> , 2014, 19, 272-280.	1.5	13
203	Association of Lower Extremity Performance With Cardiovascular and All-Cause Mortality in Patients With Peripheral Artery Disease: A Systematic Review and Meta-Analysis. <i>Journal of the American Heart Association</i> , 2014, 3, .	3.7	49
204	Growth rates of small abdominal aortic aneurysms assessed by computerised tomography – A systematic literature review. <i>Atherosclerosis</i> , 2014, 235, 182-188.	0.8	25
205	Predictors of Patency after Balloon Angioplasty in Hemodialysis Fistulas: A Systematic Review. <i>Journal of Vascular and Interventional Radiology</i> , 2014, 25, 917-924.	0.5	52
206	Influence of apolipoprotein E, age and aortic site on calcium phosphate induced abdominal aortic aneurysm in mice. <i>Atherosclerosis</i> , 2014, 235, 204-212.	0.8	15
207	Association of chronic kidney disease categories defined with different formulae with major adverse events in patients with peripheral vascular disease. <i>Atherosclerosis</i> , 2014, 232, 289-297.	0.8	26
208	Osteoprotegerin Deficiency Limits Angiotensin II-Induced Aortic Dilatation and Rupture in the Apolipoprotein E-Knockout Mouse. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2014, 34, 2609-2616.	2.4	31
209	A systematic review of circulating markers in primary chronic venous insufficiency. <i>Phlebology</i> , 2014, 29, 570-579.	1.2	11
210	Factors Associated with Patency Following Angioplasty of Hemodialysis Fistulae. <i>Journal of Vascular and Interventional Radiology</i> , 2014, 25, 1419-1426.	0.5	29
211	Angiotensin receptor 1 blockade reduces secretion of inflammation associated cytokines from cultured human carotid atheroma and vascular cells in association with reduced extracellular signal regulated kinase expression and activation. <i>Atherosclerosis</i> , 2014, 236, 108-115.	0.8	37
212	Differential gene expression in the proximal neck of human abdominal aortic aneurysm. <i>Atherosclerosis</i> , 2014, 233, 211-218.	0.8	53
213	Thrombus volume is similar in patients with ruptured and intact abdominal aortic aneurysms. <i>Journal of Vascular Surgery</i> , 2014, 59, 315-320.	1.1	38
214	Exercise & Sports Science Australia (ESSA) position statement on exercise prescription for patients with peripheral arterial disease and intermittent claudication. <i>Journal of Science and Medicine in Sport</i> , 2014, 17, 623-629.	1.3	35
215	Plasma Angiotensin-1 Is Lower After Ischemic Stroke and Associated With Major Disability But Not Stroke Incidence. <i>Stroke</i> , 2014, 45, 1064-1068.	2.0	22
216	In Older Men, Lower Plasma 25-Hydroxyvitamin D Is Associated with Reduced Incidence of Prostate, but Not Colorectal or Lung Cancer. <i>PLoS ONE</i> , 2014, 9, e99954.	2.5	26

#	ARTICLE	IF	CITATIONS
217	Reported High Salt Intake Is Associated with Increased Prevalence of Abdominal Aortic Aneurysm and Larger Aortic Diameter in Older Men. PLoS ONE, 2014, 9, e102578.	2.5	15
218	Mortality among People with Severe Mental Disorders Who Reach Old Age: A Longitudinal Study of a Community-Representative Sample of 37892 Men. PLoS ONE, 2014, 9, e111882.	2.5	67
219	Targets for Medical Therapy to Limit Abdominal Aortic Aneurysm Progression. Current Drug Targets, 2014, 15, 860-873.	2.1	20
220	Body mass index is inversely associated with mortality in patients with peripheral vascular disease. Atherosclerosis, 2013, 229, 549-555.	0.8	70
221	Increased serum angiotensin-converting enzyme-2 is associated with abdominal aortic aneurysm prevalence and cardiovascular mortality in older men. International Journal of Cardiology, 2013, 167, 1159-1163.	1.7	18
222	Relation Between Serum Thrombospondin-2 and Cardiovascular Mortality in Older Men Screened for Abdominal Aortic Aneurysm. American Journal of Cardiology, 2013, 111, 1800-1804.	1.6	25
223	Effect of Ramipril on Walking Times and Quality of Life Among Patients With Peripheral Artery Disease and Intermittent Claudication. JAMA - Journal of the American Medical Association, 2013, 309, 453.	7.4	92
224	Genetics of abdominal aortic aneurysm. Current Opinion in Cardiology, 2013, 28, 290-296.	1.8	58
225	The Association of Visceral Adiposity with Cardiovascular Events in Patients with Peripheral Artery Disease. PLoS ONE, 2013, 8, e82350.	2.5	10
226	Peripheral arterial disease - diagnosis and management in general practice. Australian Family Physician, 2013, 42, 397-400.	0.5	19
227	Implications of the Finding of No Significant Carotid Stenosis Based on Data From a Regional Australian Vascular Unit. Annals of Vascular Surgery, 2011, 25, 1050-1056.	0.9	12
228	Serum secreted phospholipase A2 is associated with abdominal aortic aneurysm presence but not progression. Atherosclerosis, 2011, 216, 458-460.	0.8	9
229	Current status of medical management for abdominal aortic aneurysm. Atherosclerosis, 2011, 217, 57-63.	0.8	157
230	A population-based study of polymorphisms in genes related to sex hormones and abdominal aortic aneurysm. European Journal of Human Genetics, 2011, 19, 363-366.	2.8	7
231	Evaluation of the diagnostic and prognostic value of plasma D-dimer for abdominal aortic aneurysm. European Heart Journal, 2011, 32, 354-364.	2.2	81
232	The role of tenascin C in cardiovascular disease. Cardiovascular Research, 2011, 92, 19-28.	3.8	68
233	Efficacy of Simvastatin in Reducing Aortic Dilatation in Mouse Models of Abdominal Aortic Aneurysm. Cardiovascular Drugs and Therapy, 2010, 24, 373-378.	2.6	26
234	Relation of Infra-Renal Abdominal Aortic Calcific Deposits and Cardiovascular Events in Patients With Peripheral Artery Disease. American Journal of Cardiology, 2010, 105, 895-899.	1.6	24

#	ARTICLE	IF	CITATIONS
235	Apolipoprotein E genotype is associated with serum C-reactive protein but not abdominal aortic aneurysm. <i>Atherosclerosis</i> , 2010, 209, 487-491.	0.8	23
236	Peroxisome proliferator-activated receptor ligands reduce aortic dilatation in a mouse model of aortic aneurysm. <i>Atherosclerosis</i> , 2010, 210, 51-56.	0.8	73
237	The Novel Association of the Chemokine CCL22 with Abdominal Aortic Aneurysm. <i>American Journal of Pathology</i> , 2010, 176, 2098-2106.	3.8	39
238	A Systematic Review of Studies Examining Inflammation Associated Cytokines in Human Abdominal Aortic Aneurysm Samples. <i>Disease Markers</i> , 2009, 26, 181-188.	1.3	63
239	Segmentation of medical images using geo-theoretic distance matrix in fuzzy clustering. , 2009, , .		5
240	A Single-Nucleotide Polymorphism in the Gene Encoding Osteoprotegerin Is Associated With Diastolic Blood Pressure in Older Men. <i>American Journal of Hypertension</i> , 2009, 22, 1167-1170.	2.0	6
241	Pathophysiology of abdominal aortic aneurysm relevant to improvements in patients' management. <i>Current Opinion in Cardiology</i> , 2009, 24, 532-538.	1.8	48
242	Developments in Non-Surgical Therapies for Abdominal Aortic Aneurysm. <i>Current Vascular Pharmacology</i> , 2009, 7, 153-158.	1.7	1
243	Relationship between two sequence variations in the gene for peroxisome proliferator-activated receptor-gamma and plasma homocysteine concentration. Health in men study. <i>Human Genetics</i> , 2008, 123, 35-40.	3.8	11
244	Measurement and determinants of infrarenal aortic thrombus volume. <i>European Radiology</i> , 2008, 18, 1987-1994.	4.5	51
245	Use of a covered stent to treat two large false aneurysms of the anterior tibial artery. <i>Journal of Vascular Surgery</i> , 2008, 47, 1090.	1.1	18
246	Relationship between CT anthropometric measurements, adipokines and abdominal aortic calcification. <i>Atherosclerosis</i> , 2008, 197, 428-434.	0.8	45
247	Acute aortic dissection. <i>Lancet, The</i> , 2008, 372, 55-66.	13.7	460
248	Circulating Markers of Abdominal Aortic Aneurysm Presence and Progression. <i>Circulation</i> , 2008, 118, 2382-2392.	1.6	215
249	Reduced expansion rate of abdominal aortic aneurysms in patients with diabetes may be related to aberrant monocyte-matrix interactions. <i>European Heart Journal</i> , 2008, 29, 665-672.	2.2	160
250	Geostatistically constrained fuzzy segmentation of abdominal aortic aneurysm CT images. , 2008, , .		5
251	Obesity, Adipokines, and Abdominal Aortic Aneurysm. <i>Circulation</i> , 2007, 116, 2275-2279.	1.6	135
252	Association Between Osteopontin and Human Abdominal Aortic Aneurysm. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2007, 27, 655-660.	2.4	114

#	ARTICLE	IF	CITATIONS
253	The Outcome of Endovascular Repair of Small Abdominal Aortic Aneurysms. <i>Annals of Surgery</i> , 2007, 245, 326-333.	4.2	23
254	Effects of Peroxisome Proliferator-Activated Receptor Ligands in Modulating Tissue Factor and Tissue Factor Pathway Inhibitor in Acutely Symptomatic Carotid Atheromas. <i>Stroke</i> , 2007, 38, 1501-1508.	2.0	27
255	Response to Letter by Tang et al. <i>Stroke</i> , 2007, 38, .	2.0	0
256	Bone marrow-derived cells and arterial disease. <i>Journal of Vascular Surgery</i> , 2007, 46, 590-600.	1.1	7
257	Association of obesity and metabolic syndrome with the severity and outcome of intermittent claudication. <i>Journal of Vascular Surgery</i> , 2007, 45, 40-46.	1.1	80
258	Abdominal Aortic Aneurysm. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2006, 26, 2605-2613.	2.4	520
259	Osteoprotegerin and Osteopontin Are Expressed at High Concentrations Within Symptomatic Carotid Atherosclerosis. <i>Stroke</i> , 2004, 35, 1636-1641.	2.0	208
260	Arterial flow induces changes in venous endothelium which are modified by calcium channel blockers. <i>ANZ Journal of Surgery</i> , 2004, 74, 486-490.	0.7	1
261	Pathogenesis of aortic aneurysms. , 0, , 227-246.		1