

Jie Xiong

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3773992/publications.pdf>

Version: 2024-02-01

99
papers

2,734
citations

186265
28
h-index

214800
47
g-index

99
all docs

99
docs citations

99
times ranked

3858
citing authors

#	ARTICLE	IF	CITATIONS
1	Fabrication of stable perovskite solar cells with efficiency over 20% in open air using <i>in situ</i> polymerized bi-functional additives. <i>Journal of Materials Chemistry A</i> , 2022, 10, 3688-3697.	10.3	16
2	Flexible N-doped TiO ₂ /C nanofibrous film-based photocatalytic fabric with high photocatalytic activity and excellent reusability. <i>Applied Physics A: Materials Science and Processing</i> , 2022, 128, 1.	2.3	1
3	Porous carbon nanofibers prepared by low-cost and environmentally friendly ammonium chloride for high-performance Li-S batteries. <i>Ionics</i> , 2022, 28, 1157-1166.	2.4	4
4	Multifunctional Compound-Regulated SnO ₂ for High-Efficiency and Stable Perovskite Solar Cells under Ambient Air. <i>ChemElectroChem</i> , 2022, 9, .	3.4	6
5	A Bioinspired Fibrous Helix with Periodic Gradient for Directional Fluidic Gates. <i>Advanced Engineering Materials</i> , 2022, 24, .	3.5	4
6	The disappearing additive: introducing volatile ethyl acetate into a perovskite precursor for fabricating high efficiency stable devices in open air. <i>Nanoscale</i> , 2022, 14, 5204-5213.	5.6	3
7	Organic-Inorganic Hybrid Electron Transport Layer for Rigid or Flexible Perovskite Solar Cells under Ambient Conditions. <i>ACS Sustainable Chemistry and Engineering</i> , 2022, 10, 6826-6834.	6.7	5
8	CuGaO ₂ Nanosheets and CuCrO ₂ Nanoparticles Mixed with Spiro-OMeTAD as the Hole-Transport Layer in Perovskite Solar Cells. <i>ACS Applied Nano Materials</i> , 2022, 5, 7312-7320.	5.0	6
9	When Aggregation-Induced Emission Meets Perovskites: Efficient Defect-Passivation and Charge-Transfer for Ambient Fabrication of Perovskite Solar Cells. <i>Chemistry - A European Journal</i> , 2022, 28, .	3.3	6
10	Durable Polyurethane/SiO ₂ Nanofibrous Membranes by Electrospinning for Waterproof and Breathable Textiles. <i>ACS Applied Nano Materials</i> , 2022, 5, 10686-10695.	5.0	17
11	CuGaO ₂ Nanosheet Arrays as the Hole-Transport Layer in Inverted Perovskite Solar Cells. <i>ACS Applied Nano Materials</i> , 2022, 5, 10055-10063.	5.0	9
12	Co-electrospun nano-/microfibrous composite scaffolds with structural and chemical gradients for bone tissue engineering. <i>Materials Science and Engineering C</i> , 2021, 119, 111622.	7.3	17
13	Highly efficient and stable perovskite solar cells produced by maximizing additive engineering. <i>Sustainable Energy and Fuels</i> , 2021, 5, 469-477.	4.9	8
14	Perovskite solar cells with PCE over 19% fabricated under air environment by using a dye molecule additive. <i>Sustainable Energy and Fuels</i> , 2021, 5, 2266-2272.	4.9	7
15	Electrospun Core-Shell Hollow Structure Cocatalysts for Enhanced Photocatalytic Activity. <i>Journal of Nanomaterials</i> , 2021, 2021, 1-7.	2.7	2
16	Design of NiO _x /Carbon Heterostructure Interlayer to Improve Hole Extraction Efficiency of Inverted Perovskite Solar Cells. <i>Advanced Materials Interfaces</i> , 2021, 8, 2100862.	3.7	8
17	Superhydrophobic and breathable SiO ₂ /polyurethane porous membrane for durable water repellent application and oil-water separation. <i>Applied Surface Science</i> , 2020, 512, 144837.	6.1	70
18	Metal-organic frameworks derived copper doped cobalt phosphide nanosheet arrays with boosted electrochemical performance for hybrid supercapacitors. <i>Electrochimica Acta</i> , 2020, 363, 137262.	5.2	25

#	ARTICLE	IF	CITATIONS
19	Flexible carbon nanotubes/TiO ₂ /C nanofibrous film as counter electrode of flexible quasi-solid dye-sensitized solar cells. <i>Thin Solid Films</i> , 2020, 711, 138307.	1.8	8
20	A simple fabrication of high efficiency planar perovskite solar cells: controlled film growth with methylammonium iodide and green antisolvent sec-butyl alcohol. <i>Journal of Materials Chemistry C</i> , 2020, 8, 12560-12567.	5.5	15
21	Electrospun PMIA and PVDF-HFP composite nanofibrous membranes with two different structures for improved lithium-ion battery separators. <i>Solid State Ionics</i> , 2020, 347, 115253.	2.7	26
22	Electrospun cellulose polymer nanofiber membrane with flame resistance properties for lithium-ion batteries. <i>Carbohydrate Polymers</i> , 2020, 234, 115907.	10.2	45
23	Interlaced NiMn-LDH nanosheet decorated NiCo ₂ O ₄ nanowire arrays on carbon cloth as advanced electrodes for high-performance flexible solid-state hybrid supercapacitors. <i>Dalton Transactions</i> , 2019, 48, 12168-12176.	3.3	41
24	Catalytic Reduction of Hexavalent Chromium Using Iron/Palladium Bimetallic Nanoparticle-Assembled Filter Paper. <i>Nanomaterials</i> , 2019, 9, 1183.	4.1	13
25	Modeling Analysis of Silk Fibroin/Poly(μ -caprolactone) Nanofibrous Membrane under Uniaxial Tension. <i>Nanomaterials</i> , 2019, 9, 1149.	4.1	9
26	Capturing cancer cells using hyaluronic acid-immobilized electrospun random or aligned PLA nanofibers. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2019, 583, 123978.	4.7	24
27	Construction of Hierarchical NiCo ₂ O ₄ @Ni-MOF Hybrid Arrays on Carbon Cloth as Superior Battery-Type Electrodes for Flexible Solid-State Hybrid Supercapacitors. <i>ACS Applied Materials & Interfaces</i> , 2019, 11, 37675-37684.	8.0	169
28	Simple fabrication of perovskite solar cells with enhanced efficiency, stability, and flexibility under ambient air. <i>Journal of Power Sources</i> , 2019, 442, 227216.	7.8	13
29	One-step sulfuration synthesis of hierarchical NiCo ₂ S ₄ @NiCo ₂ S ₄ nanotube/nanosheet arrays on carbon cloth as advanced electrodes for high-performance flexible solid-state hybrid supercapacitors. <i>RSC Advances</i> , 2019, 9, 3041-3049.	3.6	36
30	High flexibility and electrocatalytic activity MoS ₂ /TiC/carbon nanofibrous film for flexible dye-sensitized solar cell based photovoltaic textile. <i>Materials Research Bulletin</i> , 2019, 118, 110522.	5.2	25
31	In vivo study of silk fibroin/gelatin electrospun nanofiber dressing loaded with astragaloside IV on the effect of promoting wound healing and relieving scar. <i>Journal of Drug Delivery Science and Technology</i> , 2019, 52, 272-281.	3.0	54
32	Immobilization of polyethyleneimine-templated silver nanoparticles onto filter paper for catalytic applications. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2019, 571, 44-49.	4.7	18
33	Construction of hierarchical NiCo ₂ S ₄ nanotube@NiMoO ₄ nanosheet hybrid arrays as advanced battery-type electrodes for hybrid supercapacitors. <i>New Journal of Chemistry</i> , 2019, 43, 7065-7073.	2.8	23
34	High reusability and durability of carbon-doped TiO ₂ /carbon nanofibrous film as visible-light-driven photocatalyst. <i>Journal of Materials Science</i> , 2019, 54, 3795-3804.	3.7	25
35	Polydimethylsiloxane-modified polyurethane-poly(ϵ -caprolactone) nanofibrous membranes for waterproof, breathable applications. <i>Journal of Applied Polymer Science</i> , 2018, 135, 46360.	2.6	27
36	Enhanced performance of flexible dye-sensitized solar cells using flexible Ag@ZrO ₂ /C nanofiber film as low-cost counter electrode. <i>Applied Surface Science</i> , 2018, 440, 992-1000.	6.1	20

#	ARTICLE	IF	CITATIONS
37	The preparation of highly flexible mesoporous TiC/CNF film for flexible dye-sensitized solar cells. <i>Journal of Solid State Electrochemistry</i> , 2018, 22, 1185-1195.	2.5	9
38	Sandwich-structured composite fibrous membranes with tunable porous structure for waterproof, breathable, and oil-water separation applications. <i>Journal of Colloid and Interface Science</i> , 2018, 514, 386-395.	9.4	60
39	Robust hydrophobic polyurethane fibrous membranes with tunable porous structure for waterproof and breathable application. <i>Applied Surface Science</i> , 2018, 439, 589-597.	6.1	43
40	3-D mineralized silk fibroin/polycaprolactone composite scaffold modified with polyglutamate conjugated with BMP-2 peptide for bone tissue engineering. <i>Colloids and Surfaces B: Biointerfaces</i> , 2018, 163, 369-378.	5.0	58
41	The TiO ₂ Hierarchical Structure with Nanosheet Spheres for Improved Photoelectric Performance in Dye-Sensitized Solar Cells. <i>Journal of Electronic Materials</i> , 2018, 47, 2230-2236.	2.2	9
42	CoMoO ₄ nanoplates decorated CuCo ₂ O ₄ nanowires as advanced electrodes for high-performance hybrid supercapacitors. <i>Materials Letters</i> , 2018, 226, 30-33.	2.6	17
43	Preparation of electrospun polyurethane/hydrophobic silica gel nanofibrous membranes for waterproof and breathable application. <i>Polymer Engineering and Science</i> , 2018, 58, 1381-1390.	3.1	37
44	A novel bilayer photoanode made of carbon nanotubes incorporated TiO ₂ nanorods and Mg ²⁺ doped TiO ₂ nanorods for flexible dye-sensitized solar cells. <i>Thin Solid Films</i> , 2018, 646, 44-52.	1.8	14
45	Electrospun polyurethane microporous membranes for waterproof and breathable application: the effects of solvent properties on membrane performance. <i>Polymer Bulletin</i> , 2018, 75, 3539-3553.	3.3	32
46	Finite Element Analysis of Electrospun Nanofibrous Mats under Biaxial Tension. <i>Nanomaterials</i> , 2018, 8, 348.	4.1	19
47	Fabrication of high efficiency perovskite solar cells based on mesoporous TiO ₂ nanofibrous film under high humidity conditions. <i>Materials Research Bulletin</i> , 2018, 106, 439-445.	5.2	8
48	Facile preparation of superhydrophobic silica nanoparticles by hydrothermal-assisted sol-gel process and effects of hydrothermal time on surface modification. <i>Journal of Sol-Gel Science and Technology</i> , 2018, 87, 478-485.	2.4	15
49	A Tensile Constitutive Relationship and a Finite Element Model of Electrospun Nanofibrous Mats. <i>Nanomaterials</i> , 2018, 8, 29.	4.1	16
50	Mesoporous NiO nanosheet network as efficient hole transporting layer for stable inverted perovskite solar cells. <i>Materials Letters</i> , 2018, 231, 101-104.	2.6	21
51	Enhanced light harvesting of dye-sensitized solar cells with TiO ₂ microspheres as light scattering layer. <i>Applied Physics A: Materials Science and Processing</i> , 2017, 123, 1.	2.3	8
52	Growth of highly mesoporous CuCo ₂ O ₄ nanoflakes@Ni(OH) ₂ nanosheets as advanced electrodes for high-performance hybrid supercapacitors. <i>Journal of Alloys and Compounds</i> , 2017, 722, 928-937.	5.5	27
53	The preparation and properties of the flexible titanium oxide/carbon nanofibers film. <i>Applied Physics A: Materials Science and Processing</i> , 2017, 123, 1.	2.3	4
54	Designed construction of hierarchical NiCo ₂ S ₄ @polypyrrole core-shell nanosheet arrays as electrode materials for high-performance hybrid supercapacitors. <i>RSC Advances</i> , 2017, 7, 18447-18455.	3.6	36

#	ARTICLE	IF	CITATIONS
55	Highly flexible TiO ₂ /C nanofibrous film for flexible dye-sensitized solar cells as a platinum- and transparent conducting oxide-free flexible counter electrode. <i>Electrochimica Acta</i> , 2017, 255, 256-265.	5.2	26
56	Branched open-ended TiO ₂ nanotubes for improved efficiency of flexible dye-sensitized solar cells. <i>Journal of Alloys and Compounds</i> , 2017, 724, 1124-1133.	5.5	7
57	A facile method for tailoring the three-dimensional porous nanofibrous scaffolds by the dual electrode electrospinning. <i>Materials Letters</i> , 2017, 209, 384-387.	2.6	3
58	The preparation of flexible Al ₂ O ₃ /C film and application in flexible dye-sensitized solar cells. <i>Thin Solid Films</i> , 2017, 636, 710-716.	1.8	5
59	The application of highly flexible ZrO ₂ /C nanofiber films to flexible dye-sensitized solar cells. <i>Journal of Materials Science</i> , 2017, 52, 11025-11035.	3.7	14
60	Analysis of the Comprehensive Tensile Relationship in Electrospun Silk Fibroin/Polycaprolactone Nanofiber Membranes. <i>Membranes</i> , 2017, 7, 67.	3.0	14
61	Growth of three-dimensional hierarchical Co ₃ O ₄ @NiMoO ₄ core-shell nanoflowers on Ni foam as electrode materials for hybrid supercapacitors. <i>Materials Letters</i> , 2016, 182, 298-301.	2.6	28
62	Preparation of the flexible ZrO ₂ /C composite nanofibrous film via electrospinning. <i>Applied Physics A: Materials Science and Processing</i> , 2016, 122, 1.	2.3	5
63	Electrospun montmorillonite modified poly(vinylidene fluoride) nanocomposite separators for lithium-ion batteries. <i>Materials Research Bulletin</i> , 2016, 79, 1-7.	5.2	52
64	Adult Stem Cells Seeded on Electrospinning Silk Fibroin Nanofibrous Scaffold Enhance Wound Repair and Regeneration. <i>Journal of Nanoscience and Nanotechnology</i> , 2016, 16, 5498-5505.	0.9	22
65	Investigation of microporous composite scaffolds fabricated by embedding sacrificial polyethylene glycol microspheres in nanofibrous membrane. <i>Composites Part A: Applied Science and Manufacturing</i> , 2016, 91, 20-29.	7.6	16
66	Electrospun homogeneous silk fibroin/poly(ϵ -caprolactone) nanofibrous scaffolds by addition of acetic acid for tissue engineering. <i>Journal of Biomaterials Applications</i> , 2016, 31, 421-437.	2.4	19
67	Construction of Hierarchical NiCo ₂ S ₄ @Ni(OH) ₂ Core-Shell Hybrid Nanosheet Arrays on Ni Foam for High-Performance Aqueous Hybrid Supercapacitors. <i>Electrochimica Acta</i> , 2016, 193, 116-127.	5.2	151
68	Enhanced efficiency in flexible dye-sensitized solar cells by a novel bilayer photoanode made of carbon nanotubes incorporated TiO ₂ nanorods and branched TiO ₂ nanotubes. <i>Solar Energy Materials and Solar Cells</i> , 2016, 147, 134-143.	6.2	36
69	Hierarchical NiCo ₂ O ₄ @NiMoO ₄ core-shell hybrid nanowire/nanosheet arrays for high-performance pseudocapacitors. <i>Journal of Materials Chemistry A</i> , 2015, 3, 14348-14357.	10.3	213
70	Investigation of polylactide/poly(μ -caprolactone)/multi-walled carbon nanotubes electrospun nanofibers with surface texture. <i>RSC Advances</i> , 2015, 5, 99179-99187.	3.6	26
71	Silk fibroin/gelatin electrospun nanofibrous dressing functionalized with astragaloside IV induces healing and anti-scar effects on burn wound. <i>International Journal of Pharmaceutics</i> , 2015, 479, 291-301.	5.2	157
72	Efficiency enhancement of dye-sensitized solar cells by optimization of electrospun ZnO nanowire/nanoparticle hybrid photoanode and combined modification. <i>Electrochimica Acta</i> , 2015, 163, 330-337.	5.2	22

#	ARTICLE	IF	CITATIONS
73	Growth of Ultrathin Mesoporous Ni-Mo Oxide Nanosheet Arrays on Ni Foam for High-performance Supercapacitor Electrodes. <i>Electrochimica Acta</i> , 2015, 176, 1343-1351.	5.2	38
74	Facile synthesis of hierarchical Ag ₃ PO ₄ /TiO ₂ nanofiber heterostructures with highly enhanced visible light photocatalytic properties. <i>Applied Surface Science</i> , 2015, 355, 921-929.	6.1	71
75	Fabrication of CNFs/ZnO nanocomposites with enhanced photocatalytic activity and mechanical properties. <i>Fibers and Polymers</i> , 2015, 16, 113-119.	2.1	8
76	A facile synthesis of novel ZnO structures and their applications in photocatalysis. <i>Materials Letters</i> , 2014, 123, 214-216.	2.6	17
77	Synthesis and luminescence of high-brightness Gd ₂ O ₂ SO ₄ :Tb ³⁺ nanopieces and the enhanced luminescence by alkali metal ions co-doping. <i>Journal of Luminescence</i> , 2014, 150, 50-54.	3.1	29
78	Novel structure of TiO ₂ @ZnO core shell rice grain for photoanode of dye-sensitized solar cells. <i>Journal of Power Sources</i> , 2014, 261, 1-6.	7.8	18
79	Preparation of ZnO nanoparticles and nanofibers and their use in the degradation of rhodamine B dye under UV irradiation. <i>Fibers and Polymers</i> , 2014, 15, 1648-1655.	2.1	4
80	A facile preparation and the luminescent properties of Eu ³⁺ -doped Y ₂ O ₂ SO ₄ nanopieces. <i>Materials Research Bulletin</i> , 2013, 48, 4896-4900.	5.2	17
81	Dye-sensitized solar cells based on anatase TiO ₂ /multi-walled carbon nanotubes composite nanofibers photoanode. <i>Electrochimica Acta</i> , 2013, 87, 651-656.	5.2	60
82	Effects of hydrochloric acid treatment of TiO ₂ nanoparticles/nanofibers bilayer film on the photovoltaic properties of dye-sensitized solar cells. <i>Materials Research Bulletin</i> , 2013, 48, 978-982.	5.2	20
83	Co-electrospinning fabrication and photocatalytic performance of TiO ₂ /SiO ₂ core/sheath nanofibers with tunable sheath thickness. <i>Materials Research Bulletin</i> , 2013, 48, 4673-4678.	5.2	16
84	A photovoltaic smart textile and a photocatalytic functional textile based on co-electrospun TiO ₂ /MgO core@sheath nanorods: novel textiles of integrating energy and environmental science with textile research. <i>Textile Research Journal</i> , 2013, 83, 1690-1702.	2.2	18
85	Photocatalytic degradation of Rhodamine B using electrospun TiO ₂ and ZnO nanofibers: a comparative study. <i>Journal of Materials Science</i> , 2013, 48, 8386-8392.	3.7	39
86	Synthesis and photocatalytic properties of Zn ²⁺ doped anatase TiO ₂ nanofibers. <i>Materials Chemistry and Physics</i> , 2013, 142, 77-81.	4.0	8
87	Optimization of electrospun TiO ₂ nanofibers photoanode film for dye-sensitized solar cells through interfacial pre-treatment, controllable calcination, and surface post-treatment. <i>Surface and Interface Analysis</i> , 2013, 45, 1878-1883.	1.8	11
88	Electrospinning fabrication and luminescent properties of SrMoO ₄ :Sm ³⁺ nanofibers. <i>Journal of Alloys and Compounds</i> , 2012, 540, 179-183.	5.5	45
89	Coaxial electrospun TiO ₂ /ZnO core@sheath nanofibers film: Novel structure for photoanode of dye-sensitized solar cells. <i>Electrochimica Acta</i> , 2012, 78, 392-397.	5.2	54
90	TiO ₂ /Nb ₂ O ₅ core@sheath nanofibers film: Co-electrospinning fabrication and its application in dye-sensitized solar cells. <i>Electrochemistry Communications</i> , 2012, 25, 46-49.	4.7	24

#	ARTICLE	IF	CITATIONS
91	Electrospun Polyacrylonitrile nanofiber yarn prepared by funnel-shape collector. <i>Materials Letters</i> , 2012, 79, 245-247.	2.6	36
92	Preparation and luminescence properties of terbium-doped lanthanum oxide nanofibers by electrospinning. <i>Journal of Luminescence</i> , 2012, 132, 171-174.	3.1	23
93	Preparation and the luminescent properties of Tb ³⁺ -doped Gd ₂ O ₃ fluorescent nanofibers via electrospinning. <i>Nanotechnology</i> , 2011, 22, 035602.	2.6	30
94	Fabrication and characterization of electrospun nanofibers of high DP natural cotton lines cellulose. <i>Fibers and Polymers</i> , 2011, 12, 345-351.	2.1	24
95	Effect of wheel rotating speed and LiCl additives on electrospun aligned polyacrylonitrile nanofiber. <i>Polymer Engineering and Science</i> , 2011, 51, 2178-2183.	3.1	7
96	Fabrication of ultrafine fibrous polytetrafluoroethylene porous membranes by electrospinning. <i>Journal of Materials Research</i> , 2009, 24, 2755-2761.	2.6	58
97	Synthesis of Titania Nanotubes with Different Diameters for Dye-Sensitized Solar Cells. <i>Key Engineering Materials</i> , 0, 582, 131-134.	0.4	0
98	A Facile Preparation of Flexible Alumina/Carbon Composite Nanofibers Film. <i>Journal of Nano Research</i> , 0, 35, 115-127.	0.8	5
99	Simulation of coupled transient heat and water vapor transfer in porous fiber membrane with different fiber orientations and porosity. <i>Journal of Industrial Textiles</i> , 0, , 152808372110417.	2.4	0