

Adwoa Hughes-Morley

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3774691/publications.pdf>

Version: 2024-02-01

36
papers

1,372
citations

516710

16
h-index

377865

34
g-index

36
all docs

36
docs citations

36
times ranked

2442
citing authors

#	ARTICLE	IF	CITATIONS
1	Impact of patient and public involvement on enrolment and retention in clinical trials: systematic review and meta-analysis. <i>BMJ: British Medical Journal</i> , 2018, 363, k4738.	2.3	296
2	Clinical effectiveness of collaborative care for depression in UK primary care (CADET): cluster randomised controlled trial. <i>BMJ, The</i> , 2013, 347, f4913-f4913.	6.0	173
3	Trial Forge Guidance 1: what is a Study Within A Trial (SWAT)?. <i>Trials</i> , 2018, 19, 139.	1.6	168
4	Factors affecting recruitment into depression trials: Systematic review, meta-synthesis and conceptual framework. <i>Journal of Affective Disorders</i> , 2015, 172, 274-290.	4.1	91
5	Overcoming barriers to recruiting ethnic minorities to mental health research: a typology of recruitment strategies. <i>BMC Psychiatry</i> , 2015, 15, 101.	2.6	67
6	Systematic techniques for assisting recruitment to trials (START): study protocol for embedded, randomized controlled trials. <i>Trials</i> , 2014, 15, 407.	1.6	61
7	Mental health training programmes for non-mental health trained professionals coming into contact with people with mental ill health: a systematic review of effectiveness. <i>BMC Psychiatry</i> , 2017, 17, 196.	2.6	52
8	Implementing mental health training programmes for non-mental health trained professionals: A qualitative synthesis. <i>PLoS ONE</i> , 2018, 13, e0199746.	2.5	50
9	Clinical effectiveness and cost-effectiveness of collaborative care for depression in UK primary care (CADET): a cluster randomised controlled trial. <i>Health Technology Assessment</i> , 2016, 20, 1-192.	2.8	41
10	Cost-Effectiveness of Collaborative Care for Depression in UK Primary Care: Economic Evaluation of a Randomised Controlled Trial (CADET). <i>PLoS ONE</i> , 2014, 9, e104225.	2.5	38
11	Oral melatonin for non-respiratory sleep disturbance in children with neurodisabilities: systematic review and meta-analyses. <i>Developmental Medicine and Child Neurology</i> , 2019, 61, 880-890.	2.1	36
12	Interagency collaboration models for people with mental ill health in contact with the police: a systematic scoping review. <i>BMJ Open</i> , 2018, 8, e019312.	1.9	31
13	Collaborative Depression Trial (CADET): multi-centre randomised controlled trial of collaborative care for depression - study protocol. <i>BMC Health Services Research</i> , 2009, 9, 188.	2.2	30
14	Culturally-adapted Family Intervention (CaFI) for African-Caribbeans diagnosed with schizophrenia and their families: a feasibility study protocol of implementation and acceptability. <i>Pilot and Feasibility Studies</i> , 2016, 2, 39.	1.2	27
15	Pharmacological and non-pharmacological interventions for non-respiratory sleep disturbance in children with neurodisabilities: a systematic review. <i>Health Technology Assessment</i> , 2018, 22, 1-296.	2.8	25
16	What can we learn from trial decliners about improving recruitment? Qualitative study. <i>Trials</i> , 2016, 17, 494.	1.6	19
17	The effect of optimised patient information materials on recruitment in a lung cancer screening trial: an embedded randomised recruitment trial. <i>Trials</i> , 2018, 19, 503.	1.6	18
18	Non-pharmacological interventions for non-respiratory sleep disturbance in children with neurodisabilities: a systematic review. <i>Developmental Medicine and Child Neurology</i> , 2018, 60, 1076-1092.	2.1	17

#	ARTICLE	IF	CITATIONS
19	Effectiveness of a training program for police officers who come into contact with people with mental health problems: A pragmatic randomised controlled trial. PLoS ONE, 2017, 12, e0184377.	2.5	17
20	The impact of advertising patient and public involvement on trial recruitment: embedded cluster randomised recruitment trial. Trials, 2016, 17, 586.	1.6	13
21	SWATted away: the challenging experience of setting up a programme of SWATs in paediatric trials. Trials, 2019, 20, 141.	1.6	12
22	Can we achieve better recruitment by providing better information? Meta-analysis of "studies within a trial" (SWATs) of optimised participant information sheets. BMC Medicine, 2021, 19, 218.	5.5	12
23	A multicentre, randomized, parallel group, superiority study to compare the clinical effectiveness and cost-effectiveness of external frame versus internal locking plate for complete articular pilon fracture fixation in adults. Bone & Joint Open, 2021, 2, 150-163.	2.6	10
24	Timing of electronic reminders did not improve trial participant questionnaire response: a randomized trial and meta-analyses. Journal of Clinical Epidemiology, 2020, 122, 70-77.	5.0	9
25	Study within a trial (SWAT) protocol. Investigating the effect of personalised versus non-personalised study invitations on recruitment: An embedded randomised controlled recruitment trial. Contemporary Clinical Trials Communications, 2020, 18, 100572.	1.1	8
26	Assessing the impact of patient and public involvement on recruitment and retention in clinical trials: a systematic review. Trials, 2015, 16, .	1.6	7
27	Limited evidence exists on the effectiveness of education and training interventions on trial recruitment; a systematic review. Journal of Clinical Epidemiology, 2019, 113, 75-82.	5.0	7
28	The PROMoting the USE of SWATs (PROMETHEUS) programme: Lessons learnt and future developments for SWATs. Research Methods in Medicine & Health Sciences, 2022, 3, 100-106.	1.2	7
29	Pure Membranous Lupus Nephritis: Description of a Cohort of 150 Patients and Review of the Literature. ReumatologĀa ClĀnica, 2019, 15, 34-42.	0.5	6
30	Bah humbug! Association between sending Christmas cards to trial participants and trial retention: randomised study within a trial conducted simultaneously across eight host trials. BMJ, The, 2021, 375, e067742.	6.0	6
31	Undertaking a randomised controlled trial in the police setting: methodological and practical challenges. Trials, 2017, 18, 615.	1.6	5
32	A multimedia intervention to enhance recruitment to clinical trials in primary care and community settings: process of development and evaluation. Trials, 2013, 14, .	1.6	4
33	Outcome domains and outcome measures used in studies assessing the effectiveness of interventions to manage non-respiratory sleep disturbances in children with neurodisabilities: a systematic review. BMJ Open, 2019, 9, e027205.	1.9	3
34	Staff training to improve participant recruitment into surgical randomised controlled trials: A feasibility study within a trial (SWAT) across four host trials simultaneously. Research Methods in Medicine & Health Sciences, 0, , 263208432211069.	1.2	3
35	Patient and family co-developed participant information to improve recruitment rates, retention, and patient understanding in the Rehabilitation Strategies Following Oesophago-gastric and Hepatopancreaticobiliary Cancer (ReStOre II) trial: Protocol for a study within a trial (SWAT). HRB Open Research, 2019, 2, 27.	0.6	2
36	Patient and family co-developed participant information to improve recruitment rates, retention, and patient understanding in the Rehabilitation Strategies Following Oesophago-gastric and Hepatopancreaticobiliary Cancer (ReStOre II) trial: Protocol for a study within a trial (SWAT). HRB Open Research, 0, 2, 27.	0.6	1