

Patrick L Holland

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3776059/publications.pdf>

Version: 2024-02-01

139
papers

11,194
citations

25014

57
h-index

30058

103
g-index

160
all docs

160
docs citations

160
times ranked

8020
citing authors

#	ARTICLE	IF	CITATIONS
1	Nitrogenases and Model Complexes in Bioorganometallic Chemistry. , 2022, , 41-72.		2
2	Dinitrogen Binding and Functionalization. , 2022, , 521-554.		5
3	Iron Complexes of a Proton-Responsive SCS Pincer Ligand with a Sensitive Electronic Structure. Inorganic Chemistry, 2022, 61, 1644-1658.	1.9	7
4	Spin States, Bonding and Magnetism in Mixed-Valence Iron(0)–Iron(II) Complexes**. Chemistry - A European Journal, 2022, 28, .	1.7	4
5	Facile conversion of ammonia to a nitride in a rhenium system that cleaves dinitrogen. Chemical Science, 2022, 13, 4010-4018.	3.7	11
6	Cobalt–Carbon Bonding in a Salen-Supported Cobalt(IV) Alkyl Complex Postulated in Oxidative MHAT Catalysis. Journal of the American Chemical Society, 2022, 144, 10361-10367.	6.6	18
7	Synthesis and Reactivity of Iron Complexes with a Biomimetic SCS Pincer Ligand. Inorganic Chemistry, 2021, 60, 1965-1974.	1.9	13
8	Comment on “Structural evidence for a dynamic metallocofactor during N ₂ reduction by Mo-nitrogenase” Science, 2021, 371, .	6.0	29
9	Highly <i>Z</i> -Selective Double Bond Transposition in Simple Alkenes and Allylarenes through a Spin-Accelerated Allyl Mechanism. Journal of the American Chemical Society, 2021, 143, 3070-3074.	6.6	33
10	Electronic and Spin-State Effects on Dinitrogen Splitting to Nitrides in a Rhenium Pincer System. Inorganic Chemistry, 2021, 60, 6115-6124.	1.9	12
11	Repurposing metalloproteins as mimics of natural metalloenzymes for small-molecule activation. Journal of Inorganic Biochemistry, 2021, 219, 111430.	1.5	10
12	Understanding Terminal versus Bridging End-on N ₂ Coordination in Transition Metal Complexes. Journal of the American Chemical Society, 2021, 143, 9744-9757.	6.6	24
13	Catalytic hydrogen atom transfer to alkenes: a roadmap for metal hydrides and radicals. Chemical Science, 2020, 11, 12401-12422.	3.7	158
14	The influences of carbon donor ligands on biomimetic multi-iron complexes for N ₂ reduction. Chemical Science, 2020, 11, 12710-12720.	3.7	17
15	Coupling dinitrogen and hydrocarbons through aryl migration. Nature, 2020, 584, 221-226.	13.7	75
16	Considering Electrocatalytic Ammonia Synthesis via Bimetallic Dinitrogen Cleavage. ACS Catalysis, 2020, 10, 10826-10846.	5.5	60
17	Mechanistic Study of Alkene Hydrosilylation Catalyzed by a η^2 -Dialdiminate Cobalt(I) Complex. Organometallics, 2020, 39, 2415-2424.	1.1	15
18	Introduction: Reactivity of Nitrogen from the Ground to the Atmosphere. Chemical Reviews, 2020, 120, 4919-4920.	23.0	13

#	ARTICLE	IF	CITATIONS
19	Potential Economic Feasibility of Direct Electrochemical Nitrogen Reduction as a Route to Ammonia. ACS Sustainable Chemistry and Engineering, 2020, 8, 8938-8948.	3.2	75
20	Chemical Oxidation of a Coordinated PNP-Pincer Ligand Forms Unexpected Reversible Nitroxide Complexes with Reversal of Nitride Reactivity. Inorganic Chemistry, 2019, 58, 10791-10801.	1.9	19
21	Nitrogenase-Relevant Reactivity of a Synthetic Iron-Sulfur-Carbon Site. Journal of the American Chemical Society, 2019, 141, 13148-13157.	6.6	34
22	Implementation of an Accessible Gas Chromatography Laboratory Experiment for High School Students. Journal of Chemical Education, 2019, 96, 1707-1713.	1.1	3
23	Masked Radicals: Iron Complexes of Trityl, Benzophenone, and Phenylacetylene. Organometallics, 2019, 38, 4224-4232.	1.1	15
24	Planar three-coordinate iron sulfide in a synthetic [4Fe-3S] cluster with biomimetic reactivity. Nature Chemistry, 2019, 11, 1019-1025.	6.6	45
25	Reduction of CO ₂ by a masked two-coordinate cobalt complex and characterization of a proposed oxodicobalt intermediate. Chemical Science, 2019, 10, 918-929.	3.7	44
26	A [2Fe-1S] Complex That Affords Access to Bimetallic and Higher-Nuclearity Iron-Sulfur Clusters. Inorganic Chemistry, 2019, 58, 8829-8834.	1.9	15
27	Roles of Iron Complexes in Catalytic Radical Alkene Cross-Coupling: A Computational and Mechanistic Study. Journal of the American Chemical Society, 2019, 141, 7473-7485.	6.6	78
28	Dinitrogen Activation and Functionalization Using η^2 -Diketiminato Iron Complexes. European Journal of Inorganic Chemistry, 2019, 2019, 1861-1869.	1.0	26
29	Dinitrogen Reduction to Ammonium at Rhenium Utilizing Light and Proton-Coupled Electron Transfer. Journal of the American Chemical Society, 2019, 141, 20198-20208.	6.6	62
30	Boron compounds tackle dinitrogen. Science, 2018, 359, 871-871.	6.0	50
31	Selective Conversion of CO ₂ into Isocyanate by Low-Coordinate Iron Complexes. Angewandte Chemie, 2018, 130, 6617-6621.	1.6	7
32	Reversible Ligand-Centered Reduction in Low-Coordinate Iron Formazanate Complexes. Chemistry - A European Journal, 2018, 24, 9417-9425.	1.7	30
33	Selective Conversion of CO ₂ into Isocyanate by Low-Coordinate Iron Complexes. Angewandte Chemie - International Edition, 2018, 57, 6507-6511.	7.2	20
34	Alkali Cation Effects on Redox-Active Formazanate Ligands in Iron Chemistry. Inorganic Chemistry, 2018, 57, 9580-9591.	1.9	30
35	Incorporating light atoms into synthetic analogues of FeMoco. Proceedings of the National Academy of Sciences of the United States of America, 2018, 115, 5054-5056.	3.3	5
36	Functionalized Self-Assembled Monolayers Bearing Diiminato Complexes Immobilized through Covalently Anchored Ligands. Langmuir, 2018, 34, 13472-13480.	1.6	1

#	ARTICLE	IF	CITATIONS
37	Isolation and characterization of a high-spin mixed-valent iron dinitrogen complex. <i>Chemical Communications</i> , 2018, 54, 13339-13342.	2.2	15
38	High-Frequency Fe-H Vibrations in a Bridging Hydride Complex Characterized by NRVS and DFT. <i>Angewandte Chemie</i> , 2018, 130, 9511-9515.	1.6	2
39	Beyond fossil fuel-driven nitrogen transformations. <i>Science</i> , 2018, 360, .	6.0	1,379
40	High-Frequency Fe-H Vibrations in a Bridging Hydride Complex Characterized by NRVS and DFT. <i>Angewandte Chemie - International Edition</i> , 2018, 57, 9367-9371.	7.2	14
41	So Close, yet Sulfur Away: Opening the Nitrogenase Cofactor Structure Creates a Binding Site. <i>Biochemistry</i> , 2018, 57, 3540-3541.	1.2	15
42	Effects of N ₂ Binding Mode on Iron-Based Functionalization of Dinitrogen to Form an Iron(III) Hydrazido Complex. <i>Journal of the American Chemical Society</i> , 2018, 140, 8586-8598.	6.6	42
43	Iron and Cobalt Diazoalkane Complexes Supported by \hat{I}^2 -Diketiminato Ligands: A Synthetic, Spectroscopic, and Computational Investigation. <i>Inorganic Chemistry</i> , 2018, 57, 5959-5972.	1.9	15
44	Diazoalkanes in Low-Coordinate Iron Chemistry: Bimetallic Diazoalkyl and Alkylidene Complexes of Iron(II). <i>Inorganic Chemistry</i> , 2017, 56, 1019-1022.	1.9	26
45	Fe-Catalyzed C-C Bond Construction from Olefins via Radicals. <i>Journal of the American Chemical Society</i> , 2017, 139, 2484-2503.	6.6	301
46	Quantitation of the THF Content in Fe[N(SiMe ₃) ₂] ₂ ·THF. <i>Inorganic Chemistry</i> , 2017, 56, 3140-3143.	1.9	38
47	Enhancement of C-H Oxidizing Ability in Co ²⁺ ...Complexes through an Isolated Heterobimetallic Oxo Intermediate. <i>Angewandte Chemie - International Edition</i> , 2017, 56, 3211-3215.	7.2	27
48	Reaction: Opportunities for Sustainable Catalysts. <i>Chem</i> , 2017, 2, 443-444.	5.8	29
49	C-H and C-N Activation at Redox-Active Pyridine Complexes of Iron. <i>Angewandte Chemie</i> , 2017, 129, 1089-1092.	1.6	6
50	C-H and C-N Activation at Redox-Active Pyridine Complexes of Iron. <i>Angewandte Chemie - International Edition</i> , 2017, 56, 1069-1072.	7.2	20
51	Protonation and electrochemical reduction of rhodium- and iridium-dinitrogen complexes in organic solution. <i>Dalton Transactions</i> , 2017, 46, 14325-14330.	1.6	13
52	Synthesis and Mechanism of Formation of Hydride-Sulfide Complexes of Iron. <i>Inorganic Chemistry</i> , 2017, 56, 9185-9193.	1.9	7
53	Density Functional Calculations for Prediction of ⁵⁷ Fe Mössbauer Isomer Shifts and Quadrupole Splittings in \hat{I}^2 -Diketiminato Complexes. <i>ACS Omega</i> , 2017, 2, 2594-2606.	1.6	37
54	Enhancement of C-H Oxidizing Ability in Co ²⁺ ...Complexes through an Isolated Heterobimetallic Oxo Intermediate. <i>Angewandte Chemie</i> , 2017, 129, 3259-3263.	1.6	22

#	ARTICLE	IF	CITATIONS
55	ENDOR characterization of an iron-alkene complex provides insight into a corresponding organometallic intermediate of nitrogenase. <i>Chemical Science</i> , 2017, 8, 5941-5948.	3.7	8
56	Coordination chemistry insights into the role of alkali metal promoters in dinitrogen reduction. <i>Catalysis Today</i> , 2017, 286, 21-40.	2.2	88
57	Effects of Ligand Halogenation on the Electron Localization, Geometry and Spin State of Low-Coordinate (η^2 -diketiminato)iron Complexes. <i>European Journal of Inorganic Chemistry</i> , 2016, 2016, 3344-3355.	1.0	9
58	Sulfur-Supported Iron Complexes for Understanding N ₂ Reduction. <i>Topics in Organometallic Chemistry</i> , 2016, , 197-213.	0.7	3
59	Insight into the Iron-Molybdenum Cofactor of Nitrogenase from Synthetic Iron Complexes with Sulfur, Carbon, and Hydride Ligands. <i>Journal of the American Chemical Society</i> , 2016, 138, 7200-7211.	6.6	146
60	The Mechanism of N=N Double Bond Cleavage by an Iron(II) Hydride Complex. <i>Journal of the American Chemical Society</i> , 2016, 138, 12112-12123.	6.6	34
61	Stepwise N-H bond formation from N ₂ -derived iron nitride, imide and amide intermediates to ammonia. <i>Chemical Science</i> , 2016, 7, 5736-5746.	3.7	76
62	Alkali-Controlled C-H Cleavage or N=C Bond Formation by N ₂ -Derived Iron Nitrides and Imides. <i>Journal of the American Chemical Society</i> , 2016, 138, 11185-11191.	6.6	42
63	A [3Fe-4S] cluster is required for tRNA thiolation in archaea and eukaryotes. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2016, 113, 12703-12708.	3.3	63
64	Alkali Metal Variation and Twisting of the FeNNFe Core in Bridging Diiron Dinitrogen Complexes. <i>Inorganic Chemistry</i> , 2016, 55, 2960-2968.	1.9	45
65	Metal-Halogen Secondary Bonding in a 2,5-Dichlorohydroquinone Cobalt(II) Complex: Insight into Substrate Coordination in the Chlorohydroquinone Dioxygenase PcpA. <i>European Journal of Inorganic Chemistry</i> , 2015, 2015, 4643-4647.	1.0	5
66	Cobalt(II) Complex of a Diazoalkane Radical Anion. <i>Inorganic Chemistry</i> , 2015, 54, 5148-5150.	1.9	22
67	Tuning steric and electronic effects in transition-metal η^2 -diketiminato complexes. <i>Dalton Transactions</i> , 2015, 44, 16654-16670.	1.6	112
68	Dinitrogen Binding and Cleavage by Multinuclear Iron Complexes. <i>Accounts of Chemical Research</i> , 2015, 48, 2059-2065.	7.6	157
69	Distinctive Reaction Pathways at Base Metals in High-Spin Organometallic Catalysts. <i>Accounts of Chemical Research</i> , 2015, 48, 1696-1702.	7.6	144
70	Oxidized and reduced [2Fe-2S] clusters from an iron(I) synthon. <i>Journal of Biological Inorganic Chemistry</i> , 2015, 20, 875-883.	1.1	21
71	Binding of dinitrogen to an iron-sulfur-carbon site. <i>Nature</i> , 2015, 526, 96-99.	13.7	223
72	Spin Isomers and Ligand Isomerization in a Three-Coordinate Cobalt(I) Carbonyl Complex. <i>Journal of the American Chemical Society</i> , 2015, 137, 10689-10699.	6.6	25

#	ARTICLE	IF	CITATIONS
73	Rapid, Regioconvergent, Solvent-Free Alkene Hydrosilylation with a Cobalt Catalyst. <i>Journal of the American Chemical Society</i> , 2015, 137, 13244-13247.	6.6	192
74	Synthesis, Characterization, and Nitrogenase-Relevant Reactions of an Iron Sulfide Complex with a Bridging Hydride. <i>Journal of the American Chemical Society</i> , 2015, 137, 13220-13223.	6.6	25
75	Multimetallc cooperativity in activation of dinitrogen at iron-potassium sites. <i>Chemical Science</i> , 2014, 5, 267-274.	3.7	55
76	Z-Selective Alkene Isomerization by High-Spin Cobalt(II) Complexes. <i>Journal of the American Chemical Society</i> , 2014, 136, 945-955.	6.6	196
77	Alkali Metal Control over N-N Cleavage in Iron Complexes. <i>Journal of the American Chemical Society</i> , 2014, 136, 16807-16816.	6.6	103
78	Geometric and redox flexibility of pyridine as a redox-active ligand that can reversibly accept one or two electrons. <i>Chemical Communications</i> , 2014, 50, 11114-11117.	2.2	31
79	Synthesis, Spectroscopy, and Hydrogen/Deuterium Exchange in High-Spin Iron(II) Hydride Complexes. <i>Inorganic Chemistry</i> , 2014, 53, 2370-2380.	1.9	38
80	A Multi-iron System Capable of Rapid N ₂ Formation and N ₂ Cleavage. <i>Journal of the American Chemical Society</i> , 2014, 136, 10226-10229.	6.6	82
81	Mechanism of Catalytic Nitrene Transfer Using Iron(I)-Isocyanide Complexes. <i>Organometallics</i> , 2013, 32, 5289-5298.	1.1	58
82	Spin Crossover during \hat{I}^2 -Hydride Elimination in High-Spin Iron(II) and Cobalt(II) Alkyl Complexes. <i>Organometallics</i> , 2013, 32, 4741-4751.	1.1	63
83	Recent developments in the homogeneous reduction of dinitrogen by molybdenum and iron. <i>Nature Chemistry</i> , 2013, 5, 559-565.	6.6	345
84	Cobalt-Magnesium and Iron-Magnesium Complexes with Weakened Dinitrogen Bridges. <i>European Journal of Inorganic Chemistry</i> , 2013, 2013, 3891-3897.	1.0	28
85	A Sulfide-Bridged Diiron(II) Complex with a N ₂ H ₄ Ligand. <i>Zeitschrift Fur Anorganische Und Allgemeine Chemie</i> , 2013, 639, 1351-1355.	0.6	19
86	Azurin as a Protein Scaffold for a Low-coordinate Nonheme Iron Site with a Small-molecule Binding Pocket. <i>Journal of the American Chemical Society</i> , 2012, 134, 19746-19757.	6.6	33
87	Reversible C-C Bond Formation between Redox-Active Pyridine Ligands in Iron Complexes. <i>Journal of the American Chemical Society</i> , 2012, 134, 20352-20364.	6.6	85
88	Cooperativity Between Low-Valent Iron and Potassium Promoters in Dinitrogen Fixation. <i>Inorganic Chemistry</i> , 2012, 51, 7546-7550.	1.9	63
89	Virtual Inorganic Pedagogical Electronic Resource Learning Objects in Organometallic Chemistry. <i>Journal of Chemical Education</i> , 2012, 89, 185-187.	1.1	7
90	Low-Coordinate Cobalt Fluoride Complexes: Synthesis, Reactions, and Production from C-F Activation Reactions. <i>Organometallics</i> , 2012, 31, 1349-1360.	1.1	72

#	ARTICLE	IF	CITATIONS
91	Ligand Effects on Hydrogen Atom Transfer from Hydrocarbons to Three-Coordinate Iron Imides. <i>Inorganic Chemistry</i> , 2012, 51, 8352-8361.	1.9	92
92	Characterization of the Fe- ξ -H Bond in a Three-Coordinate Terminal Hydride Complex of Iron(I). <i>Angewandte Chemie - International Edition</i> , 2012, 51, 3658-3662.	7.2	50
93	Isolation and Characterization of Stable Iron(I) Sulfide Complexes. <i>Angewandte Chemie - International Edition</i> , 2012, 51, 8247-8250.	7.2	42
94	A Reduced (η^2 -diketiminato)iron Complex with End-On and Side-On Nitriles: Strong Backbonding or Ligand Non-Innocence?. <i>European Journal of Inorganic Chemistry</i> , 2012, 2012, 479-483.	1.0	13
95	Selectivity and Mechanism of Hydrogen Atom Transfer by an Isolable Imidoiron(III) Complex. <i>Journal of the American Chemical Society</i> , 2011, 133, 9796-9811.	6.6	128
96	Remote Substitution on π -Heterocyclic Carbenes Heightens the Catalytic Reactivity of Their Palladium Complexes. <i>Organometallics</i> , 2011, 30, 5123-5132.	1.1	36
97	A Masked Two-Coordinate Cobalt(I) Complex That Activates C-F Bonds. <i>Journal of the American Chemical Society</i> , 2011, 133, 12418-12421.	6.6	103
98	Techniques for Functional and Structural Modeling of Nitrogenase. <i>Methods in Molecular Biology</i> , 2011, 766, 249-263.	0.4	2
99	N ₂ Reduction and Hydrogenation to Ammonia by a Molecular Iron-Potassium Complex. <i>Science</i> , 2011, 334, 780-783.	6.0	482
100	Two-Coordinate Transition-Metal Centers With Metal-Metal Bonds. <i>Angewandte Chemie - International Edition</i> , 2011, 50, 6213-6214.	7.2	9
101	C-H activation by a terminal imidoiron(III) complex to form a cyclopentadienyliron(II) product. <i>Inorganica Chimica Acta</i> , 2011, 369, 40-44.	1.2	18
102	Metal-dioxygen and metal-dinitrogen complexes: where are the electrons?. <i>Dalton Transactions</i> , 2010, 39, 5415.	1.6	229
103	Three-Coordinate Terminal Imidoiron(III) Complexes: Structure, Spectroscopy, and Mechanism of Formation. <i>Inorganic Chemistry</i> , 2010, 49, 6172-6187.	1.9	95
104	A diketiminate-bound diiron complex with a bridging carbonate ligand. <i>Acta Crystallographica Section C: Crystal Structure Communications</i> , 2009, 65, m174-m176.	0.4	3
105	New routes to low-coordinate iron hydride complexes: The binuclear oxidative addition of H ₂ . <i>Journal of Organometallic Chemistry</i> , 2009, 694, 2825-2830.	0.8	33
106	Iron(II) Complexes with Redox-Active Tetrazene (RNNNNR) Ligands. <i>Inorganic Chemistry</i> , 2009, 48, 4828-4836.	1.9	61
107	Cobalt-Dinitrogen Complexes with Weakened N-N Bonds. <i>Journal of the American Chemical Society</i> , 2009, 131, 9471-9472.	6.6	120
108	Catalytic nitrene transfer from an imidoiron(III) complex to form carbodiimides and isocyanates. <i>Chemical Communications</i> , 2009, , 1760.	2.2	78

#	ARTICLE	IF	CITATIONS
109	Ligand Dependence of Binding to Three-Coordinate Fe(II) Complexes. <i>Inorganic Chemistry</i> , 2009, 48, 5106-5116.	1.9	35
110	Electronic Structure and Reactivity of Three-Coordinate Iron Complexes. <i>Accounts of Chemical Research</i> , 2008, 41, 905-914.	7.6	261
111	The Reactivity Patterns of Low-Coordinate Iron ^{II} Hydride Complexes. <i>Journal of the American Chemical Society</i> , 2008, 130, 6624-6638.	6.6	179
112	Mössbauer, Electron Paramagnetic Resonance, and Theoretical Study of a High-Spin, Four-Coordinate Fe(II) Diketimate Complex. <i>Inorganic Chemistry</i> , 2008, 47, 8687-8695.	1.9	27
113	Reduction of CO ₂ to CO Using Low-Coordinate Iron: Formation of a Four-Coordinate Iron Dicarbonyl Complex and a Bridging Carbonate Complex. <i>Inorganic Chemistry</i> , 2008, 47, 784-786.	1.9	102
114	A Bridging Hexazene (RNNNNNR) Ligand from Reductive Coupling of Azides. <i>Journal of the American Chemical Society</i> , 2008, 130, 6074-6075.	6.6	70
115	Borane B-C Bond Cleavage by a Low-Coordinate Iron Hydride Complex and N-N Bond Cleavage by the Hydridoborate Product. <i>Organometallics</i> , 2007, 26, 3217-3226.	1.1	64
116	Mechanistic Insight into NN Cleavage by a Low-Coordinate Iron(II) Hydride Complex. <i>Journal of the American Chemical Society</i> , 2007, 129, 8112-8121.	6.6	63
117	Quantitative Geometric Descriptions of the Belt Iron Atoms of the Iron ^{II} Molybdenum Cofactor of Nitrogenase and Synthetic Iron(II) Model Complexes. <i>Inorganic Chemistry</i> , 2007, 46, 60-71.	1.9	44
118	Studies of Low-Coordinate Iron Dinitrogen Complexes. <i>Journal of the American Chemical Society</i> , 2006, 128, 756-769.	6.6	302
119	Mössbauer and Computational Study of an N ₂ -Bridged Diiron Diketimate Complex: Parallel Alignment of the Iron Spins by Direct Antiferromagnetic Exchange with Activated Dinitrogen. <i>Journal of the American Chemical Society</i> , 2006, 128, 10181-10192.	6.6	77
120	Binding Affinity of Alkynes and Alkenes to Low-Coordinate Iron. <i>Inorganic Chemistry</i> , 2006, 45, 5742-5751.	1.9	105
121	Bidentate Coordination of Pyrazolate in Low-Coordinate Iron(II) and Nickel(II) Complexes. <i>Angewandte Chemie - International Edition</i> , 2006, 45, 1607-1611.	7.2	28
122	Coordination-Number Dependence of Reactivity in an Imidoiron(III) Complex. <i>Angewandte Chemie - International Edition</i> , 2006, 45, 6868-6871.	7.2	143
123	Low-coordinate iron complexes as synthetic models of nitrogenase. <i>Canadian Journal of Chemistry</i> , 2005, 83, 296-301.	0.6	60
124	Mössbauer, Electron Paramagnetic Resonance, and Crystallographic Characterization of a High-Spin Fe(I) Diketimate Complex with Orbital Degeneracy. <i>Inorganic Chemistry</i> , 2005, 44, 4915-4922.	1.9	95
125	A Cationic Three-Coordinate Iron(II) Complex and the Reaction of ¹ H ² -Diketimate with Ethyl Diazoacetate. <i>Organometallics</i> , 2005, 24, 1803-1805.	1.1	43
126	Synthesis, Structure, and Spectroscopy of an Oxodiiron(II) Complex. <i>Journal of the American Chemical Society</i> , 2005, 127, 9344-9345.	6.6	36

#	ARTICLE	IF	CITATIONS
127	Synthesis and Reactivity of Low-Coordinate Iron(II) Fluoride Complexes and Their Use in the Catalytic Hydrodefluorination of Fluorocarbons. <i>Journal of the American Chemical Society</i> , 2005, 127, 7857-7870.	6.6	311
128	Low-Coordinate Iron(II) Amido Complexes of $\hat{\text{I}}^2$ -Diketiminates: Synthesis, Structure, and Reactivity. <i>Inorganic Chemistry</i> , 2004, 43, 3306-3321.	1.9	123
129	Reversible Beta-Hydrogen Elimination of Three-Coordinate Iron(II) Alkyl Complexes: Mechanistic and Thermodynamic Studies. <i>Organometallics</i> , 2004, 23, 5226-5239.	1.1	125
130	A Sulfido-Bridged Diiron(II) Compound and Its Reactions with Nitrogenase-Relevant Substrates. <i>Journal of the American Chemical Society</i> , 2004, 126, 4522-4523.	6.6	159
131	NN Bond Cleavage by a Low-Coordinate Iron(II) Hydride Complex. <i>Journal of the American Chemical Society</i> , 2003, 125, 15752-15753.	6.6	120
132	Planar Three-Coordinate High-Spin Fe(II) Complexes with Large Orbital Angular Momentum: Mössbauer, Electron Paramagnetic Resonance, and Electronic Structure Studies. <i>Journal of the American Chemical Society</i> , 2002, 124, 3012-3025.	6.6	197
133	$\hat{\text{I}}^2$ -Diketiminate Ligand Backbone Structural Effects on Cu(I)/O ₂ Reactivity: A Unique Copper ⁺ Superoxo and Bis($\hat{\text{I}}^{1/4}$ -oxo) Complexes. <i>Journal of the American Chemical Society</i> , 2002, 124, 2108-2109.	6.6	185
134	Electronically Unsaturated Three-Coordinate Chloride and Methyl Complexes of Iron, Cobalt, and Nickel. <i>Journal of the American Chemical Society</i> , 2002, 124, 14416-14424.	6.6	202
135	Three-Coordinate, 12-Electron Organometallic Complexes of Iron(II) Supported by a Bulky $\hat{\text{I}}^2$ -Diketiminate Ligand: Synthesis and Insertion of CO To Give Square-Pyramidal Complexes. <i>Organometallics</i> , 2002, 21, 4808-4814.	1.1	61
136	Alkyl isomerisation in three-coordinate iron(II) complexes. Electronic supplementary information (ESI) available: general considerations, synthesis of compounds, kinetic studies and crystal data. See http://www.rsc.org/suppdata/cc/b2/b209389h/ . <i>Chemical Communications</i> , 2002, , 2886-2887.	2.2	41
137	Tuning metal coordination number by ancillary ligand steric effects: synthesis of a three-coordinate iron(II) complex. <i>Chemical Communications</i> , 2001, , 1542-1543.	2.2	108
138	Stepwise Reduction of Dinitrogen Bond Order by a Low-Coordinate Iron Complex. <i>Journal of the American Chemical Society</i> , 2001, 123, 9222-9223.	6.6	227
139	Resonance Raman Spectroscopy as a Probe of the Bis($\hat{\text{I}}^{1/4}$ -oxo)dicopper Core. <i>Journal of the American Chemical Society</i> , 2000, 122, 792-802.	6.6	91