

Gary Lewin

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3779651/publications.pdf>

Version: 2024-02-01

156
papers

17,944
citations

17405

63
h-index

13727

129
g-index

175
all docs

175
docs citations

175
times ranked

14291
citing authors

#	ARTICLE	IF	CITATIONS
1	The naked truth: a comprehensive clarification and classification of current “myths” in naked mole-rat biology. <i>Biological Reviews</i> , 2022, 97, 115-140.	4.7	62
2	Immune competence and spleen size scale with colony status in the naked mole-rat. <i>Open Biology</i> , 2022, 12, 210292.	1.5	6
3	SPFH protein cage “one ring to rule them all. <i>Cell Research</i> , 2022, 32, 117-118.	5.7	8
4	USH2A is a Meissner’s corpuscle protein necessary for normal vibration sensing in mice and humans. <i>Nature Neuroscience</i> , 2021, 24, 74-81.	7.1	52
5	A Sweet Story of Metabolic Innovation in the Naked Mole-Rat. <i>Advances in Experimental Medicine and Biology</i> , 2021, 1319, 271-286.	0.8	9
6	Hearing and Vocalizations in the Naked Mole-Rat. <i>Advances in Experimental Medicine and Biology</i> , 2021, 1319, 157-195.	0.8	10
7	A Role for STOML3 in Olfactory Sensory Transduction. <i>ENeuro</i> , 2021, 8, ENEURO.0565-20.2021.	0.9	8
8	African Naked Mole-Rats Demonstrate Extreme Tolerance to Hypoxia and Hypercapnia. <i>Advances in Experimental Medicine and Biology</i> , 2021, 1319, 255-269.	0.8	25
9	The Somatosensory World of the African Naked Mole-Rat. <i>Advances in Experimental Medicine and Biology</i> , 2021, 1319, 197-220.	0.8	10
10	Cultural transmission of vocal dialect in the naked mole-rat. <i>Science</i> , 2021, 371, 503-507.	6.0	67
11	Collagen Organization Within the Cartilage of Trpv4 ^{+/+} Mice Studied with Two-Photon Microscopy and Polarized Second Harmonic Generation. <i>Cytometry Part A: the Journal of the International Society for Analytical Cytology</i> , 2020, 97, 504-514.	1.1	2
12	SUMOylation of Enzymes and Ion Channels in Sensory Neurons Protects against Metabolic Dysfunction, Neuropathy, and Sensory Loss in Diabetes. <i>Neuron</i> , 2020, 107, 1141-1159.e7.	3.8	27
13	William D. Willis, Jr, MD, PhD Memorial Lecture: The evolutionary history of nerve growth factor and nociception. <i>Pain</i> , 2020, 161, S36-S47.	2.0	5
14	The Sensory Coding of Warm Perception. <i>Neuron</i> , 2020, 106, 830-841.e3.	3.8	119
15	Independent evolution of pain insensitivity in African mole-rats: origins and mechanisms. <i>Journal of Comparative Physiology A: Neuroethology, Sensory, Neural, and Behavioral Physiology</i> , 2020, 206, 313-325.	0.7	9
16	TMEM87a/Elkin1, a component of a novel mechano-electrical transduction pathway, modulates melanoma adhesion and migration. <i>ELife</i> , 2020, 9, .	2.8	43
17	Rapid molecular evolution of pain insensitivity in multiple African rodents. <i>Science</i> , 2019, 364, 852-859.	6.0	57
18	Immune or Genetic-Mediated Disruption of CASPR2 Causes Pain Hypersensitivity Due to Enhanced Primary Afferent Excitability. <i>Neuron</i> , 2018, 97, 806-822.e10.	3.8	119

#	ARTICLE	IF	CITATIONS
19	Mechanoelectrical transduction in chondrocytes. <i>Clinical and Experimental Pharmacology and Physiology</i> , 2018, 45, 481-488.	0.9	41
20	Voltage-gating of mechanosensitive PIEZO channels. <i>Nature Communications</i> , 2018, 9, 1096.	5.8	118
21	The mechanosensitive ion channel Piezo2 mediates sensitivity to mechanical pain in mice. <i>Science Translational Medicine</i> , 2018, 10, .	5.8	247
22	The neural circuits of thermal perception. <i>Current Opinion in Neurobiology</i> , 2018, 52, 98-106.	2.0	37
23	The Absence of Sensory Axon Bifurcation Affects Nociception and Termination Fields of Afferents in the Spinal Cord. <i>Frontiers in Molecular Neuroscience</i> , 2018, 11, 19.	1.4	27
24	Maf links Neuregulin1 signaling to cholesterol synthesis in myelinating Schwann cells. <i>Genes and Development</i> , 2018, 32, 645-657.	2.7	22
25	Specialized mechanoreceptor systems in rodent glabrous skin. <i>Journal of Physiology</i> , 2018, 596, 4995-5016.	1.3	66
26	Fructose-driven glycolysis supports anoxia resistance in the naked mole-rat. <i>Science</i> , 2017, 356, 307-311.	6.0	503
27	Lipidome determinants of maximal lifespan in mammals. <i>Scientific Reports</i> , 2017, 7, 5.	1.6	60
28	Small-molecule inhibition of STOML3 oligomerization reverses pathological mechanical hypersensitivity. <i>Nature Neuroscience</i> , 2017, 20, 209-218.	7.1	59
29	Congenital deafness is associated with specific somatosensory deficits in adolescents. <i>Scientific Reports</i> , 2017, 7, 4251.	1.6	9
30	Genetic Tracing of Cav3.2 T-Type Calcium Channel Expression in the Peripheral Nervous System. <i>Frontiers in Molecular Neuroscience</i> , 2017, 10, 70.	1.4	31
31	Direct measurement of TRPV4 and PIEZO1 activity reveals multiple mechanotransduction pathways in chondrocytes. <i>ELife</i> , 2017, 6, .	2.8	190
32	A Molecular Signature of Myalgia in Myotonic Dystrophy 2. <i>EBioMedicine</i> , 2016, 7, 205-211.	2.7	16
33	Hypofunctional TrkA Accounts for the Absence of Pain Sensitization in the African Naked Mole-Rat. <i>Cell Reports</i> , 2016, 17, 748-758.	2.9	51
34	Fxyd2 regulates A δ - and C-fiber mechanosensitivity and is required for the maintenance of neuropathic pain. <i>Scientific Reports</i> , 2016, 6, 36407.	1.6	22
35	Measurement of Vibration Detection Threshold and Tactile Spatial Acuity in Human Subjects. <i>Journal of Visualized Experiments</i> , 2016, , .	0.2	6
36	A Probabilistic Model for Estimating the Depth and Threshold Temperature of C-fiber Nociceptors. <i>Scientific Reports</i> , 2015, 5, 17670.	1.6	7

#	ARTICLE	IF	CITATIONS
37	Photoswitchable fatty acids enable optical control of TRPV1. <i>Nature Communications</i> , 2015, 6, 7118.	5.8	126
38	GABA Blocks Pathological but Not Acute TRPV1 Pain Signals. <i>Cell</i> , 2015, 160, 759-770.	13.5	119
39	Sensory mechanotransduction at membrane-matrix interfaces. <i>Pflügers Archiv European Journal of Physiology</i> , 2015, 467, 121-132.	1.3	36
40	ASICs and mammalian mechanoreceptor function. <i>Neuropharmacology</i> , 2015, 94, 80-86.	2.0	55
41	PIEZO2 is required for mechanotransduction in human stem cell-derived touch receptors. <i>Nature Neuroscience</i> , 2015, 18, 10-16.	7.1	102
42	Water-Induced Finger Wrinkles Do Not Affect Touch Acuity or Dexterity in Handling Wet Objects. <i>PLoS ONE</i> , 2014, 9, e84949.	1.1	13
43	Activation of MAPK overrides the termination of myelin growth and replaces Nrg1/ErbB3 signals during Schwann cell development and myelination. <i>Genes and Development</i> , 2014, 28, 290-303.	2.7	76
44	Subunit-specific inhibition of acid sensing ion channels by stomatin-like protein 1. <i>Journal of Physiology</i> , 2014, 592, 557-569.	1.3	13
45	Piezo2 is the major transducer of mechanical forces for touch sensation in mice. <i>Nature</i> , 2014, 516, 121-125.	13.7	660
46	Inhibition of c-Kit signaling is associated with reduced heat and cold pain sensitivity in humans. <i>Pain</i> , 2014, 155, 1222-1228.	2.0	10
47	Nerve Growth Factor and Nociception: From Experimental Embryology to New Analgesic Therapy. <i>Handbook of Experimental Pharmacology</i> , 2014, 220, 251-282.	0.9	63
48	Pro-neurotrophins, sortilin, and nociception. <i>European Journal of Neuroscience</i> , 2014, 39, 363-374.	1.2	44
49	A somatosensory circuit for cooling perception in mice. <i>Nature Neuroscience</i> , 2014, 17, 1560-1566.	7.1	72
50	Tuning Piezo ion channels to detect molecular-scale movements relevant for fine touch. <i>Nature Communications</i> , 2014, 5, 3520.	5.8	229
51	Natural Selection and Pain Meet at a Sodium Channel. <i>Science</i> , 2013, 342, 428-429.	6.0	4
52	Hairy Sensation. <i>Physiology</i> , 2013, 28, 142-150.	1.6	66
53	Stomatin domain protein interactions with acid-sensing ion channels modulate nociceptor mechanosensitivity. <i>Journal of Physiology</i> , 2013, 591, 5555-5574.	1.3	45
54	Abstract 215: Neural precursor cells induce cell death of high-grade astrocytomas through stimulation of TRPV1. ., 2013, , .		0

#	ARTICLE	IF	CITATIONS
55	A Genetic Basis for Mechanosensory Traits in Humans. <i>PLoS Biology</i> , 2012, 10, e1001318.	2.6	61
56	A stomatin dimer modulates the activity of acid-sensing ion channels. <i>EMBO Journal</i> , 2012, 31, 3635-3646.	3.5	72
57	The Transcription Factor c-Maf Controls Touch Receptor Development and Function. <i>Science</i> , 2012, 335, 1373-1376.	6.0	147
58	KCNQ4 K ⁺ channels tune mechanoreceptors for normal touch sensation in mouse and man. <i>Nature Neuroscience</i> , 2012, 15, 138-145.	7.1	95
59	Regulation of ASIC channels by a stomatin/STOML3 complex located in a mobile vesicle pool in sensory neurons. <i>Open Biology</i> , 2012, 2, 120096.	1.5	38
60	Neural precursor cells induce cell death of high-grade astrocytomas through stimulation of TRPV1. <i>Nature Medicine</i> , 2012, 18, 1232-1238.	15.2	159
61	Specific paucity of unmyelinated C-fibers in cutaneous peripheral nerves of the African naked mole rat: Comparative analysis using six species of bathyergidae. <i>Journal of Comparative Neurology</i> , 2012, 520, 2785-2803.	0.9	27
62	Stomatin-domain proteins. <i>European Journal of Cell Biology</i> , 2012, 91, 240-245.	1.6	100
63	Gl _q /11 signaling tonically modulates nociceptor function and contributes to activity-dependent sensitization. <i>Pain</i> , 2012, 153, 184-196.	2.0	31
64	Presynaptically Localized Cyclic GMP-Dependent Protein Kinase 1 Is a Key Determinant of Spinal Synaptic Potentiation and Pain Hypersensitivity. <i>PLoS Biology</i> , 2012, 10, e1001283.	2.6	82
65	The Molecular and Cellular Identity of Peripheral Osmoreceptors. <i>Neuron</i> , 2011, 69, 332-344.	3.8	141
66	Sortilin associates with Trk receptors to enhance anterograde transport and neurotrophin signaling. <i>Nature Neuroscience</i> , 2011, 14, 54-61.	7.1	157
67	The Ca _v 3.2 type calcium channel regulates temporal coding in mouse mechanoreceptors. <i>Journal of Physiology</i> , 2011, 589, 2229-2243.	1.3	49
68	The Molecular Basis of Acid Insensitivity in the African Naked Mole-Rat. <i>Science</i> , 2011, 334, 1557-1560.	6.0	123
69	Laminin-332 coordinates mechanotransduction and growth cone bifurcation in sensory neurons. <i>Nature Neuroscience</i> , 2011, 14, 993-1000.	7.1	66
70	Peripheral calcium-permeable AMPA receptors regulate chronic inflammatory pain in mice. <i>Journal of Clinical Investigation</i> , 2011, 121, 1608-1623.	3.9	53
71	Ultraviolet-B-induced mechanical hyperalgesia: A role for peripheral sensitisation. <i>Pain</i> , 2010, 150, 141-152.	2.0	57
72	Absence of Histamine-Induced Itch in the African Naked Mole-Rat and "Rescue" by Substance P. <i>Molecular Pain</i> , 2010, 6, 1744-8069-6-29.	1.0	35

#	ARTICLE	IF	CITATIONS
73	Evidence for a protein tether involved in somatic touch. <i>EMBO Journal</i> , 2010, 29, 855-867.	3.5	84
74	RAPID REPORT: An <i>in vivo</i> tethered toxin approach for the cell-autonomous inactivation of voltage-gated sodium channel currents in nociceptors. <i>Journal of Physiology</i> , 2010, 588, 1695-1707.	1.3	28
75	Functional Neurokinin and NMDA Receptor Activity in an Animal Naturally Lacking Substance P: The Naked Mole-Rat. <i>PLoS ONE</i> , 2010, 5, e15162.	1.1	20
76	Naked Mole Rats: Their Extraordinary Sensory World. , 2010, , 505-512.		1
77	Nociceptors: a phylogenetic view. <i>Journal of Comparative Physiology A: Neuroethology, Sensory, Neural, and Behavioral Physiology</i> , 2009, 195, 1089-1106.	0.7	190
78	Peripheral sensitisation of nociceptors via $\text{G}\alpha\text{q}$ -protein-dependent potentiation of mechanotransduction currents. <i>Journal of Physiology</i> , 2009, 587, 3493-3503.	1.3	54
79	Developmental waves of mechanosensitivity acquisition in sensory neuron subtypes during embryonic development. <i>EMBO Journal</i> , 2009, 28, 1479-1491.	3.5	83
80	Blind and naked, but oh so cool: The subterranean world of the naked mole-rat. <i>FASEB Journal</i> , 2009, 23, 416.4.	0.2	0
81	Stretching it for pain. <i>Pain</i> , 2008, 137, 3-4.	2.0	3
82	Speed and Temperature Dependences of Mechanotransduction in Afferent Fibers Recorded From the Mouse Saphenous Nerve. <i>Journal of Neurophysiology</i> , 2008, 100, 2771-2783.	0.9	51
83	Selective Inflammatory Pain Insensitivity in the African Naked Mole-Rat (<i>Heterocephalus glaber</i>). <i>PLoS Biology</i> , 2008, 6, e13.	2.6	157
84	Nociceptive Tuning by Stem Cell Factor/c-Kit Signaling. <i>Neuron</i> , 2007, 56, 893-906.	3.8	61
85	Stomatin and Sensory Neuron Mechanotransduction. <i>Journal of Neurophysiology</i> , 2007, 98, 3802-3808.	0.9	44
86	Roles for the pro-neurotrophin receptor sortilin in neuronal development, aging and brain injury. <i>Nature Neuroscience</i> , 2007, 10, 1449-1457.	7.1	244
87	A stomatin-domain protein essential for touch sensation in the mouse. <i>Nature</i> , 2007, 445, 206-209.	13.7	225
88	The high threshold mechanotransducer: A status report. <i>Pain</i> , 2006, 120, 3-7.	2.0	40
89	Mechanosensitive currents in the neurites of cultured mouse sensory neurones. <i>Journal of Physiology</i> , 2006, 577, 815-828.	1.3	156
90	A role for T-type Ca^{2+} channels in mechanosensation. <i>Cell Calcium</i> , 2006, 40, 165-174.	1.1	21

#	ARTICLE	IF	CITATIONS
91	Chapter 13 Finding Sensory Neuron Mechanotransduction Components. Current Topics in Membranes, 2006, , 379-414.	0.5	1
92	The sensory mechanotransduction ion channel ASIC2 (acid sensitive ion channel 2) is regulated by neurotrophin availability. Neuroscience, 2005, 131, 499-511.	1.1	43
93	Role of T-Type Calcium Current in Identified D-Hair Mechanoreceptor Neurons Studied In Vitro. Journal of Neuroscience, 2004, 24, 8480-8484.	1.7	66
94	A plethora of painful molecules. Current Opinion in Neurobiology, 2004, 14, 443-449.	2.0	39
95	Mechanosensation and pain. Journal of Neurobiology, 2004, 61, 30-44.	3.7	200
96	The ion channel ASIC1 contributes to visceral but not cutaneous mechanoreceptor function. Gastroenterology, 2004, 127, 1739-1747.	0.6	138
97	The AMPA Receptor Subunits GluR-A and GluR-B Reciprocally Modulate Spinal Synaptic Plasticity and Inflammatory Pain. Neuron, 2004, 44, 637-650.	3.8	188
98	Identification of Caveolae-like Structures on the Surface of Intact Cells Using Scanning Force Microscopy. Journal of Membrane Biology, 2003, 194, 97-108.	1.0	12
99	A T-type calcium channel required for normal function of a mammalian mechanoreceptor. Nature Neuroscience, 2003, 6, 724-730.	7.1	136
100	cGMP-mediated signalling via cGKII \pm is required for the guidance and connectivity of sensory axons. BMC News and Views, 2003, 3, .	0.0	0
101	cGMP-mediated signaling via cGKII \pm is required for the guidance and connectivity of sensory axons. Journal of Cell Biology, 2002, 159, 489-498.	2.3	116
102	Distinct requirements for TrkB and TrkC signaling in target innervation by sensory neurons. Genes and Development, 2002, 16, 633-645.	2.7	84
103	The Homeodomain Factor Lbx1 Distinguishes Two Major Programs of Neuronal Differentiation in the Dorsal Spinal Cord. Neuron, 2002, 34, 551-562.	3.8	343
104	The DRASIC Cation Channel Contributes to the Detection of Cutaneous Touch and Acid Stimuli in Mice. Neuron, 2002, 35, 407.	3.8	0
105	Neurotrophin-4. Current Biology, 2002, 12, 1401-1404.	1.8	59
106	GFR $\hat{\pm}$ 2/neurturin signalling regulates noxious heat transduction in isolectin B 4 $\hat{\pm}$ binding mouse sensory neurons. Journal of Physiology, 2002, 545, 43-50.	1.3	55
107	BDNF but not NT-4 is required for normal flexion reflex plasticity and function. Proceedings of the National Academy of Sciences of the United States of America, 2001, 98, 8107-8112.	3.3	77
108	The DRASIC Cation Channel Contributes to the Detection of Cutaneous Touch and Acid Stimuli in Mice. Neuron, 2001, 32, 1071-1083.	3.8	569

#	ARTICLE	IF	CITATIONS
109	Lack of Neurotrophin-4 Causes Selective Structural and Chemical Deficits in Sympathetic Ganglia and Their Preganglionic Innervation. <i>Journal of Neuroscience</i> , 2001, 21, 3073-3084.	1.7	35
110	Selective activation of nociceptors by P2X receptor agonists in normal and inflamed rat skin. <i>Journal of Physiology</i> , 2001, 534, 437-445.	1.3	107
111	Neurotrophins, nociceptors and pain. <i>Current Opinion in Anaesthesiology</i> , 2000, 13, 573-576.	0.9	21
112	The mammalian sodium channel BNC1 is required for normal touch sensation. <i>Nature</i> , 2000, 407, 1007-1011.	13.7	469
113	Hypoalgesia and altered inflammatory responses in mice lacking kinin B1 receptors. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2000, 97, 8140-8145.	3.3	348
114	A new role for neurotrophins: involvement of brain-derived neurotrophic factor and neurotrophin-4 in hair cycle control. <i>FASEB Journal</i> , 1999, 13, 395-410.	0.2	93
115	Cellular Sources of Enhanced Brain-Derived Neurotrophic Factor Production in a Mouse Model of Allergic Inflammation Notice to Professional Recruitment and Announcement Advertisers. <i>American Journal of Respiratory Cell and Molecular Biology</i> , 1999, 21, 537-546.	1.4	152
116	Neurotrophins: A Link between Airway Inflammation and Airway Smooth Muscle Contractility in Asthma?. <i>International Archives of Allergy and Immunology</i> , 1999, 118, 163-165.	0.9	63
117	Stability and plasticity of primary afferent projections following nerve regeneration and central degeneration. <i>European Journal of Neuroscience</i> , 1999, 11, 457-468.	1.2	52
118	Abundant Production of Brain-Derived Neurotrophic Factor by Adult Visceral Epithelia. <i>American Journal of Pathology</i> , 1999, 155, 1183-1193.	1.9	245
119	Stomatin, a MEC-2 Like Protein, Is Expressed by Mammalian Sensory Neurons. <i>Molecular and Cellular Neurosciences</i> , 1999, 13, 391-404.	1.0	62
120	Isolectin B ₄ -Positive and -Negative Nociceptors Are Functionally Distinct. <i>Journal of Neuroscience</i> , 1999, 19, 6497-6505.	1.7	418
121	A role for BDNF in mechanosensation. <i>Nature Neuroscience</i> , 1998, 1, 42-46.	7.1	168
122	BDNF overexpression induces differential increases among subsets of sympathetic innervation in murine back skin. <i>European Journal of Neuroscience</i> , 1998, 10, 3276-3283.	1.2	26
123	Neurotrophin-3 Involvement in the Regulation of Hair Follicle Morphogenesis. <i>Journal of Investigative Dermatology</i> , 1998, 111, 279-285.	0.3	55
124	Point Mutation in trkB Causes Loss of NT4-Dependent Neurons without Major Effects on Diverse BDNF Responses. <i>Neuron</i> , 1998, 21, 335-345.	3.8	180
125	A New Role for Neurotrophin-3. <i>American Journal of Pathology</i> , 1998, 153, 785-799.	1.9	81
126	TrkB and Neurotrophin-4 Are Important for Development and Maintenance of Sympathetic Preganglionic Neurons Innervating the Adrenal Medulla. <i>Journal of Neuroscience</i> , 1998, 18, 7272-7284.	1.7	44

#	ARTICLE	IF	CITATIONS
127	Neurotrophins Live or Let Die: Does p75NTR Decide?. <i>Neuron</i> , 1997, 18, 187-190.	3.8	202
128	Receptive Properties of Mouse Sensory Neurons Innervating Hairy Skin. <i>Journal of Neurophysiology</i> , 1997, 78, 1841-1850.	0.9	330
129	Receptive Properties of Embryonic Chick Sensory Neurons Innervating Skin. <i>Journal of Neurophysiology</i> , 1997, 78, 2560-2568.	0.9	32
130	Severe neuropathies in mice with targeted mutations in the ErbB3 receptor. <i>Nature</i> , 1997, 389, 725-730.	13.7	659
131	Specific Subtypes of Cutaneous Mechanoreceptors Require Neurotrophin-3 Following Peripheral Target Innervation. <i>Neuron</i> , 1996, 16, 287-295.	3.8	213
132	Physiology of the Neurotrophins. <i>Annual Review of Neuroscience</i> , 1996, 19, 289-317.	5.0	1,840
133	Maintenance of Modality-specific Connections in the Spinal Cord after Neonatal Nerve Growth Factor Deprivation. <i>European Journal of Neuroscience</i> , 1996, 8, 1677-1684.	1.2	15
134	Neurotrophic factors and pain. <i>Seminars in Neuroscience</i> , 1995, 7, 227-232.	2.3	20
135	Regulation of cutaneous C-fiber heat nociceptors by nerve growth factor in the developing rat. <i>Journal of Neurophysiology</i> , 1994, 71, 941-949.	0.9	112
136	NMDA receptors and activity-dependent tuning of the receptive fields of spinal cord neurons. <i>Nature</i> , 1994, 369, 482-485.	13.7	32
137	Peripheral and Central Mechanisms of NGF-induced Hyperalgesia. <i>European Journal of Neuroscience</i> , 1994, 6, 1903-1912.	1.2	481
138	An ultrastructural size principle. <i>Neuroscience</i> , 1994, 58, 441-446.	1.1	142
139	Muscle Afferents Innervating Skin Form Somatotopically Appropriate Connections in the Adult Rat Dorsal Horn. <i>European Journal of Neuroscience</i> , 1993, 5, 1083-1092.	1.2	14
140	Nerve growth factor and nociception. <i>Trends in Neurosciences</i> , 1993, 16, 353-359.	4.2	487
141	Altered expression of nerve growth factor in the skin of transgenic mice leads to changes in response to mechanical stimuli. <i>Neuroscience</i> , 1993, 56, 789-792.	1.1	112
142	Regulation of myelinated nociceptor function by nerve growth factor in neonatal and adult rats. <i>Brain Research Bulletin</i> , 1993, 30, 245-249.	1.4	31
143	Central hyperexcitability triggered by noxious inputs. <i>Current Opinion in Neurobiology</i> , 1993, 3, 602-610.	2.0	329
144	Nerve growth factor-induced hyperalgesia in the neonatal and adult rat. <i>Journal of Neuroscience</i> , 1993, 13, 2136-2148.	1.7	525

#	ARTICLE	IF	CITATIONS
145	Sensory Neurons: Simulations of Experiments on Single Nerve Fibers and Brain Cells of Sensory Systems. Version 1.0. Richard R. Fay. Quarterly Review of Biology, 1993, 68, 482-483.	0.0	0
146	On the role of nerve growth factor in the development of myelinated nociceptors. Journal of Neuroscience, 1992, 12, 1896-1905.	1.7	144
147	Neonatal Anti-NGF Treatment Reduces the A β - and C-Fibre Evoked Vasodilator Responses in Rat Skin: Evidence That Nociceptor Afferents Mediate Antidromic Vasodilatation. European Journal of Neuroscience, 1992, 4, 1213-1218.	1.2	34
148	Regulation of Afferent Connectivity in the Adult Spinal Cord by Nerve Growth Factor. European Journal of Neuroscience, 1992, 4, 700-707.	1.2	105
149	Removing constraints on neural sprouting. Current Biology, 1992, 2, 259-261.	1.8	5
150	The consequences of long-term topical capsaicin application in the rat. Pain, 1991, 44, 301-310.	2.0	74
151	Physiological properties of primary sensory neurons appropriately and inappropriately innervating skin in the adult rat. Journal of Neurophysiology, 1991, 66, 1205-1217.	0.9	58
152	Physiological properties of primary sensory neurons appropriately and inappropriately innervating skeletal muscle in adult rats. Journal of Neurophysiology, 1991, 66, 1218-1231.	0.9	46
153	Requirement for nerve growth factor in the development of myelinated nociceptors in vivo. Nature, 1991, 350, 500-502.	13.7	214
154	Dorsal Horn Plasticity Following Re-routeing of Peripheral Nerves: Evidence for Tissue-Specific Neurotrophic Influences from the Periphery. European Journal of Neuroscience, 1991, 3, 1112-1122.	1.2	17
155	Increase of blood flow in skin and spinal cord following activation of small diameter primary afferents. Brain Research, 1990, 509, 145-149.	1.1	20
156	Quantitative analysis of peptide levels and neurogenic extravasation following regeneration of afferents to appropriate and inappropriate targets. Neuroscience, 1989, 33, 67-73.	1.1	50