

Nazzareno Cannella

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3780300/publications.pdf>

Version: 2024-02-01

47
papers

1,398
citations

304743

22
h-index

345221

36
g-index

50
all docs

50
docs citations

50
times ranked

1461
citing authors

#	ARTICLE	IF	CITATIONS
1	Activation of Nuclear PPAR β Receptors by the Antidiabetic Agent Pioglitazone Suppresses Alcohol Drinking and Relapse to Alcohol Seeking. <i>Biological Psychiatry</i> , 2011, 69, 642-649.	1.3	131
2	The role of hypocretin in driving arousal and goal-oriented behaviors. <i>Brain Research</i> , 2010, 1314, 103-111.	2.2	112
3	Increase of brain endocannabinoid anandamide levels by FAAH inhibition and alcohol abuse behaviours in the rat. <i>Psychopharmacology</i> , 2008, 198, 449-460.	3.1	103
4	Persistent Increase of Alcohol-Seeking Evoked by Neuropeptide S: an Effect Mediated by the Hypothalamic Hypocretin System. <i>Neuropsychopharmacology</i> , 2009, 34, 2125-2134.	5.4	91
5	Activation of PPAR β by Pioglitazone Potentiates the Effects of Naltrexone on Alcohol Drinking and Relapse in P Rats. <i>Alcoholism: Clinical and Experimental Research</i> , 2013, 37, 1351-1360.	2.4	77
6	Neuropeptide S facilitates cue-induced relapse to cocaine seeking through activation of the hypothalamic hypocretin system. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2010, 107, 19567-19572.	7.1	76
7	The mGluR2/3 Agonist LY379268 Induced Anti-Reinstatement Effects in Rats Exhibiting Addiction-like Behavior. <i>Neuropsychopharmacology</i> , 2013, 38, 2048-2056.	5.4	58
8	Stress-related neuropeptides and alcoholism: CRH, NPY, and beyond. <i>Alcohol</i> , 2009, 43, 491-498.	1.7	52
9	Neuropeptide S Receptor Gene Expression in Alcohol Withdrawal and Protracted Abstinence in Postdependent Rats. <i>Alcoholism: Clinical and Experimental Research</i> , 2010, 34, 90-97.	2.4	41
10	The paraventricular nucleus of the hypothalamus is a neuroanatomical substrate for the inhibition of palatable food intake by neuropeptide S. <i>European Journal of Neuroscience</i> , 2009, 30, 1594-1602.	2.6	38
11	The role of the neuropeptide S system in addiction: Focus on its interaction with the CRF and hypocretin/orexin neurotransmission. <i>Progress in Neurobiology</i> , 2013, 100, 48-59.	5.7	38
12	Dnmt3a2 in the Nucleus Accumbens Shell Is Required for Reinstatement of Cocaine Seeking. <i>Journal of Neuroscience</i> , 2018, 38, 7516-7528.	3.6	37
13	Activation of Hypocretin-1/Orexin-A Neurons Projecting to the Bed Nucleus of the Stria Terminalis and Paraventricular Nucleus Is Critical for Reinstatement of Alcohol Seeking by Neuropeptide S. <i>Biological Psychiatry</i> , 2016, 79, 452-462.	1.3	35
14	Inhibition of fatty acid amide hydrolase in the central amygdala alleviates comorbid expression of innate anxiety and excessive alcohol intake. <i>Addiction Biology</i> , 2018, 23, 1223-1232.	2.6	34
15	Hypothalamic Neuropeptide S receptor blockade decreases discriminative cue-induced reinstatement of cocaine seeking in the rat. <i>Psychopharmacology</i> , 2013, 226, 347-355.	3.1	33
16	NOP-Related Mechanisms in Substance Use Disorders. <i>Handbook of Experimental Pharmacology</i> , 2019, 254, 187-212.	1.8	33
17	Role of gonadotropin-releasing hormone (GnRH) in the regulation of gonadal differentiation in the gilthead seabream (<i>Sparus aurata</i>). <i>Molecular Reproduction and Development</i> , 2007, 74, 57-67.	2.0	29
18	Increased Pericolomotor Urocortin 1 Immunoreactivity in Genetically Selected Alcohol Preferring Rats. <i>Alcoholism: Clinical and Experimental Research</i> , 2009, 33, 1956-1965.	2.4	29

#	ARTICLE	IF	CITATIONS
19	Pregabalin reduces alcohol drinking and relapse to alcohol seeking in the rat. <i>Psychopharmacology</i> , 2012, 220, 87-96.	3.1	29
20	Metabolic shift of the kynurenine pathway impairs alcohol and cocaine seeking and relapse. <i>Psychopharmacology</i> , 2016, 233, 3449-3459.	3.1	26
21	Cebranopadol, a Mixed Opioid Agonist, Reduces Cocaine Self-administration through Nociceptin Opioid and Mu Opioid Receptors. <i>Frontiers in Psychiatry</i> , 2017, 8, 234.	2.6	25
22	Effect of neuropeptide S receptor antagonists and partial agonists on palatable food consumption in the rat. <i>Peptides</i> , 2011, 32, 44-50.	2.4	23
23	Persistent strengthening of the prefrontal cortex " nucleus accumbens pathway during incubation of cocaine-seeking behavior. <i>Neurobiology of Learning and Memory</i> , 2017, 138, 281-290.	1.9	23
24	Neuropeptide S differently modulates alcohol-related behaviors in alcohol-preferring and non-preferring rats. <i>Psychopharmacology</i> , 2016, 233, 2915-2924.	3.1	19
25	Sub-dimensions of Alcohol Use Disorder in Alcohol Preferring and Non-preferring Rats, a Comparative Study. <i>Frontiers in Behavioral Neuroscience</i> , 2019, 13, 3.	2.0	19
26	CREB activity in dopamine D1 receptor expressing neurons regulates cocaine-induced behavioral effects. <i>Frontiers in Behavioral Neuroscience</i> , 2014, 8, 212.	2.0	18
27	<i>In vivo</i> structural imaging in rats reveals neuroanatomical correlates of behavioral sub-dimensions of cocaine addiction. <i>Addiction Biology</i> , 2018, 23, 182-195.	2.6	17
28	[18F]-Fluorodeoxyglucose-Positron Emission Tomography in Rats with Prolonged Cocaine Self-Administration Suggests Potential Brain Biomarkers for Addictive Behavior. <i>Frontiers in Psychiatry</i> , 2017, 8, 218.	2.6	16
29	Effect of Glucocorticoid Receptor Antagonism on Alcohol Self-Administration in Genetically-Selected Marchigian Sardinian Alcohol-Preferring and Non-Preferring Wistar Rats. <i>International Journal of Molecular Sciences</i> , 2021, 22, 4184.	4.1	15
30	Role of Nociceptin/Orphanin FQ-NOP Receptor System in the Regulation of Stress-Related Disorders. <i>International Journal of Molecular Sciences</i> , 2021, 22, 12956.	4.1	15
31	Building better strategies to develop new medications in Alcohol Use Disorder: Learning from past success and failure to shape a brighter future. <i>Neuroscience and Biobehavioral Reviews</i> , 2019, 103, 384-398.	6.1	13
32	Individual Variations in the Mechanisms of Nicotine Seeking: A Key for Research on Nicotine Dependence. <i>Neuropsychopharmacology</i> , 2017, 42, 584-586.	5.4	12
33	Emerging targets for addiction neuropharmacology. <i>Progress in Brain Research</i> , 2016, 224, 251-284.	1.4	11
34	Glucocorticoid Receptor Antagonist Mifepristone Does Not Alter Innate Anxiety-Like Behavior in Genetically-Selected Marchigian Sardinian (msP) Rats. <i>International Journal of Molecular Sciences</i> , 2021, 22, 3095.	4.1	11
35	Varenicline Targets the Reinforcing-Enhancing Effect of Nicotine on Its Associated Salient Cue During Nicotine Self-administration in the Rat. <i>Frontiers in Behavioral Neuroscience</i> , 2019, 13, 159.	2.0	10
36	Cocaine addicted rats show reduced neural activity as revealed by manganese-enhanced MRI. <i>Scientific Reports</i> , 2020, 10, 19353.	3.3	7

#	ARTICLE	IF	CITATIONS
37	Role of Hypothalamic-Pituitary-Adrenal axis and corticotropin-releasing factor stress system on cue-induced relapse to alcohol seeking. <i>European Journal of Pharmacology</i> , 2016, 788, 84-89.	3.5	6
38	NOP Receptor Agonist Ro 64-6198 Decreases Escalation of Cocaine Self-Administration in Rats Genetically Selected for Alcohol Preference. <i>Frontiers in Psychiatry</i> , 2019, 10, 176.	2.6	6
39	Editorial: Neurobehavioural Mechanisms of Resilience and Vulnerability in Addictive Disorders. <i>Frontiers in Behavioral Neuroscience</i> , 2020, 14, 644495.	2.0	4
40	<i>Andrographis paniculata</i> and Its Main Bioactive Ingredient Andrographolide Decrease Alcohol Drinking and Seeking in Rats Through Activation of Nuclear PPAR β Pathway. <i>Alcohol and Alcoholism</i> , 2021, 56, 240-249.	1.6	4
41	Network-Based Discovery of Opioid Use Vulnerability in Rats Using the Bayesian Stochastic Block Model. <i>Frontiers in Psychiatry</i> , 2021, 12, 745468.	2.6	4
42	The multitarget FAAH inhibitor/D3 partial agonist ARN15381 decreases nicotine self-administration in male rats. <i>European Journal of Pharmacology</i> , 2022, 928, 175088.	3.5	4
43	Yohimbine as a pharmacological probe for alcohol research: a systematic review of rodent and human studies. <i>Neuropsychopharmacology</i> , 2022, 47, 2111-2122.	5.4	4
44	A Role for Neuropeptide S in Alcohol and Cocaine Seeking. <i>Pharmaceuticals</i> , 2022, 15, 800.	3.8	3
45	Translational dynamics of alcohol tolerance of preclinical models and human laboratory studies.. <i>Experimental and Clinical Psychopharmacology</i> , 2020, 28, 417-425.	1.8	2
46	Preclinical Models of Relapse to Psychostimulants Induced by Environmental Stimuli. <i>Neuromethods</i> , 2022, , 173-195.	0.3	0
47	Research progress on the potential novel analgesic BU08028. <i>European Journal of Pharmacology</i> , 2022, 914, 174678.	3.5	0