Carlos Blanco

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3781150/publications.pdf

Version: 2024-02-01

68 papers

3,582 citations

31 h-index 59 g-index

70 all docs

70 docs citations

times ranked

70

2568 citing authors

| # | Article | IF | CITATIONS |
|----|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 1 | Fast challenge tests with gadoliniumâ€based contrast agents to search for an alternative contrast media in allergic patients. Allergy: European Journal of Allergy and Clinical Immunology, 2022, 77, 3151-3153. | 5.7 | 2 |
| 2 | Exploring novel systemic biomarker approaches in grassâ€pollen sublingual immunotherapy using omics. Allergy: European Journal of Allergy and Clinical Immunology, 2021, 76, 1199-1212. | 5.7 | 28 |
| 3 | Adverse reactions to iodinated contrast media: Safety of a study protocol that includes fast fullâ€dose parenteral challenge tests searching for an alternative contrast media. Clinical and Experimental Allergy, 2020, 50, 271-274. | 2.9 | 8 |
| 4 | Protocol to prevent contrastâ€induced nephropathy in parenteral challenge tests for allergy evaluation of hypersensitivity reactions to iodinated contrast media. Clinical and Experimental Allergy, 2020, 50, 1200-1203. | 2.9 | 7 |
| 5 | Persistent regulatory Tâ€cell response 2 years after 3 years of grass tablet <scp>SLIT</scp> : Links to reduced eosinophil counts, <scp>slgE</scp> levels, and clinical benefit. Allergy: European Journal of Allergy and Clinical Immunology, 2019, 74, 349-360. | 5.7 | 46 |
| 6 | GRAZAX®: a sublingual immunotherapy vaccine for Hay fever treatment: from concept to commercialization. Human Vaccines and Immunotherapeutics, 2019, 15, 2887-2895. | 3.3 | 8 |
| 7 | Selective Allergy to Conger Fish due to Parvalbumin. Journal of Investigational Allergology and Clinical Immunology, 2019, 29, 390-391. | 1.3 | O |
| 8 | Drug-Induced Fixed Urticaria as a Presentation of NSAID Intolerance. Journal of Allergy and Clinical Immunology: in Practice, 2019, 7, 1306-1307. | 3.8 | 2 |
| 9 | Profilin-mediated food-induced allergic reactions are associated with oral epithelial remodeling. Journal of Allergy and Clinical Immunology, 2019, 143, 681-690.e1. | 2.9 | 35 |
| 10 | Strong and frequent Tâ€cell responses to the minor allergen Phl p 12 in Spanish patients IgEâ€sensitized to Profilins. Allergy: European Journal of Allergy and Clinical Immunology, 2018, 73, 1013-1021. | 5.7 | 18 |
| 11 | Sublingual allergen immunotherapy for respiratory allergy: a systematic review. Drugs in Context, 2018, 7, 1-19. | 2.2 | 24 |
| 12 | An Increase in Tryptase on the First Day of Hymenoptera Venom Immunotherapy Might Be a Predictor of Future Systemic Reactions During Treatment. Journal of Investigational Allergology and Clinical Immunology, 2018, 28, 305-311. | 1.3 | 7 |
| 13 | Multiâ€omics analysis points to altered platelet functions in severe foodâ€associated respiratory allergy. Allergy: European Journal of Allergy and Clinical Immunology, 2018, 73, 2137-2149. | 5.7 | 64 |
| 14 | Satisfaction and quality of life of allergic patients following sublingual five-grass pollen tablet immunotherapy in Spain. Drugs in Context, 2017, 6, 1-14. | 2.2 | 7 |
| 15 | Delayed urticaria due to bupivacaine: A new presentation of local anesthetic allergy. Allergology International, 2016, 65, 498-500. | 3.3 | 6 |
| 16 | Aseptic loosening of a total knee prosthesis caused by delayed hypersensitivity to bone cement. Annals of Allergy, Asthma and Immunology, 2016, 117, 89-91. | 1.0 | 6 |
| 17 | Concomitant sensitization to inhaled budesonide and oral nystatin presenting as allergic contact stomatitis and systemic allergic contact dermatitis. Cutis, 2016, 97, 24-7. | 0.3 | 7 |
| 18 | The role of N â€glycosylation in kiwi allergy. Food Science and Nutrition, 2014, 2, 260-271. | 3.4 | 17 |

| # | Article | IF | CITATIONS |
|----|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------|-----------|
| 19 | Kounis syndrome associated with brain injury after Hymenoptera sting: New presentation of an established entity. International Journal of Cardiology, 2014, 176, e29-e31. | 1.7 | 6 |
| 20 | Grass tablet sublingual immunotherapy downregulates theÂTH2 cytokine response followed by regulatory T-cellÂgeneration. Journal of Allergy and Clinical Immunology, 2014, 133, 130-138.e2. | 2.9 | 125 |
| 21 | The Involvement of Thaumatin-Like Proteins in Plant Food Cross-Reactivity: A Multicenter Study Using a Specific Protein Microarray. PLoS ONE, 2012, 7, e44088. | 2.5 | 67 |
| 22 | Graph Based Study of Allergen Cross-Reactivity of Plant Lipid Transfer Proteins (LTPs) Using Microarray in a Multicenter Study. PLoS ONE, 2012, 7, e50799. | 2.5 | 46 |
| 23 | Latex allergy: Position Paper. Journal of Investigational Allergology and Clinical Immunology, 2012, 22, 313-30; quiz follow 330. | 1.3 | 39 |
| 24 | Different serum cytokine levels in chronic vs. acute <i>Anisakis simplex</i> sensitizationâ€associated urticaria. Parasite Immunology, 2011, 33, 357-362. | 1.5 | 24 |
| 25 | Differences among Pollen-Allergic Patients with and without Plant Food Allergy. International Archives of Allergy and Immunology, 2010, 153, 182-192. | 2.1 | 61 |
| 26 | Greater epitope recognition of shrimp allergens by children than by adults suggests that shrimp sensitization decreases with age. Journal of Allergy and Clinical Immunology, 2010, 125, 1286-1293.e3. | 2.9 | 132 |
| 27 | Sarcoplasmic calcium-binding protein is an EF-hand–type protein identified as a new shrimp allergen. Journal of Allergy and Clinical Immunology, 2009, 124, 114-120. | 2.9 | 122 |
| 28 | Immunoglobulin E recognition patterns to purified Kiwifruit (<i>Actinidinia deliciosa</i>) allergens in patients sensitized to Kiwi with different clinical symptoms. Clinical and Experimental Allergy, 2008, 38, 1220-1228. | 2.9 | 76 |
| 29 | Myosin light chain is a novel shrimp allergen, Lit v 3. Journal of Allergy and Clinical Immunology, 2008, 122, 795-802. | 2.9 | 190 |
| 30 | Sulfonamide allergy without cross-reactivity to celecoxib. Allergy: European Journal of Allergy and Clinical Immunology, 2007, 62, 93-93. | 5.7 | 10 |
| 31 | Latex allergy: low prevalence of immunoglobulin E to highly purified proteins Hev b 2 and Hev b 13. Clinical and Experimental Allergy, 2007, 37, 1502-1511. | 2.9 | 25 |
| 32 | Occupational rhinoconjunctivitis and bronchial asthma due to Acalypha wilkesiana allergy. Annals of Allergy, Asthma and Immunology, 2006, 96, 719-722. | 1.0 | 6 |
| 33 | Cabbage lipid transfer protein Bra o 3 is a major allergen responsible for cross-reactivity between plant foods and pollens. Journal of Allergy and Clinical Immunology, 2006, 117, 1423-1429. | 2.9 | 69 |
| 34 | Differential allergen sensitization patterns in chestnut allergy with or without associated latex-fruit syndrome. Journal of Allergy and Clinical Immunology, 2006, 118, 705-710. | 2.9 | 40 |
| 35 | Mustard allergy confirmed by doubleâ€blind placeboâ€controlled food challenges: clinical features and crossâ€reactivity with mugwort pollen and plantâ€derived foods. Allergy: European Journal of Allergy and Clinical Immunology, 2005, 60, 48-55. | 5.7 | 87 |
| 36 | Standardization of food challenges in patients with immediate reactions to foods – position paper from the European Academy of Allergology and Clinical Immunology. Allergy: European Journal of Allergy and Clinical Immunology, 2004, 59, 690-697. | 5.7 | 581 |

3

| # | Article | IF | Citations |
|----|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------|-----------|
| 37 | Genetic basis of the latex-fruit syndrome: Association with HLA class II alleles in a Spanish population. Journal of Allergy and Clinical Immunology, 2004, 114, 1070-1076. | 2.9 | 26 |
| 38 | Latex-fruit syndrome. Current Allergy and Asthma Reports, 2003, 3, 47-53. | 5. 3 | 138 |
| 39 | Analysis of avocado allergen (Prs a 1) IgE-binding peptides generated by simulated gastric fluid digestion. Journal of Allergy and Clinical Immunology, 2003, 112, 1002-1007. | 2.9 | 75 |
| 40 | Sputum Eosinophilia and Maximal Airway Narrowing in Dermatophagoides pteronyssinus Allergic Rhinitis Patients. Chest, 2002, 122, 1560-1565. | 0.8 | 8 |
| 41 | Natural rubber latex allergy after 12 years: Recommendations and perspectives. Journal of Allergy and Clinical Immunology, 2002, 109, 31-34. | 2.9 | 106 |
| 42 | What is the role of the hevein-like domain of fruit class I chitinases in their allergenic capacity?. Clinical and Experimental Allergy, 2002, 32, 448-454. | 2.9 | 32 |
| 43 | Cloning and molecular characterization of the <i>Hevea brasiliensis</i> allergen Hev b 11, a class I chitinase. Clinical and Experimental Allergy, 2002, 32, 455-462. | 2.9 | 40 |
| 44 | LTC4-synthase A-444C polymorphism: lack of association with NSAID-induced isolated periorbital angioedema in a Spanish population. Annals of Allergy, Asthma and Immunology, 2001, 87, 506-510. | 1.0 | 31 |
| 45 | IL4-R1 (5q31-q33) and FcepsilonRI-betaca (11q13) markers and atopy: a case/control study in a Spanish population. Allergy: European Journal of Allergy and Clinical Immunology, 2001, 56, 159-163. | 5.7 | 9 |
| 46 | Conjunctival allergic contact hypersensitivity. Allergy: European Journal of Allergy and Clinical Immunology, 2001, 56, 785-785. | 5.7 | 5 |
| 47 | Pocket 4 in the HLA-DRB1 antigen-binding groove: an association with atopy. Allergy: European Journal of Allergy and Clinical Immunology, 2000, 55, 398-401. | 5.7 | 14 |
| 48 | Oral iron cutaneous adverse reaction and successful desensitization. Annals of Allergy, Asthma and Immunology, 2000, 84, 43-45. | 1.0 | 11 |
| 49 | Class I chitinases, the panallergens responsible for the latex-fruit syndrome, are induced by ethylene treatment and inactivated by heating. Journal of Allergy and Clinical Immunology, 2000, 106, 190-195. | 2.9 | 92 |
| 50 | Tobacco Allergy. , 2000, , 69-80. | | 0 |
| 51 | Occupational asthma in a grain worker due toLepidoglyphus destructor, assessed by bronchial provocation test and induced sputum. Allergy: European Journal of Allergy and Clinical Immunology, 1999, 54, 884-889. | 5.7 | 14 |
| 52 | Linkage of house dust mite allergy with the HLA region. Annals of Allergy, Asthma and Immunology, 1999, 82, 198-203. | 1.0 | 15 |
| 53 | Class I chitinases as potential panallergens involved in the latex-fruit syndrome. Journal of Allergy and Clinical Immunology, 1999, 103, 507-513. | 2.9 | 116 |
| 54 | Tobacco allergy: demonstration of cross-reactivity with other members of Solanaceae family and mugwort pollen. Annals of Allergy, Asthma and Immunology, 1999, 82, 194-197. | 1.0 | 24 |

| # | Article | IF | CITATIONS |
|----|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 55 | Association of HLA-DR11 with the anaphylactoid reaction caused by nonsteroidal anti-inflammatory drugs. Journal of Allergy and Clinical Immunology, 1999, 103, 685-689. | 2.9 | 57 |
| 56 | Cross-reactions in the latex-fruit syndrome: A relevant role of chitinases but not of complex asparagine-linked glycans. Journal of Allergy and Clinical Immunology, 1999, 104, 681-687. | 2.9 | 120 |
| 57 | Class I chitinases with hevein-like domain, but not class II enzymes, are relevant chestnut and avocado allergens. Journal of Allergy and Clinical Immunology, 1998, 102, 127-133. | 2.9 | 123 |
| 58 | Carica papaya Pollen Allergy. Annals of Allergy, Asthma and Immunology, 1998, 81, 171-175. | 1.0 | 17 |
| 59 | Anaphylactoid Reactions due to Nonsteroidal Antiinflammatory Drugs: Clinical and Cross-Reactivity Studies. Annals of Allergy, Asthma and Immunology, 1997, 78, 293-296. | 1.0 | 50 |
| 60 | Anaphylaxis after ingestion of wheat flour contaminated with mitesa~†, a~†a~†, a~ Journal of Allergy and Clinical Immunology, 1997, 99, 308-312. | 2.9 | 100 |
| 61 | Intolerance to nonsteroidal antiinflammatory drugs: Results of controlled drug challenges in 98 patientsâ~†, â~†â~†, â~, â~ Journal of Allergy and Clinical Immunology, 1996, 98, 678-685. | 2.9 | 130 |
| 62 | Systemic contact dermatitis froom suxamethonium. Contact Dermatitis, 1996, 35, 120-121. | 1.4 | 5 |
| 63 | Contact urticaria in a child from raw potato. Contact Dermatitis, 1996, 35, 179-180. | 1.4 | 22 |
| 64 | Occupational rhinoconjunctivitis and bronchial asthma due to Phoenix canariensis pollen allergy. Allergy: European Journal of Allergy and Clinical Immunology, 1995, 50, 277-280. | 5.7 | 17 |
| 65 | Prevalence of latex allergy among greenhouse workers. Journal of Allergy and Clinical Immunology, 1995, 96, 699-701. | 2.9 | 61 |
| 66 | Specific skin tests in subjects with chronic bronchitis exposed to pigeons. Allergy: European Journal of Allergy and Clinical Immunology, 1994, 49, 902-905. | 5.7 | 0 |
| 67 | Avocado hypersensitivity. Allergy: European Journal of Allergy and Clinical Immunology, 1994, 49, 454-459. | 5.7 | 72 |
| 68 | Relationships Between Characteristics of Exposure to Pigeon Antigens. Chest, 1993, 103, 1059-1063. | 0.8 | 53 |