Cosimo Giannini

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3786218/publications.pdf Version: 2024-02-01



| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | Increased hepcidin levels and non-alcoholic fatty liver disease in obese prepubertal children: a further piece to the complex puzzle of metabolic derangements. Journal of Pediatric Endocrinology and Metabolism, 2022, 35, 39-47. | 0.9 | 2 |
| 2 | Effects of Growth Hormone (GH) Supplementation on Dermatoscopic Evolution of Pigmentary Lesions in Children with Growth Hormone Deficiency (GHD). Journal of Clinical Medicine, 2022, 11, 736. | 2.4 | 0 |
| 3 | Peculiar characteristics of new-onset Type 1ÂDiabetes during COVID-19 pandemic. Italian Journal of Pediatrics, 2022, 48, 26. | 2.6 | 14 |
| 4 | Obesity, Metabolic Syndrome, and Nutrition. World Review of Nutrition and Dietetics, 2022, 125, 41-63. | 0.3 | 3 |
| 5 | Amino Acid-Related Metabolic Signature in Obese Children and Adolescents. Nutrients, 2022, 14, 1454. | 4.1 | 7 |
| 6 | Early Insulin Resistance, Type 2 Diabetes, and Treatment Options in Childhood. Hormone Research in Paediatrics, 2022, 95, 149-166. | 1.8 | 14 |
| 7 | Liver Steatosis: A Marker of Metabolic Risk in Children. International Journal of Molecular Sciences, 2022, 23, 4822. | 4.1 | 6 |
| 8 | Gut hormones secretion across clusters of Metabolic Syndrome in prepubertal children with obesity. Hormone Research in Paediatrics, 2022, , . | 1.8 | 1 |
| 9 | Metabolic dysfunction-associated fatty liver disease in obese youth with insulin resistance and type 2 diabetes. Current Opinion in Pediatrics, 2022, 34, 414-422. | 2.0 | 1 |
| 10 | Text Neck Syndrome in Children and Adolescents. International Journal of Environmental Research and Public Health, 2021, 18, 1565. | 2.6 | 34 |
| 11 | Evaluation of Bone Age in Children: A Mini-Review. Frontiers in Pediatrics, 2021, 9, 580314. | 1.9 | 45 |
| 12 | Plasma from obese children increases monocyte-endothelial adhesion and affects intracellular insulin signaling in cultured endothelial cells: Potential role of mTORC1-S6K1. Biochimica Et Biophysica Acta - Molecular Basis of Disease, 2021, 1867, 166076. | 3.8 | 5 |
| 13 | Non-Alcoholic Fatty Liver Disease in Obese Youth With Insulin Resistance and Type 2 Diabetes. Frontiers in Endocrinology, 2021, 12, 639548. | 3.5 | 35 |
| 14 | Pulmonary Outcomes in Children Born Extremely and Very Preterm at 11 Years of Age. Frontiers in Pediatrics, 2021, 9, 635503. | 1.9 | 8 |
| 15 | ABCD1 gene mutation in an Italian family with X-linkedadrenoleukodystrophy: case series. Endocrinology, Diabetes and Metabolism Case Reports, 2021, 2021, . | 0.5 | 5 |
| 16 | Systematic review and meta-analysis on placenta accreta spectrum disorders in twin pregnancies: risk factors, detection rate and histopathology. Minerva Obstetrics and Gynecology, 2021, , . | 1.0 | 3 |
| 17 | Prediction and Prevention of Type 1 Diabetes. Frontiers in Endocrinology, 2020, 11, 248. | 3.5 | 41 |
| 18 | Role of urinary NGAL and KIM-1 as biomarkers of early kidney injury in obese prepubertal children. Journal of Pediatric Endocrinology and Metabolism, 2020, 33, 1183-1189. | 0.9 | 15 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | Insulin resistance and type 2 diabetes in children. Annals of Pediatric Endocrinology and Metabolism, 2020, 25, 217-226. | 2.3 | 39 |
| 20 | Fructose Consumption Contributes to Hyperinsulinemia in Adolescents With Obesity Through a GLP-1–Mediated Mechanism. Journal of Clinical Endocrinology and Metabolism, 2019, 104, 3481-3490. | 3.6 | 20 |
| 21 | Lower Insulin Clearance Parallels a Reduced Insulin Sensitivity in Obese Youths and Is Associated With a Decline in β-Cell Function Over Time. Diabetes, 2019, 68, 2074-2084. | 0.6 | 30 |
| 22 | Insulin Resistance in Children. Frontiers in Endocrinology, 2019, 10, 342. | 3.5 | 108 |
| 23 | Trajectories of changes in glucose tolerance in a multiethnic cohort of obese youths: an observational prospective analysis. The Lancet Child and Adolescent Health, 2018, 2, 726-735. | 5.6 | 35 |
| 24 | Elevated α-Hydroxybutyrate and Branched-Chain Amino Acid Levels Predict Deterioration of Glycemic Control in Adolescents. Journal of Clinical Endocrinology and Metabolism, 2017, 102, 2473-2481. | 3.6 | 62 |
| 25 | Prediabetes in youths: mechanisms and biomarkers. The Lancet Child and Adolescent Health, 2017, 1, 240-248. | 5.6 | 46 |
| 26 | A Branched-Chain Amino Acid-Related Metabolic Signature Characterizes Obese Adolescents with Non-Alcoholic Fatty Liver Disease. Nutrients, 2017, 9, 642. | 4.1 | 92 |
| 27 | Altered Brain Response to Drinking Glucose and Fructose in Obese Adolescents. Diabetes, 2016, 65, 1929-1939. | 0.6 | 69 |
| 28 | Increased GLP-1 response to oral glucose in pre-pubertal obese children. Journal of Pediatric Endocrinology and Metabolism, 2016, 29, 901-906. | 0.9 | 2 |
| 29 | A Role of the Inflammasome in the Low Storage Capacity of the Abdominal Subcutaneous Adipose Tissue in Obese Adolescents. Diabetes, 2016, 65, 610-618. | 0.6 | 84 |
| 30 | Blood pressure from childhood to adolescence in obese youths in relation to insulin resistance and asymmetric dimethylarginine. Journal of Endocrinological Investigation, 2016, 39, 169-176. | 3.3 | 13 |
| 31 | Glucose Effectiveness in Obese Children: Relation to Degree of Obesity and Dysglycemia. Diabetes Care, 2015, 38, 689-695. | 8.6 | 29 |
| 32 | Blunted suppression of acylâ€ghrelin in response to fructose ingestion in obese adolescents: The role of insulin resistance. Obesity, 2015, 23, 653-661. | 3.0 | 24 |
| 33 | Quantification of 1H NMR spectra from human plasma. Metabolomics, 2015, 11, 1702-1707. | 3.0 | 19 |
| 34 | p53 Codon 72 Genetic Polymorphism in Asthmatic Children: Evidence of Interaction With Acid Phosphatase Locus 1. Allergy, Asthma and Immunology Research, 2014, 6, 252. | 2.9 | 3 |
| 35 | Growth Abnormalities in Children with Type 1 Diabetes, Juvenile Chronic Arthritis, and Asthma. International Journal of Endocrinology, 2014, 2014, 1-10. | 1.5 | 38 |
| 36 | A low disposition index in adolescent offspring of mothers with gestational diabetes: a risk marker for the development of impaired glucose tolerance in youth. Diabetologia, 2014, 57, 2413-2420. | 6.3 | 50 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | Influence of the Mediterranean diet on carotid intima–media thickness in hypercholesterolaemic children: A 12-month intervention study. Nutrition, Metabolism and Cardiovascular Diseases, 2014, 24, 75-82. | 2.6 | 50 |
| 38 | Oxidized Fatty Acids: A Potential Pathogenic Link Between Fatty Liver and Type 2 Diabetes in Obese Adolescents?. Antioxidants and Redox Signaling, 2014, 20, 383-389. | 5.4 | 36 |
| 39 | Co-occurrence of Risk Alleles in or Near Genes Modulating Insulin Secretion Predisposes Obese Youth to Prediabetes. Diabetes Care, 2014, 37, 475-482. | 8.6 | 30 |
| 40 | Triglycerides-to-HDL ratio as a new marker of endothelial dysfunction in obese prepubertal children. European Journal of Endocrinology, 2014, 170, 173-180. | 3.7 | 53 |
| 41 | ls Asymmetric Dimethylarginine Associated with Being Born Small and Large for Gestational Age?. Antioxidants and Redox Signaling, 2014, 20, 2317-2322. | 5.4 | 6 |
| 42 | Leptin Is Associated With Exaggerated Brain Reward and Emotion Responses to Food Images in Adolescent Obesity. Diabetes Care, 2014, 37, 3061-3068. | 8.6 | 64 |
| 43 | Relationship between inflammatory markers, oxidant–antioxidant status and intima-media thickness in prepubertal children with juvenile idiopathic arthritis. Clinical Research in Cardiology, 2013, 102, 63-71. | 3.3 | 44 |
| 44 | Progression of Î ² -Cell Dysfunction in Obese Youth. Current Diabetes Reports, 2013, 13, 89-95. | 4.2 | 11 |
| 45 | Circulating Levels of FGF-21 in Obese Youth: Associations With Liver Fat Content and Markers of Liver Damage. Journal of Clinical Endocrinology and Metabolism, 2013, 98, 2993-3000. | 3.6 | 89 |
| 46 | Improved oxidative stress and cardio-metabolic status in obese prepubertal children with liver steatosis treated with lifestyle combined with Vitamin E. Free Radical Research, 2013, 47, 146-153. | 3.3 | 34 |
| 47 | Longitudinal Effects of MRI-Measured Hepatic Steatosis on Biomarkers of Clucose Homeostasis and Hepatic Apoptosis in Obese Youth. Diabetes Care, 2013, 36, 130-136. | 8.6 | 33 |
| 48 | Decreased Transcription of ChREBP-α/β Isoforms in Abdominal Subcutaneous Adipose Tissue of Obese Adolescents With Prediabetes or Early Type 2 Diabetes. Diabetes, 2013, 62, 837-844. | 0.6 | 93 |
| 49 | Weight Loss in Obese Prepubertal Children: The Influence of Insulin Resistance. Endocrine Research, 2013, 38, 48-57. | 1.2 | 10 |
| 50 | Thyroid dysfunction in obese pre-pubertal children: Oxidative stress as a potential pathogenetic mechanism. Free Radical Research, 2012, 46, 303-309. | 3.3 | 11 |
| 51 | Evidence for Early Defects in Insulin Sensitivity and Secretion Before the Onset of Glucose Dysregulation in Obese Youths. Diabetes, 2012, 61, 606-614. | 0.6 | 128 |
| 52 | Serum Levels of Receptors for Advanced Glycation End Products in Normal-Weight and Obese Children Born Small and Large for Gestational Age. Diabetes Care, 2012, 35, 1361-1363. | 8.6 | 24 |
| 53 | Implications of gastrointestinal hormones in the pathogenesis of obesity in prepubertal children. Journal of Pediatric Endocrinology and Metabolism, 2012, 25, 255-60. | 0.9 | 10 |
| 54 | Could Receptors for Advanced Glycation End Products Be Considered Cardiovascular Risk Markers in Obese Children?. Antioxidants and Redox Signaling, 2012, 17, 187-191. | 5.4 | 18 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | Functional polymorphisms of GSTA1 and GSTO2 genes associated with asthma in Italian children. Clinical Chemistry and Laboratory Medicine, 2012, 50, 311-5. | 2.3 | 19 |
| 56 | Islet function in obese adolescents. Diabetes, Obesity and Metabolism, 2012, 14, 40-45. | 4.4 | 15 |
| 57 | Brugada Syndrome Unmasked by Febrile Illness in an Asymptomatic Child. Journal of Pediatrics, 2012, 161, 769-769.e1. | 1.8 | 11 |
| 58 | Metabolic Syndrome in Childhood as a Risk Factor for Type 2 Diabetes. , 2012, , 83-91. | | 0 |
| 59 | Obesity and Type 2 Diabetes in Youths. , 2012, , 77-87. | | Ο |
| 60 | Variant in the glucokinase regulatory protein (GCKR) gene is associated with fatty liver in obese children and adolescents. Hepatology, 2012, 55, 781-789. | 7.3 | 205 |
| 61 | The possible role of esRAGE and sRAGE in the natural history of diabetic nephropathy in childhood. Pediatric Nephrology, 2012, 27, 269-275. | 1.7 | 16 |
| 62 | Implications for kidney disease in obese children and adolescents. Pediatric Nephrology, 2011, 26, 749-758. | 1.7 | 45 |
| 63 | Macrovascular angiopathy in children and adolescents with type 1 diabetes. Diabetes/Metabolism Research and Reviews, 2011, 27, 436-460. | 4.0 | 45 |
| 64 | The Triglyceride-to-HDL Cholesterol Ratio. Diabetes Care, 2011, 34, 1869-1874. | 8.6 | 240 |
| 65 | What Is the Significance of Soluble and Endogenous Secretory Receptor for Advanced Glycation End Products in Liver Steatosis in Obese Prepubertal Children?. Antioxidants and Redox Signaling, 2011, 14, 1167-1172. | 5.4 | 43 |
| 66 | Unbalanced oxidant–antioxidant status and its effects in pediatric diseases. Redox Report, 2011, 16, 101-107. | 4.5 | 34 |
| 67 | The possible role of liver steatosis in defining metabolic syndrome in prepubertal children. Metabolism: Clinical and Experimental, 2010, 59, 671-676. | 3.4 | 27 |
| 68 | Silent increase of urinary ethylmalonic acid is an indicator of nonspecific brain dysfunction. NMR in Biomedicine, 2010, 23, 353-358. | 2.8 | 2 |
| 69 | Weight Gain and Insulin Resistance in Children Treated With Valproate: The Influence of Time. Journal of Child Neurology, 2010, 25, 941-947. | 1.4 | 28 |
| 70 | Insulin Sensitivity in Prepubertal Caucasian Normal Weight Children. Journal of Pediatric Endocrinology and Metabolism, 2009, 22, 695-702. | 0.9 | 12 |
| 71 | Insulin Resistance and Oxidative Stress in Children Born Small and Large for Gestational Age. Pediatrics, 2009, 124, 695-702. | 2.1 | 95 |
| 72 | Increased carotid intima-media thickness in pre-pubertal children with constitutional leanness and severe obesity: the speculative role of insulin sensitivity, oxidant status, and chronic inflammation. European Journal of Endocrinology, 2009, 161, 73-80. | 3.7 | 49 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 73 | Technology and the issue of cost/benefit in diabetes. Diabetes/Metabolism Research and Reviews, 2009, 25, S34-44. | 4.0 | 19 |
| 74 | Reduced endogenous secretory receptor for advanced glycation end products (esRAGE) in young people with Type 1 diabetes developing microalbuminuria. Diabetic Medicine, 2009, 26, 815-819. | 2.3 | 14 |
| 75 | Family history of premature cardiovascular disease as a sole and independent risk factor for increased carotid intima–media thickness. Journal of Hypertension, 2009, 27, 822-828. | 0.5 | 8 |
| 76 | Increased concentrations of soluble CD40 ligand may help to identify type 1 diabetic adolescents and young adults at risk for developing persistent microalbuminuria. Diabetes/Metabolism Research and Reviews, 2008, 24, 570-576. | 4.0 | 19 |
| 77 | Association between <i>PTPN22 </i> C1858T and type 1 diabetes: a replication in continental Italy. Tissue Antigens, 2008, 71, 234-237. | 1.0 | 36 |
| 78 | Obese related effects of inflammatory markers and insulin resistance on increased carotid intima media thickness in pre-pubertal children. Atherosclerosis, 2008, 197, 448-456. | 0.8 | 100 |
| 79 | C-Reactive Protein in Relation to the Development of Microalbuminuria in Type 1 Diabetes. Diabetes Care, 2008, 31, 974-976. | 8.6 | 25 |
| 80 | Role of Physical Exercise in Children and Adolescents with Diabetes Mellitus. Journal of Pediatric Endocrinology and Metabolism, 2007, 20, 173-84. | 0.9 | 35 |
| 81 | Increased Oxidative Stress in Prepubertal Children Born Small for Gestational Age. Journal of Clinical Endocrinology and Metabolism, 2007, 92, 1372-1378. | 3.6 | 53 |
| 82 | Effects of high-dose vitamin E supplementation on oxidative stress and microalbuminuria in young adult patients with childhood onset type 1 diabetes mellitus. Diabetes/Metabolism Research and Reviews, 2007, 23, 539-546. | 4.0 | 29 |
| 83 | Macroangiopathy in Adults and Children with Diabetes: From Molecular Mechanisms to Vascular Damage (Part 1). Hormone and Metabolic Research, 2006, 38, 691-705. | 1.5 | 17 |
| 84 | Alterations in the oxidant-antioxidant status in prepubertal children with growth hormone deficiency: effect of growth hormone replacement therapy. Clinical Endocrinology, 2005, 63, 537-542. | 2.4 | 25 |
| 85 | Increased Oxidative Stress in Prepubertal Severely Obese Children: Effect of a Dietary Restriction-Weight Loss Program. Journal of Clinical Endocrinology and Metabolism, 2005, 90, 2653-2658. | 3.6 | 105 |
| 86 | Growth, growth factors and diabetes. European Journal of Endocrinology, 2004, 151 Suppl 3, U109-U117. | 3.7 | 100 |
| 87 | Metabolic changes across tertiles of delta changes in height-SDS during growth hormone therapy in children with Growth Hormone Deficiency (GHD). Hormone Research in Paediatrics, 0, , . | 1.8 | 0 |
| 88 | The bad rainbow of COVID-19 time: effects on glucose metabolism in children and adolescents with obesity and overweight. International Journal of Obesity, 0, , . | 3.4 | 4 |