
List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3787066/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	COVID-19 vaccine hesitancy in community-dwelling and hospitalized patients with severe mental illness. Psychological Medicine, 2023, 53, 4288-4290.	2.7	12
2	Changes in telepsychiatry regulations during the COVID-19 pandemic: 17 countries and regions' approaches to an evolving healthcare landscape. Psychological Medicine, 2022, 52, 2606-2613.	2.7	72
3	Mental health burden of frontline health professionals treating imported patients with COVID-19 in China during the pandemic. Psychological Medicine, 2022, 52, 398-399.	2.7	31
4	Use of the 33-Item Hypomania Checklist (HCL-33) to Distinguish Bipolar Disorder From Major Depressive Disorder in Older Adults. Journal of Geriatric Psychiatry and Neurology, 2022, 35, 410-417.	1.2	2
5	A comparison of aggression between patients with acute schizophrenia and mania presenting to psychiatric emergency services. Journal of Affective Disorders, 2022, 296, 493-497.	2.0	7
6	Prevalence, correlates, and network analysis of Internet addiction symptoms among Chinese pregnant and postpartum women. Journal of Affective Disorders, 2022, 298, 126-133.	2.0	16
7	Mental health services on the roof of the world. World Psychiatry, 2022, 21, 157-158.	4.8	3
8	Network Analysis-Based Disentanglement of the Symptom Heterogeneity in Asian Patients with Schizophrenia: Findings from the Research on Asian Psychotropic Prescription Patterns for Antipsychotics. Journal of Personalized Medicine, 2022, 12, 33.	1.1	4
9	Mind the "worry fatigue―amid Omicron scares. Brain, Behavior, and Immunity, 2022, 101, 60-61.	2.0	28
10	The state of mental health care in China. Asian Journal of Psychiatry, 2022, 69, 102975.	0.9	24
11	Prevalence of mental disorders in China. Lancet Psychiatry,the, 2022, 9, 13-14.	3.7	5
12	Prescription Patterns for Bipolar Disorder in Asian Countries: Findings from Research on Asian Prescription Pattern-Bipolar Disorder. Clinical Psychopharmacology and Neuroscience, 2022, 20, 61-69.	0.9	7
13	How to join and stay in the Olympic COVID-free "bubble�. Brain, Behavior, & Immunity - Health, 2022, 20, 100424.	1.3	2
14	Network analysis of depressive and anxiety symptoms in adolescents during and after the COVID-19 outbreak peak. Journal of Affective Disorders, 2022, 301, 463-471.	2.0	27
15	Identification of central symptoms in Internet addictions and depression among adolescents in Macau: A network analysis. Journal of Affective Disorders, 2022, 302, 415-423.	2.0	28
16	How does the COVID-19 fuel insomnia?. Brain, Behavior, & Immunity - Health, 2022, 21, 100426.	1.3	14
17	Responses to the comment: Anxiety and depression among Chinese adolescents during the COVID-19: an overestimation of the problem. Translational Psychiatry, 2022, 12, 64.	2.4	0
18	Gender Differences in Body Appreciation and Its Associations With Psychiatric Symptoms Among Chinese College Students: A Nationwide Survey. Frontiers in Psychiatry, 2022, 13, 771398.	1.3	3

#	Article	IF	CITATIONS
19	Considerations before the decision-making including fluvoxamine as a treatment option in guidelines on the management of COVID-19. Psychological Medicine, 2022, , 1-2.	2.7	1
20	Network analysis of depressive and anxiety symptoms in adolescents during the later stage of the COVID-19 pandemic. Translational Psychiatry, 2022, 12, 98.	2.4	42
21	Sleep Disturbances and Their Association With Quality of Life in Older Psychiatric Patients During the COVID-19 Pandemic. Journal of Geriatric Psychiatry and Neurology, 2022, 35, 229-236.	1.2	2
22	Mapping Network Connectivity Among Symptoms of Depression and Pain in Wuhan Residents During the Late-Stage of the COVID-19 Pandemic. Frontiers in Psychiatry, 2022, 13, 814790.	1.3	3
23	Mind the "Vaccine Fatigue― Frontiers in Immunology, 2022, 13, 839433.	2.2	38
24	Prevalence of Suicidality and its Association with Quality of Life in Older Patients with Clinically Stable Psychiatric Disorders in China During the COVID-19 Pandemic. Journal of Geriatric Psychiatry and Neurology, 2022, 35, 237-244.	1.2	6
25	Network Analysis of Depression, Anxiety, Posttraumatic Stress Symptoms, Insomnia, Pain, and Fatigue in Clinically Stable Older Patients With Psychiatric Disorders During the COVID-19 Outbreak. Journal of Geriatric Psychiatry and Neurology, 2022, 35, 196-205.	1.2	10
26	Challenges to and Recent Research on the Mental Health of Older Adults in China During the COVID-19 Pandemic. Journal of Geriatric Psychiatry and Neurology, 2022, 35, 179-181.	1.2	15
27	Internet addiction and its association with quality of life in patients with major depressive disorder: a network perspective. Translational Psychiatry, 2022, 12, 138.	2.4	5
28	Facial recognition law in China. Journal of Medical Ethics, 2022, 48, 1058-1059.	1.0	4
29	International collaboration for addressing mental health crisis among child and adolescent refugees during the Russia-Ukraine war. Asian Journal of Psychiatry, 2022, 72, 103109.	0.9	19
30	Adjunctive tDCS for treatment-refractory auditory hallucinations in schizophrenia: A meta-analysis of randomized, double-blinded, sham-controlled studies. Asian Journal of Psychiatry, 2022, 73, 103100.	0.9	14
31	Dosing of Mood Stabilizers for Bipolar Disorder Patients in the Research on Asian Psychotropic Prescription Patterns Consortium Study. Journal of Clinical Psychopharmacology, 2022, 42, 293-297.	0.7	2
32	Psychoneuroimmunology concerns of the Olympic boycotts. Brain, Behavior, and Immunity, 2022, 102, 206-208.	2.0	1
33	Antidepressants for COVID-19: A systematic review. Journal of Affective Disorders, 2022, 307, 108-114.	2.0	12
34	Prevalence of suicidality in clinically stable patients with major depressive disorder during the COVID-19 pandemic. Journal of Affective Disorders, 2022, 307, 142-148.	2.0	18
35	Structure of Hypomanic Symptoms in Adolescents With Bipolar Disorders: A Network Approach. Frontiers in Psychiatry, 2022, 13, 844699.	1.3	1
36	Mentally ill woman chained in shack reflect the challenges of community-based mental health services in China. Asian Journal of Psychiatry, 2022, 73, 103154.	0.9	2

#	Article	IF	CITATIONS
37	Comparison of Hypomanic Symptoms Between Bipolar I and Bipolar II Disorders: A Network Perspective. Frontiers in Psychiatry, 2022, 13, .	1.3	1
38	Public health crises and Ukrainian refugees. Brain, Behavior, and Immunity, 2022, 103, 243-245.	2.0	16
39	Network connectivity between fear of cancer recurrence, anxiety, and depression in breast cancer patients. Journal of Affective Disorders, 2022, 309, 358-367.	2.0	31
40	A joint international collaboration to address the inevitable mental health crisis in Ukraine. Nature Medicine, 2022, 28, 1103-1104.	15.2	12
41	How psychosocial stress profile influences the subsequent occurrence of neuropsychiatric comorbidities: A longitudinal population-based cohort study. Journal of Affective Disorders, 2022, , .	2.0	0
42	The Location Reliability of the Resting-State fMRI FC of Emotional Regions Towards rTMS Therapy. Neuroinformatics, 2022, 20, 1055-1064.	1.5	3
43	Depressive symptoms and gender differences in older adults in Hong Kong during the COVID-19 pandemic: a network analysis approach. International Journal of Biological Sciences, 2022, 18, 3934-3941.	2.6	13
44	Machine Learning Algorithm-Based Prediction Model for the Augmented Use of Clozapine with Electroconvulsive Therapy in Patients with Schizophrenia. Journal of Personalized Medicine, 2022, 12, 969.	1.1	3
45	Outcomes Among Patients With 1-Year Survival After Intensive Care Unit Treatment for COVID-19. JAMA - Journal of the American Medical Association, 2022, 327, 2148.	3.8	0
46	Network analysis of comorbid depression and anxiety and their associations with quality of life among clinicians in public hospitals during the late stage of the COVID-19 pandemic in China. Journal of Affective Disorders, 2022, 314, 193-200.	2.0	23
47	Strategies for managing patients with psychiatric illness in the reopening period of the COVID-19 pandemic in China. Lancet Psychiatry,the, 2022, 9, 691-692.	3.7	1
48	Network analysis of psychiatric symptoms in schizophrenia: Findings from the Research on Asian Psychotropic Prescription Patterns for Antipsychotics (REAP-AP). Asian Journal of Psychiatry, 2022, 75, 103200.	0.9	7
49	The prevalence of internet addiction and its association with quality of life among clinically stable patients with major depressive disorder. Journal of Affective Disorders, 2022, 314, 112-116.	2.0	3
50	Tackling the mental health burden of frontline healthcare staff in the COVID-19 pandemic: China's experiences. Psychological Medicine, 2021, 51, 1955-1956.	2.7	35
51	Global imperative to combat stigma associated with the coronavirus disease 2019 pandemic. Psychological Medicine, 2021, 51, 1957-1958.	2.7	21
52	The VNTR of the <i>AS3MT</i> gene is associated with brain activations during a memory span task and their training-induced plasticity. Psychological Medicine, 2021, 51, 1927-1932.	2.7	11
53	Posttraumatic stress symptoms and attitude toward crisis mental health services among clinically stable patients with COVID-19 in China. Psychological Medicine, 2021, 51, 1052-1053.	2.7	527
54	Dyskinesia is most centrally situated in an estimated network of extrapyramidal syndrome in Asian patients with schizophrenia: findings from research on Asian psychotropic prescription patterns for antipsychotics. Nordic Journal of Psychiatry, 2021, 75, 9-17.	0.7	3

#	Article	IF	CITATIONS
55	Oral health in patients with dementia: A metaâ€analysis of comparative and observational studies. International Journal of Geriatric Psychiatry, 2021, 36, 467-478.	1.3	12
56	Mental health and its correlates among children and adolescents during COVID-19 school closure: The importance of parent-child discussion. Journal of Affective Disorders, 2021, 279, 353-360.	2.0	373
57	Current status of the anger superiority hypothesis: A metaâ€analytic review of N2pc studies. Psychophysiology, 2021, 58, e13700.	1.2	9
58	Worldwide prevalence of suicide attempt in pregnant and postpartum women: a meta-analysis of observational studies. Social Psychiatry and Psychiatric Epidemiology, 2021, 56, 711-720.	1.6	18
59	Validation of the 33-item Hypomania Checklist (HCL-33) in screening adolescents with bipolar disorder. Journal of Affective Disorders, 2021, 281, 786-791.	2.0	5
60	Workplace violence and its association with quality of life among mental health professionals in China during the COVID-19 pandemic. Journal of Psychiatric Research, 2021, 135, 289-293.	1.5	45
61	The Prevalence of Burnout and its Associations with Demographic Correlates and Quality of Life among Psychiatric Nurses in China. Psychiatric Quarterly, 2021, 92, 645-653.	1.1	5
62	The Attitude towards Preventive Measures and Knowledge of COVID-19 Inpatients with Severe Mental Illness in Economically Underdeveloped Areas of China. Psychiatric Quarterly, 2021, 92, 683-691.	1.1	8
63	Mental health consequences of COVID-19 media coverage: the need for effective crisis communication practices. Globalization and Health, 2021, 17, 4.	2.4	260
64	Should people with severe mental illness be prioritized for the COVID-19 vaccination?. International Journal of Biological Sciences, 2021, 17, 1443-1445.	2.6	5
65	Depression and its relationship with quality of life in frontline psychiatric clinicians during the COVID-19 pandemic in China: a national survey. International Journal of Biological Sciences, 2021, 17, 683-688.	2.6	16
66	Attitudes toward COVID-19 vaccines in Chinese college students. International Journal of Biological Sciences, 2021, 17, 1469-1475.	2.6	70
67	The prevalence of depressive and anxiety symptoms and their associations with quality of life among clinically stable older patients with psychiatric disorders during the COVID-19 pandemic. Translational Psychiatry, 2021, 11, 75.	2.4	28
68	The first national action plan on depression in China: Progress and challenges. The Lancet Regional Health - Western Pacific, 2021, 7, 100078.	1.3	8
69	Progress in mental health research and service provision in China: Lessons learnt from COVID-19 and SARS epidemics. The Lancet Regional Health - Western Pacific, 2021, 7, 100076.	1.3	1
70	Sleep disturbance and its association with quality of life among psychiatric nurses in China. PeerJ, 2021, 9, e10659.	0.9	4
71	Vaccines are not yet a silver bullet: The imperative of continued communication about the importance of COVID-19 safety measures. Brain, Behavior, & Immunity - Health, 2021, 12, 100204.	1.3	59
72	Prevalence and clinical correlates of insomnia symptoms and their association with quality of life in Chinese patients with HBV-related liver disease. PeerJ, 2021, 9, e10956.	0.9	2

#	Article	IF	CITATIONS
73	Depression, anxiety and associated factors among Chinese adolescents during the COVID-19 outbreak: a comparison of two cross-sectional studies. Translational Psychiatry, 2021, 11, 148.	2.4	98
74	Changes in Nursing Students' Career Choices Following the COVID-19 Pandemic in China. Frontiers in Psychiatry, 2021, 12, 657021.	1.3	19
75	Prevalence of poor psychiatric status and sleep quality among frontline healthcare workers during and after the COVID-19 outbreak: a longitudinal study. Translational Psychiatry, 2021, 11, 223.	2.4	32
76	Prevalence of depression and its impact on quality of life in frontline otorhinolaryngology nurses during the COVID-19 pandemic in China. PeerJ, 2021, 9, e11037.	0.9	4
77	Efficacy and Safety of Traditional Chinese Herbal Medicine for Antipsychotic-Related Constipation: A Systematic Review and Meta-Analysis of Randomized Controlled Trials. Frontiers in Psychiatry, 2021, 12, 610171.	1.3	2
78	The Prevalence of Depression and Its Association With Quality of Life Among Pregnant and Postnatal Women in China: A Multicenter Study. Frontiers in Psychiatry, 2021, 12, 656560.	1.3	7
79	Workplace Violence Against Chinese Frontline Clinicians During the COVID-19 Pandemic and Its Associations With Demographic and Clinical Characteristics and Quality of Life: A Structural Equation Modeling Investigation. Frontiers in Psychiatry, 2021, 12, 649989.	1.3	28
80	The prevalence of fatigue among Chinese nursing students in post-COVID-19 era. PeerJ, 2021, 9, e11154.	0.9	21
81	Prevalence of Post-traumatic Stress Symptoms and Its Associations With Quality of Life, Demographic and Clinical Characteristics in COVID-19 Survivors During the Post-COVID-19 Era. Frontiers in Psychiatry, 2021, 12, 665507.	1.3	19
82	COVID-19-related stigma and its sociodemographic correlates: a comparative study. Globalization and Health, 2021, 17, 54.	2.4	72
83	The prevalence of psychiatric comorbidities during the SARS and COVID-19 epidemics: a systematic review and meta-analysis of observational studies. Journal of Affective Disorders, 2021, 287, 145-157.	2.0	53
84	Sleep Disturbances and the Risk of Incident Suicidality: A Systematic Review and Meta-Analysis of Cohort Studies. Psychosomatic Medicine, 2021, 83, 739-745.	1.3	6
85	Prevalence of Major Depressive Disorder Among Adults in China: A Systematic Review and Meta-Analysis. Frontiers in Psychiatry, 2021, 12, 659470.	1.3	13
86	Prevalence of Depression in Older Nursing Home Residents in High and Low Altitude Regions: A Comparative Study. Frontiers in Psychiatry, 2021, 12, 669234.	1.3	10
87	Fatigue and Its Association With Quality of Life Among Carers of Patients Attending Psychiatric Emergency Services During the COVID-19 Pandemic. Frontiers in Psychiatry, 2021, 12, 681318.	1.3	3
88	Comparing Screening Abilities of the 33-Item Hypomania Checklist (HCL-33) and the 33-Item Hypomania Checklist External Assessment (HCL-33-EA) for the Detection of Bipolar Disorder. Frontiers in Psychiatry, 2021, 12, 518722.	1.3	3
89	Young adults' preferences for influenza vaccination campaign messages: Implications for COVID-19 vaccine intervention design and development. Brain, Behavior, & Immunity - Health, 2021, 14, 100261.	1.3	9
90	Attitudes Toward COVID-19 Vaccines in Chinese Adolescents. Frontiers in Medicine, 2021, 8, 691079.	1.2	26

#	Article	IF	CITATIONS
91	Prevalence of Fatigue and Its Association With Quality of Life Among Frontline Clinicians in Ophthalmology and Otolaryngology Departments During the COVID-19 Pandemic. Frontiers in Psychiatry, 2021, 12, 678917.	1.3	6
92	The Association Between Internet Addiction and Anxiety in Nursing Students: A Network Analysis. Frontiers in Psychiatry, 2021, 12, 723355.	1.3	17
93	Chinese International Students in the United States: The Interplay of Students' Acculturative Stress, Academic Standing, and Quality of Life. Frontiers in Psychology, 2021, 12, 625863.	1.1	5
94	Prevalence of problematic Internet use and its association with quality of life among undergraduate nursing students in the later stage of COVIDâ€19 pandemic era in China. American Journal on Addictions, 2021, 30, 585-592.	1.3	21
95	Prevalence of Suicidality in Major Depressive Disorder: A Systematic Review and Meta-Analysis of Comparative Studies. Frontiers in Psychiatry, 2021, 12, 690130.	1.3	52
96	COVID-19 Vaccine Donations—Vaccine Empathy or Vaccine Diplomacy? A Narrative Literature Review. Vaccines, 2021, 9, 1024.	2.1	52
97	The Prevalence of Depressive and Insomnia Symptoms, and Their Association With Quality of Life Among Older Adults in Rural Areas in China. Frontiers in Psychiatry, 2021, 12, 727939.	1.3	14
98	Network analysis of depressive symptoms in Hong Kong residents during the COVID-19 pandemic. Translational Psychiatry, 2021, 11, 460.	2.4	39
99	Association of Attention Deficit/Hyperactivity Disorder With Events Occurring During Pregnancy and Perinatal Period. Frontiers in Psychology, 2021, 12, 707500.	1.1	5
100	Prevalence of Internet Addiction Disorder and Its Correlates Among Clinically Stable Adolescents With Psychiatric Disorders in China During the COVID-19 Outbreak. Frontiers in Psychiatry, 2021, 12, 686177.	1.3	11
101	Efficacy and Safety of Adjunctive Aripiprazole, Metformin, and Paeoniae–Glycyrrhiza Decoction for Antipsychotic-Induced Hyperprolactinemia: A Network Meta-Analysis of Randomized Controlled Trials. Frontiers in Psychiatry, 2021, 12, 728204.	1.3	6
102	Network Analysis of Depressive Symptoms Among Residents of Wuhan in the Later Stage of the COVID-19 Pandemic. Frontiers in Psychiatry, 2021, 12, 735973.	1.3	17
103	Prevalence of suicidal ideation and planning in patients with major depressive disorder: A meta-analysis of observation studies. Journal of Affective Disorders, 2021, 293, 148-158.	2.0	49
104	Prevalence of schizophrenia and its association with socio-demographic correlates in an agricultural region of China. Asian Journal of Psychiatry, 2021, 64, 102743.	0.9	7
105	Network analysis of anxiety and depressive symptoms among nursing students during the COVID-19 pandemic. Journal of Affective Disorders, 2021, 294, 753-760.	2.0	58
106	Prodromal symptoms of Chinese patients with bipolar disorder. Journal of Affective Disorders, 2021, 294, 908-915.	2.0	2
107	The prevalence of painful physical symptoms in major depressive disorder: A systematic review and meta-analysis of observational studies. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2021, 111, 110372.	2.5	7
108	Prevalence of Depressive Symptoms Among Pregnant and Postpartum Women in China During the COVID-19 Pandemic. Psychosomatic Medicine, 2021, 83, 345-350.	1.3	34

#	Article	IF	CITATIONS
109	Quality of life in Parkinson's disease: A systematic review and metaâ€analysis of comparative studies. CNS Neuroscience and Therapeutics, 2021, 27, 270-279.	1.9	66
110	The effectiveness of enhanced evidence-based care for depressive disorders: a meta-analysis of randomized controlled trials. Translational Psychiatry, 2021, 11, 531.	2.4	6
111	Adjunctive multi-session transcranial direct current stimulation for neurocognitive dysfunction in schizophrenia: A meta-analysis. Asian Journal of Psychiatry, 2021, 66, 102887.	0.9	17
112	Mental health status and quality of life in close contacts of COVID-19 patients in the post-COVID-19 era: a comparative study. Translational Psychiatry, 2021, 11, 505.	2.4	16
113	Worldwide prevalence of suicidal ideation and suicide plan among people with schizophrenia: a meta-analysis and systematic review of epidemiological surveys. Translational Psychiatry, 2021, 11, 552.	2.4	42
114	Network Analysis of Insomnia in Chinese Mental Health Professionals During the COVID-19 Pandemic: A Cross-Sectional Study. Nature and Science of Sleep, 2021, Volume 13, 1921-1930.	1.4	17
115	Reliability and Validity of the Quick Inventory of Depressive Symptomatology—Self-Report Scale in Older Adults With Depressive Symptoms. Frontiers in Psychiatry, 2021, 12, 686711.	1.3	1
116	Body Appreciation as a Factor Associated with College Students' Willingness to Receive Future COVID-19 Vaccines. Vaccines, 2021, 9, 1285.	2.1	3
117	A Call for a Rational Polypharmacy Policy: International Insights From Psychiatrists. Psychiatry Investigation, 2021, 18, 1058-1067.	0.7	2
118	Prevalence of depression and its associated factors among adolescents in China during the early stage of the COVID-19 outbreak. PeerJ, 2021, 9, e12223.	0.9	6
119	Workplace violence against frontline clinicians in emergency departments during the COVID-19 pandemic. PeerJ, 2021, 9, e12459.	0.9	11
120	Long-term effects on survivors with COVID-19. Lancet, The, 2021, 398, 1871-1872.	6.3	12
121	Comparing the Self- and External Assessment Versions of the HCL-33 as Screening Instruments for Bipolar Disorder in Older Depressed Patients. Frontiers in Psychiatry, 2021, 12, 727992.	1.3	0
122	A comparison of the 33-item Hypomania Checklist with the 33-item Hypomania Checklist-external assessment for the detection of bipolar disorder in adolescents. International Journal of Bipolar Disorders, 2021, 9, 41.	0.8	0
123	Anxiety and depressive symptoms in college students during the late stage of the COVID-19 outbreak: a network approach. Translational Psychiatry, 2021, 11, 638.	2.4	35
124	Mindfulness-Based Interventions for Insomnia: A Meta-Analysis of Randomized Controlled Trials. Behavioral Sleep Medicine, 2020, 18, 1-9.	1.1	58
125	Short versions of the 32â€item Hypomania Checklist: A systematic review. Perspectives in Psychiatric Care, 2020, 56, 102-111.	0.9	2
126	Prevalence of suicide attempts in individuals with schizophrenia: a meta-analysis of observational studies. Epidemiology and Psychiatric Sciences, 2020, 29, e39.	1.8	45

#	Article	IF	CITATIONS
127	The prevalence of agranulocytosis and related death in clozapine-treated patients: a comprehensive meta-analysis of observational studies. Psychological Medicine, 2020, 50, 583-594.	2.7	64
128	Clozapine prescription pattern in patients with schizophrenia in Asia: The REAP survey (2016). Psychiatry Research, 2020, 287, 112271.	1.7	29
129	Prevalence of Workplace Violence Against Health-Care Professionals in China: A Comprehensive Meta-Analysis of Observational Surveys. Trauma, Violence, and Abuse, 2020, 21, 498-509.	3.9	102
130	Concerns Regarding a Meta-analysis Comparing Psychotherapy With Medications for Posttraumatic Stress Disorder. JAMA Psychiatry, 2020, 77, 215.	6.0	38
131	Voluntary and Involuntary Admissions for Severe Mental Illness in China: A Systematic Review and Meta-Analysis. Psychiatric Services, 2020, 71, 83-86.	1.1	4
132	Oral health in patients with stroke: a meta-analysis of comparative studies. Topics in Stroke Rehabilitation, 2020, 27, 75-80.	1.0	11
133	Cognitive behavioural therapy monotherapy for insomnia: A meta-analysis of randomized controlled trials. Asian Journal of Psychiatry, 2020, 49, 101828.	0.9	3
134	Prevalence of smoking in nursing students worldwide: A meta-analysis of observational studies. Nurse Education Today, 2020, 84, 104205.	1.4	13
135	Adjunctive Reboxetine for Schizophrenia: Meta-analysis of Randomized Double-blind, Placebo-controlled Trials. Pharmacopsychiatry, 2020, 53, 5-13.	1.7	3
136	Unmedicated patients with schizophrenia in economically underdeveloped areas of China. Asian Journal of Psychiatry, 2020, 47, 101865.	0.9	4
137	Prevalence of prenatal and postpartum depression in fathers: A comprehensive meta-analysis of observational surveys. Journal of Affective Disorders, 2020, 263, 491-499.	2.0	110
138	Prevalence of aggression in patients with schizophrenia: A systematic review and meta-analysis of observational studies. Asian Journal of Psychiatry, 2020, 47, 101846.	0.9	26
139	Prevalence of Poor Sleep Quality in Nursing Staff: A Meta-Analysis of Observational Studies. Behavioral Sleep Medicine, 2020, 18, 746-759.	1.1	49
140	Prevalence of suicide attempts in bipolar disorder: a systematic review and meta-analysis of observational studies. Epidemiology and Psychiatric Sciences, 2020, 29, e63.	1.8	68
141	Evidence for the contribution of COMT gene Val158/108Met polymorphism (rs4680) to working memory trainingâ€related prefrontal plasticity. Brain and Behavior, 2020, 10, e01523.	1.0	9
142	Adjunctive intranasal esketamine for major depressive disorder: A systematic review of randomized double-blind controlled-placebo studies. Journal of Affective Disorders, 2020, 265, 63-70.	2.0	68
143	Efficacy and safety of traditional Chinese medicine for Tourette's syndrome: A meta-analysis of randomized controlled trials. Asian Journal of Psychiatry, 2020, 47, 101853.	0.9	18
144	Prevalence and correlates of bipolar disorder in the adult population of Hebei province, China. Journal of Affective Disorders, 2020, 263, 129-133.	2.0	4

#	Article	IF	CITATIONS
145	Prevalence and socio-demographic correlates of major depressive disorder in older adults in Hebei province, China. Journal of Affective Disorders, 2020, 265, 590-594.	2.0	1
146	ERP evidence for the effect of working memory span training on working memory maintenance: A randomized controlled trial. Neurobiology of Learning and Memory, 2020, 167, 107129.	1.0	8
147	Voluntary admissions for patients with schizophrenia: A systematic review and meta-analysis. Asian Journal of Psychiatry, 2020, 48, 101902.	0.9	7
148	Comparison of Sleep Disturbances Between Older Nursing Home Residents in High- and Low-Altitude Areas. Journal of Geriatric Psychiatry and Neurology, 2020, 33, 370-376.	1.2	12
149	Prevalence of suicideâ€related behaviors among physicians: A systematic review and metaâ€nalysis. Suicide and Life-Threatening Behavior, 2020, 50, 1264-1275.	0.9	14
150	The Impact of COVID-19 Pandemic on Clinical Research in China: Challenges and Progress. Frontiers in Medicine, 2020, 7, 523.	1.2	1
151	RELATIONSHIP BETWEEN BODY MASS INDEX AND EXTRAPYRAMIDAL SYMPTOMS IN ASIAN PATIENTS WITH SCHIZOPHRENIA: THE RESEARCH ON ASIAN PSYCHOTROPIC PRESCRIPTION PATTERNS FOR ANTIPSYCHOTICS (REAP-AP). Psychiatria Danubina, 2020, 32, 176-186.	0.2	5
152	The development of the 'COVID-19 Psychological Resilience Model' and its efficacy during the COVID-19 pandemic in China. International Journal of Biological Sciences, 2020, 16, 2828-2834.	2.6	33
153	Prevalence of depression and its relationship with quality of life among university students in Macau, Hong Kong and mainland China. Scientific Reports, 2020, 10, 15798.	1.6	22
154	Adjunctive intranasal esketamine for major depressive disorder: a systematic review of randomized double-blind controlled-placebo studies - Authors' reply. Journal of Affective Disorders, 2020, 274, 955.	2.0	3
155	Prevalence of depression and its impact on quality of life among frontline nurses in emergency departments during the COVID-19 outbreak. Journal of Affective Disorders, 2020, 276, 312-315.	2.0	196
156	Prevalence and Socio-Demographic Correlates of Poor Mental Health Among Older Adults in Agricultural Areas of China. Frontiers in Psychiatry, 2020, 11, 549148.	1.3	6
157	An overview of the expert consensus on the mental health treatment and services for major psychiatric disorders during COVID-19 outbreak: China's experiences. International Journal of Biological Sciences, 2020, 16, 2265-2270.	2.6	18
158	Prevalence and socio-demographic correlates of poor sleep quality among older adults in Hebei province, China. Scientific Reports, 2020, 10, 12266.	1.6	25
159	Prevalence of Poor Sleep Quality in Patients With Hypertension in China: A Meta-analysis of Comparative Studies and Epidemiological Surveys. Frontiers in Psychiatry, 2020, 11, 591.	1.3	13
160	Prevalence of sexual harassment toward psychiatric nurses and its association with quality of life in China. Archives of Psychiatric Nursing, 2020, 34, 394-397.	0.7	8
161	Coprescription of mood stabilizers in schizophrenia, dosing, and clinical correlates: An international study. Human Psychopharmacology, 2020, 35, 1-7.	0.7	9
162	Time to stop the use of †Wuhan virus', †China virus' or †Chinese virus' across the scientific col	nmunity.	35

BMJ Global Health, 2020, 5, e003746.

#	Article	IF	CITATIONS
163	Association Between Depression, Health Beliefs, and Face Mask Use During the COVID-19 Pandemic. Frontiers in Psychiatry, 2020, 11, 571179.	1.3	49
164	Cognitive Behavioural Therapy for Insomnia Monotherapy in Patients with Medical or Psychiatric Comorbidities: a Meta-Analysis of Randomized Controlled Trials. Psychiatric Quarterly, 2020, 91, 1209-1224.	1.1	10
165	Migrant workers in China need emergency psychological interventions during the COVID-19 outbreak. Globalization and Health, 2020, 16, 75.	2.4	18
166	Mental health problems, needs, and service use among people living within and outside Wuhan during the COVID-19 epidemic in China. Annals of Translational Medicine, 2020, 8, 1392-1392.	0.7	25
167	Gender Difference in the Prevalence of Insomnia: A Meta-Analysis of Observational Studies. Frontiers in Psychiatry, 2020, 11, 577429.	1.3	113
168	Psychometric Properties of the Quick Inventory of Depressive Symptomatology-Self-Report (QIDS-SR) in Depressed Adolescents. Frontiers in Psychiatry, 2020, 11, 598609.	1.3	6
169	Effective Connectivity Study Guiding the Neuromodulation Intervention in Figurative Language Comprehension Using Optical Neuroimaging. Neural Plasticity, 2020, 2020, 1-12.	1.0	0
170	The journal Current Opinion in Psychiatry and its impact on mental health in China. Current Opinion in Psychiatry, 2020, 33, 292-293.	3.1	0
171	Comparison of cognitive dysfunction between schizophrenia and bipolar disorder patients: A meta-analysis of comparative studies. Journal of Affective Disorders, 2020, 274, 652-661.	2.0	50
172	The prevalence of depression in men who have sex with men (MSM) living with HIV: A meta-analysis of comparative and epidemiological studies. General Hospital Psychiatry, 2020, 66, 112-119.	1.2	26
173	Prevalence of comorbid depression in schizophrenia: A meta-analysis of observational studies. Journal of Affective Disorders, 2020, 273, 524-531.	2.0	37
174	Construction of a ceRNA coregulatory network and screening of hub biomarkers for saltâ€sensitive hypertension. Journal of Cellular and Molecular Medicine, 2020, 24, 7254-7265.	1.6	10
175	Patterns of long acting injectable antipsychotic use and associated clinical factors in schizophrenia among 15 Asian countries and region. Asia-Pacific Psychiatry, 2020, 12, e12393.	1.2	16
176	The N2pc component as a neural index of early attention allocation among adults with chronic musculoskeletal pain. European Journal of Pain, 2020, 24, 1368-1376.	1.4	3
177	Worldwide prevalence of smoking cessation in schizophrenia patients: A meta-analysis of comparative and observational studies. Asian Journal of Psychiatry, 2020, 54, 102190.	0.9	18
178	Prevalence and Demographic Correlates of Poor Sleep Quality Among Frontline Health Professionals in Liaoning Province, China During the COVID-19 Outbreak. Frontiers in Psychiatry, 2020, 11, 520.	1.3	72
179	Poor Insight in Schizophrenia Patients in China: a Meta-Analysis of Observational Studies. Psychiatric Quarterly, 2020, 91, 1017-1031.	1.1	10
180	Effect of ZNF804A gene polymorphism (rs1344706) on the plasticity of the functional coupling between the right dorsolateral prefrontal cortex and the contralateral hippocampal formation. NeuroImage: Clinical, 2020, 27, 102279.	1.4	7

#	Article	IF	CITATIONS
181	The COVID-19 outbreak and psychiatric hospitals in China: managing challenges through mental health service reform. International Journal of Biological Sciences, 2020, 16, 1741-1744.	2.6	246
182	Progression of Mental Health Services during the COVID-19 Outbreak in China. International Journal of Biological Sciences, 2020, 16, 1732-1738.	2.6	800
183	Tribute to health workers in China: A group of respectable population during the outbreak of the COVID-19. International Journal of Biological Sciences, 2020, 16, 1739-1740.	2.6	92
184	Editorial: Mental Disorders Associated With Neurological Diseases. Frontiers in Psychiatry, 2020, 11, 196.	1.3	6
185	An Overview of the Expert Consensus on the Prevention and Treatment of Gaming Disorder in China (2019 Edition). Neuroscience Bulletin, 2020, 36, 825-828.	1.5	19
186	Knowledge and attitudes of adolescents with psychiatric disorders and their caregivers towards electroconvulsive therapy in China. Asian Journal of Psychiatry, 2020, 49, 101968.	0.9	5
187	Adjunctive Fluvoxamine for Schizophrenia: A Meta-analysis of Randomized Double-Blind, Placebo-Controlled Trials. Journal of Clinical Psychopharmacology, 2020, 40, 386-390.	0.7	4
188	Prevalence of depression and its association with quality of life in clinically stable patients with COVID-19. Journal of Affective Disorders, 2020, 275, 145-148.	2.0	155
189	Prevalence of Depression Among Empty-Nest Elderly in China: A Meta-Analysis of Observational Studies. Frontiers in Psychiatry, 2020, 11, 608.	1.3	31
190	Prevalence of depressive symptoms in primary school students in China: A systematic review and meta-analysis. Journal of Affective Disorders, 2020, 268, 20-27.	2.0	43
191	Timely research papers about COVID-19 in China. Lancet, The, 2020, 395, 684-685.	6.3	95
192	Online mental health services in China during the COVID-19 outbreak. Lancet Psychiatry,the, 2020, 7, e17-e18.	3.7	1,391
193	Mental health services for older adults in China during the COVID-19 outbreak. Lancet Psychiatry,the, 2020, 7, e19.	3.7	601
194	Adjunctive folate for major mental disorders: A systematic review. Journal of Affective Disorders, 2020, 267, 123-130.	2.0	12
195	Sleep quality in medical students: a comprehensive meta-analysis of observational studies. Sleep and Breathing, 2020, 24, 1151-1165.	0.9	50
196	Network analysis of the depressive symptom profiles in Asian patients with depressive disorders: Findings from the Research on Asian Psychotropic Prescription Patterns for Antidepressants (REAPâ€AD). Psychiatry and Clinical Neurosciences, 2020, 74, 344-353.	1.0	16
197	Minocycline for Depressive Symptoms: a Meta-Analysis of Randomized, Double-Blinded, Placebo-Controlled Trials. Psychiatric Quarterly, 2020, 91, 451-461.	1.1	19
198	Obesity increases the risk of depression in children and adolescents: Results from a systematic review and meta-analysis. Journal of Affective Disorders, 2020, 267, 78-85.	2.0	94

#	Article	IF	CITATIONS
199	Worldwide prevalence of sexual harassment towards nurses: A comprehensive metaâ€analysis of observational studies. Journal of Advanced Nursing, 2020, 76, 980-990.	1.5	34
200	Timely mental health care for the 2019 novel coronavirus outbreak is urgently needed. Lancet Psychiatry,the, 2020, 7, 228-229.	3.7	2,510
201	Treatment Rate of Schizophrenia in China: a Meta-Analysis of Epidemiological Studies. Psychiatric Quarterly, 2020, 91, 863-875.	1.1	4
202	Joint International Collaboration to Combat Mental Health Challenges During the Coronavirus Disease 2019 Pandemic. JAMA Psychiatry, 2020, 77, 989.	6.0	104
203	Prevalence of burnout in mental health nurses in China: A meta-analysis of observational studies. Archives of Psychiatric Nursing, 2020, 34, 141-148.	0.7	20
204	Adjunctive metformin for antipsychotic-induced dyslipidemia: a meta-analysis of randomized, double-blind, placebo-controlled trials. Translational Psychiatry, 2020, 10, 117.	2.4	23
205	Prevalence of Poor Sleep Quality in Perinatal and Postnatal Women: A Comprehensive Meta-Analysis of Observational Studies. Frontiers in Psychiatry, 2020, 11, 161.	1.3	57
206	Internet addiction among adolescents in Macau and mainland China: prevalence, demographics and quality of life. Scientific Reports, 2020, 10, 16222.	1.6	25
207	Prevalence and correlates of fatigue and its association with quality of life among clinically stable older psychiatric patients during the COVID-19 outbreak: a cross-sectional study. Globalization and Health, 2020, 16, 119.	2.4	24
208	The severity of mobile phone addiction and its relationship with quality of life in Chinese university students. PeerJ, 2020, 8, e8859.	0.9	19
209	Older adults at high risk of HIV infection in China: a systematic review and meta-analysis of observational studies. PeerJ, 2020, 8, e9731.	0.9	11
210	Functional near-infrared spectroscopy can detect low-frequency hemodynamic oscillations in the prefrontal cortex during steady-state visual evoked potential-inducing periodic facial expression stimuli presentation. Visual Computing for Industry, Biomedicine, and Art, 2020, 3, 28.	2.2	4
211	The Prevalence of Sleep Disturbances and Sleep Quality in Older Chinese Adults: A Comprehensive Meta-Analysis. Behavioral Sleep Medicine, 2019, 17, 683-697.	1.1	74
212	McGurk Effect by Individuals with Autism Spectrum Disorder and Typically Developing Controls: A Systematic Review and Meta-analysis. Journal of Autism and Developmental Disorders, 2019, 49, 34-43.	1.7	29
213	Comparative efficacy and acceptability of first-line drugs for the acute treatment of generalized anxiety disorder in adults: A network meta-analysis. Journal of Psychiatric Research, 2019, 118, 21-30.	1.5	23
214	Adjunctive minocycline for major mental disorders: A systematic review. Journal of Psychopharmacology, 2019, 33, 1215-1226.	2.0	27
215	Prevalence of mental disorders in China. Lancet Psychiatry,the, 2019, 6, 467-468.	3.7	7
216	Prevalence of verbal and physical workplace violence against nurses in psychiatric hospitals in China. Archives of Psychiatric Nursing, 2019, 33, 68-72.	0.7	38

#	Article	IF	CITATIONS
217	Nicotine dependence in community-dwelling Chinese patients with schizophrenia. Annals of General Psychiatry, 2019, 32, e100014.	1.1	4
218	Cannabis use correlates with aggressive behavior and long-acting injectable antipsychotic treatment in Asian patients with schizophrenia. Nordic Journal of Psychiatry, 2019, 73, 323-330.	0.7	10
219	Network functional connectivity analysis in individuals at ultrahigh risk for psychosis and patients with schizophrenia. Psychiatry Research - Neuroimaging, 2019, 290, 51-57.	0.9	9
220	Brexanolone for postpartum depression: A meta-analysis of randomized controlled studies. Psychiatry Research, 2019, 279, 83-89.	1.7	196
221	Altered resting-state functional connectivity of the insula in individuals with clinical high-risk and patients with first-episode schizophrenia. Psychiatry Research, 2019, 282, 112608.	1.7	25
222	Prospective memory in schizophrenia: A meta-analysis of comparative studies. Schizophrenia Research, 2019, 212, 62-71.	1.1	12
223	Antipsychotic Polypharmacy in Older Adult Asian Patients With Schizophrenia: Research on Asian Psychotropic Prescription Pattern. Journal of Geriatric Psychiatry and Neurology, 2019, 32, 304-311.	1.2	11
224	An open-label randomised comparison of aripiprazole, olanzapine and risperidone for the acute treatment of first-episode schizophrenia: Eight-week outcomes. Journal of Psychopharmacology, 2019, 33, 1227-1236.	2.0	24
225	Prescription of antipsychotic and concomitant medications for adult Asian schizophrenia patients: Findings of the 2016 Research on Asian Psychotropic Prescription Patterns (REAP) survey. Asian Journal of Psychiatry, 2019, 45, 74-80.	0.9	38
226	Mental Health-Care Delivery for Older People in China: An Update of Challenges and Recent Clinical Research. Journal of Geriatric Psychiatry and Neurology, 2019, 32, 287-290.	1.2	2
227	Comparison of the screening ability between the 32-item Hypomania Checklist (HCL-32) and the Mood Disorder Questionnaire (MDQ) for bipolar disorder: A meta-analysis and systematic review. Psychiatry Research, 2019, 273, 461-466.	1.7	15
228	Sleep duration and patterns in Chinese patients with diabetes: A metaâ€analysis of comparative studies and epidemiological surveys. Perspectives in Psychiatric Care, 2019, 55, 344-353.	0.9	4
229	Quality of Life in Schizophrenia: A Meta-Analysis of Comparative Studies. Psychiatric Quarterly, 2019, 90, 519-532.	1.1	52
230	Prevalence of comorbid major depressive disorder in Type 2 diabetes: a metaâ€analysis of comparative and epidemiological studies. Diabetic Medicine, 2019, 36, 961-969.	1.2	61
231	The prevalence of depression in menopausal women in China: A meta-analysis of observational studies. Journal of Affective Disorders, 2019, 256, 337-343.	2.0	33
232	Causal Cortical Network for Arithmetic Problem-Solving Represents Brain's Planning Rather than Reasoning. International Journal of Biological Sciences, 2019, 15, 1148-1160.	2.6	6
233	Serum 25-Hydroxyvitamin D Levels and Depression in Older Adults: A Dose–Response Meta-Analysis of Prospective Cohort Studies. American Journal of Geriatric Psychiatry, 2019, 27, 1192-1202.	0.6	45
234	Adjunctive memantine for major mental disorders: A systematic review and meta-analysis of randomized double-blind controlled trials. Schizophrenia Research, 2019, 209, 12-21.	1.1	16

#	Article	IF	CITATIONS
235	Sleep duration and self-rated health in Chinese university students. Sleep and Breathing, 2019, 23, 1351-1356.	0.9	12
236	The Prevalence of Suicide Attempts and Independent Demographic and Clinical Correlates among Chronic Schizophrenia Patients in Agricultural Areas of China. Psychiatric Quarterly, 2019, 90, 683-691.	1.1	6
237	Guidelines for the diagnosis and treatment of depressive disorders in China: The second edition. Journal of Affective Disorders, 2019, 253, 352-356.	2.0	16
238	Adjunctive ondansetron for schizophrenia: A systematic review and meta-analysis of randomized controlled trials. Journal of Psychiatric Research, 2019, 113, 27-33.	1.5	22
239	Non-speech and speech pitch perception among Cantonese-speaking children with autism spectrum disorder: An ERP study. Neuroscience Letters, 2019, 703, 205-212.	1.0	12
240	Prevalence of sexual harassment of nurses and nursing students in China: a meta-analysis of observational studies. International Journal of Biological Sciences, 2019, 15, 749-756.	2.6	19
241	Prevalence of major depressive disorder and its socio-demographic correlates in the general adult population in Hebei province, China. Journal of Affective Disorders, 2019, 252, 92-98.	2.0	19
242	Prevalence of depressive symptoms in overweight and obese children and adolescents in mainland China: A meta-analysis of comparative studies and epidemiological surveys. Journal of Affective Disorders, 2019, 250, 26-34.	2.0	9
243	Psychopathology and extrapyramidal side effects in smoking and non-smoking patients with schizophrenia: Systematic review and meta-analysis of comparative studies. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2019, 92, 476-482.	2.5	15
244	Exploration of the psychometric properties of the 33-item Hypomania Checklist - external assessment (HCL-33-EA). Journal of Affective Disorders, 2019, 245, 987-990.	2.0	5
245	Cystatin C and risk of new-onset depressive symptoms among individuals with a normal creatinine-based estimated glomerular filtration rate: A prospective cohort study. Psychiatry Research, 2019, 273, 75-81.	1.7	8
246	Rates and predictors of one-year antipsychotic treatment discontinuation in first-episode schizophrenia: Results from an open-label, randomized, "real world―clinical trial. Psychiatry Research, 2019, 273, 631-640.	1.7	11
247	Concurrent antipsychotic use in older adults treated with antidepressants in Asia. Psychogeriatrics, 2019, 19, 333-339.	0.6	7
248	Adjunctive ketamine and electroconvulsive therapy for major depressive disorder: A meta-analysis of randomized controlled trials. Journal of Affective Disorders, 2019, 250, 123-131.	2.0	32
249	Sleep disturbance and its relationship with quality of life in older Chinese adults living in nursing homes. Perspectives in Psychiatric Care, 2019, 55, 527-532.	0.9	14
250	Adjunctive aripiprazole for antipsychotic-related hyperprolactinaemia in patients with first-episode schizophrenia: a meta-analysis. Annals of General Psychiatry, 2019, 32, e100091.	1.1	9
251	Treatment Rate for Major Depressive Disorder in China: a Meta-Analysis of Epidemiological Studies. Psychiatric Quarterly, 2019, 90, 883-895.	1.1	16
252	Association of Depressive Symptoms With Incident Cardiovascular Diseases in Middle-Aged and Older Chinese Adults. JAMA Network Open, 2019, 2, e1916591.	2.8	108

#	Article	IF	CITATIONS
253	The prevalence of depressive symptoms in â€ [~] left-behind children' in China: a meta-analysis of comparative studies and epidemiological surveys. Journal of Affective Disorders, 2019, 244, 209-216.	2.0	37
254	Prevalence of suicide attempt in individuals with major depressive disorder: a meta-analysis of observational surveys. Psychological Medicine, 2019, 49, 1691-1704.	2.7	123
255	Suicidality and clinical correlates in Chinese men who have sex with men (MSM) with HIV infection. Psychology, Health and Medicine, 2019, 24, 137-143.	1.3	16
256	Adjunctive intranasal oxytocin for schizophrenia: A meta-analysis of randomized, double-blind, placebo-controlled trials. Schizophrenia Research, 2019, 206, 13-20.	1.1	24
257	Cognitive functions in smoking and non-smoking patients with schizophrenia: A systematic review and meta-analysis of comparative studies. Psychiatry Research, 2019, 272, 155-163.	1.7	18
258	Prevalence of depressive symptoms in children and adolescents in China: A meta-analysis of observational studies. Psychiatry Research, 2019, 272, 790-796.	1.7	72
259	Meta-analysis of adherence to highly active antiretroviral therapy in patients with HIV infection in China. AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV, 2019, 31, 913-922.	0.6	11
260	Comparing two short versions of the 32â€item Hypomania Checklist (HCLâ€32) for patients with bipolar disorder. Perspectives in Psychiatric Care, 2019, 55, 396-400.	0.9	2
261	Deliberate self-harm among children with disabilities in China: a matched case-control study. Pediatric Research, 2019, 85, 275-282.	1.1	4
262	Worldwide prevalence of falls in older adults with psychiatric disorders: A meta-analysis of observational studies. Psychiatry Research, 2019, 273, 114-120.	1.7	8
263	Mobile phone addiction in Tibetan and Han Chinese adolescents. Perspectives in Psychiatric Care, 2019, 55, 438-444.	0.9	8
264	The effects of CACNA1C gene polymorphism on prefrontal cortex in both schizophrenia patients and healthy controls. Schizophrenia Research, 2019, 204, 193-200.	1.1	11
265	Suicide-related behaviours in schizophrenia in China: a comprehensive meta-analysis. Epidemiology and Psychiatric Sciences, 2019, 28, 290-299.	1.8	22
266	Concurrent benzodiazepine use in older adults treated with antidepressants in Asia. International Psychogeriatrics, 2019, 31, 685-691.	0.6	8
267	Rhythmic low-field magnetic stimulation may improve depression by increasing brain-derived neurotrophic factor. CNS Spectrums, 2019, 24, 313-321.	0.7	11
268	Combination of Metformin and Lifestyle Intervention for Antipsychotic-Related Weight Gain: A Meta-Analysis of Randomized Controlled Trials. Pharmacopsychiatry, 2019, 52, 24-31.	1.7	19
269	Linking brain activation to topological organization in the frontal lobe as a synergistic indicator to characterize the difference between various cognitive processes of executive functions. Neurophotonics, 2019, 6, 1.	1.7	7
270	CeRNA network analysis and functional enrichment of salt sensitivity of blood pressure by weighted-gene co-expression analysis. PeerJ, 2019, 7, e7534.	0.9	3

#	Article	IF	CITATIONS
271	Internet Addiction and Quality of Life in College Students: A Multiple Mediation Analysis. Iranian Journal of Public Health, 2019, 48, 2094-2096.	0.3	2
272	<i>N</i> â€acetylcysteine for major mental disorders: a systematic review and metaâ€analysis of randomized controlled trials. Acta Psychiatrica Scandinavica, 2018, 137, 391-400.	2.2	66
273	The development and validation of a short version of the 33-item Hypomania Checklist (HCL-33). Journal of Affective Disorders, 2018, 235, 206-210.	2.0	7
274	Cognitive behavioral therapy for post-stroke depression: A meta-analysis. Journal of Affective Disorders, 2018, 235, 589-596.	2.0	106
275	Suicide after hospital contact for psychiatric assessment in Hong Kong: A long-term cohort study. Psychiatry Research, 2018, 264, 266-269.	1.7	1
276	Polymorphism in schizophrenia risk gene MIR137 is associated with the posterior cingulate Cortex's activation and functional and structural connectivity in healthy controls. NeuroImage: Clinical, 2018, 19, 160-166.	1.4	18
277	Long-Term Outcomes of Unlocking Chinese Patients with Severe Mental Illness. Psychiatric Quarterly, 2018, 89, 757-763.	1.1	1
278	Development and validation of a new cognitive screening test: The Hong Kong Brief Cognitive Test (HKBC). International Journal of Geriatric Psychiatry, 2018, 33, 994-999.	1.3	15
279	Comparative Efficacy of Antihypertensive Agents in Salt-Sensitive Hypertensive Patients: A Network Meta-Analysis. American Journal of Hypertension, 2018, 31, 835-846.	1.0	17
280	Prevalence of sleep disturbances in Chinese university students: a comprehensive metaâ€analysis. Journal of Sleep Research, 2018, 27, e12648.	1.7	93
281	Adjunctive raloxifene for postmenopausal women with schizophrenia: A meta-analysis of randomized, double-blind, placebo-controlled trials. Schizophrenia Research, 2018, 197, 288-293.	1.1	25
282	Clinical characteristics and quality of life of older adults with cognitive impairment in Macao. Psychogeriatrics, 2018, 18, 182-189.	0.6	3
283	Resilience and protective factors among people with a history of child maltreatment: a systematic review. Social Psychiatry and Psychiatric Epidemiology, 2018, 53, 453-475.	1.6	148
284	Comparison of residual depressive symptoms and functional impairment between fully and partially remitted patients with major depressive disorder: a multicenter study. Psychiatry Research, 2018, 261, 547-553.	1.7	30
285	Mindfulness-based interventions for major depressive disorder: A comprehensive meta-analysis of randomized controlled trials. Journal of Affective Disorders, 2018, 229, 429-436.	2.0	47
286	Comparison of comorbid depression between irritable bowel syndrome and inflammatory bowel disease: A meta-analysis of comparative studies. Journal of Affective Disorders, 2018, 237, 37-46.	2.0	22
287	Prevalence of depressive syndrome and their association with demographic and clinical characteristics in Chinese HIV patients. AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV, 2018, 30, 1388-1392.	0.6	8
288	Prevalence of Sleep Disturbances and Their Associations With Demographic and Clinical Characteristics and Quality of Life in Older Adults in Macao. Perspectives in Psychiatric Care, 2018, 54, 46-53.	0.9	17

#	Article	lF	CITATIONS
289	Associations of Differentiation of Self and Adult Attachment in Individuals With Anxiety-Related Disorders. Perspectives in Psychiatric Care, 2018, 54, 54-63.	0.9	23
290	Memory Impairment Following Electroconvulsive Therapy in Chinese Patients with Schizophrenia: Meta-Analysis of Randomized Controlled Trials. Perspectives in Psychiatric Care, 2018, 54, 107-114.	0.9	18
291	The assessment of decision-making competence in patients with depression using the MacArthur competence assessment tools: A systematic review. Perspectives in Psychiatric Care, 2018, 54, 206-211.	0.9	6
292	Adjunctive memantine for schizophrenia: a meta-analysis of randomized, double-blind, placebo-controlled trials. Psychological Medicine, 2018, 48, 72-81.	2.7	29
293	Prevalence of suicidal behaviors in patients with major depressive disorder in China: A comprehensive meta-analysis. Journal of Affective Disorders, 2018, 225, 32-39.	2.0	117
294	Effect of adjunctive ranitidine for antipsychotic-induced weight gain: A systematic review of randomized placebo-controlled trials. Journal of International Medical Research, 2018, 46, 22-32.	0.4	15
295	Erythropoietin for Cognitive Deficits Associated with Schizophrenia, Bipolar Disorder, and Major Depression: A Systematic Review. Pharmacopsychiatry, 2018, 51, 100-104.	1.7	17
296	The contribution of the contingent negative variation (CNV) to goal maintenance. Schizophrenia Research, 2018, 195, 372-377.	1.1	4
297	Prospective memory in bipolar disorder: A meta-analysis. Psychiatry Research, 2018, 259, 184-190.	1.7	10
298	Adjunctive azapirone for schizophrenia: A meta-analysis of randomized, double-blind, placebo-controlled trials. European Neuropsychopharmacology, 2018, 28, 149-158.	0.3	8
299	Effect of rs1344706 in the ZNF804A gene on the brain network. NeuroImage: Clinical, 2018, 17, 1000-1005.	1.4	15
300	Prevalence and Correlates of Suicidal Behaviors among College Students in Northeastern China: a Cross-Sectional Study. Psychiatric Quarterly, 2018, 89, 359-370.	1.1	14
301	Adjunctive Peony-Glycyrrhiza decoction for antipsychotic-induced hyperprolactinaemia: a meta-analysis of randomised controlled trials. Annals of General Psychiatry, 2018, 31, e100003.	1.1	5
302	Depressive symptoms in patients with irritable bowel syndrome: a meta-analysis of comparative studies. International Journal of Biological Sciences, 2018, 14, 1504-1512.	2.6	35
303	The association between urinary Alzheimer-associated neuronal thread protein and cognitive impairment in late-life depression: a controlled pilot study. International Journal of Biological Sciences, 2018, 14, 1497-1502.	2.6	12
304	Concurrent mapping of brain activation from multiple subjects during social interaction by hyperscanning: a mini-review. Quantitative Imaging in Medicine and Surgery, 2018, 8, 819-837.	1.1	70
305	Mobile Phone Dependence, Social Support and Impulsivity in Chinese University Students. International Journal of Environmental Research and Public Health, 2018, 15, 504.	1.2	47
306	Trends of Polypharmacy and Prescription Patterns of Antidepressants in Asia. Journal of Clinical Psychopharmacology, 2018, 38, 598-603.	0.7	11

#	Article	IF	CITATIONS
307	Association of sleep duration with sleep disturbances, quality of life, and sociodemographic factors in general hospital outpatients. Perspectives in Psychiatric Care, 2018, 54, 422-427.	0.9	5
308	Elder abuse and its impact on quality of life in nursing homes in China. Archives of Gerontology and Geriatrics, 2018, 78, 155-159.	1.4	17
309	Knowledge and attitudes of older psychiatric patients and their caregivers towards electroconvulsive therapy. Psychogeriatrics, 2018, 18, 343-350.	0.6	8
310	The prevalence of psychiatric disorders among students aged 6~ 16Âyears old in central Hunan, China. BMC Psychiatry, 2018, 18, 243.	1.1	27
311	ECT augmentation of clozapine for clozapine-resistant schizophrenia: A meta-analysis of randomized controlled trials. Journal of Psychiatric Research, 2018, 105, 23-32.	1.5	71
312	Neuroticism and conscientiousness respectively positively and negatively correlated with the network characteristic path length in dorsal lateral prefrontal cortex: A restingâ€state <scp>fNIRS</scp> study. Brain and Behavior, 2018, 8, e01074.	1.0	10
313	Quality of life in Chinese patients with schizophrenia: A meta-analysis. Psychiatry Research, 2018, 268, 392-399.	1.7	19
314	Prevalence of major depressive disorder in children and adolescents in China: A systematic review and meta-analysis. Journal of Affective Disorders, 2018, 241, 592-598.	2.0	38
315	Electroconvulsive therapy for older adult patients with major depressive disorder: a systematic review of randomized controlled trials. Psychogeriatrics, 2018, 18, 468-475.	0.6	15
316	Physical comorbidities in older adults receiving antidepressants in Asia. Psychogeriatrics, 2018, 18, 351-356.	0.6	3
317	Internet addiction in Tibetan and Han Chinese middle school students: prevalence, demographics and quality of life. Psychiatry Research, 2018, 268, 131-136.	1.7	34
318	Prevalence of Internet addiction disorder in Chinese university students: A comprehensive meta-analysis of observational studies. Journal of Behavioral Addictions, 2018, 7, 610-623.	1.9	102
319	The prevalence of autism spectrum disorders in China: a comprehensive meta-analysis. International Journal of Biological Sciences, 2018, 14, 717-725.	2.6	97
320	Prevalence of insomnia symptoms and their associated factors in patients treated in outpatient clinics of four general hospitals in Guangzhou, China. BMC Psychiatry, 2018, 18, 232.	1.1	16
321	Mapping the small-world properties of brain networks in Chinese to English simultaneous interpreting by using functional near-infrared spectroscopy. Journal of Innovative Optical Health Sciences, 2018, 11, .	0.5	11
322	Neurocognitive dysfunction in subjects at clinical high risk for psychosis: A meta-analysis. Journal of Psychiatric Research, 2018, 103, 38-45.	1.5	42
323	Prevalence of falls in adult and older adult psychiatric patients in China: A systematic review and comprehensive meta-analysis of observational studies. Psychiatry Research, 2018, 266, 18-25.	1.7	7
324	The Association Between Post-stroke Depression, Aphasia, and Physical Independence in Stroke Patients at 3-Month Follow-Up. Frontiers in Psychiatry, 2018, 9, 374.	1.3	25

#	Article	IF	CITATIONS
325	Prevalence of major depressive disorder in older adults in China: A systematic review and meta-analysis. Journal of Affective Disorders, 2018, 241, 297-304.	2.0	45
326	Short-term efficacy and tolerability of lurasidone in the treatment of acute schizophrenia: A meta-analysis of randomized controlled trials. Journal of Psychiatric Research, 2018, 103, 244-251.	1.5	17
327	Rethinking progress and challenges of mental health care in China. World Psychiatry, 2018, 17, 231-232.	4.8	83
328	Psychometric properties of the Chinese version of the Functioning Assessment Short Test (FAST) in bipolar disorder. Journal of Affective Disorders, 2018, 238, 156-160.	2.0	19
329	Meta-analysis of the Efficacy and Safety of Adjunctive Rosuvastatin for Dyslipidemia in Patients with Schizophrenia. Shanghai Archives of Psychiatry, 2018, 30, 4-11.	0.7	2
330	Microbleeds in fronto-subcortical circuits are predictive of dementia conversion in patients with vascular cognitive impairment but no dementia. Neural Regeneration Research, 2018, 13, 1913.	1.6	5
331	Comparison of Olanzapine versus Other Second-Generation Antipsychotics in the Improvement of Insight and Medication Discontinuation Rate in Schizophrenia. Shanghai Archives of Psychiatry, 2018, 30, 178-187.	0.7	3
332	Impaired cue identification and intention retrieval underlie prospective memory deficits in patients with first-episode schizophrenia. Australian and New Zealand Journal of Psychiatry, 2017, 51, 270-277.	1.3	12
333	Insomnia in Adults With Chronic Hepatitis B, Liver Failure, and Cirrhosis: A Case-Control Study. Perspectives in Psychiatric Care, 2017, 53, 67-72.	0.9	9
334	Prevalence of Insomnia and Clinical and Quality of Life Correlates in Chinese Patients With Schizophrenia Treated in Primary Care. Perspectives in Psychiatric Care, 2017, 53, 80-86.	0.9	32
335	Comparison of the 32â€item Hypomania Checklist, the 33â€item Hypomania Checklist, and the Mood Disorders Questionnaire for bipolar disorder. Psychiatry and Clinical Neurosciences, 2017, 71, 403-408.	1.0	9
336	Comparison of quality of life in homeless and non-homeless Chinese patients with psychiatric disorders. Psychiatry Research, 2017, 249, 115-119.	1.7	7
337	Quality of life and clinical correlates in older adults living in the community and in nursing homes in <scp>M</scp> acao. Psychogeriatrics, 2017, 17, 194-199.	0.6	19
338	Gender differences in general mental health, smoking, drinking and chronic diseases in older adults in Jilin province, China. Psychiatry Research, 2017, 251, 58-62.	1.7	30
339	Prevalence of borderline personality disorder and its risk factors in female prison inmates in China. Psychiatry Research, 2017, 250, 200-203.	1.7	10
340	Antipsychotic augmentation vs. monotherapy in schizophrenia: systematic review, metaâ€analysis and metaâ€regression analysis. World Psychiatry, 2017, 16, 77-89.	4.8	156
341	Comparison of treatment patterns in schizophrenia between China and Japan (2001â€2009). Asia-Pacific Psychiatry, 2017, 9, e12277.	1.2	5
342	Adjunctive antidepressant use in schizophrenia in China: A national survey (2002–2012). Human Psychopharmacology, 2017, 32, e2571.	0.7	5

#	Article	IF	CITATIONS
343	Prevalence of Major Depression and Its Associations With Demographic and Clinical Characteristics and Quality of Life in Chinese Patients With HBV-related Liver Diseases. Archives of Psychiatric Nursing, 2017, 31, 287-290.	0.7	5
344	Gender and Regional Differences in Sleep Quality and Insomnia: A General Population-based Study in Hunan Province of China. Scientific Reports, 2017, 7, 43690.	1.6	116
345	A comparison of clinical characteristics of older adults treated with antidepressants in general and psychiatric hospitals in <scp>A</scp> sia. Psychogeriatrics, 2017, 17, 348-355.	0.6	2
346	Adjunctive celecoxib for schizophrenia: A meta-analysis of randomized, double-blind, placebo-controlled trials. Journal of Psychiatric Research, 2017, 92, 139-146.	1.5	65
347	Comparison of insight and clinical variables in homeless and non-homeless psychiatric inpatients in China. Psychiatry Research, 2017, 255, 13-16.	1.7	4
348	Quality of life in Chinese patients with schizophrenia treated in primary care. Psychiatry Research, 2017, 254, 80-84.	1.7	16
349	Prospective memory deficits in patients with depression: A meta-analysis. Journal of Affective Disorders, 2017, 220, 79-85.	2.0	39
350	Short- and long-range functional connectivity density alterations in adolescents with pure conduct disorder at resting-state. Neuroscience, 2017, 351, 96-107.	1.1	35
351	Adjunctive metformin for antipsychotic-related hyperprolactinemia: A meta-analysis of randomized controlled trials. Journal of Psychopharmacology, 2017, 31, 625-631.	2.0	20
352	Amantadine for Antipsychotic-Related Weight Gain. Journal of Clinical Psychopharmacology, 2017, 37, 341-346.	0.7	16
353	Electroconvulsive Therapy in Schizophrenia in China. Journal of ECT, 2017, 33, 138-142.	0.3	8
354	Prospective Memory Performance in Persons With Schizophrenia and Bipolar Disorder and Healthy Persons. Perspectives in Psychiatric Care, 2017, 53, 266-274.	0.9	8
355	Duration of untreated bipolar disorder: a multicenter study. Scientific Reports, 2017, 7, 44811.	1.6	21
356	Adjunctive minocycline for schizophrenia: A meta-analysis of randomized controlled trials. European Neuropsychopharmacology, 2017, 27, 8-18.	0.3	69
357	Neuroticism and quality of life: Multiple mediating effects of smartphone addiction and depression. Psychiatry Research, 2017, 258, 457-461.	1.7	65
358	Prevalence of smoking in patients with bipolar disorder, major depressive disorder and schizophrenia and their relationships with quality of life. Scientific Reports, 2017, 7, 8430.	1.6	30
359	Sleep duration and its association with demographics, lifestyle factors, poor mental health and chronic diseases in older Chinese adults. Psychiatry Research, 2017, 257, 212-218.	1.7	44
360	Tai <scp>c</scp> hi for mild cognitive impairment: a systematic review. Psychogeriatrics, 2017, 17, 514-516.	0.6	25

#	Article	IF	CITATIONS
361	Investigation of the Changes in the Power Distribution in Resting-State Brain Networks Associated with Pure Conduct Disorder. Scientific Reports, 2017, 7, 5528.	1.6	3
362	Dietary acrylamide exposure was associated with mild cognition decline among non-smoking Chinese elderly men. Scientific Reports, 2017, 7, 6395.	1.6	24
363	Clinical Use of Mood Stabilizers With Antidepressants in Asia. Journal of Clinical Psychopharmacology, 2017, 37, 255-259.	0.7	7
364	Association between schizophrenia and violence among Chinese female offenders. Scientific Reports, 2017, 7, 818.	1.6	11
365	Prescribing patterns of psychotropic medications and clinical features in patients with major depressive disorder with and without comorbid dysthymia in China. Asia-Pacific Psychiatry, 2017, 9, e12261.	1.2	1
366	Suicidal ideation at 1-year post-stroke: A nationwide survey in China. General Hospital Psychiatry, 2017, 44, 38-42.	1.2	17
367	The prevalence of bipolar disorder in China: A meta-analysis. Journal of Affective Disorders, 2017, 207, 413-421.	2.0	31
368	The MacArthur Competence Assessment Tools for assessing decision-making capacity in schizophrenia: A meta-analysis. Schizophrenia Research, 2017, 183, 56-63.	1.1	20
369	Metaâ€analysis of randomized, doubleâ€blind, placebo ontrolled trials of melatonin in Alzheimer's disease. International Journal of Geriatric Psychiatry, 2017, 32, 50-57.	1.3	61
370	The Relationship Between Sleep Patterns, Quality of Life, and Social and Clinical Characteristics in Chinese Patients With Schizophrenia. Perspectives in Psychiatric Care, 2017, 53, 342-349.	0.9	6
371	Sleep Duration and Sleep Patterns in Chinese University Students: A Comprehensive Meta-Analysis. Journal of Clinical Sleep Medicine, 2017, 13, 1153-1162.	1.4	34
372	Sleep Duration and Patterns in Chinese Older Adults: a Comprehensive Meta-analysis. International Journal of Biological Sciences, 2017, 13, 682-689.	2.6	22
373	Diffusion Tensor Imaging Tractography Reveals Disrupted White Matter Structural Connectivity Network in Healthy Adults with Insomnia Symptoms. Frontiers in Human Neuroscience, 2017, 11, 583.	1.0	38
374	Longitudinal changes in prospective memory and their clinical correlates at 1-year follow-up in first-episode schizophrenia. PLoS ONE, 2017, 12, e0172114.	1.1	13
375	Relationship of Sleep Duration with Sociodemographic Characteristics, Lifestyle, Mental Health, and Chronic Diseases in a Large Chinese Adult Population. Journal of Clinical Sleep Medicine, 2017, 13, 377-384.	1.4	56
376	Anticholinergic use trends in 14,013 patients with schizophrenia from three national surveys on the use of psychotropic medications in China (2002–2012). Psychiatry Research, 2017, 257, 132-136.	1.7	9
377	The Psychometric Properties of the Quick Inventory of Depressive Symptomatology-Self-Report (QIDS-SR) in Patients with HBV-Related Liver Disease. Shanghai Archives of Psychiatry, 2017, 29, 15-20.	0.7	2
378	The prevalence of insomnia in the general population in China: A meta-analysis. PLoS ONE, 2017, 12, e0170772.	1.1	247

#	Article	IF	CITATIONS
379	Baseline Characteristics and Early Response at Week 1 Predict Treatment Outcome in Adolescents With Bipolar Manic or Mixed Episode Treated With Olanzapine. Journal of Clinical Psychiatry, 2017, 78, e1158-e1166.	1.1	6
380	Clozapine Augmentation With Antiepileptic Drugs for Treatment-Resistant Schizophrenia. Journal of Clinical Psychiatry, 2017, 78, e498-e505.	1.1	46
381	Electroconvulsive Therapy for Agitation in Schizophrenia: Metaanalysis of Randomized Controlled Trials. Shanghai Archives of Psychiatry, 2017, 29, 1-14.	0.7	0
382	Adjunctive Melatonin for Tardive Dyskinesia in Patients with Schizophrenia: A Meta-Analysis. Shanghai Archives of Psychiatry, 2017, 29, 129-136.	0.7	2
383	The Disability Rate of 5-Year Post-Stroke and Its Correlation Factors: A National Survey in China. PLoS ONE, 2016, 11, e0165341.	1.1	75
384	The Bipolar II Depression Questionnaire: A Self-Report Tool for Detecting Bipolar II Depression. PLoS ONE, 2016, 11, e0149752.	1.1	6
385	Electroconvulsive Therapy Added to Non-Clozapine Antipsychotic Medication for Treatment Resistant Schizophrenia: Meta-Analysis of Randomized Controlled Trials. PLoS ONE, 2016, 11, e0156510.	1.1	44
386	Duration of Untreated Psychosis in Chinese and Mauritian: Impact of Clinical Characteristics and Patients' and Families' Perspectives on Psychosis. PLoS ONE, 2016, 11, e0157083.	1.1	12
387	Demographic and Clinical Profile of Patients With Dementia Receiving Electroconvulsive Therapy. Journal of ECT, 2016, 32, 183-186.	0.3	9
388	Suicidal ideation in <scp>C</scp> hinese patients with chronic obstructive pulmonary disease: a controlled study. Psychogeriatrics, 2016, 16, 172-176.	0.6	3
389	The psychometric properties of the Quick Inventory of Depressive Symptomatology-Self-Report (QIDS-SR) and the Patient Health Questionnaire-9 (PHQ-9) in depressed inpatients in China. Psychiatry Research, 2016, 243, 92-96.	1.7	36
390	Knowledge and Attitudes of Patients and Their Relatives Toward Electroconvulsive Therapy in China. Perspectives in Psychiatric Care, 2016, 52, 248-253.	0.9	17
391	The Prevalence of Insomnia, Its Demographic Correlates, and Treatment in Nurses Working in Chinese Psychiatric and General Hospitals. Perspectives in Psychiatric Care, 2016, 52, 88-94.	0.9	28
392	Adjunctive huperzine A for cognitive deficits in schizophrenia: a systematic review and meta-analysis. Human Psychopharmacology, 2016, 31, 286-295.	0.7	7
393	Single i.v. ketamine augmentation of newly initiated escitalopram for major depression: results from a randomized, placebo-controlled 4-week study. Psychological Medicine, 2016, 46, 623-635.	2.7	108
394	Effect of rs1063843 in the <i>CAMKK2</i> gene on the dorsolateral prefrontal cortex. Human Brain Mapping, 2016, 37, 2398-2406.	1.9	16
395	The <i>ANK3</i> gene and facial affect processing: An ERP study. American Journal of Medical Genetics Part B: Neuropsychiatric Genetics, 2016, 171, 861-866.	1.1	2
396	Cognitive functioning in individuals at ultra-high risk for psychosis, first-degree relatives of patients with psychosis and patients with first-episode schizophrenia. Schizophrenia Research, 2016, 174, 71-76.	1.1	47

#	Article	IF	CITATIONS
397	Smoking and its associations with sociodemographic and clinical characteristics and quality of life in patients with schizophrenia treated in primary care in China. General Hospital Psychiatry, 2016, 38, 79-83.	1.2	7
398	Trends in the access to and the use of antipsychotic medications and psychotropic co-treatments in Asian patients with schizophrenia. Epidemiology and Psychiatric Sciences, 2016, 25, 9-17.	1.8	19
399	Efficacy and safety of adjunctive topiramate for schizophrenia: a metaâ€analysis of randomized controlled trials. Acta Psychiatrica Scandinavica, 2016, 134, 385-398.	2.2	51
400	Electroconvulsive therapy and its relationships with clinical characteristics and quality of life in Chinese psychiatric patients. Psychiatry Research, 2016, 246, 246-249.	1.7	6
401	Aripiprazole for Tourette's syndrome: a systematic review and meta-analysis. Human Psychopharmacology, 2016, 31, 11-18.	0.7	33
402	Prevalence of aggression in hospitalized patients with schizophrenia in <scp>C</scp> hina: A metaâ€analysis. Asia-Pacific Psychiatry, 2016, 8, 60-69.	1.2	58
403	Gender differences in attitudes towards antipsychotic medications in patients with schizophrenia. Psychiatry Research, 2016, 245, 276-281.	1.7	13
404	Poor mental health status and its associations with demographic characteristics and chronic diseases in Chinese elderly. Social Psychiatry and Psychiatric Epidemiology, 2016, 51, 1449-1455.	1.6	44
405	Conceptual issues behind the Chinese translations of the term â€~Bipolar Disorder'. Asia-Pacific Psychiatry, 2016, 8, 256-259.	1.2	0
406	Hyperprolactinemia, prolactin-related side effects and quality of life in Chinese psychiatric patients. Comprehensive Psychiatry, 2016, 71, 71-76.	1.5	13
407	Demographic and clinical differences between early- and late-onset bipolar disorders in a multicenter study in China. Psychiatry Research, 2016, 246, 688-691.	1.7	8
408	Factors Associated With Antidepressant Dosing in Asia. Journal of Clinical Psychopharmacology, 2016, 36, 716-719.	0.7	9
409	Common Use of Electroconvulsive Therapy for Chinese Adolescent Psychiatric Patients. Journal of ECT, 2016, 32, 251-255.	0.3	18
410	Comorbid Moderate–Severe Depressive Symptoms and their Association with Quality of Life in Chinese Patients with Schizophrenia Treated in Primary Care. Community Mental Health Journal, 2016, 52, 921-926.	1.1	23
411	Physical restraint for psychiatric patients and its associations with clinical characteristics and the National Mental Health Law in China. Psychiatry Research, 2016, 241, 154-158.	1.7	23
412	Violence risk assessment in psychiatric patients in China: A systematic review. Australian and New Zealand Journal of Psychiatry, 2016, 50, 33-45.	1.3	16
413	Self-Reported and Interviewer-Rated Oral Health in Patients With Schizophrenia, Bipolar Disorder, and Major Depressive Disorder. Perspectives in Psychiatric Care, 2016, 52, 4-11.	0.9	16
414	China to halt using executed prisoners' organs for transplants: a step in the right direction in medical ethics. Journal of Medical Ethics, 2016, 42, 10-10.	1.0	8

#	Article	IF	CITATIONS
415	Disrupted default mode network connectivity in male adolescents with conduct disorder. Brain Imaging and Behavior, 2016, 10, 995-1003.	1.1	34
416	Sexual dysfunction and its impact on quality of life in Chinese patients with schizophrenia treated in primary care. Comprehensive Psychiatry, 2016, 65, 116-121.	1.5	31
417	Effect of rs1344706 in the ZNF804A gene on the connectivity between the hippocampal formation and posterior cingulate cortex. Schizophrenia Research, 2016, 170, 48-54.	1.1	17
418	Current cigarette smoking in Chinese female patients with schizophrenia: A meta-analysis. Psychiatry Research, 2016, 235, 203-205.	1.7	8
419	Extract of Ginkgo biloba for Tardive Dyskinesia: Meta-analysis of Randomized Controlled Trials. Pharmacopsychiatry, 2016, 49, 107-111.	1.7	31
420	Smoking in male patients with schizophrenia in China: A meta-analysis. Drug and Alcohol Dependence, 2016, 162, 146-153.	1.6	36
421	Worldwide Differences in Regulations of Clozapine Use. CNS Drugs, 2016, 30, 149-161.	2.7	139
422	Safety and tolerability of antipsychotic co-treatment in patients with schizophrenia: results from a systematic review and meta-analysis of randomized controlled trials. Expert Opinion on Drug Safety, 2016, 15, 591-612.	1.0	29
423	Intracranial Atherosclerosis and Poststroke Depression in Chinese Patients with Ischemic Stroke. Journal of Stroke and Cerebrovascular Diseases, 2016, 25, 998-1004.	0.7	23
424	The 33-item Hypomania Checklist (HCL-33): A new self-completed screening instrument for bipolar disorder. Journal of Affective Disorders, 2016, 190, 214-220.	2.0	32
425	Huperzine A for treatment of cognitive impairment in major depressive disorder: a systematic review of randomized controlled trials. Shanghai Archives of Psychiatry, 2016, 28, 64-71.	0.7	9
426	Tai Chi for Schizophrenia: A Systematic Review. Shanghai Archives of Psychiatry, 2016, 28, 185-194.	0.7	9
427	Antipsychotic polypharmacy and quality of life in patients with schizophrenia treated in primary care in China. International Journal of Clinical Pharmacology and Therapeutics, 2016, 54, 36-42.	0.3	20
428	Prevalence of overweight in schizophrenia patients in Asia: findings of the research on Asian psychotropic prescription patterns (REAP) study. International Journal of Clinical Pharmacology and Therapeutics, 2016, 54, 450-455.	0.3	3
429	Efficacy of Atypical Antipsychotics in the Management of Acute Agitation and Aggression in Hospitalized Patients with Schizophrenia or Bipolar Disorder: Results from a Systematic Review. Shanghai Archives of Psychiatry, 2016, 28, 241-252.	0.7	4
430	International study on antidepressant prescription pattern at 40 major psychiatric institutions and hospitals in <scp>A</scp> sia: A 10â€year comparison study. Asia-Pacific Psychiatry, 2015, 7, 366-374.	1.2	23
431	Country variations in depressive symptoms profile in Asian countries: Findings of the Research on Asia Psychotropic Prescription (REAP) studies. Asia-Pacific Psychiatry, 2015, 7, 276-285.	1.2	12
432	Implementation of psychiatricâ€focused lifestyle medicine programs in <scp>A</scp> sia. Asia-Pacific Psychiatry, 2015, 7, 345-354.	1.2	9

#	Article	IF	CITATIONS
433	Electroconvulsive Therapy and Its Association With Demographic and Clinical Characteristics in Chinese Psychiatric Patients. Journal of ECT, 2015, 31, 114-118.	0.3	17
434	Poststroke Fatigue: Risk Factors and its Effect on Functional Status and Health-Related Quality of Life. International Journal of Stroke, 2015, 10, 506-512.	2.9	52
435	Impairments in Negative Facial Emotion Recognition in Chinese Schizophrenia Patients Detected With a Newly Designed Task. Journal of Nervous and Mental Disease, 2015, 203, 718-724.	0.5	10
436	Quality of Life in Older Patients With Chronic Obstructive Pulmonary Disease (COPD) in Hong Kong: A Case-Control Study. Perspectives in Psychiatric Care, 2015, 51, 121-127.	0.9	13
437	Functional Connectivity Estimated from Resting-State fMRI Reveals Selective Alterations in Male Adolescents with Pure Conduct Disorder. PLoS ONE, 2015, 10, e0145668.	1.1	33
438	Use of electroconvulsive therapy for Asian patients with schizophrenia (2001–2009): Trends and correlates. Psychiatry and Clinical Neurosciences, 2015, 69, 489-496.	1.0	30
439	Voluntary and Involuntary Psychiatric Admissions in China. Psychiatric Services, 2015, 66, 1341-1346.	1.1	29
440	Demographic and Clinical Features of Chinese Heroin Users Who Switch from Non-injection to Injection. Substance Use and Misuse, 2015, 50, 1739-1746.	0.7	6
441	Prevalence of suicidal ideation and suicide attempts in the general population of China. International Journal of Psychiatry in Medicine, 2015, 49, 296-308.	0.8	127
442	QTc prolongation in schizophrenia patients in Asia: clinical correlates and trends between 2004 and 2008/2009. Human Psychopharmacology, 2015, 30, 94-99.	0.7	11
443	Depression after minor stroke: Prevalence and predictors. Journal of Psychosomatic Research, 2015, 79, 143-147.	1.2	71
444	Internal migration, mental health, and suicidal behaviors in young rural Chinese. Social Psychiatry and Psychiatric Epidemiology, 2015, 50, 621-631.	1.6	38
445	Antipsychotic polypharmacy in schizophrenia patients in China and its association with treatment satisfaction and quality of life: Findings of the third national survey on use of psychotropic medications in China. Australian and New Zealand Journal of Psychiatry, 2015, 49, 129-136.	1.3	40
446	Clozapine Prescription and Quality of Life in Chinese Patients with Schizophrenia Treated in Primary Care. Pharmacopsychiatry, 2015, 48, 200-204.	1.7	11
447	Neuroimaging indicators of the performance of instrumental activities of daily living in <scp>A</scp> lzheimer's disease combined with cerebrovascular disease. Geriatrics and Gerontology International, 2015, 15, 588-593.	0.7	4
448	Measurement-Based Care Versus Standard Care for Major Depression: A Randomized Controlled Trial With Blind Raters. American Journal of Psychiatry, 2015, 172, 1004-1013.	4.0	222
449	Clozapine in schizophrenia and its association with treatment satisfaction and quality of life: Findings of the three national surveys on use of psychotropic medications in China (2002–2012). Schizophrenia Research, 2015, 168, 523-529.	1.1	17
450	Evidence for the Contribution of NOS1 Gene Polymorphism (rs3782206) to Prefrontal Function in Schizophrenia Patients and Healthy Controls. Neuropsychopharmacology, 2015, 40, 1383-1394.	2.8	39

#	Article	IF	CITATIONS
451	Use of electroconvulsive therapy in older Chinese psychiatric patients. International Journal of Geriatric Psychiatry, 2015, 30, 851-856.	1.3	11
452	Could the Quick Inventory of Depressive Symptomatology-Self-Report (QIDS-SR) be used in depressed schizophrenia patients?. Journal of Affective Disorders, 2015, 172, 191-194.	2.0	9
453	Demographic and clinical differences between early- and late-onset major depressions in thirteen psychiatric institutions in China. Journal of Affective Disorders, 2015, 170, 266-269.	2.0	8
454	Antipsychotic Medications in Major Depression and the Association with Treatment Satisfaction and Quality of Life. Chinese Medical Journal, 2015, 128, 1847-1852.	0.9	4
455	Prescription patterns of psychotropic medications and use of electroconvulsive therapy in Chinese patients with dementia. International Journal of Clinical Pharmacology and Therapeutics, 2015, 53, 722-727.	0.3	3
456	Insomnia in Older Adults with Chronic Obstructive Pulmonary Disease (COPD) in Hong Kong: A Case-Control Study. COPD: Journal of Chronic Obstructive Pulmonary Disease, 2014, 11, 131230073141008.	0.7	13
457	Frequency of Hyperprolactinemia and Its Associations With Demographic and Clinical Characteristics and Antipsychotic Medications in Psychiatric Inpatients in China. Perspectives in Psychiatric Care, 2014, 50, 257-263.	0.9	10
458	Nurses' Work-Related Stress in China: A Comparison Between Psychiatric and General Hospitals. Perspectives in Psychiatric Care, 2014, 50, 27-32.	0.9	20
459	Predictive Value of Prospective Memory for Remission in First-Episode Schizophrenia. Perspectives in Psychiatric Care, 2014, 50, 102-110.	0.9	5
460	Quality of Life of Patients With Euthymic Bipolar Disorder and Its Associations With Demographic and Clinical Characteristics, Psychopathology, and Cognitive Deficits. Perspectives in Psychiatric Care, 2014, 50, 44-50.	0.9	14
461	Common use of high doses of antipsychotic medications in older Asian patients with schizophrenia (2001–2009). International Journal of Geriatric Psychiatry, 2014, 29, 359-366.	1.3	19
462	Frequency of Physical Restraint and Its Associations With Demographic and Clinical Characteristics in a Chinese Psychiatric Institution. Perspectives in Psychiatric Care, 2014, 50, 251-256.	0.9	25
463	Assessment of prospective memory in schizophrenia using the Chinese version of the Cambridge Prospective Memory Test: A controlled study. Asia-Pacific Psychiatry, 2014, 6, 54-61.	1.2	10
464	Prospective memory predicts the level of community living skills in schizophrenia. Psychiatry Research, 2014, 219, 86-91.	1.7	12
465	Suicide risk in major affective disorder: Results from a national survey in China. Journal of Affective Disorders, 2014, 155, 174-179.	2.0	27
466	Prevalence of Nurses' Smoking Habits in Psychiatric and General Hospitals in China. Archives of Psychiatric Nursing, 2014, 28, 119-122.	0.7	12
467	A comparison of cognitive-behavioral therapy, antidepressants, their combination and standard treatment for Chinese patients with moderate–severe major depressive disorders. Journal of Affective Disorders, 2014, 152-154, 262-267.	2.0	26
468	Long-Term Benzodiazepine Use in Patients With Major Depressive Disorder in China. Perspectives in Psychiatric Care, 2014, 50, 149-154.	0.9	3

#	Article	IF	CITATIONS
469	Depressive disorders in older patients with chronic obstructive pulmonary disease (COPD) in Hong Kong: a controlled study. Aging and Mental Health, 2014, 18, 588-592.	1.5	25
470	Guidance on the conversion of the Chinese versions of the Quick Inventory of Depressive Symptomatology-Self-Report (C-QIDS-SR) and the Montgomery–Asberg Scale (C-MADRS) in Chinese patients with major depression. Journal of Affective Disorders, 2014, 152-154, 530-533.	2.0	17
471	Frequency of Involuntary Admissions and Its Associations With Demographic and Clinical Characteristics in China. Archives of Psychiatric Nursing, 2014, 28, 272-276.	0.7	26
472	The effect of artemether on psychotic symptoms and cognitive impairment in first-episode, antipsychotic drug-naive persons with schizophrenia seropositive to Toxoplasma gondii. Journal of Psychiatric Research, 2014, 53, 119-124.	1.5	28
473	Executive function in children and adolescents with posttraumatic stress disorder 4 and 12Âmonths after the Sichuan earthquake in China. Journal of Child Psychology and Psychiatry and Allied Disciplines, 2014, 55, 31-38.	3.1	17
474	Prevalence of antisocial personality disorder among Chinese individuals receiving treatment for heroin dependence: a meta-analysis. Shanghai Archives of Psychiatry, 2014, 26, 259-71.	0.7	9
475	The Relationship between Frontal Lobe Lesions, Course of Post-Stroke Depression, and 1-year Prognosis in Patients with First-Ever Ischemic Stroke. PLoS ONE, 2014, 9, e100456.	1.1	26
476	Prospective Memory Performance in Non-Psychotic First-Degree Relatives of Patients with Schizophrenia: A Controlled Study. PLoS ONE, 2014, 9, e111562.	1.1	14
477	Common use of anticholinergic medications in older patients with schizophrenia: findings of the Research on Asian Psychotropic Prescription Pattern (REAP) study, 2001–2009. International Journal of Geriatric Psychiatry, 2013, 28, 305-311.	1.3	7
478	Suicide attempt and suicidal ideation and their associations with demographic and clinical correlates and quality of life in Chinese schizophrenia patients. Social Psychiatry and Psychiatric Epidemiology, 2013, 48, 447-454.	1.6	49
479	Gender differences in demographic and clinical features and prescribing patterns of psychotropic medications in patients with major depressive disorder in China. Comprehensive Psychiatry, 2013, 54, 1198-1202.	1.5	8
480	Psychometric properties of the Chinese versions of the Quick Inventory of Depressive Symptomatology – Clinician Rating (C-QIDS-C) and Self-Report (C-QIDS-SR). Journal of Affective Disorders, 2013, 147, 421-424.	2.0	35
481	Frequency and risk factors of workplace violence on psychiatric nurses and its impact on their quality of life in China. Psychiatry Research, 2013, 210, 510-514.	1.7	114
482	Prevalence of psychological symptoms in contemporary Chinese rural-to-urban migrant workers: an exploratory meta-analysis of observational studies using the SCL-90-R. Social Psychiatry and Psychiatric Epidemiology, 2013, 48, 1569-1581.	1.6	47
483	Associations of self-esteem, dysfunctional beliefs and coping style with depression in patients with schizophrenia: A preliminary survey. Psychiatry Research, 2013, 209, 340-345.	1.7	33
484	The prevalence of insomnia and its socio-demographic and clinical correlates in older adults in rural China: a pilot study. Aging and Mental Health, 2013, 17, 761-765.	1.5	20
485	Sleep Duration and Quality of Life in Young Rural Chinese Residents. Behavioral Sleep Medicine, 2013, 11, 360-368.	1.1	14
486	Prospective memory deficits in euthymic bipolar disorder patients: A preliminary study. Asia-Pacific Psychiatry, 2013, 5, 183-190.	1.2	8

#	Article	IF	CITATIONS
487	Prospective memory impairment and its implications for community living skills in bipolar disorder. Bipolar Disorders, 2013, 15, 885-892.	1.1	10
488	Adjunctive antidepressant prescriptions for hospitalized patients with schizophrenia in Asia (2001–2009). Asia-Pacific Psychiatry, 2013, 5, E81-7.	1.2	17
489	Sociodemographic and clinical features of bipolar disorder patients misdiagnosed with major depressive disorder in <scp>C</scp> hina. Bipolar Disorders, 2013, 15, 199-205.	1.1	41
490	Use of Clozapine in Older Asian Patients with Schizophrenia between 2001 and 2009. PLoS ONE, 2013, 8, e66154.	1.1	15
491	Antipsychotic Polypharmacy in Inpatients with Schizophrenia in Asia (2001â~'2009). Pharmacopsychiatry, 2012, 45, 7-12.	1.7	47
492	Adjunctive Mood Stabilizer and Benzodiazepine Use in Older Asian Patients with Schizophrenia, 2001–2009. Pharmacopsychiatry, 2012, 45, 217-222.	1.7	11
493	Common Use of Antipsychotic Polypharmacy in Older Asian Patients With Schizophrenia (2001–2009). Journal of Clinical Psychopharmacology, 2012, 32, 809-813.	0.7	16
494	Quality of Life in Community-Dwelling Patients With Schizophrenia in China. Journal of Nervous and Mental Disease, 2012, 200, 584-587.	0.5	23
495	Prescribing patterns of low doses of antipsychotic medications in older Asian patients with schizophrenia, 2001–2009. International Psychogeriatrics, 2012, 24, 1002-1008.	0.6	2
496	China's National Mental Health Law: a 26-year work in progress. Lancet, The, 2012, 379, 780-782.	6.3	40
497	Hypomanic symptoms assessed by the HCL-32 in patients with major depressive disorder: A multicenter trial across China. Journal of Affective Disorders, 2012, 143, 203-207.	2.0	20
498	Mental health in China: challenges and progress. Lancet, The, 2012, 380, 1715-1716.	6.3	144
499	Prescribing patterns of antidepressants, antipsychotics and mood stabilizers in bipolar patients misdiagnosed with major depressive disorder in China. Human Psychopharmacology, 2012, 27, 626-631.	0.7	8
500	The prevalence of sleep problems and their socio-demographic and clinical correlates in young Chinese rural residents. Psychiatry Research, 2012, 200, 789-794.	1.7	27
501	Use of first- and second-generation antipsychotic medications in older patients with schizophrenia in Asia (2001–2009). Australian and New Zealand Journal of Psychiatry, 2012, 46, 1159-1164.	1.3	11
502	Association of insight with sociodemographic and clinical factors, quality of life, and cognition in Chinese patients with schizophrenia. Comprehensive Psychiatry, 2012, 53, 140-144.	1.5	27
503	Characteristics and clinical correlates of prospective memory performance in first-episode schizophrenia. Schizophrenia Research, 2012, 135, 34-39.	1.1	44
504	Screening for bipolar disorder with the Mood Disorders Questionnaire in patients diagnosed as major depressive disorder — The experience in China. Journal of Affective Disorders, 2012, 141, 40-46.	2.0	14

#	Article	IF	CITATIONS
505	Undiagnosed bipolar disorder in patients treated for major depression in China. Journal of Affective Disorders, 2012, 140, 181-186.	2.0	31
506	Demographic and Clinical Features and Prescribing Patterns of Psychotropic Medications in Patients with the Melancholic Subtype of Major Depressive Disorder in China. PLoS ONE, 2012, 7, e39840.	1.1	11
507	Antipsychotic treatment in older schizophrenia patients with extrapyramidal side effects in Asia (2001) Tj ETQq1	1 0.78431	14 ₁ rgBT /Ov∈
508	The proposed national mental health law in China: a landmark document for the protection of psychiatric patients' civil rights. Shanghai Archives of Psychiatry, 2012, 24, 48-9.	0.7	3
509	Caregiving burden and quality of life of pneumoconiosis caregivers in Hong Kong. Heart and Lung: Journal of Acute and Critical Care, 2011, 40, 412-419.	0.8	8
510	Adjunctive mood stabilizer treatment for hospitalized schizophrenia patients: Asia psychotropic prescription study (2001–2008). International Journal of Neuropsychopharmacology, 2011, 14, 1157-1164.	1.0	28
511	Insight in Chinese schizophrenia patients: a 12-month follow-up. Journal of Psychiatric and Mental Health Nursing, 2011, 18, 751-757.	1.2	16
512	Socio-Demographic and Clinical Profiles of Paranoid and Nonparanoid Schizophrenia: A Prospective, Multicenter Study in China. Perspectives in Psychiatric Care, 2011, 47, 126-130.	0.9	5
513	Cigarette smoking in community-dwelling patients with schizophrenia in China. Journal of Psychiatric Research, 2011, 45, 1551-1556.	1.5	20
514	Predictors of relapse in Chinese schizophrenia patients: a prospective, multi-center study. Social Psychiatry and Psychiatric Epidemiology, 2011, 46, 1325-1330.	1.6	19
515	The low frequency of reported sexual dysfunction in Asian patients with schizophrenia (2001-2009): low occurrence or ignored side effect?. Human Psychopharmacology, 2011, 26, 352-357.	0.7	12
516	Weight Changes and their Associations with Demographic and Clinical Characteristics in Risperidone Maintenance Treatment for Schizophrenia. Pharmacopsychiatry, 2011, 44, 135-141.	1.7	9
517	Use of Anticholinergic Drugs in Patients with Schizophrenia in Asia from 2001 to 2009. Pharmacopsychiatry, 2011, 44, 114-118.	1.7	14
518	Adjunctive benzodiazepine treatment of hospitalized schizophrenia patients in Asia from 2001 to 2008. International Journal of Neuropsychopharmacology, 2011, 14, 735-745.	1.0	28
519	Clozapine Use in Schizophrenia: Findings of the Research on Asia Psychotropic Prescription (REAP) Studies from 2001 to 2009. Australian and New Zealand Journal of Psychiatry, 2011, 45, 968-975.	1.3	37
520	Sex Differences in Use of Psychotropic Drugs and Drug-Induced Side Effects in Schizophrenia Patients: Findings of the Research on Asia Psychotropic Prescription (REAP) Studies. Australian and New Zealand Journal of Psychiatry, 2011, 45, 193-198.	1.3	21
521	Tardive dyskinesia in the treatment of schizophrenia: the findings of the Research on Asian Psychotropic Prescription Pattern (REAP) survey (2001 – 2009). International Journal of Clinical Pharmacology and Therapeutics, 2011, 49, 382-387.	0.3	10
522	Reply to Uchida et al. Letter. American Journal of Psychiatry, 2010, 167, 994-995.	4.0	1

#	Article	IF	CITATIONS
523	Socio-demographic and clinical determinants of quality of life in Chinese patients with schizophrenia: a prospective study. Quality of Life Research, 2010, 19, 317-322.	1.5	31
524	Gender Differences in Sociodemographic and Clinical Characteristic and the Quality of Life of Chinese Schizophrenia Patients. Australian and New Zealand Journal of Psychiatry, 2010, 44, 450-455.	1.3	15
525	Cigarette Smoking in Patients with Schizophrenia in China: Prospective, Multicentre Study. Australian and New Zealand Journal of Psychiatry, 2010, 44, 456-462.	1.3	27
526	Prospective Memory Deficits in Patients with Bipolar Disorder: A Preliminary Study. Archives of Clinical Neuropsychology, 2010, 25, 640-647.	0.3	20
527	Association of Demographic Characteristics, Symptomatology, Retrospective and Prospective Memory, Executive Functioning and Intelligence with Social Functioning in Schizophrenia. Australian and New Zealand Journal of Psychiatry, 2010, 44, 1112-1117.	1.3	18
528	Independent Association of Prospective Memory with Retrospective Memory and Intelligence in Schizophrenia: A Controlled Study. Archives of Clinical Neuropsychology, 2010, 25, 680-684.	0.3	12
529	Diagnosis of Schizophrenia: Reliability of an Operationalized Approach to â€~Praecox-Feeling'. Psychopathology, 2010, 43, 292-299.	1.1	25
530	Quality of life and mental health in Chinese culture. Current Opinion in Psychiatry, 2010, 23, 43-47.	3.1	26
531	Risperidone Maintenance Treatment in Schizophrenia: A Randomized, Controlled Trial. American Journal of Psychiatry, 2010, 167, 676-685.	4.0	61
532	Nocturnal sleep architecture disturbances in early methadone treatment patients. Psychiatry Research, 2010, 179, 91-95.	1.7	41
533	Sex differences in patients with schizophrenia: A prospective, multi-center study. Psychiatry Research, 2010, 177, 294-298.	1.7	18
534	Compulsory admission to psychiatric hospitals in China. Lancet, The, 2010, 376, 1145-1146.	6.3	12
535	Change of psychotropic drug prescription for schizophrenia in a psychiatric institution in Beijing, China between 1999 and 2008. International Journal of Clinical Pharmacology and Therapeutics, 2010, 48, 270-274.	0.3	19
536	Quality of Life in Parents of Children with Attention-Deficit–Hyperactivity Disorder in Hong Kong. Australian and New Zealand Journal of Psychiatry, 2009, 43, 731-738.	1.3	44
537	Lifetime Prevalence of Suicidal Ideation, Suicide Plans and Attempts in Rural and Urban Regions of Beijing, China. Australian and New Zealand Journal of Psychiatry, 2009, 43, 158-166.	1.3	79
538	Prevalence and socio-demographic correlates of major depressive episode in rural and urban areas of Beijing, China. Journal of Affective Disorders, 2009, 115, 323-330.	2.0	49
539	Generalized Anxiety Disorder in China: Prevalence, Sociodemographic Correlates, Comorbidity, and Suicide Attempts. Perspectives in Psychiatric Care, 2009, 45, 119-127.	0.9	33
540	Falls in a Psychiatric Institution in Beijing, China. Perspectives in Psychiatric Care, 2009, 45, 183-190.	0.9	24

#	Article	IF	CITATIONS
541	Alcoholâ€Related Disorders in Beijing, China: Prevalence, Socioâ€Đemographic Correlates, and Unmet Need for Treatment. Alcoholism: Clinical and Experimental Research, 2009, 33, 1111-1118.	1.4	60
542	Smoking and psychiatric disorders in the rural and urban regions of Beijing, China: A community-based survey. Drug and Alcohol Dependence, 2009, 100, 146-152.	1.6	22
543	Relationships of sleep duration with sleep disturbances, basic socio-demographic factors, and BMI in Chinese people. Sleep Medicine, 2009, 10, 1085-1089.	0.8	46
544	Modified and Unmodified Electroconvulsive Therapy. Journal of ECT, 2009, 25, 80-84.	0.3	20
545	Prevalence and Correlates of Insomnia and its Impact on Quality of Life in Chinese Schizophrenia Patients. Sleep, 2009, , .	0.6	25
546	Long-Term Use of Mood Stabilizers and Its Impact on the Quality of Life of Chinese Patients With Schizophrenia. Clinical Neuropharmacology, 2009, 32, 16-21.	0.2	3
547	Prevalence and correlates of insomnia and its impact on quality of life in Chinese schizophrenia patients. Sleep, 2009, 32, 105-9.	0.6	55
548	Subjective quality of life in outpatients with schizophrenia in Hong Kong and Beijing: relationship to socio-demographic and clinical factors. Quality of Life Research, 2008, 17, 27-36.	1.5	50
549	Socio-demographic and clinical correlates of lifetime suicide attempts and their impact on quality of life in Chinese schizophrenia patients. Journal of Psychiatric Research, 2008, 42, 495-502.	1.5	51
550	Prospective memory and its correlates and predictors in schizophrenia: An extension of previous findings. Archives of Clinical Neuropsychology, 2008, 23, 613-622.	0.3	35
551	Socio-demographic and clinical characteristics of 3129 heroin users in the first methadone maintenance treatment clinic in China. Drug and Alcohol Dependence, 2008, 94, 158-164.	1.6	29
552	Prevalence and socio-demographic correlates of schizophrenia in Beijing, China. Schizophrenia Research, 2008, 102, 270-277.	1.1	55
553	Impact of the Priority Follow-Up System on Quality of Life in Chinese Schizophrenia Patients. Australian and New Zealand Journal of Psychiatry, 2008, 42, 154-158.	1.3	0
554	Prevalence and sociodemographic correlates of depression in an elderly population living with family members in Beijing, China. Psychological Medicine, 2008, 38, 1723-1730.	2.7	76
555	The Prevalence of Insomnia, Its Sociodemographic and Clinical Correlates, and Treatment in Rural and Urban Regions of Beijing, China: A General Population-Based Survey. Sleep, 2008, 31, 1655-1662.	0.6	128
556	Clinical and social correlates with the use of depot antipsychotic drugs in outpatients with schizophrenia in China. International Journal of Clinical Pharmacology and Therapeutics, 2008, 46, 245-251.	0.3	19
557	Clinical and Social Determinants of Antipsychotic Polypharmacy for Chinese Patients with Schizophrenia. Pharmacopsychiatry, 2007, 40, 47-52.	1.7	48
558	Clinical and Social Determinants of Long-Term Use of Benzodiazepines and its Impact on Quality of Life of Chinese Schizophrenia Patients. Pharmacopsychiatry, 2007, 40, 269-274.	1.7	14

#	Article	IF	CITATIONS
559	Quality of Life of Chinese Schizophrenia Outpatients in Hong Kong: Relationship to Sociodemographic Factors and Symptomatology. Australian and New Zealand Journal of Psychiatry, 2007, 41, 442-449.	1.3	45
560	Efficacy of the Community Re-Entry Module for patients with schizophrenia in Beijing, China: outcome at 2-year follow-up. British Journal of Psychiatry, 2007, 190, 49-56.	1.7	53
561	Impact of Sociodemographic and Clinical Factors on Subjective Quality of Life in Schizophrenia Patients in Beijing, China. Journal of Nervous and Mental Disease, 2007, 195, 853-856.	0.5	10
562	Hemoperfusion in the Treatment of Acute Clozapine Intoxication in China. Journal of Clinical Psychopharmacology, 2007, 27, 667-671.	0.7	9
563	Clinical and social determinants of psychotropic drug prescription for schizophrenia outpatients in China. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2007, 31, 756-760.	2.5	16
564	Clinical correlates of clozapine prescription for schizophrenia in China. Human Psychopharmacology, 2007, 22, 17-25.	0.7	28
565	Exploring the clinical and social determinants of prescribing anticholinergic medication for Chinese patients with schizophrenia. Human Psychopharmacology, 2007, 22, 173-180.	0.7	22
566	Training patients with schizophrenia with the community re-entry module. Social Psychiatry and Psychiatric Epidemiology, 2006, 41, 464-469.	1.6	31
567	Adjunctive Metformin for Antipsychotic-Induced Dyslipidemia: A Meta-Analysis of Randomized, Double-Blind, Placebo-Controlled Trials. SSRN Electronic Journal, 0, , .	0.4	Ο
568	The Effectiveness of Measurement-Based Care for Depressive Disorders: A Meta-Analysis of Randomized Controlled Trials. SSRN Electronic Journal, 0, , .	0.4	0
569	Reform performance assessments for clinicians in China to combat fake-paper factories. Nature Medicine, 0, , .	15.2	0
570	Validation of the 33-Item Hypomania Checklist-External Assessment in Screening Adolescents for Bipolar Disorder. Frontiers in Psychiatry, 0, 13, .	1.3	0