
Lorenz Hirt

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3794561/publications.pdf Version: 2024-02-01



LODENZ HIDT

#	Article	IF	CITATIONS
1	Carotid artery stenting compared with endarterectomy in patients with symptomatic carotid stenosis (International Carotid Stenting Study): an interim analysis of a randomised controlled trial. Lancet, The, 2010, 375, 985-997.	13.7	1,135
2	A peptide inhibitor of c-Jun N-terminal kinase protects against excitotoxicity and cerebral ischemia. Nature Medicine, 2003, 9, 1180-1186.	30.7	649
3	Intrathecal delivery of CNTF using encapsulated genetically modifiedxenogeneic cells in amyotrophic lateral sclerosis patients. Nature Medicine, 1996, 2, 696-699.	30.7	449
4	Long-term outcomes after stenting versus endarterectomy for treatment of symptomatic carotid stenosis: the International Carotid Stenting Study (ICSS) randomised trial. Lancet, The, 2015, 385, 529-538.	13.7	429
5	Mild Cerebral Ischemia Induces Loss of Cyclin-Dependent Kinase Inhibitors and Activation of Cell Cycle Machinery before Delayed Neuronal Cell Death. Journal of Neuroscience, 2001, 21, 5045-5053.	3.6	223
6	Time course of aquaporin expression after transient focal cerebral ischemia in mice. Journal of Neuroscience Research, 2006, 83, 1231-1240.	2.9	205
7	Neuroprotective Role of Lactate after Cerebral Ischemia. Journal of Cerebral Blood Flow and Metabolism, 2009, 29, 1780-1789.	4.3	197
8	Terutroban versus aspirin in patients with cerebral ischaemic events (PERFORM): a randomised, double-blind, parallel-group trial. Lancet, The, 2011, 377, 2013-2022.	13.7	185
9	Astrocyte-Specific Expression of Aquaporin-9 in Mouse Brain is Increased after Transient Focal Cerebral Ischemia. Journal of Cerebral Blood Flow and Metabolism, 2001, 21, 477-482.	4.3	174
10	Sniff nasal pressure: A sensitive respiratory test to assess progression of amyotrophic lateral sclerosis. Annals of Neurology, 1999, 46, 887-893.	5.3	161
11	D-JNKI1, a Cell-Penetrating c-Jun-N-Terminal Kinase Inhibitor, Protects Against Cell Death in Severe Cerebral Ischemia. Stroke, 2004, 35, 1738-1743.	2.0	131
12	Protective Role of Early Aquaporin 4 Induction against Postischemic Edema Formation. Journal of Cerebral Blood Flow and Metabolism, 2009, 29, 423-433.	4.3	127
13	Fas Receptor and Neuronal Cell Death after Spinal Cord Ischemia. Journal of Neuroscience, 2000, 20, 6879-6887.	3.6	125
14	Spinal Cord Ischemia. Stroke, 2000, 31, 208-213.	2.0	117
15	Gene Therapy for Amyotrophic Lateral Sclerosis (ALS) Using a Polymer Encapsulated Xenogenic Cell Line Engineered to Secrete hCNTF. Lausanne University Medical School, Lausanne, Switzerland. Human Gene Therapy, 1996, 7, 851-860.	2.7	108
16	New Evidence of Neuroprotection by Lactate after Transient Focal Cerebral Ischaemia: Extended Benefit after Intracerebroventricular Injection and Efficacy of Intravenous Administration. Cerebrovascular Diseases, 2012, 34, 329-335.	1.7	106
17	Evolution of the Neurochemical Profile after Transient Focal Cerebral Ischemia in the Mouse Brain. Journal of Cerebral Blood Flow and Metabolism, 2009, 29, 811-819.	4.3	86
18	Improved long-term outcome after transient cerebral ischemia in aquaporin-4 knockout mice. Journal of Cerebral Blood Flow and Metabolism, 2017, 37, 277-290.	4.3	84

#	Article	IF	CITATIONS
19	JNK inhibition and inflammation after cerebral ischemia. Brain, Behavior, and Immunity, 2010, 24, 800-811.	4.1	80
20	lschemic Brain Damage in Mice after Selectively Modifying BDNF or NT4 Gene Expression. Journal of Cerebral Blood Flow and Metabolism, 2000, 20, 139-144.	4.3	77
21	A Probable Dual Mode of Action for Both L- and D-Lactate Neuroprotection in Cerebral Ischemia. Journal of Cerebral Blood Flow and Metabolism, 2015, 35, 1561-1569.	4.3	77
22	Early mobilization out of bed after ischaemic stroke reduces severe complications but not cerebral blood flow: a randomized controlled pilot trial. Clinical Rehabilitation, 2012, 26, 451-459.	2.2	73
23	Rationale and Design of a Randomized, Double-Blind, Parallel-Group Study of Terutroban 30 mg/day versus Aspirin 100 mg/day in Stroke Patients: The Prevention of Cerebrovascular and Cardiovascular Events of Ischemic Origin with Terutroban in Patients with a History of Ischemic Stroke or Transient Ischemic Attack (PERFORM) Study. Cerebrovascular Diseases. 2009. 27. 509-518.	1.7	64
24	Spatio-temporal overview of neuroinflammation in an experimental mouse stroke model. Scientific Reports, 2019, 9, 507.	3.3	59
25	Effect of white-matter lesions on the risk of periprocedural stroke after carotid artery stenting versus endarterectomy in the International Carotid Stenting Study (ICSS): a prespecified analysis of data from a randomised trial. Lancet Neurology, The, 2013, 12, 866-872.	10.2	56
26	Synergistic protective effect of caspase inhibitors and bFGF against brain injury induced by transient focal ischaemia. British Journal of Pharmacology, 2001, 133, 345-350.	5.4	55
27	Predictors of Stroke, Myocardial Infarction or Death within 30 Days of Carotid Artery Stenting: Results from the International Carotid Stenting Study. European Journal of Vascular and Endovascular Surgery, 2016, 51, 327-334.	1.5	54
28	Nitric oxide is involved in ischemia-induced apoptosis in brain: a study in neuronal nitric oxide synthase null mice. Neuroscience, 2001, 105, 79-86.	2.3	52
29	Hypertonic Lactate to Improve Cerebral Perfusion and Glucose Availability After Acute Brain Injury*. Critical Care Medicine, 2018, 46, 1649-1655.	0.9	49
30	The JNK Inhibitor XG-102 Protects from Ischemic Damage with Delayed Intravenous Administration Also in the Presence of Recombinant Tissue Plasminogen Activator. Cerebrovascular Diseases, 2008, 26, 360-366.	1.7	48
31	Controlled Contrast Transcranial Doppler and Arterial Blood Gas Analysis to Quantify Shunt Through Patent Foramen Ovale. Stroke, 2004, 35, 859-863.	2.0	45
32	c-Jun N-Terminal Kinase Pathway Inhibition in Intracerebral Hemorrhage. Cerebrovascular Diseases, 2010, 29, 564-570.	1.7	40
33	Early Predictive Biomarkers for Lesion After Transient Cerebral Ischemia. Stroke, 2011, 42, 799-805.	2.0	40
34	Incidence, Impact, and Predictors of Cranial Nerve Palsy and Haematoma Following Carotid Endarterectomy in the International Carotid Stenting Study. European Journal of Vascular and Endovascular Surgery, 2014, 48, 498-504.	1.5	40
35	Thrombin in ischemic neuronal death. Experimental Neurology, 2006, 198, 199-203.	4.1	39
36	Involvement of caveolin-1 in neurovascular unit remodeling after stroke: Effects on neovascularization and astrogliosis. Journal of Cerebral Blood Flow and Metabolism, 2020, 40, 163-176.	4.3	39

#	Article	IF	CITATIONS
37	Homer1 Scaffold Proteins Govern Ca2+ Dynamics in Normal and Reactive Astrocytes. Cerebral Cortex, 2017, 27, 2365-2384.	2.9	37
38	Risk Factors For Stroke, Myocardial Infarction, or Death Following Carotid Endarterectomy: Results From the International Carotid Stenting Study. European Journal of Vascular and Endovascular Surgery, 2015, 50, 688-694.	1.5	36
39	Sympathetic activity and early mobilization in patients in intensive and intermediate care with severe brain injuries: a preliminary prospective randomized study. BMC Neurology, 2016, 16, 169.	1.8	35
40	Cell-specific modulation of monocarboxylate transporter expression contributes to the metabolic reprograming taking place following cerebral ischemia. Neuroscience, 2016, 317, 108-120.	2.3	35
41	Sniff nasal pressure: a sensitive respiratory test to assess progression of amyotrophic lateral sclerosis. Annals of Neurology, 1999, 46, 887-93.	5.3	35
42	Coagulation factor Xa activates thrombin in ischemic neural tissue. Journal of Neurochemistry, 2009, 111, 828-836.	3.9	34
43	Spinal cord lesion after long-term intrathecal clonidine and bupivacaine treatment for the management of intractable pain. Pain, 2004, 109, 189-194.	4.2	31
44	Neurotrophin-3 Promotes Cell Death Induced in Cerebral Ischemia, Oxygen-Glucose Deprivation, and Oxidative Stress: Possible Involvement of Oxygen Free Radicals. Neurobiology of Disease, 2002, 9, 24-37.	4.4	28
45	Hypoxia/hypoglycemia preconditioning prevents the loss of functional electrical activity in organotypic slice cultures. Brain Research, 2005, 1051, 117-122.	2.2	28
46	Evaluating the potential of hyperpolarised [1-13C] L-lactate as a neuroprotectant metabolic biosensor for stroke. Scientific Reports, 2020, 10, 5507.	3.3	26
47	Nucleotide sequence of human papillomavirus (HPV) type 41: an unusual HPV type without a typical E2 binding site consensus sequence. Virus Research, 1991, 18, 179-189.	2.2	25
48	Caveolin-1 Regulates Perivascular Aquaporin-4 Expression After Cerebral Ischemia. Frontiers in Cell and Developmental Biology, 2020, 8, 371.	3.7	22
49	Highâ€resolution spatial mapping of changes in the neurochemical profile after focal ischemia in mice. NMR in Biomedicine, 2012, 25, 247-254.	2.8	21
50	Non-Invasive Diagnostic Biomarkers for Estimating the Onset Time of Permanent Cerebral Ischemia. Journal of Cerebral Blood Flow and Metabolism, 2014, 34, 1848-1855.	4.3	20
51	Thrombin-induced ischemic tolerance is prevented by inhibiting c-jun N-terminal kinase. Brain Research, 2007, 1148, 217-225.	2.2	19
52	Increase of aquaporin 9 expression in astrocytes participates in astrogliosis. Journal of Neuroscience Research, 2018, 96, 194-206.	2.9	19
53	Ragged-red fibers and complex I deficiency in a neonate With arthrogryposis congenita. Pediatric Neurology, 1997, 17, 249-251.	2.1	15
54	Endogenous Protease Nexin-1 Protects against Cerebral Ischemia. International Journal of Molecular Sciences, 2013, 14, 16719-16731.	4.1	15

#	Article	IF	CITATIONS
55	Extended preclinical investigation of lactate for neuroprotection after ischemic stroke. Clinical and Translational Neuroscience, 2020, 4, 2514183X2090457.	0.9	15
56	Stroke Damage in Mice after Knocking the Neutrophin-4 Gene into the Brain-Derived Neurotrophic Factor Locus. Journal of Cerebral Blood Flow and Metabolism, 2003, 23, 150-153.	4.3	13
57	Cerebrospinal fluid antimicroglial antibodies in Alzheimer disease: A putative marker of an ongoing inflammatory process. Experimental Gerontology, 2007, 42, 355-363.	2.8	13
58	Thromboxane Prostaglandin Receptor Antagonist and Carotid Atherosclerosis Progression in Patients With Cerebrovascular Disease of Ischemic Origin. Stroke, 2014, 45, 2348-2353.	2.0	11
59	Activation of câ€Jun in the nuclei of neurons of the CAâ€1 in thrombin preconditioning occurs via PARâ€1. Journal of Neuroscience Research, 2010, 88, 1338-1347.	2.9	10
60	Aquaporins in neurological disorders. Clinical and Translational Neuroscience, 2018, 2, 2514183X1775290.	0.9	10
61	Risk factor impact on blood flow velocities and clinical outcomes of stented cervical and intracranial stenoses: preliminary observations. Clinical Neurology and Neurosurgery, 2012, 114, 922-929.	1.4	9
62	Neuroprotection by inhibiting the c-Jun N-terminal kinase pathway after cerebral ischemia occurs independently of interleukin-6 and keratinocyte-derived chemokine (KC/CXCL1) secretion. Journal of Neuroinflammation, 2012, 9, 76.	7.2	9
63	Asymptomatic High Flow Subclavian Steal in a Patient with Hemodialysis Access. Journal of Vascular Access, 2010, 11, 63-65.	0.9	8
64	The HD Mutation Does Not Alter Neuronal Death in the Striatum of HdhQ92 Knock-in Mice after Mild Focal Ischemia. Neurobiology of Disease, 2002, 11, 147-154.	4.4	7
65	The effect of continuous positive airway pressure on total cerebral blood flow in healthy awake volunteers. Sleep and Breathing, 2013, 17, 289-296.	1.7	7
66	Hydroxycarboxylic Acid Receptor 1 and Neuroprotection in a Mouse Model of Cerebral Ischemia-Reperfusion. Frontiers in Physiology, 2021, 12, 689239.	2.8	7
67	Lactate Neuroprotection against Transient Ischemic Brain Injury in Mice Appears Independent of HCAR1 Activation. Metabolites, 2022, 12, 465.	2.9	7
68	Predictors of the pulsatility index in the middle cerebral artery of acute stroke patients. Scientific Reports, 2020, 10, 17110.	3.3	6
69	Stroke Damage in Mice After Knocking the Neutrophin-4 Gene Into the Brain-Derived Neurotrophic Factor Locus. Journal of Cerebral Blood Flow and Metabolism, 2003, , 150-153.	4.3	5
70	Apoptosis and cerebral ischemia. Advances in Cell Aging and Gerontology, 2001, 6, 137-167.	0.1	4
71	Bilateral carotid thrombus formation after strenuous coughing. European Journal of Neurology, 2009, 16, e122-e123.	3.3	4
72	Preconditioning by Preceding Ischemic Cerebrovascular Events. Journal of the American Heart Association, 2021, 10, e020129	3.7	4

#	Article	IF	CITATIONS
73	Large deletion (7.2 kb) of mitochondrial DNA with novel boundaries in a case of progressive external ophthalmoplegia Journal of Neurology, Neurosurgery and Psychiatry, 1996, 61, 422-423.	1.9	3
74	Ocular mitochondrial myopathy evolving late in life into a disabling proximal myopathy associated with the mitochondrial DNA 3243 A to G mutation. Journal of Neurology, 2001, 248, 332-333.	3.6	3
75	An episode mimicking a versive seizure in acute bilateral pontine stroke. Journal of Clinical Neuroscience, 2011, 18, 1141-1142.	1.5	3
76	Metabolic fingerprints discriminating severity of acute ischemia using in vivo highâ€field 1 H magnetic resonance spectroscopy. Journal of Neurochemistry, 2020, 152, 252-262.	3.9	2
77	MELAS and other mitochondrial disorders. , 0, , 149-154.		2
78	The effect of continuous positive airway pressure on total cerebral blood flow in 23 healthy awake volunteers. , 2011, , .		1
79	Strokes and TIAs during and after Carotid Artery Doppler: Cause or Coincidence?. Ultrasound in Medicine and Biology, 2015, 41, 418-422.	1.5	1
80	Time course of edema formation and brain aquaporin expression after transient focal cerebral ischemia in mice. Journal of Cerebral Blood Flow and Metabolism, 2005, 25, S259-S259.	4.3	1
81	Experimental findings with important clinical implications for stroke treatment. , 2003, , 269-282.		Ο
82	The Effect of Continuous Positive Airway Pressure on Total Cerebral Blood Flow in 23 Healthy Awake Volunteers. , 2011, , .		0
83	Abstract TP97: Improved Long-Term Outcome after Transient Cerebral Ischemia in Aquaporin-4 Knockout Mice. Stroke, 2013, 44, .	2.0	Ο
84	Sympathetic Activity and Early Mobilization in Patients with Severe Brain Injuries: A Preliminary Randomized Study. Journal of Neurological Surgery, Part A: Central European Neurosurgery, 2015, 76, .	0.8	0