Allan D Struthers

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3796854/publications.pdf

Version: 2024-02-01

282 papers

14,934 citations

65 h-index 22166 113 g-index

285 all docs

 $\begin{array}{c} 285 \\ \text{docs citations} \end{array}$

times ranked

285

14525 citing authors

#	Article	IF	CITATIONS
1	Value of natriuretic peptides in assessment of patients with possible new heart failure in primary care. Lancet, The, 1997, 350, 1349-1353.	13.7	775
2	Spironolactone Increases Nitric Oxide Bioactivity, Improves Endothelial Vasodilator Dysfunction, and Suppresses Vascular Angiotensin I/Angiotensin II Conversion in Patients With Chronic Heart Failure. Circulation, 2000, 101, 594-597.	1.6	493
3	High-Dose Allopurinol Improves Endothelial Function by Profoundly Reducing Vascular Oxidative Stress and Not by Lowering Uric Acid. Circulation, 2006, 114, 2508-2516.	1.6	492
4	Allopurinol Improves Endothelial Dysfunction in Chronic Heart Failure. Circulation, 2002, 106, 221-226.	1.6	449
5	Allopurinol Normalizes Endothelial Dysfunction in Type 2 Diabetics With Mild Hypertension. Hypertension, 2000, 35, 746-751.	2.7	402
6	Effect of vitamin D on blood pressure: a systematic review and meta-analysis. Journal of Hypertension, 2009, 27, 1948-1954.	0.5	320
7	Effect of high-dose allopurinol on exercise in patients with chronic stable angina: a randomised, placebo controlled crossover trial. Lancet, The, 2010, 375, 2161-2167.	13.7	301
8	Effects of adding spironolactone to an angiotensin-converting enzyme inhibitor in chronic congestive heart failure secondary to coronary artery disease. American Journal of Cardiology, 1995, 76, 1259-1265.	1.6	296
9	What is the optimal serum potassium level in cardiovascular patients?. Journal of the American College of Cardiology, 2004, 43, 155-161.	2.8	288
10	Effect of Vitamin D Supplementation on Blood Pressure. JAMA Internal Medicine, 2015, 175, 745.	5.1	272
11	Pulse wave analysis and pulse wave velocity. Journal of Hypertension, 2003, 21, 463-472.	0.5	257
12	Review of aldosterone- and angiotensin II-induced target organ damage and prevention. Cardiovascular Research, 2004, 61, 663-670.	3.8	229
13	Effect of perindopril on physical function in elderly people with functional impairment: a randomized controlled trial. Cmaj, 2007, 177, 867-874.	2.0	212
14	Aldosterone induces acute endothelial dysfunction in vivo in humans: evidence for an aldosterone-induced vasculopathy. Clinical Science, 2002, 103, 425-431.	4.3	205
15	Aldosterone escape during angiotensin-converting enzyme inhibitor therapy in chronic heart failure. Journal of Cardiac Failure, 1996, 2, 47-54.	1.7	200
16	The Effects of Vitamin D Supplementation on Physical Function and Quality of Life in Older Patients With Heart Failure. Circulation: Heart Failure, 2010, 3, 195-201.	3.9	199
17	A Comparison of the Aldosteroneâ€blocking Agents Eplerenone and Spironolactone. Clinical Cardiology, 2008, 31, 153-158.	1.8	196
18	Allopurinol Benefits Left Ventricular Mass and Endothelial Dysfunction in Chronic Kidney Disease. Journal of the American Society of Nephrology: JASN, 2011, 22, 1382-1389.	6.1	191

#	Article	IF	CITATIONS
19	Comparison of atrial natriuretic peptide, B-type natriuretic peptide, and N-terminal proatrial natriuretic peptide as indicators of left ventricular systolic dysfunction. American Journal of Cardiology, 1996, 77, 828-831.	1.6	181
20	Heart failure in frail elderly patients: diagnostic difficulties, coâ€morbidities, polypharmacy and treatment dilemmas. European Journal of Heart Failure, 2002, 4, 91-98.	7.1	181
21	Myocardial Production of C-Type Natriuretic Peptide in Chronic Heart Failure. Circulation, 2003, 107, 571-573.	1.6	171
22	Role of urate, xanthine oxidase and the effects of allopurinol in vascular oxidative stress. Vascular Health and Risk Management, 2009, 5, 265.	2.3	167
23	C-Type Natriuretic Peptide. Peptides, 1996, 17, 1243-1251.	2.4	162
24	High population prevalence of cardiac troponin I measured by a high-sensitivity assay and cardiovascular risk estimation: the MORGAM Biomarker Project Scottish Cohort. European Heart Journal, 2014, 35, 271-281.	2.2	160
25	Mineralocorticoid receptor antagonists for heart failure with reduced ejection fraction: integrating evidence into clinical practice. European Heart Journal, 2012, 33, 2782-2795.	2.2	148
26	Renal and Cardiovascular Effects of SGLT2 Inhibition in Combination With Loop Diuretics in Patients With Type 2 Diabetes and Chronic Heart Failure. Circulation, 2020, 142, 1713-1724.	1.6	144
27	Cardiovascular Effects of Switching FromÂTobacco Cigarettes to ElectronicÂCigarettes. Journal of the American College of Cardiology, 2019, 74, 3112-3120.	2.8	143
28	Impact of Renin-Angiotensin System Blockade Therapy on Outcome in Aortic Stenosis. Journal of the American College of Cardiology, 2011, 58, 570-576.	2.8	142
29	Circadian variation in the effects of aldosterone blockade on heart rate variability and QT dispersion in congestive heart failure. Journal of the American College of Cardiology, 2001, 37, 1800-1807.	2.8	140
30	A randomized controlled trial of dapagliflozin on left ventricular hypertrophy in people with type two diabetes: the DAPA-LVH trial. European Heart Journal, 2020, 41, 3421-3432.	2.2	138
31	Screening for and treating left-ventricular abnormalities in diabetes mellitus: a new way of reducing cardiac deaths. Lancet, The, 2002, 359, 1430-1432.	13.7	132
32	High-Dose Allopurinol Reduces Left Ventricular Mass in Patients With Ischemic Heart Disease. Journal of the American College of Cardiology, 2013, 61, 926-932.	2.8	132
33	Diagnostic Value of B-Type Natriuretic Peptide Concentrations in Patients With Acute Myocardial Infarction. American Journal of Cardiology, 1996, 78, 284-287.	1.6	123
34	N-Terminal Pro-Brain Natriuretic Protein Levels in Takotsubo Cardiomyopathy. American Journal of Cardiology, 2011, 108, 1316-1321.	1.6	123
35	Cholecalciferol Treatment to Reduce Blood Pressure in Older Patients With Isolated Systolic Hypertension. JAMA Internal Medicine, 2013, 173, 1672-9.	5.1	123
36	Left Ventricular Noncompaction. Journal of the American College of Cardiology, 2016, 68, 2157-2165.	2.8	118

3

#	Article	IF	Citations
37	Adverse Cardiovascular Effects of Acute Salt Loading in Young Normotensive Individuals. Hypertension, 2008, 51, 1525-1530.	2.7	113
38	Increased plasma levels of brain natriuretic peptide in patients with isolated diastolic dysfunction. American Heart Journal, 1994, 127, 1635-1636.	2.7	112
39	Mechanistic Insights Into the Therapeutic Use of High-Dose Allopurinol in Angina Pectoris. Journal of the American College of Cardiology, 2011, 58, 820-828.	2.8	110
40	Atrial and brain natriuretic peptides: a dual natriuretic peptide system potentially involved in circulatory homeostasis. Clinical Science, 1992, 83, 519-527.	4.3	107
41	<i>DD</i> Angiotensin-Converting Enzyme Gene Polymorphism Is Associated With Endothelial Dysfunction in Normal Humans. Hypertension, 1999, 33, 1164-1168.	2.7	102
42	Dapagliflozin Versus Placebo on Left Ventricular Remodeling in Patients With Diabetes and Heart Failure: The REFORM Trial. Diabetes Care, 2020, 43, 1356-1359.	8.6	102
43	The clinical implications of aldosterone escape in congestive heart failure. European Journal of Heart Failure, 2004, 6, 539-545.	7.1	100
44	A randomized controlled trial of metformin on left ventricular hypertrophy in patients with coronary artery disease without diabetes: the MET-REMODEL trial. European Heart Journal, 2019, 40, 3409-3417.	2.2	100
45	Effect of a Seated Exercise Program to Improve Physical Function and Health Status in Frail Patients ≥70 Years of Age With Heart Failure. American Journal of Cardiology, 2005, 95, 1120-1124.	1.6	99
46	Allopurinol Reduces Left Ventricular Mass in Patients With Type 2 Diabetes and Left Ventricular Hypertrophy. Journal of the American College of Cardiology, 2013, 62, 2284-2293.	2.8	97
47	Tadalafil in patients with chronic obstructive pulmonary disease: a randomised, double-blind, parallel-group, placebo-controlled trial. Lancet Respiratory Medicine,the, 2014, 2, 293-300.	10.7	94
48	Peripheral blood pressure measurement is as good as applanation tonometry at predicting ascending aortic blood pressure. Journal of Hypertension, 2003, 21, 571-576.	0.5	90
49	Elevated levels of brain natriuretic peptide in acute hypoxaemic chronic obstructive pulmonary disease. Clinical Science, 1992, 83, 529-533.	4.3	89
50	Assessment of Arterial Stiffness, A Translational Medicine Biomarker System for Evaluation of Vascular Risk. Cardiovascular Therapeutics, 2008, 26, 214-223.	2.5	89
51	Effect of Metformin on Mortality in Patients With Heart Failure and Type 2 Diabetes Mellitus. American Journal of Cardiology, 2010, 106, 1006-1010.	1.6	89
52	Defining myocardial tissue abnormalities in end-stage renal failure with cardiac magnetic resonance imaging using native T1 mapping. Kidney International, 2016, 90, 845-852.	5.2	88
53	Cardiovascular consequences of laparoscopic surgery. Lancet, The, 1998, 352, 568-570.	13.7	84
54	Insulin Resistance Is Highly Prevalent and Is Associated With Reduced Exercise Tolerance in Nondiabetic Patients With Heart Failure. Journal of the American College of Cardiology, 2009, 53, 747-753.	2.8	84

#	Article	IF	Citations
55	Spironolactone use and renal toxicity: population based longitudinal analysis. BMJ: British Medical Journal, 2010, 340, c1768-c1768.	2.3	83
56	Impact of allopurinol use on urate concentration and cardiovascular outcome. British Journal of Clinical Pharmacology, 2011, 71, 600-607.	2.4	82
57	The effect of metformin on insulin resistance and exercise parameters in patients with heart failure. European Journal of Heart Failure, 2012, 14, 1303-1310.	7.1	79
58	Targeting the renin–angiotensin–aldosterone system in heart failure. Nature Reviews Cardiology, 2013, 10, 125-134.	13.7	78
59	Mean <scp>HbA_{1c}</scp> and mortality in diabetic individuals with heart failure: a population cohort study. European Journal of Heart Failure, 2016, 18, 94-102.	7.1	76
60	Aldosterone: Cardiovascular assault. American Heart Journal, 2002, 144, S2-S7.	2.7	75
61	Improving the Primary Prevention of Cardiovascular Events by Using Biomarkers to Identify Individuals With Silent Heart Disease. Journal of the American College of Cardiology, 2012, 60, 960-968.	2.8	75
62	Cross sectional study of contribution of clinical assessment and simple cardiac investigations to diagnosis of left ventricular systolic dysfunction in patients admitted with acute dyspnoea. BMJ: British Medical Journal, 1997, 314, 936-936.	2.3	74
63	Multicentre, prospective, randomised, open-label, blinded end point trial of the efficacy of allopurinol therapy in improving cardiovascular outcomes in patients with ischaemic heart disease: protocol of the ALL-HEART study. BMJ Open, 2016, 6, e013774.	1.9	70
64	The Impact of Renin-Angiotensin-Aldosterone System Blockade on Heart Failure Outcomes and Mortality in Patients Identified to Have Aortic Regurgitation. Journal of the American College of Cardiology, 2011, 58, 2084-2091.	2.8	68
65	Dietary sodium loading increases plasma brain natriuretic peptide levels in man. Journal of Hypertension, 1991, 9, 779-782.	0.5	66
66	Effect of haemodialysis on plasma levels of brain natriuretic peptide in patients with chronic renal failure. Clinical Science, 1992, 82, 127-131.	4.3	66
67	Brain natriuretic peptide. Journal of Hypertension, 1994, 12, 329???336.	0.5	65
68	Do ACE Inhibitors Improve the Response to Exercise Training in Functionally Impaired Older Adults? A Randomized Controlled Trial. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2014, 69, 736-743.	3.6	65
69	Effect of Vitamin D Supplementation on Markers of Vascular Function: A Systematic Review and Individual Participant Metaâ€Analysis. Journal of the American Heart Association, 2018, 7, .	3.7	63
70	Neurohormonal reactivation in heart failure patients on chronic ACE inhibitor therapy: a longitudinal study. European Journal of Heart Failure, 1999, 1, 401-406.	7.1	62
71	The potential to improve primary prevention in the future by using BNP/N-BNP as an indicator of silent 'pancardiac' target organ damage: BNP/N-BNP could become for the heart what microalbuminuria is for the kidney. European Heart Journal, 2007, 28, 1678-1682.	2.2	61
72	Effects of Vitamin D supplementation on markers of vascular function after myocardial infarction—A randomised controlled trial. International Journal of Cardiology, 2013, 167, 745-749.	1.7	60

#	Article	IF	CITATIONS
73	The neurohormonal natural history of essential hypertension: towards primary or tertiary aldosteronism?. Journal of Hypertension, 2002, 20, 11-15.	0.5	59
74	Gradual reactivation over time of vascular tissue angiotensin I to angiotensin II conversion during chronic lisinopril therapy in chronic heart failure. Journal of the American College of Cardiology, 2002, 39, 767-775.	2.8	59
75	Are either or both hyperuricemia and xanthine oxidase directly toxic to the vasculature? A critical appraisal. Arthritis and Rheumatism, 2012, 64, 327-338.	6.7	58
76	Efficacy and Cost of an Exercise Program for Functionally Impaired Older Patients With Heart Failure. Circulation: Heart Failure, 2012, 5, 209-216.	3.9	57
77	Vitamin D Therapy to Reduce Blood Pressure and Left Ventricular Hypertrophy in Resistant Hypertension. Hypertension, 2014, 63, 706-712.	2.7	57
78	Introducing a new role for BNP: as a general indicator of cardiac structural disease rather than a specific indicator of systolic dysfunction only. British Heart Journal, 2002, 87, 97-98.	2.1	55
79	Twenty‥ear Predictors of Peripheral Arterial Disease Compared With Coronary Heart Disease in the Scottish Heart Health Extended Cohort (SHHEC). Journal of the American Heart Association, 2017, 6, .	3.7	54
80	Irbesartan Reduces QT Dispersion in Hypertensive Individuals. Hypertension, 1999, 33, 713-718.	2.7	52
81	Research into the effect Of SGLT2 inhibition on left ventricular remodelling in patients with heart failure and diabetes mellitus (REFORM) trial rationale and design. Cardiovascular Diabetology, 2016, 15, 97.	6.8	49
82	Vitamin K Supplementation to Improve Vascular Stiffness in CKD: The K4Kidneys Randomized Controlled Trial. Journal of the American Society of Nephrology: JASN, 2020, 31, 2434-2445.	6.1	49
83	Pulmonary hypertension predicts allâ€cause mortality in patients with heart failure: a retrospective cohort study. European Journal of Heart Failure, 2012, 14, 162-167.	7.1	48
84	The role of pulmonary arterial stiffness in COPD. Respiratory Medicine, 2015, 109, 1381-1390.	2.9	46
85	Adverse Cardiac Effects of Salt With Fludrocortisone in Hypertension. Hypertension, 2001, 37, 856-861.	2.7	45
86	Enalapril Reduces QTc Dispersion in Mild Congestive Heart Failure Secondary to Coronary Artery Disease. American Journal of Cardiology, 1997, 79, 328-333.	1.6	43
87	Sarcopenia – A Potential Target for Angiotensin-Converting Enzyme Inhibition?. Gerontology, 2006, 52, 237-242.	2.8	43
88	Angiotensin II augments sympathetically mediated arteriolar constriction in man. Clinical Science, 1991, 81, 261-266.	4.3	42
89	Relation of QT interval dispersion to the number of different cardiac abnormalities in diabetes mellitus. American Journal of Cardiology, 2002, 90, 483-487.	1.6	42
90	The Functional Consequence of the Glu298Asp Polymorphism of the Endothelial Nitric Oxide Synthase Gene in Young Healthy Volunteers. Cardiovascular Drug Reviews, 2007, 25, 280-288.	4.1	42

#	Article	IF	CITATION
91	Allopurinol Treatment Reduces Arterial Wave Reflection in Stroke Survivors. Cardiovascular Therapeutics, 2008, 26, 247-252.	2.5	42
92	C-Type Natriuretic Peptide. Circulation, 1996, 93, 1155-1159.	1.6	42
93	Both High and Low HbA1c Predict Incident Heart Failure in Type 2 Diabetes Mellitus. Circulation: Heart Failure, 2015, 8, 236-242.	3.9	41
94	Leucine and ACE inhibitors as therapies for sarcopenia (LACE trial): study protocol for a randomised controlled trial. Trials, 2018, 19, 6.	1.6	39
95	Renal and Cardiovascular Effects of sodium–glucose cotransporter 2 (SGLT2) inhibition in combination with loop Diuretics in diabetic patients with Chronic Heart Failure (RECEDE-CHF): protocol for a randomised controlled double-blind cross-over trial. BMJ Open, 2017, 7, e018097.	1.9	38
96	Aldosterone blockade in cardiovascular disease. Heart, 2004, 90, 1229-1234.	2.9	37
97	Predictors of exercise capacity and everyday activity in older heart failure patients. European Journal of Heart Failure, 2006, 8, 203-207.	7.1	37
98	Lack of rapid aldosterone effects on forearm resistance vasculature in health. JRAAS - Journal of the Renin-Angiotensin-Aldosterone System, 2002, 3, 123-125.	1.7	36
99	Effects of Exogenous and Endogenous Natriuretic Peptides on Forearm Vascular Function in Chronic Heart Failure. Arteriosclerosis, Thrombosis, and Vascular Biology, 2004, 24, 911-917.	2.4	36
100	Exercise Training as a Therapy for Chronic Heart Failure: Can Older People Benefit?. Journal of the American Geriatrics Society, 2003, 51, 699-709.	2.6	35
101	Meta-Analysis of B-Type Natriuretic Peptide's Ability to Identify Stress Induced Myocardial Ischemia. American Journal of Cardiology, 2011, 107, 662-667.	1.6	35
102	Why does spironolactone improve mortality over and above an ACE inhibitor in chronic heart failure?. British Journal of Clinical Pharmacology, 1999, 47, 479-482.	2.4	34
103	Aldosterone-induced vasculopathy. Molecular and Cellular Endocrinology, 2004, 217, 239-241.	3.2	34
104	Spironolactone has antiarrhythmic activity in ischaemic cardiac patients without cardiac failure. Journal of Hypertension, 2007, 25, 2345-2351.	0.5	34
105	Mineralocorticoid antagonism: a novel way to treat sarcopenia and physical impairment in older people?. Clinical Endocrinology, 2011, 75, 725-729.	2.4	34
106	The Role of Urate and Xanthine Oxidase Inhibitors in Cardiovascular Disease. Cardiovascular Drug Reviews, 2008, 26, 59-64.	4.1	33
107	Acute effects of captopril on the renal actions of furosemide in patients with chronic heart failure. American Heart Journal, 1993, 126, 879-886.	2.7	32
108	Nonadherence with angiotensin-converting enzyme inhibitor therapy. Journal of the American College of Cardiology, 1999, 34, 2072-2077.	2.8	32

#	Article	IF	Citations
109	A randomized, double-blind, placebo-controlled study to determine the effects of valsartan on exercise time in patients with symptomatic heart failure with preserved ejection fraction. European Journal of Heart Failure, 2009, 11, 980-989.	7.1	32
110	The prevalence of treatable left ventricular systolic dysfunction in patients who present with noncardiac vascular episodes. Journal of the American College of Cardiology, 2002, 39, 219-224.	2.8	31
111	Elevated levels of natriuretic peptides in patients with pulmonary thromboembolism. Respiratory Medicine, 2005, 99, 1286-1291.	2.9	31
112	Impact of Aldosterone on Vascular Pathophysiology. Congestive Heart Failure, 2002, 8, 18-22.	2.0	29
113	Tolerability of spironolactone in patients with chronic heart failure - a cautionary message. British Journal of Clinical Pharmacology, 2004, 58, 554-557.	2.4	28
114	Serial bedside B-type natriuretic peptide strongly predicts prognosis in acute coronary syndrome independent of echocardiographic abnormalities. American Heart Journal, 2009, 158, 133-140.	2.7	28
115	Serial changes in blood pressure, renal function, endothelin and lipoprotein (a) during the first 9 days of cyclosporin therapy in males. Journal of Hypertension, 1995, 13, 667-673.	0.5	27
116	B-type natriuretic peptide in the diagnosis of cardiac disease in elderly day hospital patients. Age and Ageing, 2002, 31, 295-301.	1.6	27
117	Does the ratio of serum aldosterone to plasma renin activity predict the efficacy of diuretics in hypertension? Results of RENALDO. Journal of Hypertension, 2010, 28, 170-177.	0.5	27
118	Allopurinol: novel indications in cardiovascular disease. Heart, 2012, 98, 1543-1545.	2.9	27
119	Furosemide responsiveness, non-adherence and resistance during the chronic treatment of heart failure: a longitudinal study. British Journal of Clinical Pharmacology, 2004, 57, 622-631.	2.4	26
120	B-type natriuretic peptide: a simple new test to identify coronary artery disease?. QJM - Monthly Journal of the Association of Physicians, 2005, 98, 765-769.	0.5	26
121	Therapeutic Development in Cardiac Syndrome X: A Need to Target the Underlying Pathophysiology. Cardiovascular Therapeutics, 2009, 27, 49-58.	2.5	26
122	Left Ventricular Hypertrophy in COPD Without Hypoxemia. Chest, 2013, 143, 91-97.	0.8	26
123	Association between GDF-15 levels and changes in vascular and physical function in older patients with hypertension. Aging Clinical and Experimental Research, 2017, 29, 1055-1059.	2.9	26
124	Xanthine oxidase inhibition for the improvement of long-term outcomes following ischaemic stroke and transient ischaemic attack (XILO-FIST) – Protocol for a randomised double blind placebo-controlled clinical trial. European Stroke Journal, 2018, 3, 281-290.	5.5	26
125	Pathophysiology of heart failure following myocardial infarction. Heart, 2005, 91, ii14-ii16.	2.9	25
126	The role of urate and xanthine oxidase in vascular oxidative stress: future directions. Therapeutics and Clinical Risk Management, 2009, 5, 799.	2.0	25

#	Article	IF	Citations
127	Does dapagliflozin regress left ventricular hypertrophy in patients with type 2 diabetes? A prospective, double-blind, randomised, placebo-controlled study. BMC Cardiovascular Disorders, 2017, 17, 229.	1.7	25
128	B-type natriuretic peptide is an independent predictor of endothelial function in man. Clinical Science, 2012, 123, 307-312.	4.3	24
129	Hypertensive left ventricular hypertrophy. Journal of Hypertension, 2012, 30, 2039-2046.	0.5	24
130	B-Type Natriuretic Peptide Is Associated With Both Augmentation Index and Left Ventricular Mass in Diabetic Patients Without Heart Failure. American Journal of Hypertension, 2005, 18, 1586-1591.	2.0	23
131	Adherence to angiotensinâ€convertingâ€enzyme inhibitors and illness beliefs in older heart failure patients. European Journal of Heart Failure, 2009, 11, 715-720.	7.1	23
132	Do Losartan and Atenolol have Differential Effects on BNP and Central Haemodynamic Parameters?. JRAAS - Journal of the Renin-Angiotensin-Aldosterone System, 2005, 6, 151-153.	1.7	22
133	The Cardiovascular Risk Factor, Left Ventricular Hypertrophy, Is Highly Prevalent in Stable, Treated Angina Pectoris. American Journal of Hypertension, 2007, 20, 1029-1035.	2.0	22
134	High-potency statin and ezetimibe use and mortality in survivors of an acute myocardial infarction: a population-based study. Heart, 2014, 100, 867-872.	2.9	22
135	Effects of an exercise intervention for older heart failure patients on caregiver burden and emotional distress. European Journal of Cardiovascular Prevention and Rehabilitation, 2006, 13, 381-387.	2.8	22
136	Mechanisms of the antinatriuretic action of physiological doses of angiotensin II in man. Clinical Science, 1989, 76, 653-658.	4.3	21
137	B-Type Natriuretic Peptide as an Alternative Way of Assessing Total Cardiovascular Risk in Patients With Diabetes Mellitus. American Journal of Cardiology, 2005, 96, 933-934.	1.6	21
138	Effect of spironolactone on C-reactive protein levels in patients with heart disease. International Journal of Cardiology, 2007, 117, 282-284.	1.7	21
139	The association between serum urate levels and arterial stiffness/endothelial function in stroke survivors. Atherosclerosis, 2008, 200, 374-379.	0.8	21
140	Aortic remodelling following the treatment and regression of hypertensive left ventricular hypertrophy: a cardiovascular magnetic resonance study. Clinical and Experimental Hypertension, 2015, 37, 308-316.	1.3	21
141	The prognostic value of high sensitivity troponin T 7 weeks after an acute coronary syndrome. Heart, 2012, 98, 1160-1165.	2.9	20
142	Interactions between atrial natriuretic factor and the autonomic nervous system. Clinical Autonomic Research, 1991, 1, 329-336.	2.5	19
143	Are Natriuretic Peptides Clinically Useful as Markers of Heart Failure?. Annals of Clinical Biochemistry, 2001, 38, 575-583.	1.6	19
144	Polymorphisms of the angiotensin converting enzyme gene in early-onset and late-onset pre-eclampsia. Journal of Maternal-Fetal and Neonatal Medicine, 2010, 23, 874-879.	1.5	19

#	Article	IF	CITATIONS
145	Common Carotid Intima Media Thickness and Ankle-Brachial Pressure Index Correlate with Local but Not Global Atheroma Burden: A Cross Sectional Study Using Whole Body Magnetic Resonance Angiography. PLoS ONE, 2014, 9, e99190.	2.5	19
146	Development and Validation of a Path Length Calculation for Carotid–Femoral Pulse Wave Velocity Measurement. Hypertension, 2018, 71, 937-945.	2.7	19
147	Lisinopril improves arterial function in hyperlipidaemia. Clinical Science, 1999, 96, 441-448.	4.3	18
148	Beyond blood pressure: pulse wave analysis – a better way of assessing cardiovascular risk?. Future Cardiology, 2005, 1, 69-78.	1.2	18
149	Comparative Effects of Atrial Natriuretic Peptide and Brain Natriuretic Peptide on the Aldosterone and Pressor Responses to Angiotensin Ii in Man. Clinical Science, 1995, 88, 81-86.	4.3	17
150	Effect of phenylephrine with and without atropine on QT dispersion in healthy normotensive men. American Journal of Cardiology, 2000, 85, 69-74.	1.6	17
151	Hyperuricemia and Adverse Outcomes in Cardiovascular Disease. American Journal of Cardiovascular Drugs, 2003, 3, 309-314.	2.2	17
152	Effects of an exercise intervention for older heart failure patients on caregiver burden and emotional distress. European Journal of Cardiovascular Prevention and Rehabilitation, 2006, 13, 381-387.	2.8	17
153	Using the demand-control model of job strain to predict caregiver burden and caregiver satisfaction in the informal caregivers of heart failure patients. British Journal of Health Psychology, 2008, 13, 401-417.	3.5	17
154	Serial changes in adiponectin and BNP in ACS patients: paradoxical associations with each other and with prognosis. Clinical Science, 2009, 117, 41-48.	4.3	17
155	Allopurinol treatment adversely impacts left ventricular mass regression in patients with well-controlled hypertension. Journal of Hypertension, 2019, 37, 2481-2489.	0.5	17
156	Atrial natriuretic factor improves renal function and lowers systolic blood pressure in renal allograft recipients treated with cyclosporinA. Journal of Hypertension, 1992, 10, 483-488.	0.5	16
157	Nonadherence with ACE Inhibitors Is Common and Can Be Detected in Clinical Practice by Routine Serum ACE Activity. Congestive Heart Failure, 2001, 7, 43-50.	2.0	16
158	Effect of Spironolactone on Physical Performance in Older People with Self-reported Physical Disability. American Journal of Medicine, 2013, 126, 590-597.	1.5	16
159	Neuroendocrine changes post myocardial infarction: Effects of xamoterol. American Heart Journal, 1990, 120, 56-62.	2.7	15
160	B-Type Natriuretic Peptide Is Associated with Mortality in Older Functionally Impaired Patients. Journal of the American Geriatrics Society, 2005, 53, 1991-1995.	2.6	15
161	Evaluation of the aldosterone-blocking agent eplerenone in hypertension and heart failure. Expert Opinion on Pharmacotherapy, 2007, 8, 3053-3059.	1.8	15
162	Correlation of angiotensin converting enzyme activity and the genotypes of the I/D polymorphism in the ACE gene with preterm birth and birth weight. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2008, 141, 27-30.	1.1	15

#	Article	IF	CITATIONS
163	Uric acid in chronic heart failureâ€"current pathophysiological concepts*. European Journal of Heart Failure, 2008, 10, 1269-1270.	7.1	15
164	Optimization of the contrast dose and injection rates in wholeâ€body MR angiography at 3.0T. Journal of Magnetic Resonance Imaging, 2009, 30, 1059-1067.	3.4	15
165	A New Approach to Residual Risk in Treated Hypertensionâ€"3P Screening. Hypertension, 2013, 62, 236-239.	2.7	15
166	A placebo-controlled study examining the effect of allopurinol on heart rate variability and dysrhythmia counts in chronic heart failure. British Journal of Clinical Pharmacology, 2001, 51, 329-334.	2.4	14
167	Exercise Capacity and Brain Natruiretic Peptide in Hypertension. Journal of Cardiovascular Pharmacology, 2002, 40, 519-527.	1.9	14
168	Atrial Natriuretic Peptide Regulates Regional Vascular Volume and Venous Tone in Humans. Arteriosclerosis, Thrombosis, and Vascular Biology, 2003, 23, 1833-1838.	2.4	14
169	The OPT-CHF (Oxypurinol Therapy for Congestive Heart Failure) Trial. Journal of the American College of Cardiology, 2009, 53, 2405.	2.8	14
170	Insulin Sensitization Therapy and the Heart. Heart Failure Clinics, 2012, 8, 539-550.	2.1	14
171	High BNP levels in rheumatoid arthritis are related to inflammation but not to left ventricular abnormalities: A prospective case–control study. International Journal of Cardiology, 2014, 172, e116-e118.	1.7	14
172	The Practical Assessment of Compliance with ACE-Inhibitor Therapy-A Novel Approach. Journal of Cardiovascular Pharmacology, 1997, 29, 119-124.	1.9	14
173	Lisinopril improves endothelial function in chronic cigarette smokers. Clinical Science, 2001, 101, 53.	4.3	13
174	Age is not a significant risk factor for failed trial of beta-blocker therapy in older patients with chronic heart failure. Age and Ageing, 2004, 33, 467-472.	1.6	13
175	Aldosterone in heart failure: Pathophysiology and treatment. Current Heart Failure Reports, 2004, 1, 171-175.	3.3	13
176	C-type natriuretic peptide production by the human kidney is blunted in chronic heart failure. Clinical Science, 2010, 118, 71-77.	4.3	13
177	Pulmonary arterial stiffening in COPD and its implications for right ventricular remodelling. European Radiology, 2018, 28, 3464-3472.	4.5	13
178	Effect of perindopril or leucine on physical performance in older people with sarcopenia: the LACE randomized controlled trial. Journal of Cachexia, Sarcopenia and Muscle, 2022, 13, 858-871.	7.3	13
179	Nitric oxide: an important role in the maintenance of systemic and pulmonary vascular tone in man. British Journal of Clinical Pharmacology, 1998, 46, 263-266.	2.4	12
180	Review: Aldosterone-induced vasculopathy: a new reversible cause of cardiac death. JRAAS - Journal of the Renin-Angiotensin-Aldosterone System, 2001, 2, 211-214.	1.7	12

#	Article	IF	CITATIONS
181	Aldosterone Blockade Over and Above ACE-Inhibitors in Patients with Coronary Artery Disease but without Heart Failure. JRAAS - Journal of the Renin-Angiotensin-Aldosterone System, 2006, 7, 20-30.	1.7	12
182	Effect of vitamin D supplementation on orthostatic hypotension. Journal of Hypertension, 2014, 32, 1693-1699.	0.5	12
183	The effect of perindopril on postural instability in older people with a history of fallsâ€"a randomised controlled trial. Age and Ageing, 2018, 47, 75-81.	1.6	12
184	The clinical pharmacology of angiotensin converting enzyme inhibitors in chronic heart failure. , 1992, 53, 187-197.		11
185	Time course for recovery of atrial mechanical and endocrine function post DC cardioversion for persistent atrial fibrillation. International Journal of Cardiology, 2005, 102, 487-491.	1.7	11
186	A critical re-appraisal of different ways of selecting ambulatory patients with suspected heart failure for echocardiography. European Journal of Heart Failure, 2007, 9, 55-61.	7.1	11
187	3T MRI investigation of cardiac left ventricular structure and function in a UK population: The tayside screening for the prevention of cardiac events (TASCFORCE) study. Journal of Magnetic Resonance Imaging, 2016, 44, 1186-1196.	3.4	11
188	A Randomized Controlled Trial of Allopurinol in Patients With Peripheral Arterial Disease. Canadian Journal of Cardiology, 2016, 32, 190-196.	1.7	11
189	Effectiveness of captopril in reversing renal vasoconstriction after Q-wave acute myocardial infarction. American Journal of Cardiology, 1993, 71, 281-286.	1.6	10
190	Longâ€Term Followâ€Up of Very Old Heart Failure Patients Enrolled in a Trial of Exercise Training. The American Journal of Geriatric Cardiology, 2007, 16, 243-248.	0.6	10
191	Development and Validation of a Clinical Score to Identify Echocardiographic Left Ventricular Hypertrophy in Patients With Cardiovascular Disease. American Journal of Hypertension, 2008, 21, 1011-1017.	2.0	10
192	An Increased B-Type Natriuretic Peptide inÂthe Absence of a Cardiac Abnormality Identifies Those Whose Left Ventricular Mass Will Increase Over Time. JACC: Heart Failure, 2015, 3, 87-93.	4.1	10
193	Prevalence of unrecognized myocardial infarction in a low–intermediate risk asymptomatic cohort and its relation to systemic atherosclerosis. European Heart Journal Cardiovascular Imaging, 2016, 18, jew155.	1.2	10
194	Prazosin blunts the antinatriuretic effect of circulating angiotensin II in man. Journal of Hypertension, 1992, 10, 1387-1395.	0.5	9
195	Aldosterone blockade in heart failure JRAAS - Journal of the Renin-Angiotensin-Aldosterone System, 2004, 5, S23.	1.7	9
196	Gradual reactivation of vascular angiotensin I to angiotensin II conversion during chronic ACE inhibitor therapy in patients with diabetes mellitus. Diabetologia, 2007, 50, 2061-2066.	6.3	9
197	Right ventricular pacing impairs endothelial function in man. Europace, 2011, 13, 853-858.	1.7	9
198	Renal, hemodynamic and neurohormonal effects of atrial natriuretic factor in cardiac allograft recipients treated with cyclosporin A. American Journal of Cardiology, 1993, 72, 1083-1084.	1.6	8

#	Article	IF	CITATIONS
199	Determinants of the initial effects of captopril on blood pressure, glomerular filtration rate, and natriuresis in mild-to-moderate chronic congestive heart failure secondary to coronary artery disease. American Journal of Cardiology, 1994, 73, 1191-1196.	1.6	8
200	Autonomic Effects of Spironolactone and MR Blockers in Heart Failure. Heart Failure Reviews, 2005, 10, 63-69.	3.9	8
201	Aortic valvular heart disease: is there a place for angiotensin-converting-enzyme inhibitors?. Expert Review of Cardiovascular Therapy, 2013, 11, 107-114.	1.5	8
202	The Incidence and Risk of Biochemical Recurrence Following Radical Radiotherapy for Prostate Cancer in Men on Angiotensin-Converting Enzyme Inhibitors (ACEIs) or Angiotensin Receptor Blockers (ARBs). Clinical Genitourinary Cancer, 2016, 14, 398-405.	1.9	8
203	Effects of contrast administration on cardiac MRI volumetric, flow and pulse wave velocity quantification using manual and software-based analysis. British Journal of Radiology, 2018, 91, 20170717.	2.2	8
204	The <scp>APEX</scp> trial: Effects of allopurinol on exercise capacity, coronary and peripheral endothelial function, and natriuretic peptides in patients with cardiac syndrome X. Cardiovascular Therapeutics, 2018, 36, e12311.	2.5	8
205	A Randomized, Controlled Trial of the Effect of Allopurinol on Left Ventricular Mass Index in Hemodialysis Patients. Kidney International Reports, 2021, 6, 146-155.	0.8	8
206	Recruitment strategies for sarcopenia trials: lessons from the LACE randomized controlled trial. JCSM Rapid Communications, 2021, 4, 93-102.	1.6	8
207	Screening for left ventricular systolic dysfunction using GP-reported ECGs. British Journal of General Practice, 2007, 57, 191-5.	1.4	8
208	Prazosin attenuates the natriuretic response to atrial natriuretic factor in man. Kidney International, 1992, 42, 433-441.	5.2	7
209	Effect of pericardiocentesis on plasma levels of brain natriuretic peptide in cardiac tamponade. American Journal of Cardiology, 1992, 70, 1628-1629.	1.6	7
210	Ovarian hormones in man: their effects on resting vascular tone, angiotensin converting enzyme activity and angiotensin II-induced vasoconstriction. British Journal of Clinical Pharmacology, 2000, 50, 73-76.	2.4	7
211	Screening for treatable left ventricular abnormalities in diabetic patients. Expert Opinion on Biological Therapy, 2003, 3, 107-112.	3.1	7
212	How much echo left ventricular hypertrophy would be missed in diabetics by applying the Losartan Intervention For Endpoint Reduction electrocardiogram criteria to select patients for angiotensin receptor blockade?. Journal of Hypertension, 2004, 22, 1403-1408.	0.5	7
213	Left ventricular hypertrophy is present in one-half of newly-diagnosed peripheral arterial disease patients. Journal of Hypertension, 2007, 25, 463-469.	0.5	7
214	Impact of Left Ventricular Hypertrophy on Survival in Chronic Obstructive Pulmonary Disease. Lung, 2015, 193, 487-495.	3.3	7
215	Prevalence and Distribution of Atherosclerosis in a Low- to Intermediate-Risk Population: Assessment with Whole-Body MR Angiography. Radiology, 2018, 287, 795-804.	7.3	7
216	Disconnection of pulmonary and systemic arterial stiffness in COPD. International Journal of COPD, 2018, Volume 13, 1755-1765.	2.3	7

#	Article	IF	CITATIONS
217	Systemic arteriosclerosis is associated with left ventricular remodeling but not atherosclerosis: a TASCFORCE study. Journal of Cardiovascular Magnetic Resonance, 2018, 20, 7.	3.3	7
218	Cyclosporin-induced renal vasoconstriction is augmented by frusemide and by angiotensin II in humans. Journal of Hypertension, 1995, 13, 987-991.	0.5	6
219	Should we add screening for and treating left ventricular hypertrophy to the management of all patients needing secondary prevention of cardiovascular disease?. QJM - Monthly Journal of the Association of Physicians, 2003, 96, 449-452.	0.5	6
220	Does the aldosterone: renin ratio predict the efficacy of spironolactone over bendroflumethiazide in hypertension? A clinical trial protocol for RENALDO (RENin-ALDOsterone) study. BMC Cardiovascular Disorders, 2007, 7, 14.	1.7	6
221	Family history of premature coronary heart disease and risk prediction. Heart, 2011, 97, 684-684.	2.9	6
222	Myocardial ischaemia is associated with an elevated brain natriuretic pepide level even in the presence of left ventricular systolic dysfunction. European Journal of Heart Failure, 2014, 16, 56-67.	7.1	6
223	Assessment of proximal pulmonary arterial stiffness using magnetic resonance imaging: effects of technique, age and exercise. BMJ Open Respiratory Research, 2016, 3, e000149.	3.0	6
224	Whole body cardiovascular magnetic resonance imaging to stratify symptomatic and asymptomatic atherosclerotic burden in patients with isolated cardiovascular disease. BMC Medical Imaging, 2016, 16, 18.	2.7	6
225	Myocardial changes in incident haemodialysis patients over 6-months: an observational cardiac magnetic resonance imaging study. Scientific Reports, 2017, 7, 13976.	3.3	6
226	Evidence for myocardial synthesis of aldosterone producing myocardial fibrosis in man. Clinical Science, 2002, 102, 387.	4.3	6
227	Enalapril blunts the antinatriuretic effect of circulating noradrenaline in man. Journal of Hypertension, 1993, 11, 565-572.	0.5	5
228	Inhaled corticosteroid therapy reduces the early morning peak in cortisol and aldosterone. Clinical Science, 1998, 95, 513-517.	4.3	5
229	More evidence for bedside BNP in heart failure assessment. International Journal of Cardiology, 2002, 86, 149-152.	1.7	5
230	Review: The potential benefits of aldosterone antagonism in Type 2 diabetes mellitus. JRAAS - Journal of the Renin-Angiotensin-Aldosterone System, 2002, 3, 150-155.	1.7	5
231	Diagnosis and management of heart failure: implications of the recent European Society of Cardiology Guidelines for the older patient. Age and Ageing, 2003, 32, 563-565.	1.6	5
232	The influence of mode of delivery and ACE genotype on serum angiotensin converting enzyme (ACE) activity in the mother and infant at term. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2007, 134, 179-183.	1.1	5
233	Biomarkers and Surrogate Endpoints in Cardiovascular Therapeutics Research: Under Scrutiny Following Results of the ENHANCE Study. Cardiovascular Therapeutics, 2008, 26, 85-88.	2.5	5
234	Renin–angiotensin system blockers are associated with reduced mortality and heart failure hospitalization in patients paced for complete atrioventricular block. Heart Rhythm, 2012, 9, 505-510.	0.7	5

#	Article	IF	CITATIONS
235	Research cardiac magnetic resonance imaging in end stage renal disease - incidence, significance and implications of unexpected incidental findings. European Radiology, 2017, 27, 315-324.	4.5	5
236	An Open‣abel Doseâ€Finding Study of Allopurinol to Target Defined Reduction in Urate Levels in Hemodialysis Patients. Journal of Clinical Pharmacology, 2017, 57, 1409-1414.	2.0	5
237	6â€Metformin regresses left ventricular hypertrophy in normotensive patients with coronary artery disease without type 2 diabetes mellitus – the met-remodel trial. , 2018, , .		5
238	Effect of allopurinol on phosphocreatine recovery and muscle function in older people with impaired physical function: a randomised controlled trial. Age and Ageing, 2020, 49, 1003-1010.	1.6	5
239	The potential benefits of aldosterone antagonism in Type 2 diabetes mellitus JRAAS - Journal of the Renin-Angiotensin-Aldosterone System, 2002, 3, 150.	1.7	5
240	The differential effects of circulating norepinephrine and neuronally released norepinephrine on sodium excretion in humans. Clinical Pharmacology and Therapeutics, 1993, 54, 514-522.	4.7	4
241	Heart failure: a diagnostic and therapeutic dilemma in elderly patients. Age and Ageing, 1998, 27, 539-543.	1.6	4
242	Lisinopril improves arterial function in hyperlipidaemia. Clinical Science, 1999, 96, 441.	4.3	4
243	Pathophysiology of aldosterone and its antagonists. Fundamental and Clinical Pharmacology, 2000, 14, 549-552.	1.9	4
244	Angiotensin blockade or aldosterone blockade as the third neuroendocrine-blocking drug in mild but symptomatic heart failure patients. Heart, 2006, 92, 1728-1731.	2.9	4
245	Natriuretic Peptides. , 2007, , 349-362.		4
246	The effect of nitric oxide inhibition on the renin response to frusemide, in man. British Journal of Clinical Pharmacology, 1999, 48, 355-360.	2.4	3
247	The role of aldosterone in heart failure and the clinical benefits of aldosterone blockade. Expert Review of Cardiovascular Therapy, 2004, 2, 29-36.	1.5	3
248	Global Array-Based Transcriptomics from Minimal Input RNA Utilising an Optimal RNA Isolation Process Combined with SPIA cDNA Probes. PLoS ONE, 2011, 6, e17625.	2.5	3
249	Novel Blockers of the Renin-Angiotensin-Aldosterone System in Chronic Heart Failure. Current Heart Failure Reports, 2014, 11, 31-39.	3.3	3
250	High B-Type Natriuretic Peptide Hypertensives at Target Blood Pressure. Hypertension, 2015, 66, 927-932.	2.7	3
251	Spironolactone for People Age 70 Years and Older With Osteoarthritic Knee Pain: A Proofâ€ofâ€Concept Trial. Arthritis Care and Research, 2016, 68, 716-721.	3.4	3
252	Follow-up of atheroma burden with sequential whole body contrast enhanced MR angiography: a feasibility study. International Journal of Cardiovascular Imaging, 2016, 32, 825-832.	1.5	3

#	Article	IF	CITATIONS
253	Whole-body cardiovascular MRI for the comparison of atherosclerotic burden and cardiac remodelling in healthy South Asian and European adults. British Journal of Radiology, 2016, 89, 20160342.	2.2	3
254	Pentaerythrityl tetranitrate (PETN): a better nitrate?. European Heart Journal, 2019, 40, e23-e25.	2.2	3
255	Allopurinol in Patients with Pulmonary Hypertension Associated with Chronic Lung Disease International Journal of COPD, 2020, Volume 15, 2015-2024.	2.3	3
256	Prevalence of Symptomatic Diastolic Heart Failure in Patients Hospitalized With Cerebral or Peripheral Vascular Disease. Congestive Heart Failure, 2005, 11, 256-261.	2.0	2
257	Polymorphisms of the angiotensin converting enzyme gene in relation to intrauterine growth restriction. Acta Obstetricia Et Gynecologica Scandinavica, 2010, 89, 1197-1201.	2.8	2
258	MRI of the left atrium at 3T: evaluation of measurement reproducibility in healthy volunteers and patients with cardiovascular disease. Acta Radiologica, 2016, 57, 1468-1475.	1.1	2
259	Inhaled corticosteroid therapy reduces the early morning peak in cortisol and aldosterone. Clinical Science, 1998, 95, 513.	4.3	1
260	Annual Scientific Meeting of ASCEPT, 1999 Careful Screening To Target Interventions To Prevent Sudden Cardiac Death. Clinical and Experimental Pharmacology and Physiology, 2001, 28, 219-222.	1.9	1
261	Response to Letter Regarding Article, "The Effects of Vitamin D Supplementation on Physical Function and Quality of Life in Older Heart Failure Patients: A Randomized Controlled Trial― Circulation: Heart Failure, 2010, 3, .	3.9	1
262	Chronic Cardiac Failure., 2010,, 272-285.		1
263	Letter to the editor: Comparing pace and speed in the pulmonary circulation?. American Journal of Physiology - Heart and Circulatory Physiology, 2016, 310, H949-H949.	3.2	1
264	Acceptability and feasibility of magnetic femoral nerve stimulation in older, functionally impaired patients. BMC Research Notes, 2018, 11, 394.	1.4	1
265	Letter by Singh et al Regarding Article, "Effect of Empagliflozin on Left Ventricular Volumes in Patients With Type 2 Diabetes, or Prediabetes, and Heart Failure With Reduced Ejection Fraction (SUGAR-DM-HF)― Circulation, 2021, 144, e38-e39.	1.6	1
266	Clinical case studies in heart failure management. British Journal of Clinical Pharmacology, 1999, 47, 239-247.	2.4	0
267	Grossly elevated serum angiotensin-converting enzyme activities are still suppressible with ACE inhibitor therapy. JRAAS - Journal of the Renin-Angiotensin-Aldosterone System, 2002, 3, 138-138.	1.7	0
268	Should hospitals have a designated consultant with a specific interest in heart failure?. QJM - Monthly Journal of the Association of Physicians, 2003, 96, 877-879.	0.5	0
269	"Serum potassium level and risk of postoperative atrial fibrillation in patients undergoing cardiac surgery― Reply. Journal of the American College of Cardiology, 2004, 44, 939.	2.8	0
270	Letter by Struthers et al Regarding Article, "Cross-Sectional Relations of Multiple Biomarkers From Distinct Biological Pathways to Brachial Artery Endothelial Function― Circulation, 2006, 114, e383; author reply e384.	1.6	0

#	Article	IF	CITATIONS
271	Response to Letter Regarding Article, "High-Dose Allopurinol Improves Endothelial Function by Profoundly Reducing Vascular Oxidative Stress and Not by Lowering Uric Acid― Circulation, 2007, 115, .	1.6	0
272	Review: Aldosterone antagonism in type 2 diabetes mellitus â€" a new therapeutic approach to diabetic macrovascular disease?. British Journal of Diabetes and Vascular Disease, 2008, 8, 16-19.	0.6	0
273	Reducing Cardiovascular Risk in Patients following MI with Eplerenone. Clinical Medicine Insights Therapeutics, 2010, 2, CMT.S5231.	0.4	0
274	Preoperative NT-proBNP and CRP predict perioperative major cardiovascular events in non-cardiac surgery. Heart, 2010, 96, 1254-1254.	2.9	0
275	High-dose allopurinol in patients with stable angina pectoris – Authors' reply. Lancet, The, 2010, 376, 1299-1300.	13.7	0
276	TO034NON-CONTRAST CARDIAC MAGNETIC RESONANCE T1 MAPPING AS A MARKER OF MYOCARDIAL FIBROSIS IN END STAGE RENAL DISEASE. Nephrology Dialysis Transplantation, 2016, 31, i75-i75.	0.7	0
277	015â€Prevalence, pattern and significance of late gadolinium enhancement in a healthy asymptomatic cohort. Heart, 2016, 102, A5.3-A5.	2.9	0
278	014â€Patterns of early atherosclerosis formation and cardiac remodelling in healthy adults of south asian and european descent. Heart, 2016, 102, A5.2-A5.	2.9	0
279	$15 \hat{a} \in$ No association between systemic arteriosclerosis and atherosclerosis on cardiac MRI and whole body angiography: the tascforce study. , 2017, , .		0
280	FP802EFFECT OF ALLOPURINOL ON LEFT VENTRICULAR MASS INDEX IN HAEMODIALYSIS PATIENTS - A RANDOMISED CONTROLLED TRIAL. Nephrology Dialysis Transplantation, 2018, 33, i633-i633.	0.7	0
281	Reply. Journal of Hypertension, 2020, 38, 177-178.	0.5	0
282	Association between mitochondrial function measured by 31P magnetic resonance spectroscopy and physical performance in older people with functional impairment. JCSM Clinical Reports, 2021, 6, 71-79.	1.3	0