

Allan D Struthers

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3796854/publications.pdf>

Version: 2024-02-01

282
papers

14,934
citations

15504

65
h-index

22166

113
g-index

285
all docs

285
docs citations

285
times ranked

14525
citing authors

#	ARTICLE	IF	CITATIONS
1	Effect of perindopril or leucine on physical performance in older people with sarcopenia: the LACE randomized controlled trial. <i>Journal of Cachexia, Sarcopenia and Muscle</i> , 2022, 13, 858-871.	7.3	13
2	A Randomized, Controlled Trial of the Effect of Allopurinol on Left Ventricular Mass Index in Hemodialysis Patients. <i>Kidney International Reports</i> , 2021, 6, 146-155.	0.8	8
3	Recruitment strategies for sarcopenia trials: lessons from the LACE randomized controlled trial. <i>JCSM Rapid Communications</i> , 2021, 4, 93-102.	1.6	8
4	Letter by Singh et al Regarding Article, "Effect of Empagliflozin on Left Ventricular Volumes in Patients With Type 2 Diabetes, or Prediabetes, and Heart Failure With Reduced Ejection Fraction (SUGAR-DM-HF)" <i>Circulation</i> , 2021, 144, e38-e39.	1.6	1
5	Association between mitochondrial function measured by 31P magnetic resonance spectroscopy and physical performance in older people with functional impairment. <i>JCSM Clinical Reports</i> , 2021, 6, 71-79.	1.3	0
6	Reply. <i>Journal of Hypertension</i> , 2020, 38, 177-178.	0.5	0
7	Vitamin K Supplementation to Improve Vascular Stiffness in CKD: The K4Kidneys Randomized Controlled Trial. <i>Journal of the American Society of Nephrology: JASN</i> , 2020, 31, 2434-2445.	6.1	49
8	Renal and Cardiovascular Effects of SGLT2 Inhibition in Combination With Loop Diuretics in Patients With Type 2 Diabetes and Chronic Heart Failure. <i>Circulation</i> , 2020, 142, 1713-1724.	1.6	144
9	<p>Allopurinol in Patients with Pulmonary Hypertension Associated with Chronic Lung Disease</p>. <i>International Journal of COPD</i> , 2020, Volume 15, 2015-2024.	2.3	3
10	Dapagliflozin Versus Placebo on Left Ventricular Remodeling in Patients With Diabetes and Heart Failure: The REFORM Trial. <i>Diabetes Care</i> , 2020, 43, 1356-1359.	8.6	102
11	A randomized controlled trial of dapagliflozin on left ventricular hypertrophy in people with type two diabetes: the DAPA-LVH trial. <i>European Heart Journal</i> , 2020, 41, 3421-3432.	2.2	138
12	Effect of allopurinol on phosphocreatine recovery and muscle function in older people with impaired physical function: a randomised controlled trial. <i>Age and Ageing</i> , 2020, 49, 1003-1010.	1.6	5
13	Cardiovascular Effects of Switching From Tobacco Cigarettes to Electronic Cigarettes. <i>Journal of the American College of Cardiology</i> , 2019, 74, 3112-3120.	2.8	143
14	A randomized controlled trial of metformin on left ventricular hypertrophy in patients with coronary artery disease without diabetes: the MET-REMODEL trial. <i>European Heart Journal</i> , 2019, 40, 3409-3417.	2.2	100
15	Allopurinol treatment adversely impacts left ventricular mass regression in patients with well-controlled hypertension. <i>Journal of Hypertension</i> , 2019, 37, 2481-2489.	0.5	17
16	Pentaerythryl tetranitrate (PETN): a better nitrate?. <i>European Heart Journal</i> , 2019, 40, e23-e25.	2.2	3
17	Effects of contrast administration on cardiac MRI volumetric, flow and pulse wave velocity quantification using manual and software-based analysis. <i>British Journal of Radiology</i> , 2018, 91, 20170717.	2.2	8
18	Pulmonary arterial stiffening in COPD and its implications for right ventricular remodelling. <i>European Radiology</i> , 2018, 28, 3464-3472.	4.5	13

#	ARTICLE	IF	CITATIONS
19	Prevalence and Distribution of Atherosclerosis in a Low- to Intermediate-Risk Population: Assessment with Whole-Body MR Angiography. <i>Radiology</i> , 2018, 287, 795-804.	7.3	7
20	Development and Validation of a Path Length Calculation for Carotid-Femoral Pulse Wave Velocity Measurement. <i>Hypertension</i> , 2018, 71, 937-945.	2.7	19
21	The APEX trial: Effects of allopurinol on exercise capacity, coronary and peripheral endothelial function, and natriuretic peptides in patients with cardiac syndrome X. <i>Cardiovascular Therapeutics</i> , 2018, 36, e12311.	2.5	8
22	The effect of perindopril on postural instability in older people with a history of falls—a randomised controlled trial. <i>Age and Ageing</i> , 2018, 47, 75-81.	1.6	12
23	Xanthine oxidase inhibition for the improvement of long-term outcomes following ischaemic stroke and transient ischaemic attack (XILO-FIST) — Protocol for a randomised double blind placebo-controlled clinical trial. <i>European Stroke Journal</i> , 2018, 3, 281-290.	5.5	26
24	FP802EFFECT OF ALLOPURINOL ON LEFT VENTRICULAR MASS INDEX IN HAEMODIALYSIS PATIENTS - A RANDOMISED CONTROLLED TRIAL. <i>Nephrology Dialysis Transplantation</i> , 2018, 33, i633-i633.	0.7	0
25	Effect of Vitamin D Supplementation on Markers of Vascular Function: A Systematic Review and Individual Participant Meta-Analysis. <i>Journal of the American Heart Association</i> , 2018, 7, .	3.7	63
26	Metformin regresses left ventricular hypertrophy in normotensive patients with coronary artery disease without type 2 diabetes mellitus — the met-remodel trial. , 2018, , .		5
27	Disconnection of pulmonary and systemic arterial stiffness in COPD. <i>International Journal of COPD</i> , 2018, Volume 13, 1755-1765.	2.3	7
28	Acceptability and feasibility of magnetic femoral nerve stimulation in older, functionally impaired patients. <i>BMC Research Notes</i> , 2018, 11, 394.	1.4	1
29	Systemic arteriosclerosis is associated with left ventricular remodeling but not atherosclerosis: a TASCFORCE study. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2018, 20, 7.	3.3	7
30	Leucine and ACE inhibitors as therapies for sarcopenia (LACE trial): study protocol for a randomised controlled trial. <i>Trials</i> , 2018, 19, 6.	1.6	39
31	Research cardiac magnetic resonance imaging in end stage renal disease - incidence, significance and implications of unexpected incidental findings. <i>European Radiology</i> , 2017, 27, 315-324.	4.5	5
32	An Open-Label Dose-Finding Study of Allopurinol to Target Defined Reduction in Urate Levels in Hemodialysis Patients. <i>Journal of Clinical Pharmacology</i> , 2017, 57, 1409-1414.	2.0	5
33	Myocardial changes in incident haemodialysis patients over 6-months: an observational cardiac magnetic resonance imaging study. <i>Scientific Reports</i> , 2017, 7, 13976.	3.3	6
34	Renal and Cardiovascular Effects of sodium-glucose cotransporter 2 (SGLT2) inhibition in combination with loop Diuretics in diabetic patients with Chronic Heart Failure (RECEDE-CHF): protocol for a randomised controlled double-blind cross-over trial. <i>BMJ Open</i> , 2017, 7, e018097.	1.9	38
35	Twenty-Year Predictors of Peripheral Arterial Disease Compared With Coronary Heart Disease in the Scottish Heart Health Extended Cohort (SHHEC). <i>Journal of the American Heart Association</i> , 2017, 6, .	3.7	54
36	Association between GDF-15 levels and changes in vascular and physical function in older patients with hypertension. <i>Aging Clinical and Experimental Research</i> , 2017, 29, 1055-1059.	2.9	26

#	ARTICLE	IF	CITATIONS
37	15â€¦No association between systemic arteriosclerosis and atherosclerosis on cardiac MRI and whole body angiography: the tascforce study. , 2017, , .		0
38	Does dapagliflozin regress left ventricular hypertrophy in patients with type 2 diabetes? A prospective, double-blind, randomised, placebo-controlled study. BMC Cardiovascular Disorders, 2017, 17, 229.	1.7	25
39	Letter to the editor: Comparing pace and speed in the pulmonary circulation?. American Journal of Physiology - Heart and Circulatory Physiology, 2016, 310, H949-H949.	3.2	1
40	TO034NON-CONTRAST CARDIAC MAGNETIC RESONANCE T1 MAPPING AS A MARKER OF MYOCARDIAL FIBROSIS IN END STAGE RENAL DISEASE. Nephrology Dialysis Transplantation, 2016, 31, i75-i75.	0.7	0
41	Research into the effect Of SGLT2 inhibition on left ventricular remodelling in patients with heart failure and diabetes mellitus (REFORM) trial rationale and design. Cardiovascular Diabetology, 2016, 15, 97.	6.8	49
42	Multicentre, prospective, randomised, open-label, blinded end point trial of the efficacy of allopurinol therapy in improving cardiovascular outcomes in patients with ischaemic heart disease: protocol of the ALL-HEART study. BMJ Open, 2016, 6, e013774.	1.9	70
43	The Incidence and Risk of Biochemical Recurrence Following Radical Radiotherapy for Prostate Cancer in Men on Angiotensin-Converting Enzyme Inhibitors (ACEIs) or Angiotensin Receptor Blockers (ARBs). Clinical Genitourinary Cancer, 2016, 14, 398-405.	1.9	8
44	Defining myocardial tissue abnormalities in end-stage renal failure with cardiac magnetic resonance imaging using native T1 mapping. Kidney International, 2016, 90, 845-852.	5.2	88
45	Spironolactone for People Age 70 Years and Older With Osteoarthritic Knee Pain: A Proofâ€¦ofâ€¦Concept Trial. Arthritis Care and Research, 2016, 68, 716-721.	3.4	3
46	Prevalence of unrecognized myocardial infarction in a lowâ€¦intermediate risk asymptomatic cohort and its relation to systemic atherosclerosis. European Heart Journal Cardiovascular Imaging, 2016, 18, jew155.	1.2	10
47	Left Ventricular Noncompaction. Journal of the American College of Cardiology, 2016, 68, 2157-2165.	2.8	118
48	Assessment of proximal pulmonary arterial stiffness using magnetic resonance imaging: effects of technique, age and exercise. BMJ Open Respiratory Research, 2016, 3, e000149.	3.0	6
49	015â€¦Prevalence, pattern and significance of late gadolinium enhancement in a healthy asymptomatic cohort. Heart, 2016, 102, A5.3-A5.	2.9	0
50	014â€¦Patterns of early atherosclerosis formation and cardiac remodelling in healthy adults of south asian and european descent. Heart, 2016, 102, A5.2-A5.	2.9	0
51	Follow-up of atheroma burden with sequential whole body contrast enhanced MR angiography: a feasibility study. International Journal of Cardiovascular Imaging, 2016, 32, 825-832.	1.5	3
52	Whole body cardiovascular magnetic resonance imaging to stratify symptomatic and asymptomatic atherosclerotic burden in patients with isolated cardiovascular disease. BMC Medical Imaging, 2016, 16, 18.	2.7	6
53	3T MRI investigation of cardiac left ventricular structure and function in a UK population: The tayside screening for the prevention of cardiac events (TASCFORCE) study. Journal of Magnetic Resonance Imaging, 2016, 44, 1186-1196.	3.4	11
54	Whole-body cardiovascular MRI for the comparison of atherosclerotic burden and cardiac remodelling in healthy South Asian and European adults. British Journal of Radiology, 2016, 89, 20160342.	2.2	3

#	ARTICLE	IF	CITATIONS
55	Mean <sc>HbA_{1c}</sc> and mortality in diabetic individuals with heart failure: a population cohort study. <i>European Journal of Heart Failure</i> , 2016, 18, 94-102.	7.1	76
56	MRI of the left atrium at 3T: evaluation of measurement reproducibility in healthy volunteers and patients with cardiovascular disease. <i>Acta Radiologica</i> , 2016, 57, 1468-1475.	1.1	2
57	A Randomized Controlled Trial of Allopurinol in Patients With Peripheral Arterial Disease. <i>Canadian Journal of Cardiology</i> , 2016, 32, 190-196.	1.7	11
58	Both High and Low HbA1c Predict Incident Heart Failure in Type 2 Diabetes Mellitus. <i>Circulation: Heart Failure</i> , 2015, 8, 236-242.	3.9	41
59	Aortic remodelling following the treatment and regression of hypertensive left ventricular hypertrophy: a cardiovascular magnetic resonance study. <i>Clinical and Experimental Hypertension</i> , 2015, 37, 308-316.	1.3	21
60	Impact of Left Ventricular Hypertrophy on Survival in Chronic Obstructive Pulmonary Disease. <i>Lung</i> , 2015, 193, 487-495.	3.3	7
61	Effect of Vitamin D Supplementation on Blood Pressure. <i>JAMA Internal Medicine</i> , 2015, 175, 745.	5.1	272
62	High B-Type Natriuretic Peptide Hypertensives at Target Blood Pressure. <i>Hypertension</i> , 2015, 66, 927-932.	2.7	3
63	The role of pulmonary arterial stiffness in COPD. <i>Respiratory Medicine</i> , 2015, 109, 1381-1390.	2.9	46
64	An Increased B-Type Natriuretic Peptide in the Absence of a Cardiac Abnormality Identifies Those Whose Left Ventricular Mass Will Increase Over Time. <i>JACC: Heart Failure</i> , 2015, 3, 87-93.	4.1	10
65	Common Carotid Intima Media Thickness and Ankle-Brachial Pressure Index Correlate with Local but Not Global Atheroma Burden: A Cross Sectional Study Using Whole Body Magnetic Resonance Angiography. <i>PLoS ONE</i> , 2014, 9, e99190.	2.5	19
66	Do ACE Inhibitors Improve the Response to Exercise Training in Functionally Impaired Older Adults? A Randomized Controlled Trial. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2014, 69, 736-743.	3.6	65
67	High population prevalence of cardiac troponin I measured by a high-sensitivity assay and cardiovascular risk estimation: the MORGAM Biomarker Project Scottish Cohort. <i>European Heart Journal</i> , 2014, 35, 271-281.	2.2	160
68	Myocardial ischaemia is associated with an elevated brain natriuretic peptide level even in the presence of left ventricular systolic dysfunction. <i>European Journal of Heart Failure</i> , 2014, 16, 56-67.	7.1	6
69	High BNP levels in rheumatoid arthritis are related to inflammation but not to left ventricular abnormalities: A prospective case-control study. <i>International Journal of Cardiology</i> , 2014, 172, e116-e118.	1.7	14
70	Novel Blockers of the Renin-Angiotensin-Aldosterone System in Chronic Heart Failure. <i>Current Heart Failure Reports</i> , 2014, 11, 31-39.	3.3	3
71	Vitamin D Therapy to Reduce Blood Pressure and Left Ventricular Hypertrophy in Resistant Hypertension. <i>Hypertension</i> , 2014, 63, 706-712.	2.7	57
72	High-potency statin and ezetimibe use and mortality in survivors of an acute myocardial infarction: a population-based study. <i>Heart</i> , 2014, 100, 867-872.	2.9	22

#	ARTICLE	IF	CITATIONS
73	Tadalafil in patients with chronic obstructive pulmonary disease: a randomised, double-blind, parallel-group, placebo-controlled trial. <i>Lancet Respiratory Medicine</i> , 2014, 2, 293-300.	10.7	94
74	Effect of vitamin D supplementation on orthostatic hypotension. <i>Journal of Hypertension</i> , 2014, 32, 1693-1699.	0.5	12
75	Effect of Spironolactone on Physical Performance in Older People with Self-reported Physical Disability. <i>American Journal of Medicine</i> , 2013, 126, 590-597.	1.5	16
76	Cholecalciferol Treatment to Reduce Blood Pressure in Older Patients With Isolated Systolic Hypertension. <i>JAMA Internal Medicine</i> , 2013, 173, 1672-9.	5.1	123
77	Allopurinol Reduces Left Ventricular Mass in Patients With Type 2 Diabetes and Left Ventricular Hypertrophy. <i>Journal of the American College of Cardiology</i> , 2013, 62, 2284-2293.	2.8	97
78	High-Dose Allopurinol Reduces Left Ventricular Mass in Patients With Ischemic Heart Disease. <i>Journal of the American College of Cardiology</i> , 2013, 61, 926-932.	2.8	132
79	Effects of Vitamin D supplementation on markers of vascular function after myocardial infarctionâ€”A randomised controlled trial. <i>International Journal of Cardiology</i> , 2013, 167, 745-749.	1.7	60
80	Targeting the reninâ€”angiotensinâ€”aldosterone system in heart failure. <i>Nature Reviews Cardiology</i> , 2013, 10, 125-134.	13.7	78
81	Aortic valvular heart disease: is there a place for angiotensin-converting-enzyme inhibitors?. <i>Expert Review of Cardiovascular Therapy</i> , 2013, 11, 107-114.	1.5	8
82	A New Approach to Residual Risk in Treated Hypertensionâ€”3P Screening. <i>Hypertension</i> , 2013, 62, 236-239.	2.7	15
83	Left Ventricular Hypertrophy in COPD Without Hypoxemia. <i>Chest</i> , 2013, 143, 91-97.	0.8	26
84	The prognostic value of high sensitivity troponin T 7 weeks after an acute coronary syndrome. <i>Heart</i> , 2012, 98, 1160-1165.	2.9	20
85	B-type natriuretic peptide is an independent predictor of endothelial function in man. <i>Clinical Science</i> , 2012, 123, 307-312.	4.3	24
86	Efficacy and Cost of an Exercise Program for Functionally Impaired Older Patients With Heart Failure. <i>Circulation: Heart Failure</i> , 2012, 5, 209-216.	3.9	57
87	The effect of metformin on insulin resistance and exercise parameters in patients with heart failure. <i>European Journal of Heart Failure</i> , 2012, 14, 1303-1310.	7.1	79
88	Mineralocorticoid receptor antagonists for heart failure with reduced ejection fraction: integrating evidence into clinical practice. <i>European Heart Journal</i> , 2012, 33, 2782-2795.	2.2	148
89	Hypertensive left ventricular hypertrophy. <i>Journal of Hypertension</i> , 2012, 30, 2039-2046.	0.5	24
90	Pulmonary hypertension predicts all-cause mortality in patients with heart failure: a retrospective cohort study. <i>European Journal of Heart Failure</i> , 2012, 14, 162-167.	7.1	48

#	ARTICLE	IF	CITATIONS
91	Insulin Sensitization Therapy and the Heart. <i>Heart Failure Clinics</i> , 2012, 8, 539-550.	2.1	14
92	Renin-angiotensin system blockers are associated with reduced mortality and heart failure hospitalization in patients paced for complete atrioventricular block. <i>Heart Rhythm</i> , 2012, 9, 505-510.	0.7	5
93	Improving the Primary Prevention of Cardiovascular Events by Using Biomarkers to Identify Individuals With Silent Heart Disease. <i>Journal of the American College of Cardiology</i> , 2012, 60, 960-968.	2.8	75
94	Allopurinol: novel indications in cardiovascular disease. <i>Heart</i> , 2012, 98, 1543-1545.	2.9	27
95	Are either or both hyperuricemia and xanthine oxidase directly toxic to the vasculature? A critical appraisal. <i>Arthritis and Rheumatism</i> , 2012, 64, 327-338.	6.7	58
96	Mechanistic Insights Into the Therapeutic Use of High-Dose Allopurinol in Angina Pectoris. <i>Journal of the American College of Cardiology</i> , 2011, 58, 820-828.	2.8	110
97	Impact of Renin-Angiotensin System Blockade Therapy on Outcome in Aortic Stenosis. <i>Journal of the American College of Cardiology</i> , 2011, 58, 570-576.	2.8	142
98	The Impact of Renin-Angiotensin-Aldosterone System Blockade on Heart Failure Outcomes and Mortality in Patients Identified to Have Aortic Regurgitation. <i>Journal of the American College of Cardiology</i> , 2011, 58, 2084-2091.	2.8	68
99	Global Array-Based Transcriptomics from Minimal Input RNA Utilising an Optimal RNA Isolation Process Combined with SPIA cDNA Probes. <i>PLoS ONE</i> , 2011, 6, e17625.	2.5	3
100	Impact of allopurinol use on urate concentration and cardiovascular outcome. <i>British Journal of Clinical Pharmacology</i> , 2011, 71, 600-607.	2.4	82
101	Mineralocorticoid antagonism: a novel way to treat sarcopenia and physical impairment in older people?. <i>Clinical Endocrinology</i> , 2011, 75, 725-729.	2.4	34
102	Meta-Analysis of B-Type Natriuretic Peptide's Ability to Identify Stress Induced Myocardial Ischemia. <i>American Journal of Cardiology</i> , 2011, 107, 662-667.	1.6	35
103	N-Terminal Pro-Brain Natriuretic Protein Levels in Takotsubo Cardiomyopathy. <i>American Journal of Cardiology</i> , 2011, 108, 1316-1321.	1.6	123
104	Family history of premature coronary heart disease and risk prediction. <i>Heart</i> , 2011, 97, 684-684.	2.9	6
105	Allopurinol Benefits Left Ventricular Mass and Endothelial Dysfunction in Chronic Kidney Disease. <i>Journal of the American Society of Nephrology: JASN</i> , 2011, 22, 1382-1389.	6.1	191
106	Right ventricular pacing impairs endothelial function in man. <i>Europace</i> , 2011, 13, 853-858.	1.7	9
107	Does the ratio of serum aldosterone to plasma renin activity predict the efficacy of diuretics in hypertension? Results of RENALDO. <i>Journal of Hypertension</i> , 2010, 28, 170-177.	0.5	27
108	C-type natriuretic peptide production by the human kidney is blunted in chronic heart failure. <i>Clinical Science</i> , 2010, 118, 71-77.	4.3	13

#	ARTICLE	IF	CITATIONS
109	Polymorphisms of the angiotensin converting enzyme gene in relation to intrauterine growth restriction. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2010, 89, 1197-1201.	2.8	2
110	Effect of Metformin on Mortality in Patients With Heart Failure and Type 2 Diabetes Mellitus. <i>American Journal of Cardiology</i> , 2010, 106, 1006-1010.	1.6	89
111	Reducing Cardiovascular Risk in Patients following MI with Eplerenone. <i>Clinical Medicine Insights Therapeutics</i> , 2010, 2, CMT.S5231.	0.4	0
112	Response to Letter Regarding Article, "The Effects of Vitamin D Supplementation on Physical Function and Quality of Life in Older Heart Failure Patients: A Randomized Controlled Trial"; <i>Circulation: Heart Failure</i> , 2010, 3, .	3.9	1
113	Preoperative NT-proBNP and CRP predict perioperative major cardiovascular events in non-cardiac surgery. <i>Heart</i> , 2010, 96, 1254-1254.	2.9	0
114	Spironolactone use and renal toxicity: population based longitudinal analysis. <i>BMJ: British Medical Journal</i> , 2010, 340, c1768-c1768.	2.3	83
115	Polymorphisms of the angiotensin converting enzyme gene in early-onset and late-onset pre-eclampsia. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2010, 23, 874-879.	1.5	19
116	The Effects of Vitamin D Supplementation on Physical Function and Quality of Life in Older Patients With Heart Failure. <i>Circulation: Heart Failure</i> , 2010, 3, 195-201.	3.9	199
117	Chronic Cardiac Failure. , 2010, , 272-285.		1
118	Effect of high-dose allopurinol on exercise in patients with chronic stable angina: a randomised, placebo controlled crossover trial. <i>Lancet, The</i> , 2010, 375, 2161-2167.	13.7	301
119	High-dose allopurinol in patients with stable angina pectoris " Authors' reply. <i>Lancet, The</i> , 2010, 376, 1299-1300.	13.7	0
120	The role of urate and xanthine oxidase in vascular oxidative stress: future directions. <i>Therapeutics and Clinical Risk Management</i> , 2009, 5, 799.	2.0	25
121	Role of urate, xanthine oxidase and the effects of allopurinol in vascular oxidative stress. <i>Vascular Health and Risk Management</i> , 2009, 5, 265.	2.3	167
122	Adherence to angiotensin-converting-enzyme inhibitors and illness beliefs in older heart failure patients. <i>European Journal of Heart Failure</i> , 2009, 11, 715-720.	7.1	23
123	A randomized, double-blind, placebo-controlled study to determine the effects of valsartan on exercise time in patients with symptomatic heart failure with preserved ejection fraction. <i>European Journal of Heart Failure</i> , 2009, 11, 980-989.	7.1	32
124	Effect of vitamin D on blood pressure: a systematic review and meta-analysis. <i>Journal of Hypertension</i> , 2009, 27, 1948-1954.	0.5	320
125	Optimization of the contrast dose and injection rates in whole-body MR angiography at 3.0T. <i>Journal of Magnetic Resonance Imaging</i> , 2009, 30, 1059-1067.	3.4	15
126	Serial bedside B-type natriuretic peptide strongly predicts prognosis in acute coronary syndrome independent of echocardiographic abnormalities. <i>American Heart Journal</i> , 2009, 158, 133-140.	2.7	28

#	ARTICLE	IF	CITATIONS
127	The OPT-CHF (Oxypurinol Therapy for Congestive Heart Failure) Trial. <i>Journal of the American College of Cardiology</i> , 2009, 53, 2405.	2.8	14
128	Insulin Resistance Is Highly Prevalent and Is Associated With Reduced Exercise Tolerance in Nondiabetic Patients With Heart Failure. <i>Journal of the American College of Cardiology</i> , 2009, 53, 747-753.	2.8	84
129	Therapeutic Development in Cardiac Syndrome X: A Need to Target the Underlying Pathophysiology. <i>Cardiovascular Therapeutics</i> , 2009, 27, 49-58.	2.5	26
130	Serial changes in adiponectin and BNP in ACS patients: paradoxical associations with each other and with prognosis. <i>Clinical Science</i> , 2009, 117, 41-48.	4.3	17
131	Using the demand-control model of job strain to predict caregiver burden and caregiver satisfaction in the informal caregivers of heart failure patients. <i>British Journal of Health Psychology</i> , 2008, 13, 401-417.	3.5	17
132	A Comparison of the Aldosterone-Blocking Agents Eplerenone and Spironolactone. <i>Clinical Cardiology</i> , 2008, 31, 153-158.	1.8	196
133	The Role of Urate and Xanthine Oxidase Inhibitors in Cardiovascular Disease. <i>Cardiovascular Drug Reviews</i> , 2008, 26, 59-64.	4.1	33
134	Biomarkers and Surrogate Endpoints in Cardiovascular Therapeutics Research: Under Scrutiny Following Results of the ENHANCE Study. <i>Cardiovascular Therapeutics</i> , 2008, 26, 85-88.	2.5	5
135	Correlation of angiotensin converting enzyme activity and the genotypes of the I/D polymorphism in the ACE gene with preterm birth and birth weight. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2008, 141, 27-30.	1.1	15
136	The association between serum urate levels and arterial stiffness/endothelial function in stroke survivors. <i>Atherosclerosis</i> , 2008, 200, 374-379.	0.8	21
137	Assessment of Arterial Stiffness, A Translational Medicine Biomarker System for Evaluation of Vascular Risk. <i>Cardiovascular Therapeutics</i> , 2008, 26, 214-223.	2.5	89
138	Allopurinol Treatment Reduces Arterial Wave Reflection in Stroke Survivors. <i>Cardiovascular Therapeutics</i> , 2008, 26, 247-252.	2.5	42
139	Adverse Cardiovascular Effects of Acute Salt Loading in Young Normotensive Individuals. <i>Hypertension</i> , 2008, 51, 1525-1530.	2.7	113
140	Review: Aldosterone antagonism in type 2 diabetes mellitus – a new therapeutic approach to diabetic macrovascular disease?. <i>British Journal of Diabetes and Vascular Disease</i> , 2008, 8, 16-19.	0.6	0
141	Development and Validation of a Clinical Score to Identify Echocardiographic Left Ventricular Hypertrophy in Patients With Cardiovascular Disease. <i>American Journal of Hypertension</i> , 2008, 21, 1011-1017.	2.0	10
142	Uric acid in chronic heart failure – current pathophysiological concepts*. <i>European Journal of Heart Failure</i> , 2008, 10, 1269-1270.	7.1	15
143	Evaluation of the aldosterone-blocking agent eplerenone in hypertension and heart failure. <i>Expert Opinion on Pharmacotherapy</i> , 2007, 8, 3053-3059.	1.8	15
144	A critical re-appraisal of different ways of selecting ambulatory patients with suspected heart failure for echocardiography. <i>European Journal of Heart Failure</i> , 2007, 9, 55-61.	7.1	11

#	ARTICLE	IF	CITATIONS
145	The potential to improve primary prevention in the future by using BNP/N-BNP as an indicator of silent 'pancardiac' target organ damage: BNP/N-BNP could become for the heart what microalbuminuria is for the kidney. <i>European Heart Journal</i> , 2007, 28, 1678-1682.	2.2	61
146	Long-term Follow-up of Very Old Heart Failure Patients Enrolled in a Trial of Exercise Training. <i>The American Journal of Geriatric Cardiology</i> , 2007, 16, 243-248.	0.6	10
147	Effect of perindopril on physical function in elderly people with functional impairment: a randomized controlled trial. <i>Cmaj</i> , 2007, 177, 867-874.	2.0	212
148	Response to Letter Regarding Article, "High-Dose Allopurinol Improves Endothelial Function by Profoundly Reducing Vascular Oxidative Stress and Not by Lowering Uric Acid". <i>Circulation</i> , 2007, 115, .	1.6	0
149	Left ventricular hypertrophy is present in one-half of newly-diagnosed peripheral arterial disease patients. <i>Journal of Hypertension</i> , 2007, 25, 463-469.	0.5	7
150	Spironolactone has antiarrhythmic activity in ischaemic cardiac patients without cardiac failure. <i>Journal of Hypertension</i> , 2007, 25, 2345-2351.	0.5	34
151	The Cardiovascular Risk Factor, Left Ventricular Hypertrophy, Is Highly Prevalent in Stable, Treated Angina Pectoris. <i>American Journal of Hypertension</i> , 2007, 20, 1029-1035.	2.0	22
152	The influence of mode of delivery and ACE genotype on serum angiotensin converting enzyme (ACE) activity in the mother and infant at term. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2007, 134, 179-183.	1.1	5
153	Effect of spironolactone on C-reactive protein levels in patients with heart disease. <i>International Journal of Cardiology</i> , 2007, 117, 282-284.	1.7	21
154	Natriuretic Peptides. , 2007, , 349-362.		4
155	The Functional Consequence of the Glu298Asp Polymorphism of the Endothelial Nitric Oxide Synthase Gene in Young Healthy Volunteers. <i>Cardiovascular Drug Reviews</i> , 2007, 25, 280-288.	4.1	42
156	Does the aldosterone: renin ratio predict the efficacy of spironolactone over bendroflumethiazide in hypertension? A clinical trial protocol for RENALDO (RENin-ALDOsterone) study. <i>BMC Cardiovascular Disorders</i> , 2007, 7, 14.	1.7	6
157	Gradual reactivation of vascular angiotensin I to angiotensin II conversion during chronic ACE inhibitor therapy in patients with diabetes mellitus. <i>Diabetologia</i> , 2007, 50, 2061-2066.	6.3	9
158	Screening for left ventricular systolic dysfunction using GP-reported ECGs. <i>British Journal of General Practice</i> , 2007, 57, 191-5.	1.4	8
159	Predictors of exercise capacity and everyday activity in older heart failure patients. <i>European Journal of Heart Failure</i> , 2006, 8, 203-207.	7.1	37
160	Sarcopenia " A Potential Target for Angiotensin-Converting Enzyme Inhibition?. <i>Gerontology</i> , 2006, 52, 237-242.	2.8	43
161	Letter by Struthers et al Regarding Article, "Cross-Sectional Relations of Multiple Biomarkers From Distinct Biological Pathways to Brachial Artery Endothelial Function". <i>Circulation</i> , 2006, 114, e383; author reply e384.	1.6	0
162	Angiotensin blockade or aldosterone blockade as the third neuroendocrine-blocking drug in mild but symptomatic heart failure patients. <i>Heart</i> , 2006, 92, 1728-1731.	2.9	4

#	ARTICLE	IF	CITATIONS
163	Effects of an exercise intervention for older heart failure patients on caregiver burden and emotional distress. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , 2006, 13, 381-387.	2.8	17
164	Aldosterone Blockade Over and Above ACE-Inhibitors in Patients with Coronary Artery Disease but without Heart Failure. <i>JRAAS - Journal of the Renin-Angiotensin-Aldosterone System</i> , 2006, 7, 20-30.	1.7	12
165	High-Dose Allopurinol Improves Endothelial Function by Profoundly Reducing Vascular Oxidative Stress and Not by Lowering Uric Acid. <i>Circulation</i> , 2006, 114, 2508-2516.	1.6	492
166	Effects of an exercise intervention for older heart failure patients on caregiver burden and emotional distress. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , 2006, 13, 381-387.	2.8	22
167	B-Type Natriuretic Peptide Is Associated with Mortality in Older Functionally Impaired Patients. <i>Journal of the American Geriatrics Society</i> , 2005, 53, 1991-1995.	2.6	15
168	Effect of a Seated Exercise Program to Improve Physical Function and Health Status in Frail Patients ≥70 Years of Age With Heart Failure. <i>American Journal of Cardiology</i> , 2005, 95, 1120-1124.	1.6	99
169	B-Type Natriuretic Peptide as an Alternative Way of Assessing Total Cardiovascular Risk in Patients With Diabetes Mellitus. <i>American Journal of Cardiology</i> , 2005, 96, 933-934.	1.6	21
170	Prevalence of Symptomatic Diastolic Heart Failure in Patients Hospitalized With Cerebral or Peripheral Vascular Disease. <i>Congestive Heart Failure</i> , 2005, 11, 256-261.	2.0	2
171	Autonomic Effects of Spironolactone and MR Blockers in Heart Failure. <i>Heart Failure Reviews</i> , 2005, 10, 63-69.	3.9	8
172	Do Losartan and Atenolol have Differential Effects on BNP and Central Haemodynamic Parameters?. <i>JRAAS - Journal of the Renin-Angiotensin-Aldosterone System</i> , 2005, 6, 151-153.	1.7	22
173	Pathophysiology of heart failure following myocardial infarction. <i>Heart</i> , 2005, 91, ii14-ii16.	2.9	25
174	Beyond blood pressure: pulse wave analysis – a better way of assessing cardiovascular risk?. <i>Future Cardiology</i> , 2005, 1, 69-78.	1.2	18
175	B-type natriuretic peptide: a simple new test to identify coronary artery disease?. <i>QJM - Monthly Journal of the Association of Physicians</i> , 2005, 98, 765-769.	0.5	26
176	Time course for recovery of atrial mechanical and endocrine function post DC cardioversion for persistent atrial fibrillation. <i>International Journal of Cardiology</i> , 2005, 102, 487-491.	1.7	11
177	Elevated levels of natriuretic peptides in patients with pulmonary thromboembolism. <i>Respiratory Medicine</i> , 2005, 99, 1286-1291.	2.9	31
178	B-Type Natriuretic Peptide Is Associated With Both Augmentation Index and Left Ventricular Mass in Diabetic Patients Without Heart Failure. <i>American Journal of Hypertension</i> , 2005, 18, 1586-1591.	2.0	23
179	Aldosterone blockade in heart failure.. <i>JRAAS - Journal of the Renin-Angiotensin-Aldosterone System</i> , 2004, 5, S23.	1.7	9
180	Review of aldosterone- and angiotensin II-induced target organ damage and prevention. <i>Cardiovascular Research</i> , 2004, 61, 663-670.	3.8	229

#	ARTICLE	IF	CITATIONS
181	Effects of Exogenous and Endogenous Natriuretic Peptides on Forearm Vascular Function in Chronic Heart Failure. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2004, 24, 911-917.	2.4	36
182	The clinical implications of aldosterone escape in congestive heart failure. <i>European Journal of Heart Failure</i> , 2004, 6, 539-545.	7.1	100
183	Age is not a significant risk factor for failed trial of beta-blocker therapy in older patients with chronic heart failure. <i>Age and Ageing</i> , 2004, 33, 467-472.	1.6	13
184	Aldosterone blockade in cardiovascular disease. <i>Heart</i> , 2004, 90, 1229-1234.	2.9	37
185	Tolerability of spironolactone in patients with chronic heart failure - a cautionary message. <i>British Journal of Clinical Pharmacology</i> , 2004, 58, 554-557.	2.4	28
186	Furosemide responsiveness, non-adherence and resistance during the chronic treatment of heart failure: a longitudinal study. <i>British Journal of Clinical Pharmacology</i> , 2004, 57, 622-631.	2.4	26
187	Aldosterone in heart failure: Pathophysiology and treatment. <i>Current Heart Failure Reports</i> , 2004, 1, 171-175.	3.3	13
188	What is the optimal serum potassium level in cardiovascular patients?. <i>Journal of the American College of Cardiology</i> , 2004, 43, 155-161.	2.8	288
189	â€œSerum potassium level and risk of postoperative atrial fibrillation in patients undergoing cardiac surgeryâ€ Reply. <i>Journal of the American College of Cardiology</i> , 2004, 44, 939.	2.8	0
190	The role of aldosterone in heart failure and the clinical benefits of aldosterone blockade. <i>Expert Review of Cardiovascular Therapy</i> , 2004, 2, 29-36.	1.5	3
191	Aldosterone-induced vasculopathy. <i>Molecular and Cellular Endocrinology</i> , 2004, 217, 239-241.	3.2	34
192	How much echo left ventricular hypertrophy would be missed in diabetics by applying the Losartan Intervention For Endpoint Reduction electrocardiogram criteria to select patients for angiotensin receptor blockade?. <i>Journal of Hypertension</i> , 2004, 22, 1403-1408.	0.5	7
193	Exercise Training as a Therapy for Chronic Heart Failure: Can Older People Benefit?. <i>Journal of the American Geriatrics Society</i> , 2003, 51, 699-709.	2.6	35
194	Hyperuricemia and Adverse Outcomes in Cardiovascular Disease. <i>American Journal of Cardiovascular Drugs</i> , 2003, 3, 309-314.	2.2	17
195	Myocardial Production of C-Type Natriuretic Peptide in Chronic Heart Failure. <i>Circulation</i> , 2003, 107, 571-573.	1.6	171
196	Diagnosis and management of heart failure: implications of the recent European Society of Cardiology Guidelines for the older patient. <i>Age and Ageing</i> , 2003, 32, 563-565.	1.6	5
197	Atrial Natriuretic Peptide Regulates Regional Vascular Volume and Venous Tone in Humans. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2003, 23, 1833-1838.	2.4	14
198	Should we add screening for and treating left ventricular hypertrophy to the management of all patients needing secondary prevention of cardiovascular disease?. <i>QJM - Monthly Journal of the Association of Physicians</i> , 2003, 96, 449-452.	0.5	6

#	ARTICLE	IF	CITATIONS
199	Screening for treatable left ventricular abnormalities in diabetic patients. Expert Opinion on Biological Therapy, 2003, 3, 107-112.	3.1	7
200	Pulse wave analysis and pulse wave velocity. Journal of Hypertension, 2003, 21, 463-472.	0.5	257
201	Peripheral blood pressure measurement is as good as applanation tonometry at predicting ascending aortic blood pressure. Journal of Hypertension, 2003, 21, 571-576.	0.5	90
202	Should hospitals have a designated consultant with a specific interest in heart failure?. QJM - Monthly Journal of the Association of Physicians, 2003, 96, 877-879.	0.5	0
203	Introducing a new role for BNP: as a general indicator of cardiac structural disease rather than a specific indicator of systolic dysfunction only. British Heart Journal, 2002, 87, 97-98.	2.1	55
204	Heart failure in frail elderly patients: diagnostic difficulties, co-morbidities, polypharmacy and treatment dilemmas. European Journal of Heart Failure, 2002, 4, 91-98.	7.1	181
205	Allopurinol Improves Endothelial Dysfunction in Chronic Heart Failure. Circulation, 2002, 106, 221-226.	1.6	449
206	Exercise Capacity and Brain Natriuretic Peptide in Hypertension. Journal of Cardiovascular Pharmacology, 2002, 40, 519-527.	1.9	14
207	B-type natriuretic peptide in the diagnosis of cardiac disease in elderly day hospital patients. Age and Ageing, 2002, 31, 295-301.	1.6	27
208	Lack of rapid aldosterone effects on forearm resistance vasculature in health. JRAAS - Journal of the Renin-Angiotensin-Aldosterone System, 2002, 3, 123-125.	1.7	36
209	Grossly elevated serum angiotensin-converting enzyme activities are still suppressible with ACE inhibitor therapy. JRAAS - Journal of the Renin-Angiotensin-Aldosterone System, 2002, 3, 138-138.	1.7	0
210	The neurohormonal natural history of essential hypertension: towards primary or tertiary aldosteronism?. Journal of Hypertension, 2002, 20, 11-15.	0.5	59
211	Aldosterone induces acute endothelial dysfunction in vivo in humans: evidence for an aldosterone-induced vasculopathy. Clinical Science, 2002, 103, 425-431.	4.3	205
212	The prevalence of treatable left ventricular systolic dysfunction in patients who present with noncardiac vascular episodes. Journal of the American College of Cardiology, 2002, 39, 219-224.	2.8	31
213	Gradual reactivation over time of vascular tissue angiotensin I to angiotensin II conversion during chronic lisinopril therapy in chronic heart failure. Journal of the American College of Cardiology, 2002, 39, 767-775.	2.8	59
214	Screening for and treating left-ventricular abnormalities in diabetes mellitus: a new way of reducing cardiac deaths. Lancet, The, 2002, 359, 1430-1432.	13.7	132
215	Aldosterone: Cardiovascular assault. American Heart Journal, 2002, 144, S2-S7.	2.7	75
216	More evidence for bedside BNP in heart failure assessment. International Journal of Cardiology, 2002, 86, 149-152.	1.7	5

#	ARTICLE	IF	CITATIONS
217	Review: The potential benefits of aldosterone antagonism in Type 2 diabetes mellitus. JRAAS - Journal of the Renin-Angiotensin-Aldosterone System, 2002, 3, 150-155.	1.7	5
218	Relation of QT interval dispersion to the number of different cardiac abnormalities in diabetes mellitus. American Journal of Cardiology, 2002, 90, 483-487.	1.6	42
219	Impact of Aldosterone on Vascular Pathophysiology. Congestive Heart Failure, 2002, 8, 18-22.	2.0	29
220	Evidence for myocardial synthesis of aldosterone producing myocardial fibrosis in man. Clinical Science, 2002, 102, 387.	4.3	6
221	The potential benefits of aldosterone antagonism in Type 2 diabetes mellitus.. JRAAS - Journal of the Renin-Angiotensin-Aldosterone System, 2002, 3, 150.	1.7	5
222	Circadian variation in the effects of aldosterone blockade on heart rate variability and QT dispersion in congestive heart failure. Journal of the American College of Cardiology, 2001, 37, 1800-1807.	2.8	140
223	Lisinopril improves endothelial function in chronic cigarette smokers. Clinical Science, 2001, 101, 53.	4.3	13
224	A placebo-controlled study examining the effect of allopurinol on heart rate variability and dysrhythmia counts in chronic heart failure. British Journal of Clinical Pharmacology, 2001, 51, 329-334.	2.4	14
225	Annual Scientific Meeting of ASCEPT, 1999 Careful Screening To Target Interventions To Prevent Sudden Cardiac Death. Clinical and Experimental Pharmacology and Physiology, 2001, 28, 219-222.	1.9	1
226	Nonadherence with ACE Inhibitors Is Common and Can Be Detected in Clinical Practice by Routine Serum ACE Activity. Congestive Heart Failure, 2001, 7, 43-50.	2.0	16
227	Are Natriuretic Peptides Clinically Useful as Markers of Heart Failure?. Annals of Clinical Biochemistry, 2001, 38, 575-583.	1.6	19
228	Review: Aldosterone-induced vasculopathy: a new reversible cause of cardiac death. JRAAS - Journal of the Renin-Angiotensin-Aldosterone System, 2001, 2, 211-214.	1.7	12
229	Adverse Cardiac Effects of Salt With Fludrocortisone in Hypertension. Hypertension, 2001, 37, 856-861.	2.7	45
230	Ovarian hormones in man: their effects on resting vascular tone, angiotensin converting enzyme activity and angiotensin II-induced vasoconstriction. British Journal of Clinical Pharmacology, 2000, 50, 73-76.	2.4	7
231	Pathophysiology of aldosterone and its antagonists. Fundamental and Clinical Pharmacology, 2000, 14, 549-552.	1.9	4
232	Effect of phenylephrine with and without atropine on QT dispersion in healthy normotensive men. American Journal of Cardiology, 2000, 85, 69-74.	1.6	17
233	Allopurinol Normalizes Endothelial Dysfunction in Type 2 Diabetics With Mild Hypertension. Hypertension, 2000, 35, 746-751.	2.7	402
234	Spirolactone Increases Nitric Oxide Bioactivity, Improves Endothelial Vasodilator Dysfunction, and Suppresses Vascular Angiotensin I/Angiotensin II Conversion in Patients With Chronic Heart Failure. Circulation, 2000, 101, 594-597.	1.6	493

#	ARTICLE	IF	CITATIONS
235	Angiotensin-Converting Enzyme Gene Polymorphism Is Associated With Endothelial Dysfunction in Normal Humans. Hypertension, 1999, 33, 1164-1168.	2.7	102
236	Irbesartan Reduces QT Dispersion in Hypertensive Individuals. Hypertension, 1999, 33, 713-718.	2.7	52
237	The effect of nitric oxide inhibition on the renin response to frusemide, in man. British Journal of Clinical Pharmacology, 1999, 48, 355-360.	2.4	3
238	Clinical case studies in heart failure management. British Journal of Clinical Pharmacology, 1999, 47, 239-247.	2.4	0
239	Why does spironolactone improve mortality over and above an ACE inhibitor in chronic heart failure?. British Journal of Clinical Pharmacology, 1999, 47, 479-482.	2.4	34
240	Nonadherence with angiotensin-converting enzyme inhibitor therapy. Journal of the American College of Cardiology, 1999, 34, 2072-2077.	2.8	32
241	Lisinopril improves arterial function in hyperlipidaemia. Clinical Science, 1999, 96, 441-448.	4.3	18
242	Lisinopril improves arterial function in hyperlipidaemia. Clinical Science, 1999, 96, 441.	4.3	4
243	Neurohormonal reactivation in heart failure patients on chronic ACE inhibitor therapy: a longitudinal study. European Journal of Heart Failure, 1999, 1, 401-406.	7.1	62
244	Nitric oxide: an important role in the maintenance of systemic and pulmonary vascular tone in man. British Journal of Clinical Pharmacology, 1998, 46, 263-266.	2.4	12
245	Cardiovascular consequences of laparoscopic surgery. Lancet, The, 1998, 352, 568-570.	13.7	84
246	Heart failure: a diagnostic and therapeutic dilemma in elderly patients. Age and Ageing, 1998, 27, 539-543.	1.6	4
247	Inhaled corticosteroid therapy reduces the early morning peak in cortisol and aldosterone. Clinical Science, 1998, 95, 513-517.	4.3	5
248	Inhaled corticosteroid therapy reduces the early morning peak in cortisol and aldosterone. Clinical Science, 1998, 95, 513.	4.3	1
249	Value of natriuretic peptides in assessment of patients with possible new heart failure in primary care. Lancet, The, 1997, 350, 1349-1353.	13.7	775
250	Enalapril Reduces QTc Dispersion in Mild Congestive Heart Failure Secondary to Coronary Artery Disease. American Journal of Cardiology, 1997, 79, 328-333.	1.6	43
251	The Practical Assessment of Compliance with ACE-Inhibitor Therapy-A Novel Approach. Journal of Cardiovascular Pharmacology, 1997, 29, 119-124.	1.9	14
252	Cross sectional study of contribution of clinical assessment and simple cardiac investigations to diagnosis of left ventricular systolic dysfunction in patients admitted with acute dyspnoea. BMJ: British Medical Journal, 1997, 314, 936-936.	2.3	74

#	ARTICLE	IF	CITATIONS
253	Aldosterone escape during angiotensin-converting enzyme inhibitor therapy in chronic heart failure. <i>Journal of Cardiac Failure</i> , 1996, 2, 47-54.	1.7	200
254	C-Type Natriuretic Peptide. <i>Peptides</i> , 1996, 17, 1243-1251.	2.4	162
255	Comparison of atrial natriuretic peptide, B-type natriuretic peptide, and N-terminal proatrial natriuretic peptide as indicators of left ventricular systolic dysfunction. <i>American Journal of Cardiology</i> , 1996, 77, 828-831.	1.6	181
256	Diagnostic Value of B-Type Natriuretic Peptide Concentrations in Patients With Acute Myocardial Infarction. <i>American Journal of Cardiology</i> , 1996, 78, 284-287.	1.6	123
257	C-Type Natriuretic Peptide. <i>Circulation</i> , 1996, 93, 1155-1159.	1.6	42
258	Cyclosporin-induced renal vasoconstriction is augmented by frusemide and by angiotensin II in humans. <i>Journal of Hypertension</i> , 1995, 13, 987-991.	0.5	6
259	Serial changes in blood pressure, renal function, endothelin and lipoprotein (a) during the first 9 days of cyclosporin therapy in males. <i>Journal of Hypertension</i> , 1995, 13, 667-673.	0.5	27
260	Comparative Effects of Atrial Natriuretic Peptide and Brain Natriuretic Peptide on the Aldosterone and Pressor Responses to Angiotensin II in Man. <i>Clinical Science</i> , 1995, 88, 81-86.	4.3	17
261	Effects of adding spironolactone to an angiotensin-converting enzyme inhibitor in chronic congestive heart failure secondary to coronary artery disease. <i>American Journal of Cardiology</i> , 1995, 76, 1259-1265.	1.6	296
262	Determinants of the initial effects of captopril on blood pressure, glomerular filtration rate, and natriuresis in mild-to-moderate chronic congestive heart failure secondary to coronary artery disease. <i>American Journal of Cardiology</i> , 1994, 73, 1191-1196.	1.6	8
263	Increased plasma levels of brain natriuretic peptide in patients with isolated diastolic dysfunction. <i>American Heart Journal</i> , 1994, 127, 1635-1636.	2.7	112
264	Brain natriuretic peptide. <i>Journal of Hypertension</i> , 1994, 12, 329-336.	0.5	65
265	The differential effects of circulating norepinephrine and neuronally released norepinephrine on sodium excretion in humans. <i>Clinical Pharmacology and Therapeutics</i> , 1993, 54, 514-522.	4.7	4
266	Effectiveness of captopril in reversing renal vasoconstriction after Q-wave acute myocardial infarction. <i>American Journal of Cardiology</i> , 1993, 71, 281-286.	1.6	10
267	Renal, hemodynamic and neurohormonal effects of atrial natriuretic factor in cardiac allograft recipients treated with cyclosporin A. <i>American Journal of Cardiology</i> , 1993, 72, 1083-1084.	1.6	8
268	Acute effects of captopril on the renal actions of furosemide in patients with chronic heart failure. <i>American Heart Journal</i> , 1993, 126, 879-886.	2.7	32
269	Enalapril blunts the antinatriuretic effect of circulating noradrenaline in man. <i>Journal of Hypertension</i> , 1993, 11, 565-572.	0.5	5
270	Effect of haemodialysis on plasma levels of brain natriuretic peptide in patients with chronic renal failure. <i>Clinical Science</i> , 1992, 82, 127-131.	4.3	66

#	ARTICLE	IF	CITATIONS
271	Atrial and brain natriuretic peptides: a dual natriuretic peptide system potentially involved in circulatory homeostasis. <i>Clinical Science</i> , 1992, 83, 519-527.	4.3	107
272	Elevated levels of brain natriuretic peptide in acute hypoxaemic chronic obstructive pulmonary disease. <i>Clinical Science</i> , 1992, 83, 529-533.	4.3	89
273	Atrial natriuretic factor improves renal function and lowers systolic blood pressure in renal allograft recipients treated with cyclosporinA. <i>Journal of Hypertension</i> , 1992, 10, 483-488.	0.5	16
274	Prazosin blunts the antinatriuretic effect of circulating angiotensin II in man. <i>Journal of Hypertension</i> , 1992, 10, 1387-1395.	0.5	9
275	The clinical pharmacology of angiotensin converting enzyme inhibitors in chronic heart failure. , 1992, 53, 187-197.		11
276	Prazosin attenuates the natriuretic response to atrial natriuretic factor in man. <i>Kidney International</i> , 1992, 42, 433-441.	5.2	7
277	Effect of pericardiocentesis on plasma levels of brain natriuretic peptide in cardiac tamponade. <i>American Journal of Cardiology</i> , 1992, 70, 1628-1629.	1.6	7
278	Dietary sodium loading increases plasma brain natriuretic peptide levels in man. <i>Journal of Hypertension</i> , 1991, 9, 779-782.	0.5	66
279	Angiotensin II augments sympathetically mediated arteriolar constriction in man. <i>Clinical Science</i> , 1991, 81, 261-266.	4.3	42
280	Interactions between atrial natriuretic factor and the autonomic nervous system. <i>Clinical Autonomic Research</i> , 1991, 1, 329-336.	2.5	19
281	Neuroendocrine changes post myocardial infarction: Effects of xamoterol. <i>American Heart Journal</i> , 1990, 120, 56-62.	2.7	15
282	Mechanisms of the antinatriuretic action of physiological doses of angiotensin II in man. <i>Clinical Science</i> , 1989, 76, 653-658.	4.3	21