

Linda Denehy

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3797143/publications.pdf>

Version: 2024-02-01

180
papers

11,740
citations

50244

46
h-index

30058

103
g-index

184
all docs

184
docs citations

184
times ranked

9912
citing authors

#	ARTICLE	IF	CITATIONS
1	Feasibility and safety of the 30-second sit-to-stand test delivered via telehealth: An observational study. <i>PM and R</i> , 2023, 15, 31-40.	0.9	9
2	The minimal clinically important difference in the treadmill six-minute walk test in active women with breast cancer during and after oncological treatments. <i>Disability and Rehabilitation</i> , 2023, 45, 871-878.	0.9	6
3	Impact of an allied health prehabilitation service for haematologic patients receiving high-dose chemotherapy in a large cancer centre. <i>Supportive Care in Cancer</i> , 2022, 30, 1841-1852.	1.0	9
4	Effect of a postoperative home-based exercise and self-management programme on physical function in people with lung cancer (CAPACITY): protocol for a randomised controlled trial. <i>BMJ Open Respiratory Research</i> , 2022, 9, e001189.	1.2	0
5	Intensive physical therapy after emergency laparotomy: Pilot phase of the Incidence of Complications following Emergency Abdominal surgery Get Exercising randomized controlled trial. <i>Journal of Trauma and Acute Care Surgery</i> , 2022, 92, 1020-1030.	1.1	3
6	Implementability of healthcare interventions: an overview of reviews and development of a conceptual framework. <i>Implementation Science</i> , 2022, 17, 10.	2.5	72
7	Respiratory Prehabilitation for the Prevention of Postoperative Pulmonary Complications after Major Surgery. <i>Current Anesthesiology Reports</i> , 2022, 12, 44-58.	0.9	4
8	Improving physical function of patients following intensive care unit admission (EMPRESS): protocol of a randomised controlled feasibility trial. <i>BMJ Open</i> , 2022, 12, e055285.	0.8	0
9	Prehabilitation with preoperative exercise and education for patients undergoing major abdominal cancer surgery: protocol for a multicentre randomised controlled TRIAL (PRIORITY TRIAL). <i>BMC Cancer</i> , 2022, 22, 443.	1.1	15
10	The sit-to-stand test as a patient-centered functional outcome for critical care research: a pooled analysis of five international rehabilitation studies. <i>Critical Care</i> , 2022, 26, .	2.5	8
11	Functional electrical stimulation in-bed cycle ergometry in mechanically ventilated patients: a multicentre randomised controlled trial. <i>Thorax</i> , 2021, 76, 656-663.	2.7	28
12	Patient acceptance of prehabilitation for major surgery: an exploratory survey. <i>Supportive Care in Cancer</i> , 2021, 29, 779-785.	1.0	26
13	Individualized in-hospital exercise training program for people undergoing hematopoietic stem cell transplantation: a feasibility study. <i>Disability and Rehabilitation</i> , 2021, 43, 386-392.	0.9	11
14	Falls prevalence and risk factors in people with chronic obstructive pulmonary disease: A systematic review. <i>Respiratory Medicine</i> , 2021, 176, 106284.	1.3	15
15	Validity and Utility Testing of a Criteria-based Discharge Checklist to Determine Postoperative Recovery after Abdominal Surgery: an International Multicentre Prospective Cohort Trial. <i>World Journal of Surgery</i> , 2021, 45, 719-729.	0.8	3
16	Feasibility of establishing a rehabilitation programme in a Vietnamese intensive care unit. <i>PLoS ONE</i> , 2021, 16, e0247406.	1.1	2
17	Efficacy of Prehabilitation Including Exercise on Postoperative Outcomes Following Abdominal Cancer Surgery: A Systematic Review and Meta-Analysis. <i>Frontiers in Surgery</i> , 2021, 8, 628848.	0.6	89
18	Is Preoperative Exercise Training the New Holy Grail for Patients Undergoing Major Surgery?. <i>Annals of the American Thoracic Society</i> , 2021, 18, 587-589.	1.5	5

#	ARTICLE	IF	CITATIONS
19	Geriatric Rehabilitation Inpatients Roam at Home! A Matched Cohort Study of Objectively Measured Physical Activity and Sedentary Behavior in Home-Based and Hospital-Based Settings. <i>Journal of the American Medical Directors Association</i> , 2021, 22, 2432-2439.e1.	1.2	8
20	Implementing a telehealth prehabilitation education session for patients preparing for major cancer surgery. <i>BMC Health Services Research</i> , 2021, 21, 443.	0.9	21
21	People With Hematological Malignancies Treated With Bone Marrow Transplantation Have Improved Function, Quality of Life, and Fatigue Following Exercise Intervention: A Systematic Review and Meta-Analysis. <i>Physical Therapy</i> , 2021, 101, .	1.1	20
22	ASO Visual Abstract: Preoperative Cardiopulmonary Exercise Test Associated with Postoperative Outcomes for Patients Undergoing Cancer Surgery—A Systematic Review and Meta-Analyses. <i>Annals of Surgical Oncology</i> , 2021, 28, 502-502.	0.7	3
23	Preoperative Cardiopulmonary Exercise Test Associated with Postoperative Outcomes in Patients Undergoing Cancer Surgery: A Systematic Review and Meta-Analyses. <i>Annals of Surgical Oncology</i> , 2021, 28, 7120-7146.	0.7	37
24	Location and Patterns of Persistent Pain Following Cardiac Surgery. <i>Heart Lung and Circulation</i> , 2021, 30, 1232-1243.	0.2	3
25	Cost-effectiveness analysis of home-based rehabilitation compared to usual care for people with inoperable lung cancer. <i>European Journal of Cancer Care</i> , 2021, 30, e13501.	0.7	4
26	Surviving COVID-19: a familiar road to recovery?. <i>Lancet Respiratory Medicine</i> , the, 2021, 9, 1211-1213.	5.2	3
27	Home-based rehabilitation in inoperable non-small cell lung cancer—the patient experience. <i>Supportive Care in Cancer</i> , 2020, 28, 99-112.	1.0	24
28	Physiotherapist administered, non-invasive ventilation to reduce postoperative pulmonary complications in high-risk patients following elective upper abdominal surgery; a before-and-after cohort implementation study. <i>Physiotherapy</i> , 2020, 106, 77-86.	0.2	10
29	Psychometric evaluation of the shortened version of the Functional Difficulties Questionnaire to assess thoracic physical function. <i>Clinical Rehabilitation</i> , 2020, 34, 132-140.	1.0	4
30	An allied health rehabilitation program for patients following surgery for abdomino-pelvic cancer: a feasibility and pilot clinical study. <i>Supportive Care in Cancer</i> , 2020, 28, 1335-1350.	1.0	7
31	The fear and risk of community falls in patients following an intensive care admission: An exploratory cohort study. <i>Australian Critical Care</i> , 2020, 33, 144-150.	0.6	6
32	Implications for post critical illness trial design: sub-phenotyping trajectories of functional recovery among sepsis survivors. <i>Critical Care</i> , 2020, 24, 577.	2.5	27
33	Chronic Critical Illness and Muscle Strength: An Ill-Defined Field*. <i>Critical Care Medicine</i> , 2020, 48, 1699-1701.	0.4	2
34	Preoperative physiotherapy is cost-effective for preventing pulmonary complications after major abdominal surgery: a health economic analysis of a multicentre randomised trial. <i>Journal of Physiotherapy</i> , 2020, 66, 180-187.	0.7	23
35	Evidence on technology-driven preoperative exercise interventions: are we there yet?. <i>British Journal of Anaesthesia</i> , 2020, 125, 646-649.	1.5	11
36	A 12-Week Multi-Modal Exercise Program: Feasibility of Combined Exercise and Simplified 8-Style Tai Chi Following Lung Cancer Surgery. <i>Integrative Cancer Therapies</i> , 2020, 19, 153473542095288.	0.8	8

#	ARTICLE	IF	CITATIONS
37	Evaluating Physical Functioning in Survivors of Critical Illness: Development of a New Continuum Measure for Acute Care*. <i>Critical Care Medicine</i> , 2020, 48, 1427-1435.	0.4	5
38	Response to physical rehabilitation and recovery trajectories following critical illness: individual participant data meta-analysis protocol. <i>BMJ Open</i> , 2020, 10, e035613.	0.8	4
39	The Effect of Pelvic Floor Muscle Interventions on Pelvic Floor Dysfunction After Gynecological Cancer Treatment: A Systematic Review. <i>Physical Therapy</i> , 2020, 100, 1357-1371.	1.1	25
40	Attitudes and Perceptions to Prehabilitation in Lung Cancer. <i>Integrative Cancer Therapies</i> , 2020, 19, 153473542092446.	0.8	13
41	<p>The Cost of Bottling It Up: Emotion Suppression as a Mediator in the Relationship Between Anger and Depression Among Men with Prostate Cancer<p>. <i>Cancer Management and Research</i> , 2020, Volume 12, 1039-1046.	0.9	10
42	Searching for the Responder, Unpacking the Physical Rehabilitation Needs of Critically Ill Adults. <i>Journal of Cardiopulmonary Rehabilitation and Prevention</i> , 2020, 40, 359-369.	1.2	7
43	Physical activity for people with lung cancer. <i>Australian Journal of General Practice</i> , 2020, 49, 175-181.	0.3	9
44	â€˜Probably better than any medication we can give youâ€™: General practitionersâ€™ views on exercise and nutrition in cancer. <i>Australian Journal of General Practice</i> , 2020, 49, 513-518.	0.3	5
45	Motion at the Sternal Edges During Upper Limb and Trunk Tasks In-Vivo as Measured by Real-Time Ultrasound Following Cardiac Surgery: A Three-Month Prospective, Observational Study. <i>Heart Lung and Circulation</i> , 2019, 28, 1283-1291.	0.2	14
46	Physical Activity Levels Are Low in Inoperable Lung Cancer: Exploratory Analyses from a Randomised Controlled Trial. <i>Journal of Clinical Medicine</i> , 2019, 8, 1288.	1.0	20
47	Non-Invasive Positive airway Pressure therapy to Reduce Postoperative Lung complications following Upper abdominal Surgery (NIPPER PLUS): protocol for a single-centre, pilot, randomised controlled trial. <i>BMJ Open</i> , 2019, 9, e023139.	0.8	8
48	Multidisciplinary home-based rehabilitation in inoperable lung cancer: a randomised controlled trial. <i>Thorax</i> , 2019, 74, 787-796.	2.7	44
49	Clinical education alone is sufficient to increase resistance training exercise prescription. <i>PLoS ONE</i> , 2019, 14, e0212168.	1.1	2
50	Socioeconomic Position and Health Outcomes Following Critical Illness: A Systematic Review. <i>Critical Care Medicine</i> , 2019, 47, e512-e521.	0.4	30
51	Ultrasound Evaluation of Quadriceps Muscle Dysfunction in Respiratory Disease. <i>Cardiopulmonary Physical Therapy Journal</i> , 2019, 30, 15-23.	0.2	15
52	Commencing Out-of-Bed Rehabilitation in Critical Careâ€”What Influences Clinical Decision-Making?. <i>Archives of Physical Medicine and Rehabilitation</i> , 2019, 100, 261-269.e2.	0.5	15
53	Improving the delivery of physical activity services in lung cancer: A qualitative representation of the patientâ€™s perspective. <i>European Journal of Cancer Care</i> , 2019, 28, e12946.	0.7	18
54	Pelvic floor outcomes in patients who have undergone general rehabilitation following surgery for colorectal cancer: A pilot study. <i>Physiotherapy Theory and Practice</i> , 2019, 35, 206-218.	0.6	1

#	ARTICLE	IF	CITATIONS
55	Standard restrictive sternal precautions and modified sternal precautions had similar effects in people after cardiac surgery via median sternotomy (â€SMARTâ€™ Trial): a randomised trial. <i>Journal of Physiotherapy</i> , 2018, 64, 97-106.	0.7	27
56	Advances in cardiorespiratory physiotherapy and their clinical impact. <i>Expert Review of Respiratory Medicine</i> , 2018, 12, 203-215.	1.0	68
57	Evidence, education and multi-disciplinary integration are needed to embed exercise into lung cancer clinical care: A qualitative study involving physiotherapists. <i>Physiotherapy Theory and Practice</i> , 2018, 34, 852-860.	0.6	12
58	Pelvic floor symptoms, physical, and psychological outcomes of patients following surgery for colorectal cancer. <i>Physiotherapy Theory and Practice</i> , 2018, 34, 442-452.	0.6	11
59	Preoperative physiotherapy for the prevention of respiratory complications after upper abdominal surgery: pragmatic, double blinded, multicentre randomised controlled trial. <i>BMJ: British Medical Journal</i> , 2018, 360, j5916.	2.4	183
60	Physical Activity Behavior After a Diagnosis of Lung Cancer Differs Between Countries: An Observational Cohort Study. <i>Integrative Cancer Therapies</i> , 2018, 17, 493-502.	0.8	2
61	Physiotherapy education and training prior to upper abdominal surgery is memorable and has high treatment fidelity: a nested mixed-methods randomised-controlled study. <i>Physiotherapy</i> , 2018, 104, 194-202.	0.2	25
62	Hindsight and moving the needle forwards on rehabilitation trial design. <i>Thorax</i> , 2018, 73, 203-205.	2.7	7
63	The Functional Difficulties Questionnaire: A New Tool for Assessing Physical Function of the Thoracic Region in a Cardiac Surgery Population. <i>Cardiopulmonary Physical Therapy Journal</i> , 2018, 29, 110-123.	0.2	9
64	Symptoms of Posttraumatic Stress Disorder and Associated Risk Factors in Patients With Lung Cancer: A Longitudinal Observational Study. <i>Integrative Cancer Therapies</i> , 2018, 17, 1195-1203.	0.8	10
65	Prehabilitation Prior to Major Cancer Surgery: Training for Surgery to Optimize Physiologic Reserve to Reduce Postoperative Complications. <i>Current Anesthesiology Reports</i> , 2018, 8, 375-385.	0.9	11
66	CAPACITY: A physical activity self-management program for patients undergoing surgery for lung cancer, a phase I feasibility study. <i>Lung Cancer</i> , 2018, 124, 102-109.	0.9	24
67	Physical Rehabilitation Core Outcomes In Critical illness (PRACTICE): protocol for development of a core outcome set. <i>Trials</i> , 2018, 19, 294.	0.7	34
68	Long-term recovery following critical illness in an Australian cohort. <i>Journal of Intensive Care</i> , 2018, 6, 8.	1.3	29
69	Interpreting and Implementing the 2018 Pain, Agitation/Sedation, Delirium, Immobility, and Sleep Disruption Clinical Practice Guideline. <i>Critical Care Medicine</i> , 2018, 46, 1464-1470.	0.4	46
70	Executive Summary: Clinical Practice Guidelines for the Prevention and Management of Pain, Agitation/Sedation, Delirium, Immobility, and Sleep Disruption in Adult Patients in the ICU. <i>Critical Care Medicine</i> , 2018, 46, 1532-1548.	0.4	197
71	Clinical Practice Guidelines for the Prevention and Management of Pain, Agitation/Sedation, Delirium, Immobility, and Sleep Disruption in Adult Patients in the ICU. <i>Critical Care Medicine</i> , 2018, 46, e825-e873.	0.4	2,074
72	Short Physical Performance Battery Can Be Utilized to Evaluate Physical Function in Patients After Cardiac Surgery. <i>Cardiopulmonary Physical Therapy Journal</i> , 2018, 29, 88-96.	0.2	10

#	ARTICLE	IF	CITATIONS
73	The nexus of functional exercise capacity with health-related quality of life in lung cancer: how closely are they related?. <i>Annals of Translational Medicine</i> , 2018, 6, S131-S131.	0.7	1
74	Living actively in the face of impending death: constantly adjusting to bodily decline at the end-of-life. <i>BMJ Supportive and Palliative Care</i> , 2017, 7, 179-188.	0.8	29
75	How is physical activity measured in lung cancer? A systematic review of outcome measures and their psychometric properties. <i>Respirology</i> , 2017, 22, 263-277.	1.3	9
76	Factors influencing physical activity and rehabilitation in survivors of critical illness: a systematic review of quantitative and qualitative studies. <i>Intensive Care Medicine</i> , 2017, 43, 531-542.	3.9	118
77	Measurement of physical activity levels in the Intensive Care Unit and functional outcomes: An observational study. <i>Journal of Critical Care</i> , 2017, 40, 189-196.	1.0	28
78	Understanding factors influencing physical activity and exercise in lung cancer: a systematic review. <i>Supportive Care in Cancer</i> , 2017, 25, 983-999.	1.0	78
79	Intensive preoperative rehabilitation improves functional capacity and postoperative hospital length of stay in elderly patients with lung cancer [commentary]. <i>Journal of Physiotherapy</i> , 2017, 63, 184.	0.7	1
80	Survey of neurodevelopmental allied health teams in Australian and New Zealand neonatal nurseries: Staff profile and standardised neurobehavioural/neurological assessment. <i>Journal of Paediatrics and Child Health</i> , 2017, 53, 578-584.	0.4	11
81	Measuring physical function after ICU: one step at a time. <i>Intensive Care Medicine</i> , 2017, 43, 1901-1903.	3.9	15
82	A pragmatic, phase III, multisite, double-blind, placebo-controlled, parallel-arm, dose increment randomised trial of regular, low-dose extended-release morphine for chronic breathlessness: Breathlessness, Exertion And Morphine Sulfate (BEAMS) study protocol. <i>BMJ Open</i> , 2017, 7, e018100.	0.8	27
83	Balance and Falls in Acute Exacerbation of Chronic Obstructive Pulmonary Disease: A Prospective Study. <i>COPD: Journal of Chronic Obstructive Pulmonary Disease</i> , 2017, 14, 518-525.	0.7	31
84	Is ultrasound a reliable and precise measure of sternal micromotion in acute patients after cardiac surgery?. <i>International Journal of Therapy and Rehabilitation</i> , 2017, 24, 62-70.	0.1	6
85	Critical illness, disability, and the road home. <i>Intensive Care Medicine</i> , 2017, 43, 1881-1883.	3.9	12
86	The Sternal Management Accelerated Recovery Trial (S.M.A.R.T) â€“ standard restrictive versus an intervention of modified sternal precautions following cardiac surgery via median sternotomy: study protocol for a randomised controlled trial. <i>Trials</i> , 2017, 18, 290.	0.7	17
87	What factors affect implementation of early rehabilitation into intensive care unit practice? A qualitative study with clinicians. <i>Journal of Critical Care</i> , 2017, 38, 137-143.	1.0	37
88	The Australian Pelvic Floor Questionnaire is a valid measure of pelvic floor symptoms in patients following surgery for colorectal cancer. <i>Neurourology and Urodynamics</i> , 2017, 36, 1395-1402.	0.8	5
89	Ten reasons why ICU patients should be mobilized early. <i>Intensive Care Medicine</i> , 2017, 43, 86-90.	3.9	76
90	The conceptualisation of health-related quality of life in decision-making by intensive care physicians: A qualitative inquiry. <i>Australian Critical Care</i> , 2017, 30, 152-159.	0.6	5

#	ARTICLE	IF	CITATIONS
91	Physiological stress responses in infants at 29â€“32 weeksâ€™ postmenstrual age during clustered nursing cares and standardised neurobehavioural assessments. <i>BMJ Paediatrics Open</i> , 2017, 1, e000025.	0.6	5
92	Benefits of home-based multidisciplinary exercise and supportive care in inoperable non-small cell lung cancer â€“ protocol for a phase II randomised controlled trial. <i>BMC Cancer</i> , 2017, 17, 663.	1.1	21
93	A Binational Multicenter Pilot Feasibility Randomized Controlled Trial of Early Goal-Directed Mobilization in the ICU*. <i>Critical Care Medicine</i> , 2016, 44, 1145-1152.	0.4	164
94	The ICU Mobility Scale Has Construct and Predictive Validity and Is Responsive. A Multicenter Observational Study. <i>Annals of the American Thoracic Society</i> , 2016, 13, 887-893.	1.5	96
95	Functional and postoperative outcomes after preoperative exercise training in patients with lung cancer: a systematic review and meta-analysis. <i>Interactive Cardiovascular and Thoracic Surgery</i> , 2016, 23, 486-497.	0.5	167
96	Barriers to Translation of Physical Activity into the Lung Cancer Model of Care. A Qualitative Study of Cliniciansâ€™ Perspectives. <i>Annals of the American Thoracic Society</i> , 2016, 13, 2215-2222.	1.5	42
97	Risk Factors for Sternal Complications After Cardiac Operations: A Systematic Review. <i>Annals of Thoracic Surgery</i> , 2016, 102, 2109-2117.	0.7	70
98	Organisation and resource management in the intensive care unit: A critical review. <i>International Journal of Therapy and Rehabilitation</i> , 2015, 22, 187-196.	0.1	6
99	Falls by individuals with chronic obstructive pulmonary disease: A preliminary 12-month prospective cohort study. <i>Respirology</i> , 2015, 20, 1096-1101.	1.3	31
100	Which field walking test should be used to assess functional exercise capacity in lung cancer? an observational study. <i>BMC Pulmonary Medicine</i> , 2015, 15, 89.	0.8	26
101	The LIPPSMAck POP (Lung Infection Prevention Post Surgery - Major Abdominal - with Pre-Operative) Tj ETQq1 1 0.784314 rgBT /Over 573.	0.7	17
102	Prospective observation of physical activity in critically ill patients who were intubated for more than 48 hours. <i>Journal of Critical Care</i> , 2015, 30, 658-663.	1.0	46
103	Functional outcomes in ICU â€“ what should we be using? - an observational study. <i>Critical Care</i> , 2015, 19, 127.	2.5	121
104	Early mobilization practice in a single Brazilian intensive care unit. <i>Journal of Critical Care</i> , 2015, 30, 896-900.	1.0	16
105	Construct Validity and Minimal Important Difference of 6-Minute Walk Distance in Survivors of Acute Respiratory Failure. <i>Chest</i> , 2015, 147, 1316-1326.	0.4	57
106	Assessment of impairment and activity limitations in the critically ill: a systematic review of measurement instruments and their clinimetric properties. <i>Intensive Care Medicine</i> , 2015, 41, 744-762.	3.9	139
107	Fear of falling in people with chronic obstructive pulmonary disease. <i>Respiratory Medicine</i> , 2015, 109, 483-489.	1.3	36
108	Early mobilization and recovery in mechanically ventilated patients in the ICU: a bi-national, multi-centre, prospective cohort study. <i>Critical Care</i> , 2015, 19, 81.	2.5	248

#	ARTICLE	IF	CITATIONS
109	Interobserver Reliability of Quantitative Muscle Sonographic Analysis in the Critically Ill Population. <i>Journal of Ultrasound in Medicine</i> , 2015, 34, 1191-1200.	0.8	103
110	Ultrasonography in the intensive care setting can be used to detect changes in the quality and quantity of muscle and is related to muscle strength and function. <i>Journal of Critical Care</i> , 2015, 30, 1151.e9-1151.e14.	1.0	271
111	Psychosocial Outcomes in Informal Caregivers of the Critically Ill. <i>Critical Care Medicine</i> , 2015, 43, 1112-1120.	0.4	119
112	The self-reported Physical Activity Scale for the Elderly (PASE) is a valid and clinically applicable measure in lung cancer. <i>Supportive Care in Cancer</i> , 2015, 23, 3211-3218.	1.0	26
113	A new two-tier strength assessment approach to the diagnosis of weakness in intensive care: an observational study. <i>Critical Care</i> , 2015, 19, 52.	2.5	74
114	Exhaled Breath Condensate Pepsin: Potential Noninvasive Test for Gastroesophageal Reflux in COPD and Bronchiectasis. <i>Respiratory Care</i> , 2015, 60, 244-250.	0.8	37
115	Usual Care Physiotherapy During Acute Hospitalization in Subjects Admitted to the ICU: An Observational Cohort Study. <i>Respiratory Care</i> , 2015, 60, 1476-1485.	0.8	29
116	How Can Clinicians Use Outcome Measures in Routine Care? Knowledge Translation Strategies. <i>Current Physical Medicine and Rehabilitation Reports</i> , 2015, 3, 268-279.	0.3	1
117	Minimal important difference of the 6-minute walk distance in lung cancer. <i>Chronic Respiratory Disease</i> , 2015, 12, 146-154.	1.0	93
118	Exercise Interventions in Critical Illness Survivors: Understanding Inclusion and Stratification Criteria. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2015, 191, 1464-1467.	2.5	44
119	Health-Related Quality of Life in Australasian Survivors of H1N1 Influenza Undergoing Mechanical Ventilation. A Multicenter Cohort Study. <i>Annals of the American Thoracic Society</i> , 2015, 12, 895-903.	1.5	16
120	Pelvic floor muscle training for bowel dysfunction following colorectal cancer surgery: A systematic review. <i>Neurourology and Urodynamics</i> , 2015, 34, 703-712.	0.8	30
121	Physical Activity Measured Using Global Positioning System Tracking in Non-Small Cell Lung Cancer. <i>Integrative Cancer Therapies</i> , 2014, 13, 482-492.	0.8	29
122	Proximal and distal gastroesophageal reflux in chronic obstructive pulmonary disease and bronchiectasis. <i>Respirology</i> , 2014, 19, 211-217.	1.3	46
123	Expert consensus and recommendations on safety criteria for active mobilization of mechanically ventilated critically ill adults. <i>Critical Care</i> , 2014, 18, 658.	2.5	391
124	Upper Limb Exercise Prescription Following Cardiac Surgery via Median Sternotomy. <i>Journal of Cardiopulmonary Rehabilitation and Prevention</i> , 2014, 34, 390-395.	1.2	27
125	Functional electrical stimulation with cycling in the critically ill: A pilot case-matched control study. <i>Journal of Critical Care</i> , 2014, 29, 695.e1-695.e7.	1.0	67
126	Low physical activity levels and functional decline in individuals with lung cancer. <i>Lung Cancer</i> , 2014, 83, 292-299.	0.9	135

#	ARTICLE	IF	CITATIONS
127	Outcome measures report different aspects of patient function three months following critical care. <i>Intensive Care Medicine</i> , 2014, 40, 1862-1869.	3.9	32
128	The Physical Function Intensive Care Test: Implementation in Survivors of Critical Illness. <i>Physical Therapy</i> , 2014, 94, 1499-1507.	1.1	46
129	A pilot thoracic exercise programme reduces early (0-6 weeks) sternal pain following open heart surgery. <i>International Journal of Therapy and Rehabilitation</i> , 2014, 21, 110-117.	0.1	14
130	Functional capacity, physical activity and muscle strength assessment of individuals with non-small cell lung cancer: a systematic review of instruments and their measurement properties. <i>BMC Cancer</i> , 2013, 13, 135.	1.1	40
131	A Physical Function Test for Use in the Intensive Care Unit: Validity, Responsiveness, and Predictive Utility of the Physical Function ICU Test (Scored). <i>Physical Therapy</i> , 2013, 93, 1636-1645.	1.1	132
132	Exercise rehabilitation for patients with critical illness: a randomized controlled trial with 12 months of follow-up. <i>Critical Care</i> , 2013, 17, R156.	2.5	305
133	Time to Readiness for Discharge is a Valid and Reliable Measure of Short-Term Recovery After Colorectal Surgery. <i>World Journal of Surgery</i> , 2013, 37, 2927-2934.	0.8	58
134	Postural Control and Fear of Falling Assessment in People With Chronic Obstructive Pulmonary Disease: A Systematic Review of Instruments, International Classification of Functioning, Disability and Health Linkage, and Measurement Properties. <i>Archives of Physical Medicine and Rehabilitation</i> , 2013, 94, 1784-1799.e7.	0.5	46
135	The efficacy of minitracheostomy for the management of sputum retention: a systematic review. <i>Physiotherapy</i> , 2013, 99, 271-277.	0.2	8
136	Safety and Feasibility of an Exercise Intervention for Patients Following Lung Resection. <i>Integrative Cancer Therapies</i> , 2013, 12, 213-224.	0.8	46
137	Electrical Muscle Stimulation in the Intensive Care Setting. <i>Critical Care Medicine</i> , 2013, 41, 2406-2418.	0.4	70
138	447. <i>Critical Care Medicine</i> , 2013, 41, A108.	0.4	1
139	Prognostic Validation of the Body Mass Index, Airflow Obstruction, Dyspnea, and Exercise Capacity (BODE) Index in Inoperable Non-Small-Cell Lung Cancer. <i>Journal of Thoracic Oncology</i> , 2013, 8, 1545-1550.	0.5	15
140	Intensive care unit mobility practices in Australia and New Zealand: a point prevalence study. <i>Critical Care and Resuscitation: Journal of the Australasian Academy of Critical Care Medicine</i> , 2013, 15, 260-5.	0.0	74
141	Safety and Feasibility of an Exercise Prescription Approach to Rehabilitation Across the Continuum of Care for Survivors of Critical Illness. <i>Physical Therapy</i> , 2012, 92, 1524-1535.	1.1	83
142	Strategies for post ICU rehabilitation. <i>Current Opinion in Critical Care</i> , 2012, 18, 503-508.	1.6	35
143	Improving long-term outcomes after discharge from intensive care unit. <i>Critical Care Medicine</i> , 2012, 40, 502-509.	0.4	1,806
144	Quantifying Physical Activity Levels of Survivors of Intensive Care: A Prospective Observational Study. <i>Physical Therapy</i> , 2012, 92, 1507-1517.	1.1	25

#	ARTICLE	IF	CITATIONS
145	Upright Positive Expiratory Pressure Therapy and Exercise: Effects on Gastroesophageal Reflux in COPD and Bronchiectasis. <i>Respiratory Care</i> , 2012, 57, 1460-1467.	0.8	11
146	Criteria to Determine Readiness for Hospital Discharge Following Colorectal Surgery. <i>Diseases of the Colon and Rectum</i> , 2012, 55, 416-423.	0.7	90
147	Physiotherapy in Critical Care in Australia. <i>Cardiopulmonary Physical Therapy Journal</i> , 2012, 23, 19-25.	0.2	66
148	Exercise rehabilitation following hospital discharge in survivors of critical illness: an integrative review. <i>Critical Care</i> , 2012, 16, 226.	2.5	44
149	Early rehabilitation in critical care (eRiCC): functional electrical stimulation with cycling protocol for a randomised controlled trial. <i>BMJ Open</i> , 2012, 2, e001891.	0.8	35
150	Validity of the Microsoft Kinect for assessment of postural control. <i>Gait and Posture</i> , 2012, 36, 372-377.	0.6	564
151	Can an Accelerometer-Based Monitor be used to Accurately Assess Physical Activity in a Population of Survivors of Critical Illness?. <i>Global Journal of Health Science</i> , 2012, 4, 98-107.	0.1	12
152	Reaching consensus on the physiotherapeutic management of patients following upper abdominal surgery: a pragmatic approach to interpret equivocal evidence. <i>BMC Medical Informatics and Decision Making</i> , 2012, 12, 5.	1.5	27
153	Physiotherapy in critical care in australia. <i>Cardiopulmonary Physical Therapy Journal</i> , 2012, 23, 19-25.	0.2	13
154	Assessing physical function and activity for survivors of a critical illness: A review of instruments. <i>Australian Critical Care</i> , 2011, 24, 155-166.	0.6	69
155	Gastro-Oesophageal Reflux in Noncystic Fibrosis Bronchiectasis. <i>Pulmonary Medicine</i> , 2011, 2011, 1-6.	0.5	9
156	Health-related quality of life in Australian survivors of critical illness*. <i>Critical Care Medicine</i> , 2011, 39, 1896-1905.	0.4	55
157	A randomised trial of domiciliary, ambulatory oxygen in patients with COPD and dyspnoea but without resting hypoxaemia. <i>Thorax</i> , 2011, 66, 32-37.	2.7	102
158	Reply to Agostini et al.. <i>European Journal of Cardio-thoracic Surgery</i> , 2011, 39, 612-613.	0.6	0
159	ICU-acquired weakness - a call to arms (and legs). <i>Critical Care and Resuscitation: Journal of the Australasian Academy of Critical Care Medicine</i> , 2011, 13, 3-4.	0.0	2
160	Reply to Cusumano et al.. <i>European Journal of Cardio-thoracic Surgery</i> , 2010, 38, 817-818.	0.6	0
161	A postoperative shoulder exercise program improves function and decreases pain following open thoracotomy: a randomised trial. <i>Journal of Physiotherapy</i> , 2010, 56, 245-252.	0.7	46
162	Does physiotherapy reduce the incidence of postoperative pulmonary complications following pulmonary resection via open thoracotomy? A preliminary randomised single-blind clinical trial. <i>European Journal of Cardio-thoracic Surgery</i> , 2010, 37, 1158-1166.	0.6	86

#	ARTICLE	IF	CITATIONS
163	Acute effects of hyperoxia on resting pattern of ventilation and dyspnoea in COPD. <i>Respirology</i> , 2009, 14, 545-550.	1.3	8
164	Duration of anaesthesia, type of surgery, respiratory co-morbidity, predicted VO ₂ max and smoking predict postoperative pulmonary complications after upper abdominal surgery: an observational study. <i>Australian Journal of Physiotherapy</i> , 2009, 55, 191-198.	0.9	84
165	Comparison of Pedometer and Activity Diary for Measurement of Physical Activity in Chronic Obstructive Pulmonary Disease. <i>Journal of Cardiopulmonary Rehabilitation and Prevention</i> , 2009, 29, 57-61.	1.2	20
166	Development of a physical function outcome measure (PFIT) and a pilot exercise training protocol for use in intensive care. <i>Critical Care and Resuscitation: Journal of the Australasian Academy of Critical Care Medicine</i> , 2009, 11, 110-5.	0.0	45
167	Physiotherapy and thoracic surgery: thinking beyond usual practice. <i>Physiotherapy Research International</i> , 2008, 13, 69-74.	0.7	6
168	Rehabilitation and exercise prescription in Australian intensive care units. <i>Physiotherapy</i> , 2008, 94, 220-229.	0.2	79
169	Does physiotherapy reduce the incidence of postoperative complications in patients following pulmonary resection via thoracotomy? a protocol for a randomised controlled trial. <i>Journal of Cardiothoracic Surgery</i> , 2008, 3, 48.	0.4	39
170	An Assessment of Early Tracheostomy After Anterior Cervical Stabilization in Patients With Acute Cervical Spine Trauma. <i>Journal of Trauma</i> , 2008, 64, 749-753.	2.3	19
171	Measurement of Functional Activity in Chronic Obstructive Pulmonary Disease. <i>Journal of Cardiopulmonary Rehabilitation and Prevention</i> , 2008, 28, 402-409.	1.2	33
172	Evaluation of Exercise Rehabilitation for Survivors of Intensive Care: Protocol for a Single Blind Randomised Controlled Trial. <i>Open Critical Care Medicine Journal</i> , 2008, 1, 39-47.	0.2	26
173	The quantity of early upright mobilisation performed following upper abdominal surgery is low: an observational study. <i>Australian Journal of Physiotherapy</i> , 2007, 53, 47-52.	0.9	111
174	The physiotherapy management of patients undergoing thoracic surgery: a survey of current practice in Australia and New Zealand. <i>Physiotherapy Research International</i> , 2007, 12, 59-71.	0.7	55
175	Physiotherapy in the intensive care unit. <i>Physical Therapy Reviews</i> , 2006, 11, 49-56.	0.3	46
176	Head-down tilt and manual hyperinflation enhance sputum clearance in patients who are intubated and ventilated. <i>Australian Journal of Physiotherapy</i> , 2004, 50, 9-14.	0.9	69
177	Does removal of deep breathing exercises from a physiotherapy program including pre-operative education and early mobilisation after cardiac surgery alter patient outcomes?. <i>Australian Journal of Physiotherapy</i> , 2003, 49, 165-173.	0.9	76
178	A randomized controlled trial comparing periodic mask CPAP with physiotherapy after abdominal surgery. <i>Physiotherapy Research International</i> , 2001, 6, 236-250.	0.7	51
179	THE COST&EFFICIENCY OF INCENTIVE SPIROMETRY AFTER ABDOMINAL SURGERY. <i>ANZ Journal of Surgery</i> , 1994, 64, 637-638.	0.3	0
180	ICU rehabilitation. , 0, , 235-251.		0