

# Linda Denehy

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3797143/publications.pdf>

Version: 2024-02-01

180  
papers

11,740  
citations

50276

46  
h-index

30087

103  
g-index

184  
all docs

184  
docs citations

184  
times ranked

9912  
citing authors

#	ARTICLE	IF	CITATIONS
1	Feasibility and safety of the 30-second sit-to-stand test delivered via telehealth: An observational study. PM and R, 2023, 15, 31-40.	1.6	9
2	The minimal clinically important difference in the treadmill six-minute walk test in active women with breast cancer during and after oncological treatments. Disability and Rehabilitation, 2023, 45, 871-878.	1.8	6
3	Impact of an allied health prehabilitation service for haematologic patients receiving high-dose chemotherapy in a large cancer centre. Supportive Care in Cancer, 2022, 30, 1841-1852.	2.2	9
4	Effect of a postoperative home-based exercise and self-management programme on physical function in people with lung cancer (CAPACITY): protocol for a randomised controlled trial. BMJ Open Respiratory Research, 2022, 9, e001189.	3.0	0
5	Intensive physical therapy after emergency laparotomy: Pilot phase of the Incidence of Complications following Emergency Abdominal surgery Get Exercising randomized controlled trial. Journal of Trauma and Acute Care Surgery, 2022, 92, 1020-1030.	2.1	3
6	Implementability of healthcare interventions: an overview of reviews and development of a conceptual framework. Implementation Science, 2022, 17, 10.	6.9	72
7	Respiratory Prehabilitation for the Prevention of Postoperative Pulmonary Complications after Major Surgery. Current Anesthesiology Reports, 2022, 12, 44-58.	2.0	4
8	Improving physical function of patients following intensive care unit admission (EMPRESS): protocol of a randomised controlled feasibility trial. BMJ Open, 2022, 12, e055285.	1.9	0
9	Prehabilitation with preoperative exercise and education for patients undergoing major abdominal cancer surgery: protocol for a multicentre randomised controlled TRIAL (PRIORITY TRIAL). BMC Cancer, 2022, 22, 443.	2.6	15
10	The sit-to-stand test as a patient-centered functional outcome for critical care research: a pooled analysis of five international rehabilitation studies. Critical Care, 2022, 26, .	5.8	8
11	Functional electrical stimulation in-bed cycle ergometry in mechanically ventilated patients: a multicentre randomised controlled trial. Thorax, 2021, 76, 656-663.	5.6	28
12	Patient acceptance of prehabilitation for major surgery: an exploratory survey. Supportive Care in Cancer, 2021, 29, 779-785.	2.2	26
13	Individualized in-hospital exercise training program for people undergoing hematopoietic stem cell transplantation: a feasibility study. Disability and Rehabilitation, 2021, 43, 386-392.	1.8	11
14	Falls prevalence and risk factors in people with chronic obstructive pulmonary disease: A systematic review. Respiratory Medicine, 2021, 176, 106284.	2.9	15
15	Validity and Utility Testing of a Criteria-based Discharge Checklist to Determine Postoperative Recovery after Abdominal Surgery: an International Multicentre Prospective Cohort Trial. World Journal of Surgery, 2021, 45, 719-729.	1.6	3
16	Feasibility of establishing a rehabilitation programme in a Vietnamese intensive care unit. PLoS ONE, 2021, 16, e0247406.	2.5	2
17	Efficacy of Prehabilitation Including Exercise on Postoperative Outcomes Following Abdominal Cancer Surgery: A Systematic Review and Meta-Analysis. Frontiers in Surgery, 2021, 8, 628848.	1.4	89
18	Is Preoperative Exercise Training the New Holy Grail for Patients Undergoing Major Surgery?. Annals of the American Thoracic Society, 2021, 18, 587-589.	3.2	5

#	ARTICLE	IF	CITATIONS
19	Geriatric Rehabilitation Inpatients Roam at Home! A Matched Cohort Study of Objectively Measured Physical Activity and Sedentary Behavior in Home-Based and Hospital-Based Settings. Journal of the American Medical Directors Association, 2021, 22, 2432-2439.e1.	2.5	8
20	Implementing a telehealth prehabilitation education session for patients preparing for major cancer surgery. BMC Health Services Research, 2021, 21, 443.	2.2	21
21	People With Hematological Malignancies Treated With Bone Marrow Transplantation Have Improved Function, Quality of Life, and Fatigue Following Exercise Intervention: A Systematic Review and Meta-Analysis. Physical Therapy, 2021, 101, .	2.4	20
22	ASO Visual Abstract: Preoperative Cardiopulmonary Exercise Test Associated with Postoperative Outcomes for Patients Undergoing Cancer Surgery—A Systematic Review and Meta-Analyses. Annals of Surgical Oncology, 2021, 28, 502-502.	1.5	3
23	Preoperative Cardiopulmonary Exercise Test Associated with Postoperative Outcomes in Patients Undergoing Cancer Surgery: A Systematic Review and Meta-Analyses. Annals of Surgical Oncology, 2021, 28, 7120-7146.	1.5	37
24	Location and Patterns of Persistent Pain Following Cardiac Surgery. Heart Lung and Circulation, 2021, 30, 1232-1243.	0.4	3
25	Cost-effectiveness analysis of home-based rehabilitation compared to usual care for people with inoperable lung cancer. European Journal of Cancer Care, 2021, 30, e13501.	1.5	4
26	Surviving COVID-19: a familiar road to recovery?. Lancet Respiratory Medicine, the, 2021, 9, 1211-1213.	10.7	3
27	Home-based rehabilitation in inoperable non-small cell lung cancer—the patient experience. Supportive Care in Cancer, 2020, 28, 99-112.	2.2	24
28	Physiotherapist administered, non-invasive ventilation to reduce postoperative pulmonary complications in high-risk patients following elective upper abdominal surgery; a before-and-after cohort implementation study. Physiotherapy, 2020, 106, 77-86.	0.4	10
29	Psychometric evaluation of the shortened version of the Functional Difficulties Questionnaire to assess thoracic physical function. Clinical Rehabilitation, 2020, 34, 132-140.	2.2	4
30	An allied health rehabilitation program for patients following surgery for abdomino-pelvic cancer: a feasibility and pilot clinical study. Supportive Care in Cancer, 2020, 28, 1335-1350.	2.2	7
31	The fear and risk of community falls in patients following an intensive care admission: An exploratory cohort study. Australian Critical Care, 2020, 33, 144-150.	1.3	6
32	Implications for post critical illness trial design: sub-phenotyping trajectories of functional recovery among sepsis survivors. Critical Care, 2020, 24, 577.	5.8	27
33	Chronic Critical Illness and Muscle Strength: An Ill-Defined Field*. Critical Care Medicine, 2020, 48, 1699-1701.	0.9	2
34	Preoperative physiotherapy is cost-effective for preventing pulmonary complications after major abdominal surgery: a health economic analysis of a multicentre randomised trial. Journal of Physiotherapy, 2020, 66, 180-187.	1.7	23
35	Evidence on technology-driven preoperative exercise interventions: are we there yet?. British Journal of Anaesthesia, 2020, 125, 646-649.	3.4	11
36	A 12-Week Multi-Modal Exercise Program: Feasibility of Combined Exercise and Simplified 8-Style Tai Chi Following Lung Cancer Surgery. Integrative Cancer Therapies, 2020, 19, 153473542095288.	2.0	8

#	ARTICLE	IF	CITATIONS
37	Evaluating Physical Functioning in Survivors of Critical Illness: Development of a New Continuum Measure for Acute Care*. Critical Care Medicine, 2020, 48, 1427-1435.	0.9	5
38	Response to physical rehabilitation and recovery trajectories following critical illness: individual participant data meta-analysis protocol. BMJ Open, 2020, 10, e035613.	1.9	4
39	The Effect of Pelvic Floor Muscle Interventions on Pelvic Floor Dysfunction After Gynecological Cancer Treatment: A Systematic Review. Physical Therapy, 2020, 100, 1357-1371.	2.4	25
40	Attitudes and Perceptions to Prehabilitation in Lung Cancer. Integrative Cancer Therapies, 2020, 19, 153473542092446.	2.0	13
41	&lt;p&gt;The Cost of Bottling It Up: Emotion Suppression as a Mediator in the Relationship Between Anger and Depression Among Men with Prostate Cancer&lt;p&gt;. Cancer Management and Research, 2020, Volume 12, 1039-1046.	1.9	10
42	Searching for the Responder, Unpacking the Physical Rehabilitation Needs of Critically Ill Adults. Journal of Cardiopulmonary Rehabilitation and Prevention, 2020, 40, 359-369.	2.1	7
43	Physical activity for people with lung cancer. Australian Journal of General Practice, 2020, 49, 175-181.	0.8	9
44	â€˜Probably better than any medication we can give youâ€™: General practitionersâ€™ views on exercise and nutrition in cancer. Australian Journal of General Practice, 2020, 49, 513-518.	0.8	5
45	Motion at the Sternal Edges During Upper Limb and Trunk Tasks In-Vivo as Measured by Real-Time Ultrasound Following Cardiac Surgery: A Three-Month Prospective, Observational Study. Heart Lung and Circulation, 2019, 28, 1283-1291.	0.4	14
46	Physical Activity Levels Are Low in Inoperable Lung Cancer: Exploratory Analyses from a Randomised Controlled Trial. Journal of Clinical Medicine, 2019, 8, 1288.	2.4	20
47	Non-Invasive Positive airway Pressure thErapy to Reduce Postoperative Lung complications following Upper abdominal Surgery (NIPPER PLUS): protocol for a single-centre, pilot, randomised controlled trial. BMJ Open, 2019, 9, e023139.	1.9	8
48	Multidisciplinary home-based rehabilitation in inoperable lung cancer: a randomised controlled trial. Thorax, 2019, 74, 787-796.	5.6	44
49	Clinical education alone is sufficient to increase resistance training exercise prescription. PLoS ONE, 2019, 14, e0212168.	2.5	2
50	Socioeconomic Position and Health Outcomes Following Critical Illness: A Systematic Review. Critical Care Medicine, 2019, 47, e512-e521.	0.9	30
51	Ultrasound Evaluation of Quadriceps Muscle Dysfunction in Respiratory Disease. Cardiopulmonary Physical Therapy Journal, 2019, 30, 15-23.	0.3	15
52	Commencing Out-of-Bed Rehabilitation in Critical Careâ€™What Influences Clinical Decision-Making?. Archives of Physical Medicine and Rehabilitation, 2019, 100, 261-269.e2.	0.9	15
53	Improving the delivery of physical activity services in lung cancer: A qualitative representation of the patientâ€™s perspective. European Journal of Cancer Care, 2019, 28, e12946.	1.5	18
54	Pelvic floor outcomes in patients who have undergone general rehabilitation following surgery for colorectal cancer: A pilot study. Physiotherapy Theory and Practice, 2019, 35, 206-218.	1.3	1

#	ARTICLE	IF	CITATIONS
55	Standard restrictive sternal precautions and modified sternal precautions had similar effects in people after cardiac surgery via median sternotomy (â€SMARTâ€™ Trial): a randomised trial. <i>Journal of Physiotherapy</i> , 2018, 64, 97-106.	1.7	27
56	Advances in cardiorespiratory physiotherapy and their clinical impact. <i>Expert Review of Respiratory Medicine</i> , 2018, 12, 203-215.	2.5	68
57	Evidence, education and multi-disciplinary integration are needed to embed exercise into lung cancer clinical care: A qualitative study involving physiotherapists. <i>Physiotherapy Theory and Practice</i> , 2018, 34, 852-860.	1.3	12
58	Pelvic floor symptoms, physical, and psychological outcomes of patients following surgery for colorectal cancer. <i>Physiotherapy Theory and Practice</i> , 2018, 34, 442-452.	1.3	11
59	Preoperative physiotherapy for the prevention of respiratory complications after upper abdominal surgery: pragmatic, double blinded, multicentre randomised controlled trial. <i>BMJ: British Medical Journal</i> , 2018, 360, j5916.	2.3	183
60	Physical Activity Behavior After a Diagnosis of Lung Cancer Differs Between Countries: An Observational Cohort Study. <i>Integrative Cancer Therapies</i> , 2018, 17, 493-502.	2.0	2
61	Physiotherapy education and training prior to upper abdominal surgery is memorable and has high treatment fidelity: a nested mixed-methods randomised-controlled study. <i>Physiotherapy</i> , 2018, 104, 194-202.	0.4	25
62	Hindsight and moving the needle forwards on rehabilitation trial design. <i>Thorax</i> , 2018, 73, 203-205.	5.6	7
63	The Functional Difficulties Questionnaire: A New Tool for Assessing Physical Function of the Thoracic Region in a Cardiac Surgery Population. <i>Cardiopulmonary Physical Therapy Journal</i> , 2018, 29, 110-123.	0.3	9
64	Symptoms of Posttraumatic Stress Disorder and Associated Risk Factors in Patients With Lung Cancer: A Longitudinal Observational Study. <i>Integrative Cancer Therapies</i> , 2018, 17, 1195-1203.	2.0	10
65	Prehabilitation Prior to Major Cancer Surgery: Training for Surgery to Optimize Physiologic Reserve to Reduce Postoperative Complications. <i>Current Anesthesiology Reports</i> , 2018, 8, 375-385.	2.0	11
66	CAPACITY: A physical activity self-management program for patients undergoing surgery for lung cancer, a phase I feasibility study. <i>Lung Cancer</i> , 2018, 124, 102-109.	2.0	24
67	Physical Rehabilitation Core Outcomes In Critical illness (PRACTICE): protocol for development of a core outcome set. <i>Trials</i> , 2018, 19, 294.	1.6	34
68	Long-term recovery following critical illness in an Australian cohort. <i>Journal of Intensive Care</i> , 2018, 6, 8.	2.9	29
69	Interpreting and Implementing the 2018 Pain, Agitation/Sedation, Delirium, Immobility, and Sleep Disruption Clinical Practice Guideline. <i>Critical Care Medicine</i> , 2018, 46, 1464-1470.	0.9	46
70	Executive Summary: Clinical Practice Guidelines for the Prevention and Management of Pain, Agitation/Sedation, Delirium, Immobility, and Sleep Disruption in Adult Patients in the ICU. <i>Critical Care Medicine</i> , 2018, 46, 1532-1548.	0.9	197
71	Clinical Practice Guidelines for the Prevention and Management of Pain, Agitation/Sedation, Delirium, Immobility, and Sleep Disruption in Adult Patients in the ICU. <i>Critical Care Medicine</i> , 2018, 46, e825-e873.	0.9	2,074
72	Short Physical Performance Battery Can Be Utilized to Evaluate Physical Function in Patients After Cardiac Surgery. <i>Cardiopulmonary Physical Therapy Journal</i> , 2018, 29, 88-96.	0.3	10

#	ARTICLE	IF	CITATIONS
73	The nexus of functional exercise capacity with health-related quality of life in lung cancer: how closely are they related?. <i>Annals of Translational Medicine</i> , 2018, 6, S131-S131.	1.7	1
74	Living actively in the face of impending death: constantly adjusting to bodily decline at the end-of-life. <i>BMJ Supportive and Palliative Care</i> , 2017, 7, 179-188.	1.6	29
75	How is physical activity measured in lung cancer?A systematic review of outcome measures and their psychometric properties. <i>Respirology</i> , 2017, 22, 263-277.	2.3	9
76	Factors influencing physical activity and rehabilitation in survivors of critical illness: a systematic review of quantitative and qualitative studies. <i>Intensive Care Medicine</i> , 2017, 43, 531-542.	8.2	118
77	Measurement of physical activity levels in the Intensive Care Unit and functional outcomes: An observational study. <i>Journal of Critical Care</i> , 2017, 40, 189-196.	2.2	28
78	Understanding factors influencing physical activity and exercise in lung cancer: a systematic review. <i>Supportive Care in Cancer</i> , 2017, 25, 983-999.	2.2	78
79	Intensive preoperative rehabilitation improves functional capacity and postoperative hospital length of stay in elderly patients with lung cancer [commentary]. <i>Journal of Physiotherapy</i> , 2017, 63, 184.	1.7	1
80	Survey of neurodevelopmental allied health teams in Australian and New Zealand neonatal nurseries: Staff profile and standardised neurobehavioural/neurological assessment. <i>Journal of Paediatrics and Child Health</i> , 2017, 53, 578-584.	0.8	11
81	Measuring physical function after ICU: one step at a time. <i>Intensive Care Medicine</i> , 2017, 43, 1901-1903.	8.2	15
82	A pragmatic, phase III, multisite, double-blind, placebo-controlled, parallel-arm, dose increment randomised trial of regular, low-dose extended-release morphine for chronic breathlessness: Breathlessness, Exertion And Morphine Sulfate (BEAMS) study protocol. <i>BMJ Open</i> , 2017, 7, e018100.	1.9	27
83	Balance and Falls in Acute Exacerbation of Chronic Obstructive Pulmonary Disease: A Prospective Study. <i>COPD: Journal of Chronic Obstructive Pulmonary Disease</i> , 2017, 14, 518-525.	1.6	31
84	Is ultrasound a reliable and precise measure of sternal micromotion in acute patients after cardiac surgery?. <i>International Journal of Therapy and Rehabilitation</i> , 2017, 24, 62-70.	0.3	6
85	Critical illness, disability, and the road home. <i>Intensive Care Medicine</i> , 2017, 43, 1881-1883.	8.2	12
86	The Sternal Management Accelerated Recovery Trial (S.M.A.R.T) â€“ standard restrictive versus an intervention of modified sternal precautions following cardiac surgery via median sternotomy: study protocol for a randomised controlled trial. <i>Trials</i> , 2017, 18, 290.	1.6	17
87	What factors affect implementation of early rehabilitation into intensive care unit practice? A qualitative study with clinicians. <i>Journal of Critical Care</i> , 2017, 38, 137-143.	2.2	37
88	The Australian Pelvic Floor Questionnaire is a valid measure of pelvic floor symptoms in patients following surgery for colorectal cancer. <i>Neurourology and Urodynamics</i> , 2017, 36, 1395-1402.	1.5	5
89	Ten reasons why ICU patients should be mobilized early. <i>Intensive Care Medicine</i> , 2017, 43, 86-90.	8.2	76
90	The conceptualisation of health-related quality of life in decision-making by intensive care physicians: A qualitative inquiry. <i>Australian Critical Care</i> , 2017, 30, 152-159.	1.3	5

#	ARTICLE	IF	CITATIONS
91	Physiological stress responses in infants at 29â€“32 weeksâ€™ postmenstrual age during clustered nursing cares and standardised neurobehavioural assessments. <i>BMJ Paediatrics Open</i> , 2017, 1, e000025.	1.4	5
92	Benefits of home-based multidisciplinary exercise and supportive care in inoperable non-small cell lung cancer â€“ protocol for a phase II randomised controlled trial. <i>BMC Cancer</i> , 2017, 17, 663.	2.6	21
93	A Binational Multicenter Pilot Feasibility Randomized Controlled Trial of Early Goal-Directed Mobilization in the ICU*. <i>Critical Care Medicine</i> , 2016, 44, 1145-1152.	0.9	164
94	The ICU Mobility Scale Has Construct and Predictive Validity and Is Responsive. A Multicenter Observational Study. <i>Annals of the American Thoracic Society</i> , 2016, 13, 887-893.	3.2	96
95	Functional and postoperative outcomes after preoperative exercise training in patients with lung cancer: a systematic review and meta-analysis. <i>Interactive Cardiovascular and Thoracic Surgery</i> , 2016, 23, 486-497.	1.1	167
96	Barriers to Translation of Physical Activity into the Lung Cancer Model of Care. A Qualitative Study of Cliniciansâ€™ Perspectives. <i>Annals of the American Thoracic Society</i> , 2016, 13, 2215-2222.	3.2	42
97	Risk Factors for Sternal Complications After Cardiac Operations: A Systematic Review. <i>Annals of Thoracic Surgery</i> , 2016, 102, 2109-2117.	1.3	70
98	Organisation and resource management in the intensive care unit: A critical review. <i>International Journal of Therapy and Rehabilitation</i> , 2015, 22, 187-196.	0.3	6
99	Falls by individuals with chronic obstructive pulmonary disease: A preliminary 12-month prospective cohort study. <i>Respirology</i> , 2015, 20, 1096-1101.	2.3	31
100	Which field walking test should be used to assess functional exercise capacity in lung cancer? an observational study. <i>BMC Pulmonary Medicine</i> , 2015, 15, 89.	2.0	26
101	The LIPPSMAck POP (Lung Infection Prevention Post Surgery - Major Abdominal - with Pre-Operative) Tj ETQq1 1 0.784314 rgBT /Overlo 573.	1.6	17
102	Prospective observation of physical activity in critically ill patients who were intubated for more than 48 hours. <i>Journal of Critical Care</i> , 2015, 30, 658-663.	2.2	46
103	Functional outcomes in ICU â€“ what should we be using? - an observational study. <i>Critical Care</i> , 2015, 19, 127.	5.8	121
104	Early mobilization practice in a single Brazilian intensive care unit. <i>Journal of Critical Care</i> , 2015, 30, 896-900.	2.2	16
105	Construct Validity and Minimal Important Difference of 6-Minute Walk Distance in Survivors of Acute Respiratory Failure. <i>Chest</i> , 2015, 147, 1316-1326.	0.8	57
106	Assessment of impairment and activity limitations in the critically ill: a systematic review of measurement instruments and their clinimetric properties. <i>Intensive Care Medicine</i> , 2015, 41, 744-762.	8.2	139
107	Fear of falling in people with chronic obstructive pulmonary disease. <i>Respiratory Medicine</i> , 2015, 109, 483-489.	2.9	36
108	Early mobilization and recovery in mechanically ventilated patients in the ICU: a bi-national, multi-centre, prospective cohort study. <i>Critical Care</i> , 2015, 19, 81.	5.8	248



#	ARTICLE	IF	CITATIONS
109	Interobserver Reliability of Quantitative Muscle Sonographic Analysis in the Critically Ill Population. <i>Journal of Ultrasound in Medicine</i> , 2015, 34, 1191-1200.	1.7	103
110	Ultrasonography in the intensive care setting can be used to detect changes in the quality and quantity of muscle and is related to muscle strength and function. <i>Journal of Critical Care</i> , 2015, 30, 1151.e9-1151.e14.	2.2	271
111	Psychosocial Outcomes in Informal Caregivers of the Critically Ill. <i>Critical Care Medicine</i> , 2015, 43, 1112-1120.	0.9	119
112	The self-reported Physical Activity Scale for the Elderly (PASE) is a valid and clinically applicable measure in lung cancer. <i>Supportive Care in Cancer</i> , 2015, 23, 3211-3218.	2.2	26
113	A new two-tier strength assessment approach to the diagnosis of weakness in intensive care: an observational study. <i>Critical Care</i> , 2015, 19, 52.	5.8	74
114	Exhaled Breath Condensate Pepsin: Potential Noninvasive Test for Gastroesophageal Reflux in COPD and Bronchiectasis. <i>Respiratory Care</i> , 2015, 60, 244-250.	1.6	37
115	Usual Care Physiotherapy During Acute Hospitalization in Subjects Admitted to the ICU: An Observational Cohort Study. <i>Respiratory Care</i> , 2015, 60, 1476-1485.	1.6	29
116	How Can Clinicians Use Outcome Measures in Routine Care? Knowledge Translation Strategies. <i>Current Physical Medicine and Rehabilitation Reports</i> , 2015, 3, 268-279.	0.8	1
117	Minimal important difference of the 6-minute walk distance in lung cancer. <i>Chronic Respiratory Disease</i> , 2015, 12, 146-154.	2.4	93
118	Exercise Interventions in Critical Illness Survivors: Understanding Inclusion and Stratification Criteria. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2015, 191, 1464-1467.	5.6	44
119	Health-Related Quality of Life in Australasian Survivors of H1N1 Influenza Undergoing Mechanical Ventilation. A Multicenter Cohort Study. <i>Annals of the American Thoracic Society</i> , 2015, 12, 895-903.	3.2	16
120	Pelvic floor muscle training for bowel dysfunction following colorectal cancer surgery: A systematic review. <i>Neurourology and Urodynamics</i> , 2015, 34, 703-712.	1.5	30
121	Physical Activity Measured Using Global Positioning System Tracking in Non-Small Cell Lung Cancer. <i>Integrative Cancer Therapies</i> , 2014, 13, 482-492.	2.0	29
122	Proximal and distal gastroesophageal reflux in chronic obstructive pulmonary disease and bronchiectasis. <i>Respirology</i> , 2014, 19, 211-217.	2.3	46
123	Expert consensus and recommendations on safety criteria for active mobilization of mechanically ventilated critically ill adults. <i>Critical Care</i> , 2014, 18, 658.	5.8	391
124	Upper Limb Exercise Prescription Following Cardiac Surgery via Median Sternotomy. <i>Journal of Cardiopulmonary Rehabilitation and Prevention</i> , 2014, 34, 390-395.	2.1	27
125	Functional electrical stimulation with cycling in the critically ill: A pilot case-matched control study. <i>Journal of Critical Care</i> , 2014, 29, 695.e1-695.e7.	2.2	67
126	Low physical activity levels and functional decline in individuals with lung cancer. <i>Lung Cancer</i> , 2014, 83, 292-299.	2.0	135



#	ARTICLE	IF	CITATIONS
127	Outcome measures report different aspects of patient function three months following critical care. <i>Intensive Care Medicine</i> , 2014, 40, 1862-1869.	8.2	32
128	The Physical Function Intensive Care Test: Implementation in Survivors of Critical Illness. <i>Physical Therapy</i> , 2014, 94, 1499-1507.	2.4	46
129	A pilot thoracic exercise programme reduces early (0-6 weeks) sternal pain following open heart surgery. <i>International Journal of Therapy and Rehabilitation</i> , 2014, 21, 110-117.	0.3	14
130	Functional capacity, physical activity and muscle strength assessment of individuals with non-small cell lung cancer: a systematic review of instruments and their measurement properties. <i>BMC Cancer</i> , 2013, 13, 135.	2.6	40
131	A Physical Function Test for Use in the Intensive Care Unit: Validity, Responsiveness, and Predictive Utility of the Physical Function ICU Test (Scored). <i>Physical Therapy</i> , 2013, 93, 1636-1645.	2.4	132
132	Exercise rehabilitation for patients with critical illness: a randomized controlled trial with 12 months of follow-up. <i>Critical Care</i> , 2013, 17, R156.	5.8	305
133	Time to Readiness for Discharge is a Valid and Reliable Measure of Short-Term Recovery After Colorectal Surgery. <i>World Journal of Surgery</i> , 2013, 37, 2927-2934.	1.6	58
134	Postural Control and Fear of Falling Assessment in People With Chronic Obstructive Pulmonary Disease: A Systematic Review of Instruments, International Classification of Functioning, Disability and Health Linkage, and Measurement Properties. <i>Archives of Physical Medicine and Rehabilitation</i> , 2013, 94, 1784-1799.e7.	0.9	46
135	The efficacy of minitracheostomy for the management of sputum retention: a systematic review. <i>Physiotherapy</i> , 2013, 99, 271-277.	0.4	8
136	Safety and Feasibility of an Exercise Intervention for Patients Following Lung Resection. <i>Integrative Cancer Therapies</i> , 2013, 12, 213-224.	2.0	46
137	Electrical Muscle Stimulation in the Intensive Care Setting. <i>Critical Care Medicine</i> , 2013, 41, 2406-2418.	0.9	70
138	447. <i>Critical Care Medicine</i> , 2013, 41, A108.	0.9	1
139	Prognostic Validation of the Body Mass Index, Airflow Obstruction, Dyspnea, and Exercise Capacity (BODE) Index in Inoperable Non-Small-Cell Lung Cancer. <i>Journal of Thoracic Oncology</i> , 2013, 8, 1545-1550.	1.1	15
140	Intensive care unit mobility practices in Australia and New Zealand: a point prevalence study. <i>Critical Care and Resuscitation: Journal of the Australasian Academy of Critical Care Medicine</i> , 2013, 15, 260-5.	0.1	74
141	Safety and Feasibility of an Exercise Prescription Approach to Rehabilitation Across the Continuum of Care for Survivors of Critical Illness. <i>Physical Therapy</i> , 2012, 92, 1524-1535.	2.4	83
142	Strategies for post ICU rehabilitation. <i>Current Opinion in Critical Care</i> , 2012, 18, 503-508.	3.2	35
143	Improving long-term outcomes after discharge from intensive care unit. <i>Critical Care Medicine</i> , 2012, 40, 502-509.	0.9	1,806
144	Quantifying Physical Activity Levels of Survivors of Intensive Care: A Prospective Observational Study. <i>Physical Therapy</i> , 2012, 92, 1507-1517.	2.4	25

#	ARTICLE	IF	CITATIONS
145	Upright Positive Expiratory Pressure Therapy and Exercise: Effects on Gastroesophageal Reflux in COPD and Bronchiectasis. <i>Respiratory Care</i> , 2012, 57, 1460-1467.	1.6	11
146	Criteria to Determine Readiness for Hospital Discharge Following Colorectal Surgery. <i>Diseases of the Colon and Rectum</i> , 2012, 55, 416-423.	1.3	90
147	Physiotherapy in Critical Care in Australia. <i>Cardiopulmonary Physical Therapy Journal</i> , 2012, 23, 19-25.	0.3	66
148	Exercise rehabilitation following hospital discharge in survivors of critical illness: an integrative review. <i>Critical Care</i> , 2012, 16, 226.	5.8	44
149	Early rehabilitation in critical care (eRiCC): functional electrical stimulation with cycling protocol for a randomised controlled trial. <i>BMJ Open</i> , 2012, 2, e001891.	1.9	35
150	Validity of the Microsoft Kinect for assessment of postural control. <i>Gait and Posture</i> , 2012, 36, 372-377.	1.4	564
151	Can an Accelerometer-Based Monitor be used to Accurately Assess Physical Activity in a Population of Survivors of Critical Illness?. <i>Global Journal of Health Science</i> , 2012, 4, 98-107.	0.2	12
152	Reaching consensus on the physiotherapeutic management of patients following upper abdominal surgery: a pragmatic approach to interpret equivocal evidence. <i>BMC Medical Informatics and Decision Making</i> , 2012, 12, 5.	3.0	27
153	Physiotherapy in critical care in australia. <i>Cardiopulmonary Physical Therapy Journal</i> , 2012, 23, 19-25.	0.3	13
154	Assessing physical function and activity for survivors of a critical illness: A review of instruments. <i>Australian Critical Care</i> , 2011, 24, 155-166.	1.3	69
155	Gastro-Oesophageal Reflux in Noncystic Fibrosis Bronchiectasis. <i>Pulmonary Medicine</i> , 2011, 2011, 1-6.	1.9	9
156	Health-related quality of life in Australian survivors of critical illness*. <i>Critical Care Medicine</i> , 2011, 39, 1896-1905.	0.9	55
157	A randomised trial of domiciliary, ambulatory oxygen in patients with COPD and dyspnoea but without resting hypoxaemia. <i>Thorax</i> , 2011, 66, 32-37.	5.6	102
158	Reply to Agostini et al.. <i>European Journal of Cardio-thoracic Surgery</i> , 2011, 39, 612-613.	1.4	0
159	ICU-acquired weakness - a call to arms (and legs). <i>Critical Care and Resuscitation: Journal of the Australasian Academy of Critical Care Medicine</i> , 2011, 13, 3-4.	0.1	2
160	Reply to Cusumano et al.. <i>European Journal of Cardio-thoracic Surgery</i> , 2010, 38, 817-818.	1.4	0
161	A postoperative shoulder exercise program improves function and decreases pain following open thoracotomy: a randomised trial. <i>Journal of Physiotherapy</i> , 2010, 56, 245-252.	1.7	46
162	Does physiotherapy reduce the incidence of postoperative pulmonary complications following pulmonary resection via open thoracotomy? A preliminary randomised single-blind clinical trial. <i>European Journal of Cardio-thoracic Surgery</i> , 2010, 37, 1158-1166.	1.4	86

#	ARTICLE	IF	CITATIONS
163	Acute effects of hyperoxia on resting pattern of ventilation and dyspnoea in COPD. <i>Respirology</i> , 2009, 14, 545-550.	2.3	8
164	Duration of anaesthesia, type of surgery, respiratory co-morbidity, predicted VO2max and smoking predict postoperative pulmonary complications after upper abdominal surgery: an observational study. <i>Australian Journal of Physiotherapy</i> , 2009, 55, 191-198.	0.9	84
165	Comparison of Pedometer and Activity Diary for Measurement of Physical Activity in Chronic Obstructive Pulmonary Disease. <i>Journal of Cardiopulmonary Rehabilitation and Prevention</i> , 2009, 29, 57-61.	2.1	20
166	Development of a physical function outcome measure (PFIT) and a pilot exercise training protocol for use in intensive care. <i>Critical Care and Resuscitation: Journal of the Australasian Academy of Critical Care Medicine</i> , 2009, 11, 110-5.	0.1	45
167	Physiotherapy and thoracic surgery: thinking beyond usual practice. <i>Physiotherapy Research International</i> , 2008, 13, 69-74.	1.5	6
168	Rehabilitation and exercise prescription in Australian intensive care units. <i>Physiotherapy</i> , 2008, 94, 220-229.	0.4	79
169	Does physiotherapy reduce the incidence of postoperative complications in patients following pulmonary resection via thoracotomy? a protocol for a randomised controlled trial. <i>Journal of Cardiothoracic Surgery</i> , 2008, 3, 48.	1.1	39
170	An Assessment of Early Tracheostomy After Anterior Cervical Stabilization in Patients With Acute Cervical Spine Trauma. <i>Journal of Trauma</i> , 2008, 64, 749-753.	2.3	19
171	Measurement of Functional Activity in Chronic Obstructive Pulmonary Disease. <i>Journal of Cardiopulmonary Rehabilitation and Prevention</i> , 2008, 28, 402-409.	2.1	33
172	Evaluation of Exercise Rehabilitation for Survivors of Intensive Care: Protocol for a Single Blind Randomised Controlled Trial. <i>Open Critical Care Medicine Journal</i> , 2008, 1, 39-47.	0.2	26
173	The quantity of early upright mobilisation performed following upper abdominal surgery is low: an observational study. <i>Australian Journal of Physiotherapy</i> , 2007, 53, 47-52.	0.9	111
174	The physiotherapy management of patients undergoing thoracic surgery: a survey of current practice in Australia and New Zealand. <i>Physiotherapy Research International</i> , 2007, 12, 59-71.	1.5	55
175	Physiotherapy in the intensive care unit. <i>Physical Therapy Reviews</i> , 2006, 11, 49-56.	0.8	46
176	Head-down tilt and manual hyperinflation enhance sputum clearance in patients who are intubated and ventilated. <i>Australian Journal of Physiotherapy</i> , 2004, 50, 9-14.	0.9	69
177	Does removal of deep breathing exercises from a physiotherapy program including pre-operative education and early mobilisation after cardiac surgery alter patient outcomes?. <i>Australian Journal of Physiotherapy</i> , 2003, 49, 165-173.	0.9	76
178	A randomized controlled trial comparing periodic mask CPAP with physiotherapy after abdominal surgery. <i>Physiotherapy Research International</i> , 2001, 6, 236-250.	1.5	51
179	THE COSTâ€EFFICIENCY OF INCENTIVE SPIROMETRY AFTER ABDOMINAL SURGERY. <i>ANZ Journal of Surgery</i> , 1994, 64, 637-638.	0.7	0
180	ICU rehabilitation. , 0, , 235-251.		0