Bruce L Rollman

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3802371/publications.pdf

Version: 2024-02-01

74 papers

2,600 citations

218677
26
h-index

197818 49 g-index

76 all docs 76 docs citations

76 times ranked 2918 citing authors

#	Article	IF	CITATIONS
1	Telephone-Delivered Collaborative Care for Treating Post-CABG Depression. JAMA - Journal of the American Medical Association, 2009, 302, 2095.	7.4	297
2	A Mind-Body Program for Older Adults With Chronic Low Back Pain. JAMA Internal Medicine, 2016, 176, 329.	5.1	200
3	A Randomized Trial to Improve the Quality of Treatment for Panic and Generalized Anxiety Disorders in Primary Care. Archives of General Psychiatry, 2005, 62, 1332.	12.3	161
4	Collaborative Care for Depression and Anxiety Disorders in Patients With Recent Cardiac Events. JAMA Internal Medicine, 2014, 174, 927.	5.1	161
5	A randomized trial using computerized decision support to improve treatment of major depression in primary care. Journal of General Internal Medicine, 2002, 17, 493-503.	2.6	107
6	Escitalopram for Older Adults With Generalized Anxiety Disorder. JAMA - Journal of the American Medical Association, 2009, 301, 295.	7.4	107
7	Effectiveness of Online Collaborative Care for Treating Mood and Anxiety Disorders in Primary Care. JAMA Psychiatry, 2018, 75, 56.	11.0	97
8	Emerging models of depression care: multi-level ( 6 P') strategies. International Journal of Methods in Psychiatric Research, 2003, 12, 54-63.	2.1	71
9	Generalized anxiety disorder severity scale (GADSS): a preliminary validation study. Depression and Anxiety, 2006, 23, 77-82.	4.1	70
10	Value-Based Financially Sustainable Behavioral Health Components in Patient-Centered Medical Homes. Annals of Family Medicine, 2014, 12, 172-175.	1.9	69
11	The Electronic Medical Record. Archives of Internal Medicine, 2001, 161, 189.	3.8	67
12	Physician office visits of adults for anxiety disorders in the United States, 1985–1998. Journal of General Internal Medicine, 2002, 17, 165-172.	2.6	67
13	Optimism, Response to Treatment of Depression, and Rehospitalization After Coronary Artery Bypass Graft Surgery. Psychosomatic Medicine, 2012, 74, 200-207.	2.0	63
14	The Bypassing the Blues Treatment Protocol: Stepped Collaborative Care for Treating Post-CABG Depression. Psychosomatic Medicine, 2009, 71, 217-230.	2.0	61
15	A Positive 2-Item Patient Health Questionnaire Depression Screen Among Hospitalized Heart Failure Patients is Associated With Elevated 12-Month Mortality. Journal of Cardiac Failure, 2012, 18, 238-245.	1.7	49
16	Comparison of Electronic Physician Prompts versus Waitroom Case-Finding on Clinical Trial Enrollment. Journal of General Internal Medicine, 2008, 23, 447-450.	2.6	48
17	The Impact of Pain and Depression on Recovery After Coronary Artery Bypass Grafting. Psychosomatic Medicine, 2010, 72, 620-625.	2.0	47
18	Twelve-month cost-effectiveness of telephone-delivered collaborative care for treating depression following CABG surgery: a randomized controlled trial. General Hospital Psychiatry, 2014, 36, 453-459.	2.4	44

#	Article	IF	CITATIONS
19	Pain interference impacts response to treatment for anxiety disorders. Depression and Anxiety, 2009, 26, 222-228.	4.1	40
20	Optimizing Outcomes of Treatment-Resistant Depression in Older Adults (OPTIMUM): Study Design and Treatment Characteristics of the First 396 Participants Randomized. American Journal of Geriatric Psychiatry, 2019, 27, 1138-1152.	1.2	40
21	Treatment as usual (TAU) control practices in the PROSPECT Study: managing the interaction and tension between research design and ethics. International Journal of Geriatric Psychiatry, 2001, 16, 602-608.	2.7	39
22	Race, quality of depression care, and recovery from major depression in a primary care setting. General Hospital Psychiatry, 2002, 24, 381-390.	2.4	34
23	A contemporary protocol to assist primary care physicians in the treatment of panic and generalized anxiety disorders. General Hospital Psychiatry, 2003, 25, 74-82.	2.4	34
24	Telephone-Delivered Stepped Collaborative Care for Treating Anxiety in Primary Care: A Randomized Controlled Trial. Journal of General Internal Medicine, 2017, 32, 245-255.	2.6	34
25	The Atrial Fibrillation Health Literacy Information Technology System: Pilot Assessment. JMIR Cardio, 2017, 1, e7.	1.7	34
26	Psychosocial Impact of COVID-19 Pandemic on Patients with End-Stage Kidney Disease on Hemodialysis. Kidney360, 2020, 1, 1390-1397.	2.1	30
27	Efficacy of Blended Collaborative Care for Patients With Heart Failure and Comorbid Depression. JAMA Internal Medicine, 2021, 181, 1369.	5.1	30
28	Implementation of Guideline-Based Care for Depression in Primary Care. Administration and Policy in Mental Health and Mental Health Services Research, 2006, 33, 43-53.	2.1	27
29	Association of Baseline Anxiety With Depression Persistence at 6 Months in Patients With Acute Cardiac Illness. Psychosomatic Medicine, 2012, 74, 93-99.	2.0	27
30	The Association Between Increased Levels of Patient Engagement With an Internet Support Group and Improved Mental Health Outcomes at 6-Month Follow-Up: Post-Hoc Analyses From a Randomized Controlled Trial. Journal of Medical Internet Research, 2018, 20, e10402.	4.3	27
31	Symptomatic severity of prime-MD diagnosed episodes of panic and generalized anxiety disorder in primary care. Journal of General Internal Medicine, 2005, 20, 623-628.	2.6	25
32	My care manager, my computer therapy and me: The relationship triangle in computerized cognitive behavioural therapy. Internet Interventions, 2018 , 11 , 11 - 19 .	2.7	23
33	The <i>Bypassing the Blues</i> trial: Collaborative care for post-CABG depression and implications for future research. Cleveland Clinic Journal of Medicine, 2011, 78, S4-S12.	1.3	23
34	Design and baseline data from the Management of Sadness and Anxiety in Cardiology (MOSAIC) randomized controlled trial. Contemporary Clinical Trials, 2013, 36, 488-501.	1.8	22
35	Symptoms of Major Depression and Tricyclic Side Effects in Primary Care Patients. Journal of General Internal Medicine, 1997, 12, 284-291.	2.6	18
36	Electronic protocol for suicide risk management in research participants. Journal of Psychosomatic Research, 2015, 78, 340-345.	2.6	18

3

#	Article	IF	CITATIONS
37	The prognostic impact and optimal timing of the Patient Health Questionnaire depression screen on 4-year mortality among hospitalized patients with systolic heart failure. General Hospital Psychiatry, 2016, 42, 9-14.	2.4	18
38	Blended Collaborative Care to Treat Heart Failure and Comorbid Depression: Rationale and Study Design of the Hopeful Heart Trial. Psychosomatic Medicine, 2019, 81, 495-505.	2.0	17
39	Addressing Both Depression and Pain in Late Life: The Methodology of the ADAPT Study. Pain Medicine, 2012, 13, 405-418.	1.9	16
40	Rationale and design of technology assisted stepped collaborative care intervention to improve patient-centered outcomes in hemodialysis patients (TÄ€Ccare trial). Contemporary Clinical Trials, 2018, 73, 81-91.	1.8	16
41	Symptomatic severity of PRIME-MD diagnosed episodes of panic and generalized anxiety disorder in primary care. Journal of General Internal Medicine, 2005, 20, 623-8.	2.6	16
42	SMS-facilitated home blood pressure monitoring: A qualitative analysis of resultant health behavior change. Patient Education and Counseling, 2019, 102, 2246-2253.	2.2	14
43	A Clinical Framework for Depression Treatment in Primary Care. Psychiatric Annals, 2002, 32, 545-553.	0.1	14
44	Association of Baseline Anxiety With Depression Persistence at 6 Months in Patients With Acute Cardiac Illness. Psychosomatic Medicine, $2011, 74, 1$.	2.0	13
45	Hypertension with unsatisfactory sleep health (HUSH): study protocol for a randomized controlled trial. Trials, 2017, 18, 256.	1.6	13
46	The unmeasured burden: Contribution of depression and psychological stress to patient-reported outcomes in atrial fibrillation. International Journal of Cardiology, 2020, 302, 75-80.	1.7	13
47	Treating Anxiety in the Presence of Medical Comorbidity. Psychosomatic Medicine, 2013, 75, 710-712.	2.0	11
48	A systematic review of the engagement with social media–delivered interventions for improving health outcomes among sexual and gender minorities. Internet Interventions, 2021, 25, 100428.	2.7	11
49	Pain Adversely Affects Outcomes to a Collaborative Care Intervention for Anxiety in Primary Care. Journal of General Internal Medicine, 2013, 28, 58-66.	2.6	10
50	Optimizing Approaches to Addressing Depression in Cardiac Patients: a Comment on O'Neil et al Annals of Behavioral Medicine, 2014, 48, 142-144.	2.9	10
51	Internet Support Groups for Health: Ready for the Affordable Care Act. Journal of General Internal Medicine, 2014, 29, 1436-1438.	2.6	8
52	Benefits of collaborative care for post-CABG depression are not related to adjustments in antidepressant pharmacotherapy. Journal of Psychosomatic Research, 2014, 76, 28-33.	2.6	8
53	Improving mental and physical health outcomes in general healthcare settings: a Gedenkschrift in honor of Wayne Katon, MD (1950–2015). General Hospital Psychiatry, 2015, 37, 375-386.	2.4	8
54	Randomized feasibility trial of a digital intervention for hypertension self-management. Journal of Human Hypertension, 2022, 36, 718-725.	2.2	8

#	Article	IF	Citations
55	Effectiveness of collaborative care in reducing suicidal ideation: An individual participant data meta-analysis General Hospital Psychiatry, 2021, 71, 27-35.	2.4	8
56	Development and Preliminary Feasibility of an Automated Hypertension Self-Management System. American Journal of Medicine, 2018, 131, 1125.e1-1125.e8.	1.5	7
57	Treating Post-CABG Depression With Telephone-Delivered Collaborative Care: Does Patient Age Affect Treatment and Outcome?. American Journal of Geriatric Psychiatry, 2011, 19, 871-880.	1.2	6
58	Improving Evidenceâ€Based Management of Depression for Older Americans in Primary Care: If Not Now, When?. Journal of the American Geriatrics Society, 2007, 55, 2083-2085.	2.6	5
59	Prevalence and correlates of complicated grief in adults who have undergone a coronary artery bypass graft. Journal of Affective Disorders, 2012, 136, 381-385.	4.1	5
60	Emotion regulation in patients with heart failure: Its relationship with depressive symptoms and rehospitalization. Journal of Psychosomatic Research, 2019, 125, 109811.	2.6	5
61	Impact of Physician Counseling and Perception of Teratogenic Risks. primary care companion for CNS disorders, The, 2011, 13, .	0.6	5
62	Effect of Problem-Solving Therapy Versus Supportive Management in Older Adults with Low Back Pain and Depression While on Antidepressant Pharmacotherapy. American Journal of Geriatric Psychiatry, 2018, 26, 765-777.	1.2	4
63	The Checklist Manifesto in action: integrating depression treatment into routine cardiac care. General Hospital Psychiatry, 2016, 40, 1-3.	2.4	3
64	Phonotype: a New Taxonomy for mHealth Research. Journal of General Internal Medicine, 2020, 35, 1881-1883.	2.6	3
65	Perceptions of Need for Palliative Care in Recently Hospitalized Patients With Systolic Heart Failure. Journal of Pain and Symptom Management, 2021, 62, 1252-1261.	1.2	3
66	A randomized pilot study of Rhythms And You (RAY): An internet-based program for bipolar disorder administered with and without clinical helper support in primary care. Journal of Affective Disorders, 2021, 295, 183-191.	4.1	3
67	Homeward Bound, not hospital rebound: how transitional palliative care can reduce readmission. Heart, 2016, 102, 1079-1080.	2.9	2
68	Bypassing the blues: Insomnia in the depressed post-CABG population. Annals of Clinical Psychiatry, 2020, 32, 17-26.	0.6	2
69	When Doctors Marry Doctors. Annals of Internal Medicine, 1999, 131, 631.	3.9	1
70	Moving Medical Advances from Prototype into Practice. Journal of General Internal Medicine, 2010, 25, 640-641.	2.6	1
71	Exercise and Cognitive Training to Improve Neurocognitive Outcomes in Patients With Heart Failure: Can Cardiac Rehabilitation Deliver?. American Journal of Geriatric Psychiatry, 2019, 27, 820-822.	1.2	1
72	THE RELATIONSHIP BETWEEN OBJECTIVELY MEASURED STEP COUNT, CLINICAL CHARACTERISTICS, AND QUALITY OF LIFE AMONG DEPRESSED PATIENTS RECENTLY HOSPITALIZED WITH SYSTOLIC HEART FAILURE. Psychosomatic Medicine, 2021, Publish Ahead of Print, .	2.0	1

#	Article	IF	CITATIONS
73	CBT improves worry severity in older adults with GAD in primary care. Evidence-Based Mental Health, 2010, 13, 20-20.	4.5	o
74	Four "Eâ€s to speed adoption of mHealth and promote cardiovascular behavioral medicine Health Psychology, 2022, 41, 765-769.	1.6	0