

G Andrew James

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3803537/publications.pdf>

Version: 2024-02-01

53
papers

3,402
citations

304743

22
h-index

189892

50
g-index

55
all docs

55
docs citations

55
times ranked

5466
citing authors

#	ARTICLE	IF	CITATIONS
1	A whole brain fMRI atlas generated via spatially constrained spectral clustering. <i>Human Brain Mapping</i> , 2012, 33, 1914-1928.	3.6	1,334
2	Brain activation by disgust-inducing pictures in obsessive-compulsive disorder. <i>Biological Psychiatry</i> , 2003, 54, 751-756.	1.3	237
3	Multivariate Granger causality analysis of fMRI data. <i>Human Brain Mapping</i> , 2009, 30, 1361-1373.	3.6	237
4	Differential functional connectivity within an emotion regulation neural network among individuals resilient and susceptible to the depressogenic effects of early life stress. <i>Psychological Medicine</i> , 2013, 43, 507-518.	4.5	204
5	Satiety dysfunction in Prader-Willi syndrome demonstrated by fMRI. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2005, 76, 260-262.	1.9	111
6	Enhanced activation of reward mediating prefrontal regions in response to food stimuli in Prader-Willi syndrome. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2007, 78, 615-619.	1.9	102
7	Childhood maltreatment is associated with a sex-dependent functional reorganization of a brain inhibitory control network. <i>Human Brain Mapping</i> , 2014, 35, 1654-1667.	3.6	102
8	Altered functional connectivity of the insular cortex across prefrontal networks in cocaine addiction. <i>Psychiatry Research - Neuroimaging</i> , 2013, 213, 39-46.	1.8	93
9	Changes in Resting State Effective Connectivity in the Motor Network Following Rehabilitation of Upper Extremity Poststroke Paresis. <i>Topics in Stroke Rehabilitation</i> , 2009, 16, 270-281.	1.9	89
10	Altered resting-state effective connectivity of fronto-parietal motor control systems on the primary motor network following stroke. <i>NeuroImage</i> , 2012, 59, 227-237.	4.2	83
11	Neuroeconomics and Adolescent Substance Abuse: Individual Differences in Neural Networks and Delay Discounting. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2013, 52, 747-755.e6.	0.5	70
12	Modulation of neural connectivity during tongue movement and reading. <i>Human Brain Mapping</i> , 2003, 18, 222-232.	3.6	65
13	Diminished default mode network recruitment of the hippocampus and parahippocampus in temporal lobe epilepsy. <i>Journal of Neurosurgery</i> , 2013, 119, 288-300.	1.6	60
14	Exploratory structural equation modeling of resting-state fMRI: Applicability of group models to individual subjects. <i>NeuroImage</i> , 2009, 45, 778-787.	4.2	58
15	Altered engagement of attention and default networks during target detection in schizophrenia. <i>Schizophrenia Research</i> , 2011, 125, 169-173.	2.0	52
16	Interaction of Satiety and Reward Response to Food Stimulation. <i>Journal of Addictive Diseases</i> , 2004, 23, 23-37.	1.3	39
17	Individual Differences in Attentional Bias Associated with Cocaine Dependence Are Related to Varying Engagement of Neural Processing Networks. <i>Neuropsychopharmacology</i> , 2014, 39, 1135-1147.	5.4	33
18	I-DOPA and consolidation of fear extinction learning among women with posttraumatic stress disorder. <i>Translational Psychiatry</i> , 2020, 10, 287.	4.8	32

#	ARTICLE	IF	CITATIONS
19	Dynamic changes in large-scale functional network organization during autobiographical memory retrieval. <i>Neuropsychologia</i> , 2018, 110, 208-224.	1.6	28
20	Organization of intrinsic functional brain connectivity predicts decisions to reciprocate social behavior. <i>Behavioural Brain Research</i> , 2015, 292, 478-483.	2.2	27
21	A human brain atlas derived via n-cut parcellation of resting-state and task-based fMRI data. <i>Magnetic Resonance Imaging</i> , 2016, 34, 209-218.	1.8	26
22	Distributed Neural Processing Predictors of Multi-dimensional Properties of Affect. <i>Frontiers in Human Neuroscience</i> , 2017, 11, 459.	2.0	25
23	Merging Clinical Neuropsychology and Functional Neuroimaging to Evaluate the Construct Validity and Neural Network Engagement of the <i>n</i> -Back Task. <i>Journal of the International Neuropsychological Society</i> , 2014, 20, 736-750.	1.8	23
24	Modes of Resting Functional Brain Organization Differentiate Suicidal Thoughts and Actions. <i>Journal of Clinical Psychiatry</i> , 2018, 79, .	2.2	18
25	Decoding the Traumatic Memory among Women with PTSD: Implications for Neurocircuitry Models of PTSD and Real-Time fMRI Neurofeedback. <i>PLoS ONE</i> , 2015, 10, e0134717.	2.5	17
26	The role of childhood maltreatment in the altered trait and global expression of personality in cocaine addiction. <i>Journal of Psychiatric Research</i> , 2015, 64, 23-31.	3.1	17
27	Task-residual functional connectivity of language and attention networks. <i>Brain and Cognition</i> , 2018, 122, 52-58.	1.8	17
28	Mode of Effective Connectivity within a Putative Neural Network Differentiates Moral Cognitions Related to Care and Justice Ethics. <i>PLoS ONE</i> , 2011, 6, e14730.	2.5	16
29	Neural activity during attentional conflict predicts reduction in tinnitus perception following rTMS. <i>Brain Stimulation</i> , 2017, 10, 934-943.	1.6	15
30	Brain States That Encode Perceived Emotion Are Reproducible but Their Classification Accuracy Is Stimulus-Dependent. <i>Frontiers in Human Neuroscience</i> , 2018, 12, 262.	2.0	15
31	Task-dependent recruitment of intrinsic brain networks reflects normative variance in cognition. <i>Brain and Behavior</i> , 2014, 4, 650-664.	2.2	14
32	Functional independence in resting-state connectivity facilitates higher-order cognition. <i>Brain and Cognition</i> , 2016, 105, 78-87.	1.8	14
33	The neural correlates of low social integration as a risk factor for suicide. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2020, 270, 619-631.	3.2	14
34	Combining Physiological and Neuroimaging Measures to Predict Affect Processing Induced by Affectively Valent Image Stimuli. <i>Scientific Reports</i> , 2020, 10, 9298.	3.3	12
35	The influence of FAAH genetic variation on physiological, cognitive, and neural signatures of fear acquisition and extinction learning in women with PTSD. <i>NeuroImage: Clinical</i> , 2022, 33, 102922.	2.7	12
36	Imaging In Vivo Brain-Hormone Interaction in the Control of Eating and Obesity. <i>Diabetes Technology and Therapeutics</i> , 2001, 3, 617-622.	4.4	11

#	ARTICLE	IF	CITATIONS
37	A full-size MRI-compatible keyboard response system. <i>NeuroImage</i> , 2005, 25, 328-331.	4.2	11
38	Prolonged insula activation during perception of aftertaste. <i>NeuroReport</i> , 2009, 20, 245-250.	1.2	9
39	Tai Chi for Posttraumatic Stress Disorder and Chronic Musculoskeletal Pain: A Pilot Study. <i>Journal of Holistic Nursing</i> , 2018, 36, 147-158.	1.6	8
40	The neural correlates of reciprocity are sensitive to prior experience of reciprocity. <i>Behavioural Brain Research</i> , 2017, 332, 136-144.	2.2	7
41	Individual differences in rate of acquiring stable neural representations of tasks in fMRI. <i>PLoS ONE</i> , 2018, 13, e0207352.	2.5	7
42	Intertemporal decision-making-related brain states predict adolescent drug abuse intervention responses. <i>NeuroImage: Clinical</i> , 2019, 24, 101968.	2.7	7
43	Recognizing Sign Language from Brain Imaging. , 2010, , .		5
44	Value estimation and latent-state update-related neural activity during fear conditioning predict posttraumatic stress disorder symptom severity. <i>Cognitive, Affective and Behavioral Neuroscience</i> , 2022, 22, 199-213.	2.0	5
45	Unique neurocircuitry activation profiles during fear conditioning and extinction among women with posttraumatic stress disorder. <i>Journal of Psychiatric Research</i> , 2021, 141, 257-266.	3.1	5
46	Estimating brain network activity through back-projection of ICA components to GLM maps. <i>Neuroscience Letters</i> , 2014, 564, 21-26.	2.1	4
47	The neural representation of the association between comorbid drug use disorders and childhood maltreatment. <i>Drug and Alcohol Dependence</i> , 2018, 192, 215-222.	3.2	4
48	Personality variables modify the relationship between childhood maltreatment history and poor functional outcomes. <i>Psychiatry Research</i> , 2018, 268, 229-237.	3.3	3
49	471. Resting Brain Connectivity Differentiates Suicidal Ideation from Acute Suicidal Behavior. <i>Biological Psychiatry</i> , 2017, 81, S192.	1.3	1
50	Implicit emotion regulation in adolescent girls: An exploratory investigation of Hidden Markov Modeling and its neural correlates. <i>PLoS ONE</i> , 2018, 13, e0192318.	2.5	1
51	A methodology for empirical analysis of brain connectivity through graph mining. , 2011, , .		0
52	600. Resting State fMRI of Raphe Nucleus Activity following Ketamine. <i>Biological Psychiatry</i> , 2017, 81, S243.	1.3	0
53	633. The Self and Susceptibility: The Role of the Medial Prefrontal Cortex in Addiction Comorbidity. <i>Biological Psychiatry</i> , 2017, 81, S256-S257.	1.3	0