

Antonio Musaro

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3805822/publications.pdf>

Version: 2024-02-01

149
papers

13,010
citations

38720

50
h-index

22808

112
g-index

152
all docs

152
docs citations

152
times ranked

19088
citing authors

#	ARTICLE	IF	CITATIONS
1	Repurposing of Trimetazidine for amyotrophic lateral sclerosis: A study in SOD1 ^{G93A} mice. <i>British Journal of Pharmacology</i> , 2022, 179, 1732-1752.	2.7	21
2	Development of a Novel Technique for the Measurement of Neuromuscular Junction Functionality in Isotonic Conditions. <i>Cellular and Molecular Bioengineering</i> , 2022, 15, 255-265.	1.0	3
3	The hormetic and hermetic role of IL-6. <i>Ageing Research Reviews</i> , 2022, 80, 101697.	5.0	22
4	Engineered extracellular vesicle decoy receptor-mediated modulation of the IL6 trans-signalling pathway in muscle. <i>Biomaterials</i> , 2021, 266, 120435.	5.7	26
5	Sustained Systemic Levels of IL-6 Impinge Early Muscle Growth and Induce Muscle Atrophy and Wasting in Adulthood. <i>Cells</i> , 2021, 10, 1816.	1.8	9
6	Circulating myomiRs in Muscle Denervation: From Surgical to ALS Pathological Condition. <i>Cells</i> , 2021, 10, 2043.	1.8	6
7	Fenretinide Beneficial Effects on Amyotrophic Lateral Sclerosis-associated SOD1G93A Mutant Protein Toxicity: In Vitro and In Vivo Evidences. <i>Neuroscience</i> , 2021, 473, 1-12.	1.1	3
8	A longitudinal study defined circulating microRNAs as reliable biomarkers for disease prognosis and progression in ALS human patients. <i>Cell Death Discovery</i> , 2021, 7, 4.	2.0	36
9	Hyaluronan-Cholesterol Nanogels for the Enhancement of the Ocular Delivery of Therapeutics. <i>Pharmaceutics</i> , 2021, 13, 1781.	2.0	12
10	Optimal force evaluation for isotonic fatigue characterization in mouse Tibialis Anterior muscle. , 2020, , .		2
11	FoxO maintains a genuine muscle stem-cell quiescent state until geriatric age. <i>Nature Cell Biology</i> , 2020, 22, 1307-1318.	4.6	96
12	16th Meeting of the Interuniversity Institute of Myology (IIM) - Assisi (Italy), October 17-20, 2019: Foreword, Program and Abstracts. <i>European Journal of Translational Myology</i> , 2020, 30, 9345.	0.8	0
13	Muscle Homeostasis and Regeneration: From Molecular Mechanisms to Therapeutic Opportunities. <i>Cells</i> , 2020, 9, 2033.	1.8	9
14	Mechanisms Regulating Muscle Regeneration: Insights into the Interrelated and Time-Dependent Phases of Tissue Healing. <i>Cells</i> , 2020, 9, 1297.	1.8	116
15	Sam68 splicing regulation contributes to motor unit establishment in the postnatal skeletal muscle. <i>Life Science Alliance</i> , 2020, 3, .	1.3	4
16	Neuromuscular Junction as an Entity of Nerve-Muscle Communication. <i>Cells</i> , 2019, 8, 906.	1.8	50
17	nNOS/GSNOR interaction contributes to skeletal muscle differentiation and homeostasis. <i>Cell Death and Disease</i> , 2019, 10, 354.	2.7	9
18	Neuromuscular magnetic stimulation counteracts muscle decline in ALS patients: results of a randomized, double-blind, controlled study. <i>Scientific Reports</i> , 2019, 9, 2837.	1.6	21

#	ARTICLE	IF	CITATIONS
19	Elucidating the Contribution of Skeletal Muscle Ion Channels to Amyotrophic Lateral Sclerosis in search of new therapeutic options. <i>Scientific Reports</i> , 2019, 9, 3185.	1.6	29
20	Signals from the Niche: Insights into the Role of IGF-1 and IL-6 in Modulating Skeletal Muscle Fibrosis. <i>Cells</i> , 2019, 8, 232.	1.8	49
21	Effects of IGF-1 isoforms on muscle growth and sarcopenia. <i>Aging Cell</i> , 2019, 18, e12954.	3.0	146
22	Measuring the Maximum Power of an <i>Ex-vivo</i> Engineered Muscle Tissue With Isovelocity Shortening Technique. <i>IEEE Transactions on Instrumentation and Measurement</i> , 2019, 68, 2404-2411.	2.4	5
23	Detection of the Strains Induced in Murine Tibias by Ex Vivo Uniaxial Loading with Different Sensors. <i>Sensors</i> , 2019, 19, 5109.	2.1	1
24	Increased Circulating Levels of Interleukin-6 Affect the Redox Balance in Skeletal Muscle. <i>Oxidative Medicine and Cellular Longevity</i> , 2019, 2019, 1-13.	1.9	33
25	Chemotherapeutic agent 5-fluorouracil increases survival of SOD1 mouse model of ALS. <i>PLoS ONE</i> , 2019, 14, e0210752.	1.1	14
26	Counteracting sarcopenia: the role of IGF-1 isoforms. <i>Aging</i> , 2019, 11, 3410-3411.	1.4	11
27	An Overview About the Biology of Skeletal Muscle Satellite Cells. <i>Current Genomics</i> , 2019, 20, 24-37.	0.7	95
28	Functional Electrical Stimulation of Skeletal Muscles in Aging and Premature Aging. <i>Practical Issues in Geriatrics</i> , 2018, , 93-103.	0.3	0
29	The physiopathologic role of oxidative stress in skeletal muscle. <i>Mechanisms of Ageing and Development</i> , 2018, 170, 37-44.	2.2	81
30	Muscle Expression of <i>SOD1^{G93A}</i> Triggers the Dismantlement of Neuromuscular Junction via <i>PKC-Theta</i> . <i>Antioxidants and Redox Signaling</i> , 2018, 28, 1105-1119.	2.5	56
31	Report on Abstracts of the 15th Meeting of IIM, the Interuniversity Institute of Myology - Assisi (Italy), October 11-14, 2018. <i>European Journal of Translational Myology</i> , 2018, 28, 7957.	0.8	3
32	Deficiency in the nuclear long noncoding <i>RNA</i> <i>Charme</i> causes myogenic defects and heart remodeling in mice. <i>EMBO Journal</i> , 2018, 37, .	3.5	65
33	The physiopathologic interplay between stem cells and tissue niche in muscle regeneration and the role of IL-6 on muscle homeostasis and diseases. <i>Cytokine and Growth Factor Reviews</i> , 2018, 41, 1-9.	3.2	26
34	Metabolic Changes Associated With Muscle Expression of <i>SOD1G93A</i> . <i>Frontiers in Physiology</i> , 2018, 9, 831.	1.3	50
35	Molecular Insights into Muscle Homeostasis, Atrophy and Wasting. <i>Current Genomics</i> , 2018, 19, 356-369.	0.7	39
36	Pharmacological Inhibition of <i>PKCδ</i> , Counteracts Muscle Disease in a Mouse Model of Duchenne Muscular Dystrophy. <i>EBioMedicine</i> , 2017, 16, 150-161.	2.7	22

#	ARTICLE	IF	CITATIONS
37	Isolation and Culture of Satellite Cells from Mouse Skeletal Muscle. <i>Methods in Molecular Biology</i> , 2017, 1553, 155-167.	0.4	24
38	Oxidative stress in Duchenne muscular dystrophy: focus on the NRF2 redox pathway. <i>Human Molecular Genetics</i> , 2017, 26, 2781-2790.	1.4	71
39	Skeletal muscle myopenia in mice model of bile duct ligation and carbon tetrachloride-induced liver cirrhosis. <i>Physiological Reports</i> , 2017, 5, e13153.	0.7	27
40	Identification of the best stimulation parameters to measure in situ the communication between muscle and nerve in mouse Tibialis muscle. , 2017, , .		4
41	Measuring Neuromuscular Junction Functionality. <i>Journal of Visualized Experiments</i> , 2017, , .	0.2	5
42	The mitochondrial metabolic reprogramming agent trimetazidine as an "exercise mimetic"™ in cachectic C26-bearing mice. <i>Journal of Cachexia, Sarcopenia and Muscle</i> , 2017, 8, 954-973.	2.9	63
43	Dynamic Phosphorylation of the Myocyte Enhancer Factor 2C±1 Splice Variant Promotes Skeletal Muscle Regeneration and Hypertrophy. <i>Stem Cells</i> , 2017, 35, 725-738.	1.4	27
44	Insights into the Pathogenic Secondary Symptoms Caused by the Primary Loss of Dystrophin. <i>Journal of Functional Morphology and Kinesiology</i> , 2017, 2, 44.	1.1	16
45	Increased Circulating Levels of Interleukin-6 Induce Perturbation in Redox-Regulated Signaling Cascades in Muscle of Dystrophic Mice. <i>Oxidative Medicine and Cellular Longevity</i> , 2017, 2017, 1-10.	1.9	22
46	Stem cells and tissue niche: two faces of the same coin of muscle regeneration. <i>European Journal of Translational Myology</i> , 2016, 26, 6125.	0.8	25
47	FES in Europe and beyond: Current Translational Research. <i>European Journal of Translational Myology</i> , 2016, 26, 6369.	0.8	17
48	A DIC Based Technique to Measure the Contraction of a Skeletal Muscle Engineered Tissue. <i>Applied Bionics and Biomechanics</i> , 2016, 2016, 1-7.	0.5	9
49	The Proteolytic Systems of Muscle Wasting. <i>Recent Advances in DNA & Gene Sequences</i> , 2016, 9, 26-35.	0.7	16
50	Physical exercise in aging human skeletal muscle increases mitochondrial calcium uniporter expression levels and affects mitochondria dynamics. <i>Physiological Reports</i> , 2016, 4, e13005.	0.7	71
51	Progressive impairment of CaV1.1 function in the skeletal muscle of mice expressing a mutant type 1 Cu/Zn superoxide dismutase (G93A) linked to amyotrophic lateral sclerosis. <i>Skeletal Muscle</i> , 2016, 6, 24.	1.9	15
52	Akt/mTOR pathway contributes to skeletal muscle anti-atrophic effect of aerobic exercise training in heart failure mice. <i>International Journal of Cardiology</i> , 2016, 214, 137-147.	0.8	37
53	Noise Enhances Action Potential Generation in Mouse Sensory Neurons via Stochastic Resonance. <i>PLoS ONE</i> , 2016, 11, e0160950.	1.1	19
54	Finite mixture clustering of human tissues with different levels of IGF-1 splice variants mRNA transcripts. <i>BMC Bioinformatics</i> , 2015, 16, 289.	1.2	8

#	ARTICLE	IF	CITATIONS
55	Postmitotic Expression of SOD1 ^{G93A} Gene Affects the Identity of Myogenic Cells and Inhibits Myoblasts Differentiation. <i>Mediators of Inflammation</i> , 2015, 2015, 1-14.	1.4	13
56	MicroRNAs modulated by local mIGF-1 expression in mdx dystrophic mice. <i>Frontiers in Aging Neuroscience</i> , 2015, 7, 69.	1.7	16
57	Muscle Expression of SOD1G93A Modulates microRNA and mRNA Transcription Pattern Associated with the Myelination Process in the Spinal Cord of Transgenic Mice. <i>Frontiers in Cellular Neuroscience</i> , 2015, 9, 463.	1.8	25
58	Human Cardiac Progenitor Spheroids Exhibit Enhanced Engraftment Potential. <i>PLoS ONE</i> , 2015, 10, e0137999.	1.1	22
59	Molecular and cellular mechanisms of muscle aging and sarcopenia and effects of electrical stimulation in seniors. <i>European Journal of Translational Myology</i> , 2015, 25, 231.	0.8	76
60	Muscle IGF-1-Induced Skeletal Muscle Hypertrophy Evokes Higher Insulin Sensitivity and Carbohydrate Use as Preferential Energy Substrate. <i>BioMed Research International</i> , 2015, 2015, 1-8.	0.9	16
61	TAp63gamma is required for the late stages of myogenesis. <i>Cell Cycle</i> , 2015, 14, 894-901.	1.3	19
62	Increased levels of interleukin-6 exacerbate the dystrophic phenotype in mdx mice. <i>Human Molecular Genetics</i> , 2015, 24, 6041-6053.	1.4	51
63	Proliferation of Multiple Cell Types in the Skeletal Muscle Tissue Elicited by Acute p21 Suppression. <i>Molecular Therapy</i> , 2015, 23, 885-895.	3.7	6
64	Functional and Morphological Improvement of Dystrophic Muscle by Interleukin 6 Receptor Blockade. <i>EBioMedicine</i> , 2015, 2, 285-293.	2.7	63
65	Measuring Neuromuscular Junction Functionality in the SOD1G93A Animal Model of Amyotrophic Lateral Sclerosis. <i>Annals of Biomedical Engineering</i> , 2015, 43, 2196-2206.	1.3	16
66	Monocyte/Macrophage-derived IGF-1 Orchestrates Murine Skeletal Muscle Regeneration and Modulates Autocrine Polarization. <i>Molecular Therapy</i> , 2015, 23, 1189-1200.	3.7	237
67	A Digital Image Correlation based technique to control the development of a skeletal muscle engineered tissue by measuring its surface strain field. , 2015, , .		2
68	SAM68 is a physiological regulator of SMN2 splicing in spinal muscular atrophy. <i>Journal of Cell Biology</i> , 2015, 211, 77-90.	2.3	25
69	New Insights into the Relationship between mIGF-1-Induced Hypertrophy and Ca ²⁺ Handling in Differentiated Satellite Cells. <i>PLoS ONE</i> , 2014, 9, e107753.	1.1	5
70	IL-6 Impairs Myogenic Differentiation by Downmodulation of p90RSK/eEF2 and mTOR/p70S6K Axes, without Affecting AKT Activity. <i>BioMed Research International</i> , 2014, 2014, 1-12.	0.9	53
71	The Basis of Muscle Regeneration. <i>Advances in Biology</i> , 2014, 2014, 1-16.	1.2	86
72	Electrical Stimulation Counteracts Muscle Decline in Seniors. <i>Frontiers in Aging Neuroscience</i> , 2014, 6, 189.	1.7	128

#	ARTICLE	IF	CITATIONS
73	Involvement of MicroRNAs in the Regulation of Muscle Wasting during Catabolic Conditions. <i>Journal of Biological Chemistry</i> , 2014, 289, 21909-21925.	1.6	129
74	Long-Term High-Level Exercise Promotes Muscle Reinnervation With Age. <i>Journal of Neuropathology and Experimental Neurology</i> , 2014, 73, 284-294.	0.9	136
75	Circulating levels of adipokines and IGF-1 are associated with skeletal muscle strength of young and old healthy subjects. <i>Biogerontology</i> , 2013, 14, 261-272.	2.0	75
76	Age-dependent alteration in muscle regeneration: the critical role of tissue niche. <i>Biogerontology</i> , 2013, 14, 273-292.	2.0	92
77	Understanding <sc>ALS</sc>: new therapeutic approaches. <i>FEBS Journal</i> , 2013, 280, 4315-4322.	2.2	64
78	Generation of eX vivo-vascularized Muscle Engineered Tissue (X-MET). <i>Scientific Reports</i> , 2013, 3, 1420.	1.6	67
79	DNA damage-activated ABL-MyoD signaling contributes to DNA repair in skeletal myoblasts. <i>Cell Death and Differentiation</i> , 2013, 20, 1664-1674.	5.0	16
80	Dystrophic tendon functionality is recovered by muscle-specific expression of insulin-like growth factor in mdx mice. <i>Journal of Biomechanics</i> , 2013, 46, 604-607.	0.9	4
81	Signalling pathways regulating muscle mass in ageing skeletal muscle. The role of the IGF1-Akt-mTOR-FoxO pathway. <i>Biogerontology</i> , 2013, 14, 303-323.	2.0	274
82	A necrotic stimulus is required to maximize matrix-mediated myogenesis in mice. <i>DMM Disease Models and Mechanisms</i> , 2013, 6, 793-801.	1.2	6
83	Electrical stimulation counteracts muscle atrophy associated with aging in humans. <i>European Journal of Translational Myology</i> , 2013, 23, 105.	0.8	2
84	Paracrine Effects of IGF-1 Overexpression on the Functional Decline Due to Skeletal Muscle Disuse: Molecular and Functional Evaluation in Hindlimb Unloaded MLC/mlgf-1 Transgenic Mice. <i>PLoS ONE</i> , 2013, 8, e65167.	1.1	24
85	Increased Plin2 Expression in Human Skeletal Muscle Is Associated with Sarcopenia and Muscle Weakness. <i>PLoS ONE</i> , 2013, 8, e73709.	1.1	60
86	Guidelines for the use and interpretation of assays for monitoring autophagy. <i>Autophagy</i> , 2012, 8, 445-544.	4.3	3,122
87	Adaptation of Mouse Skeletal Muscle to Long-Term Microgravity in the MDS Mission. <i>PLoS ONE</i> , 2012, 7, e33232.	1.1	144
88	IPLIX Administration Improves Motor Neuron Survival and Ameliorates Motor Functions in a Severe Mouse Model of Spinal Muscular Atrophy. <i>Molecular Medicine</i> , 2012, 18, 1076-1085.	1.9	30
89	AvidinOXÂ® for Tissue Targeted Delivery of Biotinylated Cells. <i>International Journal of Immunopathology and Pharmacology</i> , 2012, 25, 239-246.	1.0	6
90	FES Training in Aging: interim results show statistically significant improvements in mobility and muscle fiber size. <i>European Journal of Translational Myology</i> , 2012, 22, 61.	0.8	1

#	ARTICLE	IF	CITATIONS
91	Exploiting extracellular matrix-stem cell interactions: A review of natural materials for therapeutic muscle regeneration. <i>Biomaterials</i> , 2012, 33, 428-443.	5.7	88
92	To the heart of the problem. mIGF-1: local effort for global impact. <i>Aging</i> , 2012, 4, 377-378.	1.4	4
93	Skeletal Muscle Regeneration in Mice Is Stimulated by Local Overexpression of V1a-Vasopressin Receptor. <i>Molecular Endocrinology</i> , 2011, 25, 1661-1673.	3.7	29
94	Muscle atrophy induced by SOD1G93A expression does not involve the activation of caspase in the absence of denervation. <i>Skeletal Muscle</i> , 2011, 1, 3.	1.9	42
95	Impact of ageing on muscle cell regeneration. <i>Ageing Research Reviews</i> , 2011, 10, 35-42.	5.0	118
96	Human Cardiac Progenitor Cell Grafts as Unrestricted Source of Supernumerary Cardiac Cells in Healthy Murine Hearts. <i>Stem Cells</i> , 2011, 29, 2051-2061.	1.4	49
97	Increased IGF-1 in muscle modulates the phenotype of severe SMA mice. <i>Human Molecular Genetics</i> , 2011, 20, 1844-1853.	1.4	96
98	Atrophy/hypertrophy cell signaling in muscles of young athletes trained with vibrational-proprioceptive stimulation. <i>Neurological Research</i> , 2011, 33, 998-1009.	0.6	36
99	Oxidative stress and muscle homeostasis. <i>Current Opinion in Clinical Nutrition and Metabolic Care</i> , 2010, 13, 236-242.	1.3	73
100	Induction of myogenic differentiation by SDF-1 via CXCR4 and CXCR7 receptors. <i>Muscle and Nerve</i> , 2010, 41, 828-835.	1.0	40
101	MECHANISMS INDUCING LOW BONE DENSITY IN DUCHENNE MUSCULAR DYSTROPHY. <i>Bone</i> , 2010, 46, S79-S80.	1.4	1
102	MicroRNAs Involved in Molecular Circuitries Relevant for the Duchenne Muscular Dystrophy Pathogenesis Are Controlled by the Dystrophin/nNOS Pathway. <i>Cell Metabolism</i> , 2010, 12, 341-351.	7.2	228
103	Isolation and Culture of Mouse Satellite Cells. <i>Methods in Molecular Biology</i> , 2010, 633, 101-111.	0.4	42
104	Regulation of Muscle Atrophy in Aging and Disease. <i>Advances in Experimental Medicine and Biology</i> , 2010, 694, 211-233.	0.8	123
105	State of the art and the dark side of amyotrophic lateral sclerosis. <i>World Journal of Biological Chemistry</i> , 2010, 1, 62.	1.7	31
106	Muscle Involvement and IGF-1 Signaling in Genetic Disorders: New Therapeutic Approaches. <i>Endocrine Development</i> , 2009, 14, 29-37.	1.3	8
107	Localized accumulation of oxidative stress causes muscle atrophy through activation of an autophagic pathway. <i>Autophagy</i> , 2009, 5, 527-529.	4.3	57
108	Mechanical properties of intact single fibres from wild-type and MLC/mIgf-1 transgenic mouse muscle. <i>Journal of Muscle Research and Cell Motility</i> , 2009, 30, 199-207.	0.9	30

#	ARTICLE	IF	CITATIONS
109	Measuring tendon properties in mdx mice: Cell viability and viscoelastic characteristics. <i>Journal of Biomechanics</i> , 2009, 42, 2243-2248.	0.9	14
110	Mechanisms inducing low bone density in Duchenne Muscular Dystrophy. <i>Bone</i> , 2009, 44, S237-S238.	1.4	4
111	Skeletal Muscle Is a Primary Target of SOD1G93A-Mediated Toxicity. <i>Cell Metabolism</i> , 2009, 9, 110.	7.2	0
112	Overexpression of IGF-1 in Muscle Attenuates Disease in a Mouse Model of Spinal and Bulbar Muscular Atrophy. <i>Neuron</i> , 2009, 63, 316-328.	3.8	205
113	Flavocoxid counteracts muscle necrosis and improves functional properties in mdx mice: A comparison study with methylprednisolone. <i>Experimental Neurology</i> , 2009, 220, 349-358.	2.0	58
114	Counteracting muscle wasting in aging and neuromuscular diseases: the critical role of IGF-1. <i>Aging</i> , 2009, 1, 451-457.	1.4	77
115	Mice presenting skeletal muscle hypertrophic phenotype driven by mIgf1 overexpression have improved carbohydrate metabolism and insulin sensitivity.. <i>FASEB Journal</i> , 2009, 23, LB109.	0.2	0
116	Measuring Mechanical Properties, Including Isotonic Fatigue, of Fast and Slow MLC/mIgf-1 Transgenic Skeletal Muscle. <i>Annals of Biomedical Engineering</i> , 2008, 36, 1281-1290.	1.3	37
117	Cdk9: A new player in muscle regeneration. <i>Journal of Cellular Physiology</i> , 2008, 216, 576-582.	2.0	18
118	Skeletal Muscle Is a Primary Target of SOD1G93A-Mediated Toxicity. <i>Cell Metabolism</i> , 2008, 8, 425-436.	7.2	435
119	Local expression of mIgf-1 modulates ubiquitin, caspase and CDK5 expression in skeletal muscle of an ALS mouse model. <i>Neurological Research</i> , 2008, 30, 131-136.	0.6	49
120	Long-Term Benefit of Adeno-Associated Virus/Antisense-Mediated Exon Skipping in Dystrophic Mice. <i>Human Gene Therapy</i> , 2008, 19, 601-608.	1.4	65
121	ROCK2 and Its Alternatively Spliced Isoform ROCK2m Positively Control the Maturation of the Myogenic Program. <i>Molecular and Cellular Biology</i> , 2007, 27, 6163-6176.	1.1	46
122	Hypertrophy and atrophy inversely regulate Caveolin-3 expression in myoblasts. <i>Biochemical and Biophysical Research Communications</i> , 2007, 357, 314-318.	1.0	15
123	Cellular and molecular bases of muscle regeneration: The critical role of insulin-like growth factor-1. <i>International Congress Series</i> , 2007, 1302, 89-100.	0.2	1
124	Local expression of IGF1 accelerates muscle regeneration by rapidly modulating inflammatory cytokines and chemokines. <i>FASEB Journal</i> , 2007, 21, 1393-1402.	0.2	227
125	The neuroprotective effects of a locally acting IGF-1 isoform. <i>Experimental Gerontology</i> , 2007, 42, 76-80.	1.2	36
126	Stem cell-mediated muscle regeneration and repair in aging and neuromuscular diseases. <i>European Journal of Histochemistry</i> , 2007, 51 Suppl 1, 35-43.	0.6	14

#	ARTICLE	IF	CITATIONS
127	Advances in stem cell research: use of stem cells in animal models of muscular dystrophy. , 2006, , 103-123.		0
128	Growth Factor Enhancement of Cardiac Regeneration. Cell Transplantation, 2006, 15, 41-45.	1.2	6
129	The Critical Role of Insulin-Like Growth Factor-1 Isoforms in the Physiopathology of Skeletal Muscle. Current Genomics, 2006, 7, 19-32.	0.7	9
130	Chimeric Adeno-Associated Virus/Antisense U1 Small Nuclear RNA Effectively Rescues Dystrophin Synthesis and Muscle Function by Local Treatment of mdx Mice. Human Gene Therapy, 2006, 17, 565-574.	1.4	45
131	Body-wide gene therapy of Duchenne muscular dystrophy in the mdx mouse model. Proceedings of the National Academy of Sciences of the United States of America, 2006, 103, 3758-3763.	3.3	134
132	Chimeric Adeno-Associated Virus/Antisense U1 Small Nuclear RNA Effectively Rescues Dystrophin Synthesis and Muscle Function by Local Treatment of mdx Mice. Human Gene Therapy, 2006, .	1.4	0
133	Vasopressin-dependent Myogenic Cell Differentiation Is Mediated by Both Ca ²⁺ /Calmodulin-dependent Kinase and Calcineurin Pathways. Molecular Biology of the Cell, 2005, 16, 3632-3641.	0.9	40
134	Muscle expression of a local Igf-1 isoform protects motor neurons in an ALS mouse model. Journal of Cell Biology, 2005, 168, 193-199.	2.3	319
135	Growth factor enhancement of muscle regeneration: a central role of IGF-1. Archives Italiennes De Biologie, 2005, 143, 243-8.	0.1	18
136	Stem cell-mediated muscle regeneration is enhanced by local isoform of insulin-like growth factor 1. Proceedings of the National Academy of Sciences of the United States of America, 2004, 101, 1206-1210.	3.3	233
137	AVP Induces Myogenesis through the Transcriptional Activation of the Myocyte Enhancer Factor 2. Molecular Endocrinology, 2002, 16, 1407-1416.	3.7	23
138	Muscle-specific expression of insulin-like growth factor I counters muscle decline in mdx mice. Journal of Cell Biology, 2002, 157, 137-148.	2.3	421
139	Chapter 2 Myofiber specification and survival. Advances in Developmental Biology and Biochemistry, 2002, 11, 33-52.	0.3	0
140	Gene therapy for cardiac cachexia?. International Journal of Cardiology, 2002, 85, 185-191.	0.8	24
141	Insulin-like Growth Factor Isoforms in Skeletal Muscle Aging, Regeneration, and Disease. Cold Spring Harbor Symposia on Quantitative Biology, 2002, 67, 507-518.	2.0	68
142	Localized Igf-1 transgene expression sustains hypertrophy and regeneration in senescent skeletal muscle. Nature Genetics, 2001, 27, 195-200.	9.4	985
143	Revisiting calcineurin and human heart failure. Nature Medicine, 2000, 6, 2-3.	15.2	35
144	IGF-1 induces skeletal myocyte hypertrophy through calcineurin in association with GATA-2 and NF-ATc1. Nature, 1999, 400, 581-585.	13.7	589

#	ARTICLE	IF	CITATIONS
145	Transgenic mouse models of muscle aging. <i>Experimental Gerontology</i> , 1999, 34, 147-156.	1.2	18
146	Maturation of the Myogenic Program Is Induced by Postmitotic Expression of Insulin-Like Growth Factor I. <i>Molecular and Cellular Biology</i> , 1999, 19, 3115-3124.	1.1	139
147	Viral mediated expression of insulin-like growth factor I blocks the aging-related loss of skeletal muscle function. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1998, 95, 15603-15607.	3.3	638
148	Enhanced Expression of Myogenic Regulatory Genes in Aging Skeletal Muscle. <i>Experimental Cell Research</i> , 1995, 221, 241-248.	1.2	92
149	TPA-Induced Differentiation of Human Rhabdomyosarcoma Cells Involves Dephosphorylation and Nuclear Accumulation of Mutant p53. <i>Biochemical and Biophysical Research Communications</i> , 1994, 202, 17-24.	1.0	13