

Gianluca Bossi

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3806816/publications.pdf>

Version: 2024-02-01

54
papers

2,401
citations

172457

29
h-index

206112

48
g-index

55
all docs

55
docs citations

55
times ranked

4382
citing authors

#	ARTICLE	IF	CITATIONS
1	Dissection of the MKK3 Functions in Human Cancer: A Double-Edged Sword?. <i>Cancers</i> , 2022, 14, 483.	3.7	4
2	p38 ^{Î²} (MAPK11) mediates gemcitabine-associated radiosensitivity in sarcoma experimental models. <i>Radiotherapy and Oncology</i> , 2021, 156, 136-144.	0.6	7
3	TP53 drives abscopal effect by secretion of senescence-associated molecular signals in non-small cell lung cancer. <i>Journal of Experimental and Clinical Cancer Research</i> , 2021, 40, 89.	8.6	18
4	Validation of a biomarker tool capable of measuring the absorbed dose soon after exposure to ionizing radiation. <i>Scientific Reports</i> , 2021, 11, 8118.	3.3	2
5	Che-1/AATF-induced transcriptionally active chromatin promotes cell proliferation in multiple myeloma. <i>Blood Advances</i> , 2020, 4, 5616-5630.	5.2	10
6	Che-1/AATF binds to RNA polymerase I machinery and sustains ribosomal RNA gene transcription. <i>Nucleic Acids Research</i> , 2020, 48, 5891-5906.	14.5	14
7	The p38 MAPK Signaling Activation in Colorectal Cancer upon Therapeutic Treatments. <i>International Journal of Molecular Sciences</i> , 2020, 21, 2773.	4.1	35
8	MKK3 sustains cell proliferation and survival through p38DELTA MAPK activation in colorectal cancer. <i>Cell Death and Disease</i> , 2019, 10, 842.	6.3	18
9	Very low intensity ultrasounds as a new strategy to improve selective delivery of nanoparticles-complexes in cancer cells. <i>Journal of Experimental and Clinical Cancer Research</i> , 2019, 38, 1.	8.6	200
10	Cytokine Modulation in Breast Cancer Patients Undergoing Radiotherapy: A Revision of the Most Recent Studies. <i>International Journal of Molecular Sciences</i> , 2019, 20, 382.	4.1	11
11	Approaching the challenges of MKK3/p38delta MAPK targeting for therapeutic purpose in colorectal cancer. <i>Journal of Experimental and Clinical Cancer Research</i> , 2019, 38, 504.	8.6	5
12	Insights of Crosstalk between p53 Protein and the MKK3/MKK6/p38 MAPK Signaling Pathway in Cancer. <i>Cancers</i> , 2018, 10, 131.	3.7	81
13	Abstract 350: Che-1/aatf-induced transcriptionally active chromatin promotes cell growth in multiple myeloma. , 2018, , .		1
14	A meta-analysis of the abscopal effect in preclinical models: Is the biologically effective dose a relevant physical trigger?. <i>PLoS ONE</i> , 2017, 12, e0171559.	2.5	99
15	Mutant p53 inhibits miRNA biogenesis by interfering with the microprocessor complex. <i>Oncogene</i> , 2016, 35, 3760-3770.	5.9	43
16	MKK3 as oncotarget. <i>Aging</i> , 2016, 8, 1-2.	3.1	29
17	Targeting MKK3 as a novel anticancer strategy: molecular mechanisms and therapeutical implications. <i>Cell Death and Disease</i> , 2015, 6, e1621-e1621.	6.3	39
18	Che-1-induced inhibition of mTOR pathway enables stress-induced autophagy. <i>EMBO Journal</i> , 2015, 34, 1214-1230.	7.8	66

#	ARTICLE	IF	CITATIONS
19	The beneficial effect of Zinc(II) on low-dose chemotherapeutic sensitivity involves p53 activation in wild-type p53-carrying colorectal cancer cells. <i>Journal of Experimental and Clinical Cancer Research</i> , 2015, 34, 87.	8.6	24
20	Mutant p53 gains new function in promoting inflammatory signals by repression of the secreted interleukin-1 receptor antagonist. <i>Oncogene</i> , 2015, 34, 2493-2504.	5.9	59
21	HIPK2 deficiency causes chromosomal instability by cytokinesis failure and increases tumorigenicity. <i>Oncotarget</i> , 2015, 6, 10320-10334.	1.8	30
22	Mutant p53 and siL-1Ra. <i>Aging</i> , 2015, 7, 742-743.	3.1	1
23	Degradation of mutant p53H175 protein by Zn(II) through autophagy. <i>Cell Death and Disease</i> , 2014, 5, e1271-e1271.	6.3	82
24	Abscopal effect of radiation therapy: Interplay between radiation dose and p53 status. <i>International Journal of Radiation Biology</i> , 2014, 90, 248-255.	1.8	53
25	Inhibition of leydig tumor growth by farnesoid X receptor activation: The <i>in vitro</i> and <i>in vivo</i> basis for a novel therapeutic strategy. <i>International Journal of Cancer</i> , 2013, 132, 2237-2247.	5.1	26
26	Cytogenetic analysis of human cells reveals specific patterns of DNA damage in replicative and oncogene-induced senescence. <i>Aging Cell</i> , 2013, 12, 312-315.	6.7	8
27	Leptin Mediates Tumor-Stromal Interactions That Promote the Invasive Growth of Breast Cancer Cells. <i>Cancer Research</i> , 2012, 72, 1416-1427.	0.9	105
28	Molecular imaging of nuclear factor- κ B transcriptional activity maps proliferation sites in live animals. <i>Molecular Biology of the Cell</i> , 2012, 23, 1467-1474.	2.1	33
29	HER3 targeting of adenovirus by fiber modification increases infection of breast cancer cells <i>in vitro</i> , but not following intratumoral injection in mice. <i>Cancer Gene Therapy</i> , 2012, 19, 888-898.	4.6	17
30	Inhibition of p85, the non-catalytic subunit of phosphatidylinositol 3-kinase, exerts potent antitumor activity in human breast cancer cells. <i>Cell Death and Disease</i> , 2012, 3, e440-e440.	6.3	10
31	PKC Theta Ablation Improves Healing in a Mouse Model of Muscular Dystrophy. <i>PLoS ONE</i> , 2012, 7, e31515.	2.5	39
32	In Vivo and in Vitro Evidence That PPAR γ Ligands Are Antagonists of Leptin Signaling in Breast Cancer. <i>American Journal of Pathology</i> , 2011, 179, 1030-1040.	3.8	50
33	Zinc, a promising mineral for misfolded p53 reactivation. <i>Cell Cycle</i> , 2011, 10, 2416-2416.	2.6	1
34	Expression of Slug Is Regulated by c-Myb and Is Required for Invasion and Bone Marrow Homing of Cancer Cells of Different Origin. <i>Journal of Biological Chemistry</i> , 2010, 285, 29434-29445.	3.4	51
35	Che-1 Promotes Tumor Cell Survival by Sustaining Mutant p53 Transcription and Inhibiting DNA Damage Response Activation. <i>Cancer Cell</i> , 2010, 18, 122-134.	16.8	45
36	Mutant p53-induced Up-regulation of Mitogen-activated Protein Kinase Kinase 3 Contributes to Gain of Function. <i>Journal of Biological Chemistry</i> , 2010, 285, 14160-14169.	3.4	75

#	ARTICLE	IF	CITATIONS
37	Abstract 2983: Che-1 promotes tumor cell survival by sustaining mutant p53 transcription and inhibiting DNA damage response activation. , 2010, , .		0
38	MEK/ERK inhibitor U0126 affects <i>in vitro</i> and <i>in vivo</i> growth of embryonal rhabdomyosarcoma. <i>Molecular Cancer Therapeutics</i> , 2009, 8, 543-551.	4.1	89
39	Restoring wtp53 activity in HIPK2 depleted MCF7 cells by modulating metallothionein and zinc. <i>Experimental Cell Research</i> , 2009, 315, 67-75.	2.6	53
40	Transcriptional regulation of hypoxia-inducible factor 1 α by HIPK2 suggests a novel mechanism to restrain tumor growth. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 2009, 1793, 368-377.	4.1	48
41	Slug (SNAI2) Down-Regulation by RNA Interference Facilitates Apoptosis and Inhibits Invasive Growth in Neuroblastoma Preclinical Models. <i>Clinical Cancer Research</i> , 2008, 14, 4622-4630.	7.0	59
42	Conditional RNA interference in vivo to study mutant p53 oncogenic gain of function on tumor malignancy. <i>Cell Cycle</i> , 2008, 7, 1870-1879.	2.6	81
43	Evidences that Leptin Up-regulates E-Cadherin Expression in Breast Cancer: Effects on Tumor Growth and Progression. <i>Cancer Research</i> , 2007, 67, 3412-3421.	0.9	101
44	Restoration of wild-type p53 function in human cancer: Relevance for tumor therapy. <i>Head and Neck</i> , 2007, 29, 272-284.	2.0	79
45	Ser58 of mouse p53 is the homologue of human Ser46 and is phosphorylated by HIPK2 in apoptosis. <i>Cell Death and Differentiation</i> , 2006, 13, 1994-1997.	11.2	32
46	Mutant p53 gain of function: reduction of tumor malignancy of human cancer cell lines through abrogation of mutant p53 expression. <i>Oncogene</i> , 2006, 25, 304-309.	5.9	188
47	Loss of β 2 Integrin Subunit Reduces the Tumorigenicity of MCF7 Mammary Cells and Causes Apoptosis upon Hormone Deprivation. <i>Clinical Cancer Research</i> , 2006, 12, 3280-3287.	7.0	41
48	654. Targeting Adenoviral Vectors for Use in Breast Cancer Gene Therapy. <i>Molecular Therapy</i> , 2006, 13, S252.	8.2	0
49	Wild-type p53 gene transfer is not detrimental to normal cells in vivo: implications for tumor gene therapy. <i>Oncogene</i> , 2004, 23, 418-425.	5.9	29
50	Development of a murine orthotopic model of leukemia: Evaluation of TP53 gene therapy efficacy. <i>Cancer Gene Therapy</i> , 2000, 7, 135-143.	4.6	6
51	Cooperative transformation of 32D cells by the combined expression of IRS-1 and V-Ha-Ras. <i>Oncogene</i> , 2000, 19, 3245-3255.	5.9	34
52	The role of wild-type p53 in the differentiation of primary hemopoietic and muscle cells. <i>Oncogene</i> , 1999, 18, 5831-5835.	5.9	27
53	Interference with p53 protein inhibits hematopoietic and muscle differentiation.. <i>Journal of Cell Biology</i> , 1996, 134, 193-204.	5.2	118
54	Retinoic acid and camp differentially regulate human chromogranin a promoter activity during differentiation of neuroblastoma cells. <i>European Journal of Cancer</i> , 1995, 31, 447-452.	2.8	16