
Willem Assendelft

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3815979/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	The Netherlands Study of Depression and Anxiety (NESDA): rationale, objectives and methods. International Journal of Methods in Psychiatric Research, 2008, 17, 121-140.	2.1	791
2	Interventions to Improve the Management of Diabetes in Primary Care, Outpatient, and Community Settings: A systematic review. Diabetes Care, 2001, 24, 1821-1833.	8.6	722
3	Corticosteroid injections, physiotherapy, or a wait-and-see policy for lateral epicondylitis: a randomised controlled trial. Lancet, The, 2002, 359, 657-662.	13.7	640
4	Method Guidelines for Systematic Reviews in the Cochrane Collaboration Back Review Group for Spinal Disorders. Spine, 1997, 22, 2323-2330.	2.0	601
5	Spinal Radiographic Findings and Nonspecific Low Back Pain. Spine, 1997, 22, 427-434.	2.0	418
6	Effectiveness of exercise therapy in patients with osteoarthritis of the hip or knee: A systematic review of randomized clinical trials. Arthritis and Rheumatism, 1999, 42, 1361-1369.	6.7	397
7	Behavioural treatment for chronic low-back pain. The Cochrane Library, 2011, 2011, CD002014.	2.8	339
8	Corticosteroid injections for lateral epicondylitis: a systematic review. Pain, 2002, 96, 23-40.	4.2	282
9	Use of Framingham risk score and new biomarkers to predict cardiovascular mortality in older people: population based observational cohort study. BMJ: British Medical Journal, 2009, 338, a3083-a3083.	2.3	274
10	Interobserver reproducibility of the assessment of severity of complaints, grip strength, and pressure pain threshold in patients with lateral epicondylitis. Archives of Physical Medicine and Rehabilitation, 2002, 83, 1145-1150.	0.9	248
11	Behavioral Treatment for Chronic Low Back Pain. Spine, 2001, 26, 270-281.	2.0	244
12	Systematic review of the occurrence of infantile colic in the community. Archives of Disease in Childhood, 2001, 84, 398-403.	1.9	242
13	Spinal Manipulation for Low Back Pain. Spine, 1996, 21, 2860-2871.	2.0	239
14	Spinal Manipulative Therapy for Chronic Low-Back Pain. Spine, 2011, 36, E825-E846.	2.0	196
15	Behavioral Treatment for Chronic Low Back Pain. Spine, 2000, 25, 2688-2699.	2.0	192
16	Effectiveness of physiotherapy for lateral epicondylitis: a systematic review. Annals of Medicine, 2003, 35, 51-62.	3.8	187
17	Diagnostic value of C reactive protein in infections of the lower respiratory tract: systematic review. BMJ: British Medical Journal, 2005, 331, 26.	2.3	179
18	Translating Pharmacogenomics: Challenges on the Road to the Clinic. PLoS Medicine, 2007, 4, e209.	8.4	174

#	Article	IF	CITATIONS
19	Integrated disease management interventions for patients with chronic obstructive pulmonary disease. The Cochrane Library, 2013, , CD009437.	2.8	168
20	Training health professionals in smoking cessation. The Cochrane Library, 2013, 2013, CD000214.	2.8	163
21	Efficacy of spinal manipulation for chronic headache: A systematic review. Journal of Manipulative and Physiological Therapeutics, 2001, 24, 457-466.	0.9	161
22	Conservative Treatment of Lateral Epicondylitis. American Journal of Sports Medicine, 2004, 32, 462-469.	4.2	150
23	Behavioural treatment for chronic low-back pain. , 2005, , CD002014.		141
24	Infantile Colic: Crying Time Reduction With a Whey Hydrolysate: A Double-Blind, Randomized, Placebo-Controlled Trial. Pediatrics, 2000, 106, 1349-1354.	2.1	140
25	Spinal manipulative therapy for chronic low-back pain. The Cochrane Library, 2011, , CD008112.	2.8	140
26	Effect of anemia and comorbidity on functional status and mortality in old age: results from the Leiden 85-plus Study. Cmaj, 2009, 181, 151-157.	2.0	136
27	Patient education for preventing diabetic foot ulceration. , 2012, 10, CD001488.		134
28	Manual Therapy, Physical Therapy, or Continued Care by the General Practitioner for Patients With Neck Pain. Clinical Journal of Pain, 2006, 22, 370-377.	1.9	125
29	Warts in primary schoolchildren: prevalence and relation with environmental factors. British Journal of Dermatology, 2009, 161, 148-152.	1.5	122
30	The Effect of Preconception Counselling on Lifestyle and Other Behaviour Before and During Pregnancy. Women's Health Issues, 2008, 18, S117-S125.	2.0	120
31	Chronic Frequent Headache in the General Population: Prevalence and Associated Factors. Cephalalgia, 2006, 26, 1434-1442.	3.9	119
32	Cryotherapy with liquid nitrogen versus topical salicylic acid application for cutaneous warts in primary care: randomized controlled trial. Cmaj, 2010, 182, 1624-1630.	2.0	119
33	Effectiveness of integrated disease management for primary care chronic obstructive pulmonary disease patients: results of cluster randomised trial. BMJ, The, 2014, 349, g5392-g5392.	6.0	118
34	Quality of Primary Care Guidelines for Acute Low Back Pain. Spine, 2004, 29, E357-E362.	2.0	114
35	Spinal Manipulative Therapy for Acute Low Back Pain. Spine, 2013, 38, E158-E177.	2.0	114
36	Spinal manipulative therapy for acute low-back pain. The Cochrane Library, 2012, , CD008880.	2.8	113

#	Article	IF	CITATIONS
37	Immobilisation for acute ankle sprain. Archives of Orthopaedic and Trauma Surgery, 2001, 121, 462-471.	2.4	112
38	Antidepressants for non-specific low back pain. The Cochrane Library, 2010, 2010, CD001703.	2.8	110
39	Cutaneous wart-associated HPV types: Prevalence and relation with patient characteristics. Journal of Clinical Virology, 2012, 55, 250-255.	3.1	102
40	Longâ€ŧerm use of proton pump inhibitors and vitamin B12 status in elderly individuals. Alimentary Pharmacology and Therapeutics, 2008, 27, 491-497.	3.7	101
41	Shock wave therapy for lateral elbow pain. The Cochrane Library, 2005, , CD003524.	2.8	91
42	The relationship between methodological quality and conclusions in reviews of spinal manipulation. JAMA - Journal of the American Medical Association, 1995, 274, 1942-1948.	7.4	89
43	Patient education for preventing diabetic foot ulceration. Endocrinology and Metabolism Clinics of North America, 2002, 31, 633-658.	3.2	86
44	What is a clinically relevant change on the HIT-6 questionnaire? An estimation in a primary-care population of migraine patients. Cephalalgia, 2014, 34, 29-36.	3.9	86
45	Functional treatments for acute ruptures of the lateral ankle ligament. Acta Orthopaedica, 2003, 74, 69-77.	1.4	85
46	How usual is usual care in pragmatic intervention studies in primary care? An overview of recent trials. British Journal of General Practice, 2010, 60, e305-e318.	1.4	74
47	Identifying patients at risk for severe exacerbations of asthma: development and external validation of a multivariable prediction model. Thorax, 2016, 71, 838-846.	5.6	74
48	Systematic Review of Treatments for Infant Colic. Pediatrics, 2001, 108, 1047-1048.	2.1	73
49	Surgery for lateral elbow pain. The Cochrane Library, 2011, , CD003525.	2.8	69
50	Patient education for preventing diabetic foot ulceration. The Cochrane Library, 2014, , CD001488.	2.8	66
51	Systematic Review of Sexual Problems: Epidemiology and Methodology. Journal of Sex and Marital Therapy, 2002, 28, 399-422.	1.5	65
52	Natural Course of Cutaneous Warts Among Primary Schoolchildren: A Prospective Cohort Study. Annals of Family Medicine, 2013, 11, 437-441.	1.9	63
53	Time-Dependent Effects of Aspirin on Blood Pressure and Morning Platelet Reactivity. Hypertension, 2015, 65, 743-750.	2.7	62
54	A systematic review on the treatment of giardiasis. Tropical Medicine and International Health, 1997, 2, 63-82.	2.3	61

#	Article	IF	CITATIONS
55	Symptom- and fraction of exhaled nitric oxide–driven strategies for asthma control: AÂcluster-randomized trial in primary care. Journal of Allergy and Clinical Immunology, 2015, 135, 682-688.e11.	2.9	58
56	Chiropractic patients in the Netherlands: A descriptive study. Journal of Manipulative and Physiological Therapeutics, 2000, 23, 557-563.	0.9	57
57	ACCURACY OF CARBOHYDRATE-DEFICIENT TRANSFERRIN IN THE DETECTION OF EXCESSIVE ALCOHOL CONSUMPTION: A SYSTEMATIC REVIEW. Alcohol and Alcoholism, 2004, 39, 75-85.	1.6	54
58	The role of fat mass and skeletal muscle mass in knee osteoarthritis is different for men and women: the NEO study. Osteoarthritis and Cartilage, 2014, 22, 197-202.	1.3	54
59	Cost Effectiveness of Interventions for Lateral Epicondylitis. Pharmacoeconomics, 2004, 22, 185-195.	3.3	52
60	Cost effectiveness of brace, physiotherapy, or both for treatment of tennis elbow * Commentary. British Journal of Sports Medicine, 2006, 40, 637-643.	6.7	52
61	Warts Transmitted in Families and Schools: A Prospective Cohort. Pediatrics, 2013, 131, 928-934.	2.1	52
62	Effectiveness of Collaborative Stepped Care for Anxiety Disorders in Primary Care: A Pragmatic Cluster Randomised Controlled Trial. Psychotherapy and Psychosomatics, 2014, 83, 37-44.	8.8	52
63	Multicomponent Program to Reduce Functional Decline in Frail Elderly People: A Cluster Controlled Trial. Journal of the American Board of Family Medicine, 2016, 29, 209-217.	1.5	52
64	Weekly self-monitoring and treatment adjustment benefit patients with partly controlled and uncontrolled asthma: an analysis of the SMASHING study. Respiratory Research, 2010, 11, 74.	3.6	51
65	Reproducibility of cervical range of motion in patients with neck pain. BMC Musculoskeletal Disorders, 2005, 6, 59.	1.9	49
66	Long-Term Outcomes of Internet-Based Self-Management Support in Adults With Asthma: Randomized Controlled Trial. Journal of Medical Internet Research, 2013, 15, e188.	4.3	49
67	Chronic Frequent Headache in the General Population: Comorbidity and Quality of Life. Cephalalgia, 2006, 26, 1443-1450.	3.9	48
68	What Do Patients Consider to Be the Most Important Outcomes for Effectiveness Studies on Migraine Treatment? Results of a Delphi Study. PLoS ONE, 2014, 9, e98933.	2.5	48
69	Blood pressure trends and mortality. Journal of Hypertension, 2013, 31, 63-70.	0.5	46
70	HPV type in plantar warts influences natural course and treatment response: Secondary analysis of a randomised controlled trial. Journal of Clinical Virology, 2013, 57, 227-232.	3.1	45
71	The Predictive Value of Diagnostic Sonography for the Effectiveness of Conservative Treatment of Tennis Elbow. American Journal of Roentgenology, 2005, 185, 1113-1118.	2.2	44
72	Barriers and facilitators to implement shared decision making in multidisciplinary sciatica care: a qualitative study. Implementation Science, 2013, 8, 95.	6.9	44

#	Article	IF	CITATIONS
73	Immobilisation and functional treatment for acute lateral ankle ligament injuries in adults. The Cochrane Library, 2013, , CD003762.	2.8	42
74	Chronic kidney disease in patients with diabetes mellitus type 2 or hypertension in general practice. British Journal of General Practice, 2010, 60, 884-890.	1.4	40
75	Cost-Effectiveness of Internet-Based Self-Management Compared with Usual Care in Asthma. PLoS ONE, 2011, 6, e27108.	2.5	40
76	Patient education for preventing diabetic foot ulceration. , 2001, , CD001488.		39
77	Deprescribing preventive cardiovascular medication in patients with predicted low cardiovascular disease risk in general practice – the ECSTATIC study: a cluster randomised non-inferiority trial. BMC Medicine, 2018, 16, 5.	5.5	39
78	Vitamin B12 and Folate and the Risk of Anemia in Old Age. Archives of Internal Medicine, 2008, 168, 2238.	3.8	38
79	ls the role as gatekeeper still feasible? A survey among Dutch general practitioners. Family Practice, 2014, 31, 538-544.	1.9	38
80	Tennis elbow. BMJ: British Medical Journal, 2003, 327, 329-329.	2.3	37
81	Improving GP communication in consultations on medically unexplained symptoms: a qualitative interview study with patients in primary care. British Journal of General Practice, 2017, 67, e716-e723.	1.4	36
82	Effects of a stepped-care intervention programme among older subjects who screened positive for depressive symptoms in general practice: the PROMODE randomised controlled trial. Age and Ageing, 2012, 41, 482-488.	1.6	35
83	Low blood pressure predicts increased mortality in very old age even without heart failure: the Leiden 85â€plus Study. European Journal of Heart Failure, 2013, 15, 528-533.	7.1	35
84	Medically unexplained symptoms: the person, the symptoms and the dialogue. Family Practice, 2017, 34, cmw132.	1.9	35
85	A Smart Mobile Health Tool Versus a Paper Action Plan to Support Self-Management of Chronic Obstructive Pulmonary Disease Exacerbations: Randomized Controlled Trial. JMIR MHealth and UHealth, 2019, 7, e14408.	3.7	35
86	Primary prevention of cardio-metabolic diseases in general practice: A Dutch survey of attitudes and working methods of general practitioners. European Journal of General Practice, 2010, 16, 139-142.	2.0	34
87	Cochrane corner: is integrated disease management for patients with COPD effective?: TableÂ1. Thorax, 2014, 69, 1053-1055.	5.6	34
88	Prospective cohort study of acute pyelonephritis in adults: Safety of triage towards home based oral antimicrobial treatment. Journal of Infection, 2010, 60, 114-121.	3.3	33
89	The effect of cognitive impairment on the predictive value of multimorbidity for the increase in disability in the oldest old: the Leiden 85-plus Study. Age and Ageing, 2011, 40, 352-357.	1.6	33
90	Different functional treatment strategies for acute lateral ankle ligament injuries in adults. The Cochrane Library, 2013, , CD002938.	2.8	33

#	Article	IF	CITATIONS
91	Most Important Factors for the Implementation of Shared Decision Making in Sciatica Care: Ranking among Professionals and Patients. PLoS ONE, 2014, 9, e94176.	2.5	33
92	Monochloroacetic Acid Application Is an Effective Alternative to Cryotherapy for Common and Plantar Warts in Primary Care: A Randomized Controlled Trial. Journal of Investigative Dermatology, 2015, 135, 1261-1267.	0.7	33
93	Communication between general practitioners and chiropractors. Journal of Manipulative and Physiological Therapeutics, 2001, 24, 12-16.	0.9	32
94	Follow-up study on health care use of patients with somatoform, anxiety and depressive disorders in primary care. BMC Family Practice, 2008, 9, 5.	2.9	32
95	Feasibility of pharmacy-initiated pharmacogenetic screening for CYP2D6 and CYP2C19. European Journal of Clinical Pharmacology, 2012, 68, 363-370.	1.9	32
96	Cardiometabolic prevention consultation in the Netherlands: screening uptake and detection of cardiometabolic risk factors and diseases – a pilot study. BMC Family Practice, 2013, 14, 29.	2.9	32
97	Cost-effectiveness of integrated COPD care: the RECODE cluster randomised trial. BMJ Open, 2015, 5, e007284.	1.9	32
98	The role of comorbidity in the detection of psychiatric disorders with checklists for mental and physical symptoms in primary care. Social Psychiatry and Psychiatric Epidemiology, 2009, 44, 78-85.	3.1	31
99	One-Hour Training for General Practitioners in Reducing the Implementation Gap of Smoking Cessation Care: A Cluster-Randomized Controlled Trial. Nicotine and Tobacco Research, 2014, 16, 1-10.	2.6	31
100	CASINO: Surgical or Nonsurgical Treatment for cervical radiculopathy, a randomised controlled trial. BMC Musculoskeletal Disorders, 2014, 15, 129.	1.9	31
101	Behavioural treatment for chronic low-back pain. , 2000, , CD002014.		30
102	RECODE: Design and baseline results of a cluster randomized trial on cost-effectiveness of integrated COPD management in primary care. BMC Pulmonary Medicine, 2013, 13, 17.	2.0	30
103	Abdominal adiposity largely explains associations between insulin resistance, hyperglycemia and subclinical atherosclerosis: The NEO study. Atherosclerosis, 2013, 229, 423-429.	0.8	30
104	eHealth Apps Replacing or Complementing Health Care Contacts: Scoping Review on Adverse Effects. Journal of Medical Internet Research, 2019, 21, e10736.	4.3	30
105	Shock wave therapy for lateral elbow pain. , 2002, , CD003524.		28
106	Subnormal vitamin B12 concentrations and anaemia in older people: a systematic review. BMC Geriatrics, 2010, 10, 42.	2.7	26
107	Triptan overuse in the Dutch general population: A nationwide pharmaco-epidemiology database analysis in 6.7 million people. Cephalalgia, 2011, 31, 943-952.	3.9	26
108	Preconception counselling initiated by general practitioners in the Netherlands: reaching couples contemplating pregnancy [ISRCTN53942912]. BMC Family Practice, 2006, 7, 41.	2.9	25

#	Article	IF	CITATIONS
109	The Routine Electrocardiogram for Cardiovascular Risk Stratification in Old Age: The Leiden 85â€Plus Study. Journal of the American Geriatrics Society, 2007, 55, 872-877.	2.6	25
110	Collaborative stepped care for anxiety disorders in primary care: aims and design of a randomized controlled trial. BMC Health Services Research, 2009, 9, 159.	2.2	25
111	Revised guidelines for cardiovascular risk management — time to stop medication? A practice-based intervention study. British Journal of General Practice, 2011, 61, e347-e352.	1.4	25
112	Homocysteine Levels and Treatment Effect in the Prospective Study of Pravastatin in the Elderly at Risk. Journal of the American Geriatrics Society, 2014, 62, 213-221.	2.6	24
113	Women's Motives for Not Participating in Preconception Counseling: Qualitative Study. Public Health Genomics, 2008, 11, 166-170.	1.0	23
114	Effect of <i>CYP2C9</i> polymorphisms on prescribed dose and time-to-stable dose of sulfonylureas in primary care patients with Type 2 diabetes mellitus. Pharmacogenomics, 2010, 11, 1517-1523.	1.3	22
115	Changing prediction of mortality by systolic blood pressure with increasing age: the Rotterdam study. Age, 2013, 35, 431-438.	3.0	22
116	Patient education for preventing diabetic foot ulceration. , 2010, , CD001488.		21
117	Prophylactic treatment of migraine; the patient's view, a qualitative study. BMC Family Practice, 2012, 13, 13.	2.9	21
118	Exploring the variation in implementation of a COPD disease management programme and its impact on health outcomes: a post hoc analysis of the RECODE cluster randomised trial. Npj Primary Care Respiratory Medicine, 2015, 25, 15071.	2.6	21
119	Bridging the gap between public health and primary care in prevention of cardiometabolic diseases; background of and experiences with the Prevention Consultation in The Netherlands. Family Practice, 2012, 29, i126-i131.	1.9	20
120	Preventive treatment for migraine in primary care, a population-based study in the Netherlands. Cephalalgia, 2013, 33, 1170-1178.	3.9	20
121	Current choices in the treatment of cutaneous warts: a survey among Dutch GP. Family Practice, 2010, 27, 549-553.	1.9	19
122	Web-based consultation between general practitioners and nephrologists: a cluster randomized controlled trial. Family Practice, 2017, 34, 430-436.	1.9	19
123	The development of an ICF-based questionnaire for patients with chronic conditions in primary care. Journal of Clinical Epidemiology, 2018, 103, 92-100.	5.0	19
124	Arrest of chronic acid suppressant drug use after successful Helicobacter pylori eradication in patients with peptic ulcer disease: a six-month follow-up study. Alimentary Pharmacology and Therapeutics, 2001, 15, 1047-1054.	3.7	18
125	Response to an unsolicited intervention offer to persons aged ≥ 75 years after screening positive for depressive symptoms: a qualitative study. International Psychogeriatrics, 2012, 24, 270-277.	1.0	18
126	Physicians' identification of the need for palliative care in people with intellectual disabilities. Research in Developmental Disabilities, 2016, 59, 55-64.	2.2	18

#	Article	IF	CITATIONS
127	Social networks and type 2 diabetes: a narrative review. Diabetologia, 2021, 64, 1905-1916.	6.3	18
128	GP-initiated preconception counselling in a randomised controlled trial does not induce anxiety. BMC Family Practice, 2006, 7, 66.	2.9	17
129	Compliance and reliability of electronic PEF monitoring in adolescents with asthma. Thorax, 2006, 61, 457-458.	5.6	17
130	Brief multimodal psychosomatic therapy in patients with medically unexplained symptoms: feasibility and treatment effects. Family Practice, 2016, 33, 346-353.	1.9	17
131	Splinting or surgery for carpal tunnel syndrome? Design of a randomized controlled trial [ISRCTN18853827]. BMC Neurology, 2001, 1, 8.	1.8	16
132	Acceptance or rejection of prophylactic medicine in patients with migraine: a cross-sectional study. British Journal of General Practice, 2008, 58, 98-101.	1.4	16
133	Use of action planning to increase provision of smoking cessation care by general practitioners: role of plan specificity and enactment. Implementation Science, 2014, 9, 180.	6.9	16
134	Systematic review of school-based interventions to prevent smoking for girls. Systematic Reviews, 2015, 4, 109.	5.3	16
135	The Diagnostic Value of the Patient's Reason for Encounter for Diagnosing Cancer in Primary Care. Journal of the American Board of Family Medicine, 2017, 30, 806-812.	1.5	16
136	Treatment duration of febrile urinary tract infection (FUTIRST trial): a randomized placebo-controlled multicenter trial comparing short (7 days) antibiotic treatment with conventional treatment (14 days). BMC Infectious Diseases, 2009, 9, 131.	2.9	15
137	Variability in Vulnerability Assessment of Older People by Individual General Practitioners: A Cross-Sectional Study. PLoS ONE, 2014, 9, e108666.	2.5	15
138	Longitudinal outcomes of different asthma phenotypes in primary care, an observational study. Npj Primary Care Respiratory Medicine, 2017, 27, 55.	2.6	15
139	GPs' perspectives on preventive care for older people: a focus group study. British Journal of General Practice, 2012, 62, e765-e772.	1.4	14
140	Health assessment instruments for people with intellectual disabilities—A systematic review. Research in Developmental Disabilities, 2017, 64, 12-24.	2.2	14
141	Prophylactic treatment of migraine by GPs: a qualitative study. British Journal of General Practice, 2012, 62, e268-e274.	1.4	13
142	â€~Check it out!' Decision-making of vulnerable groups about participation in a two-stage cardiometabolic health check: A qualitative study. Patient Education and Counseling, 2015, 98, 234-244.	2.2	13
143	After-hours primary care for people with intellectual disabilities in The Netherlands—Current arrangements and challenges. Research in Developmental Disabilities, 2016, 59, 1-7.	2.2	13
144	Adherence to chronic kidney disease guidelines in primary care patients is associated with comorbidity. Family Practice, 2017, 34, 459-466.	1.9	13

#	Article	IF	CITATIONS
145	Reliability of Lumbar Spine Radiograph Reading by Chiropractors. Spine, 1997, 22, 1235-1241.	2.0	12
146	The additional value of routine electrocardiograms in cardiovascular risk management of older people. Scandinavian Journal of Primary Health Care, 2008, 26, 147-153.	1.5	12
147	An increase in primary care prescriptions of stop-smoking medication as a result of health insurance coverage in the Netherlands: population based study. Addiction, 2013, 108, 2183-2192.	3.3	12
148	GPs' opinions of health assessment instruments for people with intellectual disabilities: a qualitative study. British Journal of General Practice, 2017, 67, e41-e48.	1.4	12
149	Validation of ACCESS: an automated tool to support self-management of COPD exacerbations. International Journal of COPD, 2018, Volume 13, 3255-3267.	2.3	12
150	Reliability and Validity of Lumbosacral Spine Radiograph Reading by Chiropractors, Chiropractic Radiologists, and Medical Radiologists. Spine, 2002, 27, 1926-1933.	2.0	11
151	Asthma control cost-utility randomized trial evaluation (ACCURATE): the goals of asthma treatment. BMC Pulmonary Medicine, 2011, 11, 53.	2.0	11
152	Yield and costs of direct and stepped screening for depressive symptoms in subjects aged 75 years and over in general practice. International Journal of Geriatric Psychiatry, 2011, 26, 229-238.	2.7	11
153	Assessment of Appropriateness of Screening Communityâ€Dwelling Older People to Prevent Functional Decline. Journal of the American Geriatrics Society, 2012, 60, 42-50.	2.6	11
154	The Predictive Value of the Extensor Grip Test for the Effectiveness of Bracing for Tennis Elbow. American Journal of Sports Medicine, 2005, 33, 1905-1909.	4.2	10
155	Time trends in preventive drug treatment after myocardial infarction in older patients. British Journal of General Practice, 2010, 60, 47-49.	1.4	10
156	The influence of the administration method on scores of the 15-item Geriatric Depression Scale in old age. Psychiatry Research, 2012, 197, 280-284.	3.3	10
157	Implementation strategies of internet-based asthma self-management support in usual care. Study protocol for the IMPASSE cluster randomized trial. Implementation Science, 2012, 7, 113.	6.9	9
158	Response and participation of underserved populations after a three-step invitation strategy for a cardiometabolic health check. BMC Public Health, 2015, 15, 854.	2.9	9
159	Substitution scenario in follow-up of chronic cancer patients in primary care: prevalence, disease duration and estimated extra consultation time. Family Practice, 2016, 33, 4-9.	1.9	9
160	Effect of erythropoietin levels on mortality in old age: the Leiden 85-plus Study. Cmaj, 2010, 182, 1953-1958.	2.0	9
161	Review conclusions by Ernst and Canter regarding spinal manipulation refuted. Chiropractic & Manual Therapies, 2006, 14, 14.	1.6	7
162	Genetic risk factors for type 2 diabetes mellitus and response to sulfonylurea treatment. Pharmacogenetics and Genomics, 2011, 21, 461-468.	1.5	7

#	Article	IF	CITATIONS
163	An Electronic Health Intervention for Dutch Women With Stress Urinary Incontinence: Protocol for a Mixed Methods Study. JMIR Research Protocols, 2019, 8, e13164.	1.0	7
164	Drugs for treating giardiasis. , 1998, , CD000217.		6
165	Designing an implementation strategy to improve interprofessional shared decision making in sciatica: study protocol of the DISC study. Implementation Science, 2012, 7, 55.	6.9	6
166	Sequence-analysis of video-recorded practitioner–patient communication about smoking in general practice: Do smokers express negative statements about quitting?. Patient Education and Counseling, 2014, 97, 352-360.	2.2	6
167	Change in calculated cardiovascular risk due to guideline revision: A cross-sectional study in the Netherlands. European Journal of General Practice, 2015, 21, 217-223.	2.0	6
168	Drugs for treating giardiasis. The Cochrane Library, 1998, , CD000217.	2.8	5
169	Tobacco Dependence Curricula in Medical Schools—Reply. JAMA - Journal of the American Medical Association, 2000, 283, 1426.	7.4	5
170	PREDICTIVE VALUE OF LOW FERRITIN IN OLDER PERSONS WITH ANEMIA WITH AND WITHOUT INFLAMMATION: THE LEIDEN 85â€PLUS STUDY. Journal of the American Geriatrics Society, 2010, 58, 1601-1603.	2.6	5
171	Acceptance of preventive treatment in migraine patients: Results of a survey. European Journal of General Practice, 2012, 18, 143-148.	2.0	5
172	Feasibility and validity of a tool for identification of people with intellectual disabilities in need of palliative care (PALLI). Research in Developmental Disabilities, 2018, 72, 67-78.	2.2	5
173	Why Dutch general practitioners do not put the squeeze on access to hospital care?. Family Practice, 2014, 31, 499-501.	1.9	4
174	Spinal manipulative therapy for low-back pain. The Cochrane Library, 2013, 2013, CD000447.	2.8	3
175	Triptan use after starting prophylactic migraine treatment: A retrospective cohort study in a primary care population. Cephalalgia, 2014, 34, 927-932.	3.9	3
176	Use and Effects of Patient Access to Medical Records in General Practice Through a Personal Health Record in the Netherlands: Protocol for a Mixed-Methods Study. JMIR Research Protocols, 2018, 7, e10193.	1.0	2
177	Differences between excessively crying infants and normal infants. European Journal of General Practice, 2003, 9, 25-26.	2.0	1
178	Proximity to death is associated with frequency of GP contacts in the oldest old: the Leiden 85-plus study. Age and Ageing, 2012, 41, 814-817.	1.6	1
179	Overweight can be used as a tool to guide case-finding for cardiovascular risk assessment. Family Practice, 2015, 32, 646-651.	1.9	1
180	Spinal manipulation and mobilisation for back and neck pain: Authors' reply. BMJ: British Medical Journal, 1992, 304, 185-185.	2.3	0

#	Article	IF	CITATIONS
181	Tools and tables in cardiovascular risk management: doing more harm than good?. British Journal of General Practice, 2015, 65, e213-e214.	1.4	Ο
182	Women's Adoption of a Web-Based Intervention for Stress Urinary Incontinence: a Qualitative Study (Preprint). JMIR Rehabilitation and Assistive Technologies, 0, , .	2.2	0
183	Referring patients with stable moderate to advanced chronic kidney disease back to primary care: a feasibility study. BJGP Open, 2022, , BJGPO.2021.0177.	1.8	0