

Sandro Goruppi

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3820979/publications.pdf>

Version: 2024-02-01

18
papers

3,892
citations

567281

15
h-index

839539

18
g-index

18
all docs

18
docs citations

18
times ranked

10601
citing authors

#	ARTICLE	IF	CITATIONS
1	Guidelines for the use and interpretation of assays for monitoring autophagy. <i>Autophagy</i> , 2012, 8, 445-544.	9.1	3,122
2	Combined CSL and p53 downregulation promotes cancer-associated fibroblast activation. <i>Nature Cell Biology</i> , 2015, 17, 1193-1204.	10.3	170
3	Stress-inducible Protein p8 Is Involved in Several Physiological and Pathological Processes. <i>Journal of Biological Chemistry</i> , 2010, 285, 1577-1581.	3.4	85
4	Signaling pathways and late-onset gene induction associated with renal mesangial cell hypertrophy. <i>EMBO Journal</i> , 2002, 21, 5427-5436.	7.8	63
5	Nupr1-Aurora Kinase A Pathway Provides Protection against Metabolic Stress-Mediated Autophagic-Associated Cell Death. <i>Clinical Cancer Research</i> , 2012, 18, 5234-5246.	7.0	63
6	Deficiency of the Transcriptional Regulator p8 Results in Increased Autophagy and Apoptosis, and Causes Impaired Heart Function. <i>Molecular Biology of the Cell</i> , 2010, 21, 1335-1349.	2.1	53
7	Mesenchymal stroma: primary determinant and therapeutic target for epithelial cancer. <i>Trends in Cell Biology</i> , 2013, 23, 593-602.	7.9	46
8	Helix-Loop-Helix Protein p8, a Transcriptional Regulator Required for Cardiomyocyte Hypertrophy and Cardiac Fibroblast Matrix Metalloprotease Induction. <i>Molecular and Cellular Biology</i> , 2007, 27, 993-1006.	2.3	44
9	The ULK3 Kinase Is Critical for Convergent Control of Cancer-Associated Fibroblast Activation by CSL and GLI. <i>Cell Reports</i> , 2017, 20, 2468-2479.	6.4	41
10	Androgen receptor functions as transcriptional repressor of cancer-associated fibroblast activation. <i>Journal of Clinical Investigation</i> , 2018, 128, 5531-5548.	8.2	40
11	Convergent roles of ATF3 and CSL in chromatin control of cancer-associated fibroblast activation. <i>Journal of Experimental Medicine</i> , 2017, 214, 2349-2368.	8.5	33
12	Decreased metalloprotease 9 induction, cardiac fibrosis, and higher autophagy after pressure overload in mice lacking the transcriptional regulator p8. <i>American Journal of Physiology - Cell Physiology</i> , 2011, 301, C1046-C1056.	4.6	30
13	NOTCH1 gene amplification promotes expansion of Cancer Associated Fibroblast populations in human skin. <i>Nature Communications</i> , 2020, 11, 5126.	12.8	25
14	NUPR1 works against the metabolic stress-induced autophagy-associated cell death in pancreatic cancer cells. <i>Autophagy</i> , 2013, 9, 95-97.	9.1	22
15	Autophagy Controls CSL/RBPJ ² Stability through a p62/SQSTM1-Dependent Mechanism. <i>Cell Reports</i> , 2018, 24, 3108-3114.e4.	6.4	20
16	CSL controls telomere maintenance and genome stability in human dermal fibroblasts. <i>Nature Communications</i> , 2019, 10, 3884.	12.8	16
17	A role for stromal autophagy in cancer-associated fibroblast activation. <i>Autophagy</i> , 2019, 15, 738-739.	9.1	15
18	Deficiency of transcriptional regulator p8 induces autophagy and causes impaired cardiac function. <i>Autophagy</i> , 2010, 6, 652-654.	9.1	4