

Rupert Leitner

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3829331/publications.pdf>

Version: 2024-02-01

672
papers

34,607
citations

4658

85
h-index

8167

148
g-index

701
all docs

701
docs citations

701
times ranked

12085
citing authors

#	ARTICLE	IF	CITATIONS
1	Observation of Electron-Antineutrino Disappearance at Daya Bay. <i>Physical Review Letters</i> , 2012, 108, 171803.	7.8	1,751
2	The ATLAS Simulation Infrastructure. <i>European Physical Journal C</i> , 2010, 70, 823-874.	3.9	1,187
3	Neutrino physics with JUNO. <i>Journal of Physics G: Nuclear and Particle Physics</i> , 2016, 43, 030401.	3.6	750
4	Search for neutral MSSM Higgs bosons at LEP. <i>European Physical Journal C</i> , 2006, 47, 547.	3.9	592
5	Performance of the ATLAS trigger system in 2015. <i>European Physical Journal C</i> , 2017, 77, 317.	3.9	489
6	Muon reconstruction performance of the ATLAS detector in proton-proton collision data at $\sqrt{s} = 13 \text{ TeV}$. <i>European Physical Journal C</i> , 2016, 76, 292.	3.9	453
7	Improved luminosity determination in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ using the ATLAS detector at the LHC. <i>European Physical Journal C</i> , 2013, 73, 2518.	3.9	362
8	Topological cell clustering in the ATLAS calorimeters and its performance in LHC Run 1. <i>European Physical Journal C</i> , 2017, 77, 490.	3.9	325
9	Performance of pile-up mitigation techniques for jets in pp collisions at $\sqrt{s} = 8 \text{ TeV}$. <i>European Physical Journal C</i> , 2016, 76, 581.	3.9	298
10	The Physics of the B Factories. <i>European Physical Journal C</i> , 2014, 74, 1.	3.9	292
11	Luminosity determination in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ using the ATLAS detector at the LHC. <i>European Physical Journal C</i> , 2016, 76, 653.	3.9	279
12	Measurements of the Higgs boson production and decay rates and coupling strengths using pp collision data at $\sqrt{s} = 7$ and 8 TeV in the ATLAS experiment. <i>European Physical Journal C</i> , 2016, 76, 6.	3.9	274
13	Jet energy measurement and its systematic uncertainty in proton-proton collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2015, 75, 17.	3.9	268
14	Performance of the ATLAS Trigger System in 2010. <i>European Physical Journal C</i> , 2012, 72, 1.	3.9	259
15	Improved measurement of electron antineutrino disappearance at Daya Bay. <i>Chinese Physics C</i> , 2013, 37, 011001.	3.7	253
16	Electron performance measurements with the ATLAS detector using the 2010 LHC proton-proton collision data. <i>European Physical Journal C</i> , 2012, 72, 1.	3.9	248
17	Search for new phenomena in final states with an energetic jet and large missing transverse momentum in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2015, 75, 299.	3.9	238
18			

#	ARTICLE	IF	CITATIONS
19	Performance of missing transverse momentum reconstruction in proton-proton collisions at $\sqrt{s} = 7$ TeV with ATLAS. European Physical Journal C, 2012, 72, 1.	3.9	230
20	Spectral Measurement of Electron Antineutrino Oscillation Amplitude and Frequency at Daya Bay. Physical Review Letters, 2014, 112, 061801.	7.8	219
21	Measurement of the W-boson mass in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector. European Physical Journal C, 2018, 78, 110.	3.9	218
22	Measurement of the muon reconstruction performance of the ATLAS detector using 2011 and 2012 LHC proton-proton collision data. European Physical Journal C, 2014, 74, 3130.	3.9	213
23	Jet energy resolution in proton-proton collisions at $\sqrt{s} = 7$ TeV recorded in 2010 with the ATLAS detector. European Physical Journal C, 2013, 73, 2306.	3.9	209
24	Electron reconstruction and identification efficiency measurements with the ATLAS detector using the 2011 LHC proton-proton collision data. European Physical Journal C, 2014, 74, 2941.	3.9	204
25	Search for an additional, heavy Higgs boson in the $H \rightarrow ZZ$ decay channel at $\sqrt{s} = 8$ TeV in pp collision data with the ATLAS detector. European Physical Journal C, 2016, 76, 45.	3.9	197
26	Measurement of the Inelastic Proton-Proton Cross Section at $\sqrt{s} = 13$ TeV with the ATLAS Detector at the LHC. Physical Review Letters, 2016, 117, 182002.	7.8	185
27	Performance of missing transverse momentum reconstruction with the ATLAS detector using proton-proton collisions at $\sqrt{s} = 13$ TeV. European Physical Journal C, 2018, 78, 903.	3.9	181
28	Luminosity determination in pp collisions at $\sqrt{s} = 7$ TeV using the ATLAS detector at the LHC. European Physical Journal C, 2011, 71, 1.	3.9	179
29	New Measurement of Antineutrino Oscillation with the Full Detector Configuration at Daya Bay. Physical Review Letters, 2015, 115, 111802.	7.8	176
30	Measurement of the distributions of event-by-event flow harmonics in lead-lead collisions at $\sqrt{s_{NN}} = 2.76$ TeV with the ATLAS detector at the LHC. Journal of High Energy Physics, 2013, 2013, 1.	4.7	175
31	Study of the spin and parity of the Higgs boson in diboson decays with the ATLAS detector. European Physical Journal C, 2015, 75, 476.	3.9	174
32	Electron and photon energy calibration with the ATLAS detector using LHC Run 1 data. European Physical Journal C, 2014, 74, 1.	3.9	172
33	Search for new high-mass phenomena in the dilepton final state using 36 fb ⁻¹ of proton-proton collision data at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	168
34	Measurement of the Electron Antineutrino Oscillation with 1958 Days of Operation at Daya Bay. Physical Review Letters, 2018, 121, 241805.	7.8	168
35	Measurement of the Reactor Antineutrino Flux and Spectrum at Daya Bay. Physical Review Letters, 2016, 116, 061801.	7.8	161
36	Measurement of the transverse momentum and ϕ_{η} distributions of Drell-Yan lepton pairs in proton-proton collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 291.	3.9	154

#	ARTICLE	IF	CITATIONS
37	Measurement of the top quark-pair production cross section with ATLAS in pp collisions at $\sqrt{s}=7$ TeV. European Physical Journal C, 2011, 71, 1.	3.9	146
38	Search for direct production of charginos, neutralinos and sleptons in final states with two leptons and missing transverse momentum in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	4.7	145
39	Jet reconstruction and performance using particle flow with the ATLAS Detector. European Physical Journal C, 2017, 77, 466.	3.9	145
40	Precision measurement and interpretation of inclusive W^+W^- , W^+W^+ . European Physical Journal C, 2017, 77, 367.	3.9	145
41	Measurement of the $t\bar{t}$ production cross-section using e^+e^- events with b -tagged jets in pp collisions at $\sqrt{s}=7$ and 8 TeV with the ATLAS detector. European Physical Journal C, 2014, 74, 3109.	3.9	143
42	ATLAS Run 1 searches for direct pair production of third-generation squarks at the Large Hadron Collider. European Physical Journal C, 2015, 75, 510.	3.9	138
43	Search for dark matter candidates and large extra dimensions in events with a jet and missing transverse momentum with the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1.	4.7	137
44	Search for dark matter and other new phenomena in events with an energetic jet and large missing transverse momentum using the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	136
45	Search for doubly charged Higgs boson production in multi-lepton final states with the ATLAS detector using proton-proton collisions at $\sqrt{s}=13$ TeV. European Physical Journal C, 2018, 78, 199.	3.9	132
46	Measurement of the Z/γ^* boson transverse momentum distribution in pp collisions at $\sqrt{s}=7$ TeV with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	4.7	131
47	ATLAS b-jet identification performance and efficiency measurement with $t\bar{t}$ events in pp collisions at $\sqrt{s}=13$ TeV. European Physical Journal C, 2019, 79, 1.	3.9	130
48	Evolution of the Reactor Antineutrino Flux and Spectrum at Daya Bay. Physical Review Letters, 2017, 118, 251801.	7.8	129
49	Search for squarks and gluinos with the ATLAS detector in final states with jets and missing transverse momentum using $\sqrt{s}=8$ TeV proton-proton collision data. Journal of High Energy Physics, 2014, 2014, 1.	4.7	128
50	Search for charged Higgs bosons decaying via $H \rightarrow \tau^+\tau^-$ in $t\bar{t}$ events using pp collision data at $\sqrt{s} = 7$ TeV with the ATLAS detector. Journal of High Energy Physics, 2012, 2012, 1.	4.7	126
51	Search for electroweak production of supersymmetric particles in final states with two or three leptons at $\sqrt{s}=13$ TeV with the ATLAS detector. European Physical Journal C, 2018, 78, 995.	3.9	125
52	Search for electroweak production of charginos and sleptons decaying into final states with two leptons and missing transverse momentum in $\sqrt{s}=13$ TeV pp collisions using the ATLAS detector. European Physical Journal C, 2020, 80, 1.	3.9	124
53	Search for the Standard Model Higgs boson produced in association with top quarks and decaying into $b\bar{b}$ in pp collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. European Physical Journal C, 2015, 75, 349.	3.9	123
54	Readiness of the ATLAS Tile Calorimeter for LHC collisions. European Physical Journal C, 2010, 70, 1193-1236.	3.9	121

#	ARTICLE	IF	CITATIONS
55	A side-by-side comparison of Daya Bay antineutrino detectors. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2012, 685, 78-97.	1.6	121

56

#	ARTICLE	IF	CITATIONS
73	Rapidity gap cross sections measured with the ATLAS detector in pp collisions at $\sqrt{s} = 7$ TeV. European Physical Journal C, 2012, 72, 1.	3.9	100
74	Improved measurement of the reactor antineutrino flux and spectrum at Daya Bay. Chinese Physics C, 2017, 41, 013002.	3.7	96
75	The ATLAS Inner Detector commissioning and calibration. European Physical Journal C, 2010, 70, 787-821.	3.9	95
76	Constraints on the off-shell Higgs boson signal strength in the high-mass ZZ and WW final states with the ATLAS detector. European Physical Journal C, 2015, 75, 335.	3.9	95
77	Search for new phenomena in events with at least three photons collected in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 210.	3.9	95
78	Performance of electron and photon triggers in ATLAS during LHC Run 2. European Physical Journal C, 2020, 80, 1.	3.9	93
79	Measurements of the W production cross sections in association with jets with the ATLAS detector. European Physical Journal C, 2015, 75, 82.	3.9	92
80	Testbeam studies of production modules of the ATLAS Tile Calorimeter. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2009, 606, 362-394.	1.6	91
81	Search for Higgs boson pair production in the $b\bar{b}b\bar{b}$ final state from pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. European Physical Journal C, 2015, 75, 412.	3.9	90
82	Search for the $b\bar{b}\bar{b}$ decay of the Standard Model Higgs boson in associated (W/Z)H production with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.7	89
83	Jet mass and substructure of inclusive jets in $\sqrt{s} = 7$ TeV pp collisions with the ATLAS experiment. Journal of High Energy Physics, 2012, 2012, 1.	4.7	88
84	Search for direct production of charginos and neutralinos in events with three leptons and missing transverse momentum in $\sqrt{s} = 8$ TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	4.7	88
85	Electron efficiency measurements with the ATLAS detector using 2012 LHC proton-proton collision data. European Physical Journal C, 2017, 77, 195.	3.9	87
86	Measurement of multi-particle azimuthal correlations in pp, $p\bar{A}+A$ Pb and low-multiplicity $Pb\bar{A}+A$ Pb collisions with the ATLAS detector. European Physical Journal C, 2017, 77, 428.	3.9	86
87	Search for heavy Majorana neutrinos with the ATLAS detector in pp collisions at $\sqrt{s} = 8$ TeV. Journal of High Energy Physics, 2015, 2015, 1.	4.7	84
88	Search for neutral Higgs bosons of the minimal supersymmetric standard model in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	4.7	82
89	Muon reconstruction and identification efficiency in ATLAS using the full Run 2 pp collision data set at $\sqrt{s} = 13$ TeV. European Physical Journal C, 2021, 81, 1.	3.9	82
90	ATLAS search for new phenomena in dijet mass and angular distributions using pp collisions at $\sqrt{s} = 7$ TeV. Journal of High Energy Physics, 2013, 2013, 1.	4.7	81

#	ARTICLE	IF	CITATIONS
91	Measurement of the prompt J/ψ pair production cross-section in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. European Physical Journal C, 2017, 77, 76.	3.9	81
92	Search for dark matter at $\sqrt{s} = 13$ TeV in final states containing an energetic photon and large missing transverse momentum with the ATLAS detector. European Physical Journal C, 2017, 77, 393.	3.9	80
93	Search for a Light Sterile Neutrino at Daya Bay. Physical Review Letters, 2014, 113, 141802.	7.8	79
94	Search for production of WW/WZ resonances decaying to a lepton, neutrino and jets in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. European Physical Journal C, 2015, 75, 209.	3.9	79
95	Search for lepton-flavour-violating decays of the Higgs and Z bosons with the ATLAS detector. European Physical Journal C, 2017, 77, 70.	3.9	79
96	Search for heavy particles decaying into top-quark pairs using lepton-plus-jets events in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2018, 78, 565.	3.9	79
97	Search for high-mass diboson resonances with boson-tagged jets in proton-proton collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1-39.	4.7	78
98	Light-quark and gluon jet discrimination in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector. European Physical Journal C, 2014, 74, 3023.	3.9	77
99	Search for dark matter in events with heavy quarks and missing transverse momentum in pp collisions with the ATLAS detector. European Physical Journal C, 2015, 75, 92.	3.9	77
100	Electron reconstruction and identification in the ATLAS experiment using the 2015 and 2016 LHC proton-proton collision data at $\sqrt{s} = 13$ TeV. European Physical Journal C, 2019, 79, 1.	3.9	77
101	Angular analysis of $B_0 \rightarrow K^{*0} \mu^+ \mu^-$ decays in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	76
102	LHC1: A semiconductor pixel detector readout chip with internal, tunable delay providing a binary pattern of selected events. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 1996, 383, 55-63.	1.6	75
103	The detector system of the Daya Bay reactor neutrino experiment. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2016, 811, 133-161.	1.6	75
104	Performance of the ATLAS track reconstruction algorithms in dense environments in LHC Run 2. European Physical Journal C, 2017, 77, 673.	3.9	75
105	Measurement of quarkonium production in proton-lead and proton-proton collisions at $\sqrt{s} = 5.02$ TeV with the ATLAS detector. European Physical Journal C, 2018, 78, 171.	3.9	75
106	Search for resonant diboson production in the $q\bar{q} \rightarrow \gamma^* \rightarrow q\bar{q}$ final state in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. European Physical Journal C, 2015, 75, 69.	3.9	74
107	Measurement of the inclusive and dijet cross-sections of b-jets in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector. European Physical Journal C, 2011, 71, 1.	3.9	73
108	Measurement of the production cross section of jets in association with a Z boson in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1.	4.7	73

#	ARTICLE	IF	CITATIONS
109	Measurement of the photon identification efficiencies with the ATLAS detector using LHC Run-1 data. European Physical Journal C, 2016, 76, 666.	3.9	73
110	Search for squarks and gluinos in final states with jets and missing transverse momentum at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 392.	3.9	73
111	Particle-level pileup subtraction for jets and jet shapes. Journal of High Energy Physics, 2014, 2014, 1.	4.7	72
112	Search for supersymmetry at $\sqrt{s} = 13$ TeV in final states with jets and two same-sign leptons or three leptons with the ATLAS detector. European Physical Journal C, 2016, 76, 259.	3.9	72
113	Search for new phenomena in final states with large jet multiplicities and missing transverse momentum at $\sqrt{s} = 8$ TeV proton-proton collisions using the ATLAS experiment. Journal of High Energy Physics, 2013, 2013, 1.	4.7	71
114	Search for production of vector-like quark pairs and of four top quarks in the lepton-plus-jets final state in pp collisions at $s = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.7	71
115	Search for a high-mass Higgs boson decaying to a W boson pair in pp collisions at $s = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.7	71
116	Limits on Active to Sterile Neutrino Oscillations from Disappearance Searches in the MINOS, Daya Bay, and Bugey-3 Experiments. Physical Review Letters, 2016, 117, 151801.	7.8	71
117	Reconstruction of primary vertices at the ATLAS experiment in Run 1 proton-proton collisions at the LHC. European Physical Journal C, 2017, 77, 332.	3.9	71
118	Identification and energy calibration of hadronically decaying tau leptons with the ATLAS experiment in pp collisions at $\sqrt{s} = 8$ TeV. European Physical Journal C, 2015, 75, 303.	3.9	70
119	Search for resonances in diphoton events at $s = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.7	70
120	Search for charged Higgs bosons decaying via $H \rightarrow \tau^+ \bar{\nu}_\tau, \tau^\pm \bar{\nu}_\tau$ in fully hadronic final states using pp collision data at $s = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.7	69
121	Measurement of flow harmonics with multi-particle cumulants in Pb+Pb collisions at $\sqrt{s_{NN}} = 2.76$ TeV with the ATLAS detector. European Physical Journal C, 2014, 74, 3157.	3.9	68
122	Search for new resonances in mass distributions of jet pairs using 139 fb ⁻¹ of pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	4.7	68
123	Measurement of charged-particle spectra in Pb+Pb collisions at $\sqrt{s_{NN}} = 2.76$ TeV with the ATLAS detector at the LHC. Journal of High Energy Physics, 2015, 2015, 1.	4.7	67
124	Search for direct pair production of a chargino and a neutralino decaying to the 125 GeV Higgs boson in $\sqrt{s} = 8$ TeV pp collisions with the ATLAS detector. European Physical Journal C, 2015, 75, 208.	3.9	67
125	Search for long-lived charginos based on a disappearing-track signature in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	67
126	Search for top squark pair production in final states with one isolated lepton, jets, and missing transverse momentum in $s = 8$ TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	4.7	66

#	ARTICLE	IF	CITATIONS
127	A search for $t\bar{t}$ resonances using lepton-plus-jets events in proton-proton collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.7	66
128	A search for pair-produced resonances in four-jet final states at $\sqrt{s}=13$ TeV with the ATLAS detector. European Physical Journal C, 2018, 78, 250.	3.9	66
129	Search for the Standard Model Higgs boson at LEP in the year 2000. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2001, 499, 23-37.	4.1	65
130	Search for new phenomena in final states with large jet multiplicities and missing transverse momentum using $\sqrt{s}=7$ TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2011, 2011, 1.	4.7	65
131	Improved Search for a Light Sterile Neutrino with the Full Configuration of the Daya Bay Experiment. Physical Review Letters, 2016, 117, 151802.	7.8	65
132	Measurement of the $W\gamma$ and $Z\gamma$ production cross sections in proton-proton collisions at $\sqrt{s}=7$ TeV with the ATLAS detector. Journal of High Energy Physics, 2010, 2010, 1.	4.7	64
133	Measurement of isolated-photon pair production in pp collisions at $\sqrt{s}=7$ TeV with the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1.	4.7	64
134	Observation and measurements of the production of prompt and non-prompt J/ψ mesons in association with a Z boson in pp collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. European Physical Journal C, 2015, 75, 229.	3.9	64
135	Evidence for the $H\rightarrow b\bar{b}$ decay with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	64
136	Jet energy scale and resolution measured in proton-proton collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	3.9	64
137	Search for doubly charged Higgs bosons at LEP2. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2003, 552, 127-137.	4.1	63
138	Measurement of the differential cross-sections of prompt and non-prompt production of J/ψ and $\psi(2S)$ in pp collisions at $\sqrt{s}=7$ and 8 TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 283.	3.9	63
139	Performance of the ATLAS muon trigger in pp collisions at $\sqrt{s}=8$ TeV. European Physical Journal C, 2015, 75, 120.	3.9	62
140	Identification of boosted, hadronically decaying W bosons and comparisons with ATLAS data taken at $\sqrt{s}=8$ TeV. European Physical Journal C, 2016, 76, 154.	3.9	62
141	Readiness of the ATLAS liquid argon calorimeter for LHC collisions. European Physical Journal C, 2010, 70, 723-753.	3.9	61
142	Measurement of ZZ production in pp collisions at $\sqrt{s}=7$ TeV and limits on anomalous ZZZ and ZZ γ couplings with the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1.	4.7	61
143	Measurements of top quark pair relative differential cross-sections with ATLAS in pp collisions at $\sqrt{s}=7$ TeV. European Physical Journal C, 2013, 73, 1.	3.9	61
144	Charged-particle distributions at low transverse momentum in $\sqrt{s}=13$ TeV pp interactions measured with the ATLAS detector at the LHC. European Physical Journal C, 2016, 76, 502.	3.9	61

#	ARTICLE	IF	CITATIONS
145	Performance of algorithms that reconstruct missing transverse momentum in $\sqrt{s} = 8$ TeV proton-proton collisions in the ATLAS detector. European Physical Journal C, 2017, 77, 241.	3.9	61
146	Prompt and non-prompt J/ψ and $\psi(2S)$ suppression at high transverse momentum in 5.02 TeV Pb+Pb collisions with the ATLAS experiment. European Physical Journal C, 2018, 78, 762.	3.9	61
147	Search for doubly charged scalar bosons decaying into same-sign W boson pairs with the ATLAS detector. European Physical Journal C, 2019, 79, 58.	3.9	61
148	Measurement of multi-jet cross sections in proton-proton collisions at a 7 TeV center-of-mass energy. European Physical Journal C, 2011, 71, 1.	3.9	60
149	Summary of the searches for squarks and gluinos using $\sqrt{s} = 8$ TeV pp collisions with the ATLAS experiment at the LHC. Journal of High Energy Physics, 2015, 2015, 1.	4.7	60
150	Search for anomalous production of prompt same-sign lepton pairs and pair-produced doubly charged Higgs bosons with $\sqrt{s} = 8$ TeV pp collisions using the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.7	60
151	Search for a new resonance decaying to a W or Z boson and a Higgs boson in the $u\bar{u} + b\bar{b}$ final states with the ATLAS detector. European Physical Journal C, 2015, 75, 263.	3.9	60
152	Measurement of the centrality dependence of the charged-particle pseudorapidity distribution in lead-lead collisions at $\sqrt{s_{NN}} = 5.02$ TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 199.	3.9	60
153	Search for dark matter produced in association with bottom or top quarks in $\sqrt{s} = 13$ TeV pp collisions with the ATLAS detector. European Physical Journal C, 2018, 78, 18.	3.9	60
154	Measurement of $W \pm Z$ production in proton-proton collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector. European Physical Journal C, 2012, 72, 1.	3.9	59
155	Search for resonances decaying into top-quark pairs using fully hadronic decays in pp collisions with ATLAS at $\sqrt{s} = 7$ TeV. Journal of High Energy Physics, 2013, 2013, 1.	4.7	59
156	Measurement of the production of a W boson in association with a charm quark in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	4.7	59
157	Search for direct top-quark pair production in final states with two leptons in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	4.7	59
158	Measurement of longitudinal flow decorrelations in Pb+Pb collisions at $\sqrt{s_{NN}} = 2.76$ and 5.0. European Physical Journal C, 2018, 78, 142.	3.9	59
159	Search for charged Higgs bosons decaying via $H \rightarrow \tau^+ \bar{\nu}_\tau, \tau^+ \bar{\nu}_\tau$, in the τ^+, jets and τ^+, lepton final states with 36 fb $^{-1}$ of pp collision data recorded at $\sqrt{s} = 13$ TeV with the ATLAS experiment. Journal of High Energy Physics, 2018, 2018, 1.	4.7	59
160	Muon reconstruction efficiency and momentum resolution of the ATLAS experiment in proton-proton collisions at $\sqrt{s} = 7$ TeV in 2010. European Physical Journal C, 2014, 74, 3034.	3.9	58
161	Search for charginos, neutralinos and gravitinos at LEP. European Physical Journal C, 1998, 1, 1-20.	3.9	57
162	Measurement of the W boson polarization in top quark decays with the ATLAS detector. Journal of High Energy Physics, 2012, 2012, 1.	4.7	57

#	ARTICLE	IF	CITATIONS
163	Measurement of the jet fragmentation function and transverse profile in proton-proton collisions at a center-of-mass energy of 7 TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2011, 71, 1.	3.9	56
164	Search for supersymmetry in events containing a same-flavour opposite-sign dilepton pair, jets, and large missing transverse momentum in $\sqrt{s}=8$ TeV pp collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2015, 75, 318.	3.9	56
165	Search for scalar leptoquarks in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS experiment. <i>New Journal of Physics</i> , 2016, 18, 093016.	2.9	56
166	Fiducial, total and differential cross-section measurements of t-channel single top-quark production in pp collisions at 8 TeV using data collected by the ATLAS detector. <i>European Physical Journal C</i> , 2017, 77, 531.	3.9	56
167	Search for charged Higgs bosons decaying into top and bottom quarks at $\sqrt{s}=13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	56
168	Construction and performance of an iron-scintillator hadron calorimeter with longitudinal tile configuration. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , 1994, 349, 384-397.	1.6	55
169	Search for direct top squark pair production in events with a Z boson, b-jets and missing transverse momentum in $\sqrt{s}=8$ TeV pp collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2014, 74, 2883.	3.9	55
170	Summary of the ATLAS experiment's sensitivity to supersymmetry after LHC Run 1 interpreted in the phenomenological MSSM. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	4.7	55
171	Search for pair production of Higgs bosons in the $b\bar{b}$ final state using proton-proton collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2019, 2019, 1.	4.7	55
172	Search for a heavy top-quark partner in final states with two leptons with the ATLAS detector at the LHC. <i>Journal of High Energy Physics</i> , 2012, 2012, 1.	4.7	54
173	Search for high-mass resonances decaying to dilepton final states in pp collisions at $\sqrt{s}=7$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2012, 2012, 1.	4.7	54
174	Measurements of fiducial cross-sections for $t\bar{t}$ production with one or two additional b-jets in pp collisions at $\sqrt{s}=8$ TeV using the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 11.	3.9	54
175	Search for one large extra dimension with the DELPHI detector at LEP. <i>European Physical Journal C</i> , 2009, 60, 17-23.	3.9	53
176	Hunt for new phenomena using large jet multiplicities and missing transverse momentum with ATLAS in 4.7 fb^{-1} of $\sqrt{s}=7$ TeV proton-proton collisions. <i>Journal of High Energy Physics</i> , 2012, 2012, 1.	4.7	53
177	Measurement of the cross-section for W boson production in association with b-jets in pp collisions at $\sqrt{s}=7$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2013, 2013, 1.	4.7	53
178	Search for Higgs boson pair production in the $\gamma\gamma WW$ channel using pp collision data recorded at $\sqrt{s}=13$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2018, 78, 1007.	3.9	53
179	Measurement of the mass and width of the W boson in e^+e^- collisions at $\sqrt{s}=161$ –209 GeV. <i>European Physical Journal C</i> , 2008, 55, 1.	3.9	52
180	Search for the neutral Higgs bosons of the minimal supersymmetric standard model in pp collisions at $\sqrt{s}=7$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2013, 2013, 1.	4.7	52

#	ARTICLE	IF	CITATIONS
181	Performance of jet substructure techniques for large-R jets in proton-proton collisions at $\sqrt{s}=7$ TeV using the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1.	4.7	52
182	Search for lepton-flavour-violating $H \rightarrow \tau \mu$, decays of the Higgs boson with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.7	52
183	Measurement of the top quark mass in the $t \rightarrow \tau \mu + \text{jets}$ and $t \rightarrow \tau \mu + \text{dilepton}$ channels using $\sqrt{s}=7$ TeV ATLAS data. European Physical Journal C, 2015, 75, 330.	3.9	52
184	Search for the direct production of charginos and neutralinos in final states with tau leptons in $\sqrt{s}=13$ TeV pp collisions with the ATLAS detector. European Physical Journal C, 2018, 78, 154.	3.9	52
185	Drift Time Measurement in the ATLAS Liquid Argon Electromagnetic Calorimeter using Cosmic Muons. European Physical Journal C, 2010, 70, 755-785.	3.9	51
186	Measurement of the top quark mass with the template method in the $t \rightarrow \mu + \text{jets}$ channel using ATLAS data. European Physical Journal C, 2012, 72, 2046.	3.9	51
187	Search for minimal supersymmetric standard model Higgs Bosons H/A and for a Z' boson in the $\mu \mu + \tau \tau$ final state produced in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 585.	3.9	51
188	Measurement of the charged-particle multiplicity inside jets from $\sqrt{s}=8$ TeV pp collisions with the ATLAS detector. European Physical Journal C, 2016, 76, 322.	3.9	51
189	Measurement of jet fragmentation in Pb+Pb and pp collisions at $\sqrt{s_{\text{NN}}}=2.76$ TeV. European Physical Journal C, 2017, 77, 379.	3.9	51
190	Measurement of the azimuthal anisotropy of charged particles produced in $\sqrt{s_{\text{NN}}}=5.02$ TeV Pb+Pb collisions with the ATLAS detector. European Physical Journal C, 2018, 78, 997.	3.9	51
191	Reconstruction of hadronic decay products of tau leptons with the ATLAS experiment. European Physical Journal C, 2016, 76, 295.	3.9	50
192	Search for direct top squark pair production in final states with two leptons in $\sqrt{s}=13$ TeV pp collisions with the ATLAS detector. European Physical Journal C, 2017, 77, 898.	3.9	50
193	Search for a new heavy gauge-boson resonance decaying into a lepton and missing transverse momentum in $\sqrt{s}=13$ TeV pp collisions at. European Physical Journal C, 2018, 78, 401.	3.9	50
194	Search for heavy neutral leptons in decays of W bosons produced in 13 TeV pp collisions using prompt and displaced signatures with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	4.7	50
195	First operation of a 72 k element hybrid silicon micropattern pixel detector array. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 1994, 349, 138-155.	1.6	49
196	Search for invisible decays of a Higgs boson using vector-boson fusion in pp collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.7	49
197	Constraints on mediator-based dark matter and scalar dark energy models using $\sqrt{s}=13$ TeV pp collision data collected by the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	4.7	49
198	Search for pair production of massive particles decaying into three quarks with the ATLAS detector in $\sqrt{s}=7$ TeV pp collisions at the LHC. Journal of High Energy Physics, 2012, 2012, 1.	4.7	48

#	ARTICLE	IF	CITATIONS
199	Search for contact interactions and large extra dimensions in the dilepton channel using proton-proton collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. European Physical Journal C, 2014, 74, 3134.	3.9	48
200	Test of CP invariance in vector-boson fusion production of the Higgs boson using the Optimal Observable method in the ditau decay channel with the ATLAS detector. European Physical Journal C, 2016, 76, 658.	3.9	48
201	Search for top-squark pair production in final states with one lepton, jets, and missing transverse momentum using 36 fb ⁻¹ of $\sqrt{s} = 13$ TeV pp collision data with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	48
202	The DELPHI Silicon Tracker at LEP2. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 1998, 412, 304-328.	1.6	47
203	Study of multi-muon bundles in cosmic ray showers detected with the DELPHI detector at LEP. Astroparticle Physics, 2007, 28, 273-286.	4.3	47
204	Search for long-lived neutral particles decaying into lepton jets in proton-proton collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	4.7	47
205	Measurement of total and differential $W + W^*$ production cross sections in proton-proton collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector and limits on anomalous triple-gauge-boson couplings. Journal of High Energy Physics, 2016, 2016, .	4.7	47
206	Measurements of the production cross section of a Z boson in association with jets in pp collisions at $\sqrt{s} = 13$ TeV. European Physical Journal C, 2017, 77, 361. https://arxiv.org/abs/1607.08927	3.9	47
207	Measurement of the production cross section of a Z boson in association with jets in pp collisions at $\sqrt{s} = 13$ TeV. European Physical Journal C, 2017, 77, 361. https://arxiv.org/abs/1607.08927	7.8	47
208	Measurement of the top quark mass in the $t \rightarrow t \bar{t} \hat{t}$. European Physical Journal C, 2019, 79, 1.	3.9	47
209	Measurement of distributions sensitive to the underlying event in inclusive Z-boson production in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector. European Physical Journal C, 2014, 74, 3195.	3.9	46
210	Study of the rare decays of $B^0 \rightarrow B^0 s$ and $B^0 \rightarrow B^0$ into muon pairs from data collected during the LHC Run 1 with the ATLAS detector. European Physical Journal C, 2016, 76, 513.	3.9	46
211	Measurement of the Higgs boson coupling properties in the $H \rightarrow ZZ \rightarrow 4\ell$ decay channel at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	46
212	Measurement of the photon identification efficiencies with the ATLAS detector using LHC Run 2 data collected in 2015 and 2016. European Physical Journal C, 2019, 79, 1.	3.9	46
213	Search for charged Higgs bosons decaying into a top quark and a bottom quark at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	46
214	Measurement of the cross section for top-quark pair production in pp collisions at $\sqrt{s} = 7, 13$ TeV with the ATLAS detector using final states with two high-p T leptons. Journal of High Energy Physics, 2012, 2012, 1.	4.7	45
215	Search for pair-produced massive coloured scalars in four-jet final states with the ATLAS detector in proton-proton collisions at $\sqrt{s} = 7$ TeV. European Physical Journal C, 2013, 73, 1.	3.9	45
216	Single hadron response measurement and calorimeter jet energy scale uncertainty with the ATLAS detector at the LHC. European Physical Journal C, 2013, 73, 1.	3.9	45

#	ARTICLE	IF	CITATIONS
217	Measurement of the $\sigma_{\tau\tau}$ production cross section in the tau + jets channel using the ATLAS detector. European Physical Journal C, 2013, 73, 2328.	3.9	45
218	Measurements of fiducial and differential cross sections for Higgs boson production in the diphoton decay channel at $\sqrt{s} = 8$ TeV with ATLAS. Journal of High Energy Physics, 2014, 2014, 1.	4.7	45
219	Measurement of differential production cross-sections for a Z boson in association with b-jets in 7 TeV proton-proton collisions with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	4.7	45
220	Search for supersymmetry at $\sqrt{s} = 8$ TeV in final states with jets and two same-sign leptons or three leptons with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	4.7	45
221	Search for new particles in events with one lepton and missing transverse momentum in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	4.7	45
222	Search for a scalar partner of the top quark in the jets plus missing transverse momentum final state at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	45
223	Measurement of the inclusive isolated prompt photon cross section in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.7	44
224	Search for the Standard Model Higgs boson in the $H \rightarrow \tau^+ \tau^-$, $H \rightarrow \tau^+ \tau^- \nu$, $H \rightarrow \tau^+ \tau^- \bar{\nu}$ decay mode in $\sqrt{s} = 7, 8$ TeV pp collisions with ATLAS. Journal of High Energy Physics, 2012, 2012, 1.	4.7	43
225	Search for charged Higgs bosons in the $H \rightarrow \tau^+ \tau^-$ decay channel in pp collisions at $\sqrt{s} = 8$ TeV using the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.7	43
226	Search for top squarks in final states with one isolated lepton, jets, and missing transverse momentum in $\sqrt{s} = 13$ TeV pp collisions with the ATLAS detector. Physical Review D, 2016, 94, .	4.7	43
227	Search for single production of vector-like quarks decaying into Wb in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 442.	3.9	43
228	Search for single top-quark production via flavour-changing neutral currents at $\sqrt{s} = 8$ TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 55.	3.9	43
229	Evidence for an excess of soft photons in hadronic decays of Z^0 . European Physical Journal C, 2006, 47, 273-294.	3.9	42
230	Independent measurement of the neutrino mixing angle θ_{13} via neutron capture on hydrogen at Daya Bay. Physical Review D, 2014, 90, .	4.7	42
231	Measurement of the top quark pair production charge asymmetry in proton-proton collisions at $\sqrt{s} = 7$ TeV using the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	4.7	42
232	Search for squarks and gluinos in events with isolated leptons, jets and missing transverse momentum at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.7	42
233	Two-particle Bose-Einstein correlations in pp collisions at $\sqrt{s} = 0.9$ and 7 TeV measured with the ATLAS detector. European Physical Journal C, 2015, 75, 466.	3.9	42
234	Performance of top-quark and W -boson tagging with ATLAS in Run 2 of the LHC. European Physical Journal C, 2019, 79, 1.	3.9	42

#	ARTICLE	IF	CITATIONS
235	Study of W-boson polarisations and triple gauge boson couplings in the reaction $e+e\text{-}\hat{t}^*W+W\text{-}$ at LEP 2. European Physical Journal C, 2008, 54, 345-364.	3.9	41
236	Search for supersymmetric particles in events with lepton pairs and large missing transverse momentum in $\sqrt{s}=7\text{-}\text{TeV}$ proton-proton collisions with the ATLAS experiment. European Physical Journal C, 2011, 71, 1.	3.9	41
237	Search for direct pair production of the top squark in all-hadronic final states in proton-proton collisions at $\sqrt{s}=8\text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	4.7	41
238	Measurement of the production and lepton charge asymmetry of W bosons in Pb+Pb collisions at $\sqrt{s_{NN}}=2.76\text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2015, 75, 23.	3.9	41
239	Measurement of the $\sigma(\text{pp}\rightarrow Z\ell^+\ell^-)$ and $\sigma(\text{pp}\rightarrow W\ell^+\ell^-)$ production cross sections in multilepton final states using 3.2 fb $^{-1}$ of pp collisions at $\sqrt{s}=13\text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2017, 77, 40.	3.9	41
240	Measurement of WZ production cross sections and gauge boson polarisation in pp collisions at $\sqrt{s}=13\text{-}\text{TeV}$ with the ATLAS detector. European Physical Journal C, 2019, 79, 1.	3.9	41
241	Higgs boson production cross-section measurements and their EFT interpretation in the 4ℓ decay channel at $\sqrt{s}=13\text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2020, 80, 1.	3.9	41
242	Limits on the production of the standard model Higgs boson in pp collisions at $\sqrt{s}=7\text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2011, 71, 1.	3.9	40
243	A search for t resonances in lepton+jets events with highly boosted top quarks collected in pp collisions at $\sqrt{s}=7\text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2012, 2012, 1.	4.7	40
244	Measurements of jet vetoes and azimuthal decorrelations in dijet events produced in pp collisions at $\sqrt{s}=7\text{ TeV}$ using the ATLAS detector. European Physical Journal C, 2014, 74, 3117.	3.9	40
245	Search for the direct production of charginos, neutralinos and staus in final states with at least two hadronically decaying taus and missing transverse momentum in pp collisions at $\sqrt{s}=8\text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	4.7	40
246	Differential top-antitop cross-section measurements as a function of observables constructed from final-state particles using pp collisions at $\sqrt{s}=7\text{ TeV}$ in the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.7	40
247	Study of the $B_c^+\rightarrow J/\psi D_s^+ B_c^+\rightarrow J/\psi D_s^+$ and $B_c^+\rightarrow J/\psi D_s^+\rightarrow J/\psi D_s^+$ decays with the ATLAS detector. European Physical Journal C, 2016, 76, 4.	3.9	40
248	Search for heavy resonances decaying into a W or Z boson and a Higgs boson in final states with leptons and b-jets in 36 fb $^{-1}$ of $\sqrt{s}=13\text{ TeV}$ pp collisions with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	40
249	Measurements of b-jet tagging efficiency with the ATLAS detector using t events at $\sqrt{s}=13\text{ TeV}$. Journal of High Energy Physics, 2018, 2018, 1.	4.7	40
250	Improved Constraints on Sterile Neutrino Mixing from Disappearance Searches in the MINOS, Daya Bay, and Bugey-3 Experiments. Physical Review Letters, 2020, 125, 071801.	7.8	40
251	Search for heavy resonances decaying into a pair of Z bosons in the $e^+e^-\rightarrow e^+e^-Z^+Z^-$ and $e^+e^-\rightarrow e^+e^-Z^0Z^0$ final states using 139 fb $^{-1}$ of proton-proton collisions at $\sqrt{s}=13\text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	3.9	40
252	Search for single top production via FCNC at LEP at $\sqrt{s}=189\text{-}208\text{ GeV}$. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2004, 590, 21-34.	4.1	39

#	ARTICLE	IF	CITATIONS
253	Search for massive colored scalars in four-jet final states in $\sqrt{s}=7\text{--}m_{\text{TeV}}$ proton-proton collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2011, 71, 1.	3.9	39
254	Search for flavour-changing neutral current top-quark decays to $\bar{q}Z$ in pp collision data collected with the ATLAS detector at $\sqrt{s}=8$ TeV. <i>European Physical Journal C</i> , 2016, 76, 12.	3.9	39
255	Measurement of the charge asymmetry in top-quark pair production in the lepton-plus-jets final state in pp collision data at $\sqrt{s}=8, \text{TeV}$ $s=8$ Te. <i>European Physical Journal C</i> , 2016, 76, 87.	3.9	39
256	Search for heavy long-lived charged R-hadrons with the ATLAS detector in 3.2 fb^{-1} of proton-proton collision data at $\sqrt{s}=13$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2016, 760, 647-665.	4.1	39
257	Search for heavy Majorana or Dirac neutrinos and right-handed W gauge bosons in final states with two charged leptons and two jets at $\sqrt{s}=13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2019, 2019, 1.	4.7	39
258	Calibration strategy of the JUNO experiment. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	4.7	39
259	Search for strong production of supersymmetric particles in final states with missing transverse momentum and at least three b-jets at $\sqrt{s}=8$ TeV proton-proton collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014, 2014, 1.	4.7	38
260	Measurement of the double-differential high-mass Drell-Yan cross section in pp collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	38
261	Search for pair production of vector-like top quarks in events with one lepton, jets, and missing transverse momentum in $\sqrt{s}=13$ TeV pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	38
262	Search for Higgs boson pair production in the $\gamma\gamma$ final state with 13 TeV pp collision data collected by the ATLAS experiment. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	38
263	Measurements of WH and ZH production in the $H \rightarrow \bar{b}b$ decay channel in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2021, 81, 1.	3.9	38
264	Study of inclusive J/ψ production in two-photon collisions at ALEP with the DELPHI detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2003, 565, 76-86.	4.1	37
265	Search for second generation scalar leptoquarks in pp collisions at $\sqrt{s}=7\text{--}m_{\text{TeV}}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2012, 72, 1.	3.9	37
266	Search for bottom squark pair production in proton-proton collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 547.	3.9	37
267	Measurement of the W boson polarisation in $t\bar{t}$ events from pp collisions at $\sqrt{s}=8$ TeV in the lepton+jets channel with ATLAS. <i>European Physical Journal C</i> , 2017, 77, 264.	3.9	37
268	Search for supersymmetry in final states with missing transverse momentum and multiple b-jets in proton-proton collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	37
269	Electron and photon energy calibration with the ATLAS detector using 2015-2016 LHC proton-proton collision data. <i>Journal of Instrumentation</i> , 2019, 14, P03017-P03017.	1.2	37
270	Search for squarks and gluinos in final states with jets and missing transverse momentum using 139 fb^{-1} of $\sqrt{s}=13$ TeV pp collision data with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	4.7	37

#	ARTICLE	IF	CITATIONS
271	Hadron energy reconstruction for the ATLAS calorimetry in the framework of the non-parametrical method ATLAS. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2002, 480, 508-523.	1.6	36
272	ATLAS search for a heavy gauge boson decaying to a charged lepton and a neutrino in pp collisions at $\sqrt{s} = 7 \text{ TeV}$. European Physical Journal C, 2012, 72, 1.	3.9	36
273	Search for same-sign top-quark production and fourth-generation down-type quarks in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2012, 2012, 1.	4.7	36
274	Measurement of the polarisation of W bosons produced with large transverse momentum in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS experiment. European Physical Journal C, 2012, 72, 1.	3.9	36
275	Measurement of dijet cross-sections in pp collisions at 7 TeV centre-of-mass energy using the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	4.7	36
276	Search for heavy lepton resonances decaying to a Z boson and a lepton in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.7	36
277	Search for heavy long-lived multi-charged particles in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ using the ATLAS detector. European Physical Journal C, 2015, 75, 362.	3.9	36
278	Search for pair production of heavy vector-like quarks decaying to high-p T W bosons and b quarks in the lepton-plus-jets final state in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	36
279	Measurement of flow harmonics correlations with mean transverse momentum in lead-lead and proton-lead collisions at $\sqrt{s_{NN}} = 5.02 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2019, 79, 1.	3.9	36
280	Search for pairs of scalar leptoquarks decaying into quarks and electrons or muons in $\sqrt{s} = 13 \text{ TeV}$ pp collisions with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	4.7	36
281	Search for a scalar partner of the top quark in the all-hadronic $t\bar{t}$ plus missing transverse momentum final state at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2020, 80, 1.	3.9	36
282	Measurement of V_{cb} from the decay process. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2001, 510, 55-74.	4.1	35
283	Measurement of pion and proton response and longitudinal shower profiles up to 20 nuclear interaction lengths with the ATLAS Tile calorimeter. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2010, 615, 158-181.	1.6	35
284	Search for pair and single production of new heavy quarks that decay to a Z boson and a third-generation quark in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	4.7	35
285	Measurement of the production cross section of prompt J/ψ mesons in association with a W^{\pm} boson in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	4.7	35
286	Search for $W' \rightarrow t\bar{t} \rightarrow q\bar{q}b\bar{b}$ $W \rightarrow t\bar{t} \rightarrow q\bar{q}b\bar{b}$ decays in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2015, 75, 165.	3.9	35
287	Measurement of the inclusive jet cross-section in proton-proton collisions at $\sqrt{s} = 7 \text{ TeV}$ using 4.5 fb^{-1} of data with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.7	35
288	Identification and rejection of pile-up jets at high pseudorapidity with the ATLAS detector. European Physical Journal C, 2017, 77, 580.	3.9	35

#	ARTICLE	IF	CITATIONS
289	Measurement of the triple-gluon vertex from 4-jet events at LEP. Zeitschrift für Physik C-Particles and Fields, 1993, 59, 357-368.	1.5	34
290	Study of energy response and resolution of the ATLAS barrel calorimeter to hadrons of energies from 20 to 350 GeV. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2010, 621, 134-150.	1.6	34
291	A search for flavour changing neutral currents in top-quark decays in pp collision data collected with the ATLAS detector at $\sqrt{s}=7$ TeV. Journal of High Energy Physics, 2012, 2012, 1.	4.7	34
292	Multi-channel search for squarks and gluinos in $\sqrt{s}=7$ TeV pp collisions with the ATLAS detector at the LHC. European Physical Journal C, 2013, 73, 2362.	3.9	34
293	Measurements of top-quark pair differential and double-differential cross-sections in the $t\bar{t}+jets$ channel with pp collisions at $\sqrt{s}=13$ TeV using the ATLAS detector. European Physical Journal C, 2019, 79, 1.	3.9	34
294	Search for direct production of electroweakinos in final states with one lepton, missing transverse momentum and a Higgs boson decaying into two b-jets in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. European Physical Journal C, 2020, 80, 1.	3.9	34
295	Optimization of the JUNO liquid scintillator composition using a Daya Bay antineutrino detector. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2021, 988, 164823.	1.6	34
296	Study of the dependence of direct soft photon production on the jet characteristics in hadronic Z0 decays. European Physical Journal C, 2010, 67, 343-366.	3.9	33
297	A study of the b-quark fragmentation function with the DELPHI detector at LEP I and an averaged distribution obtained at the Pole. European Physical Journal C, 2011, 71, 1.	3.9	33
298	Inclusive search for same-sign dilepton signatures in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector. Journal of High Energy Physics, 2011, 2011, 1.	4.7	33
299	Measurement of jet shapes in top-quark pair events at $\sqrt{s} = 7$ TeV using the ATLAS detector. European Physical Journal C, 2013, 73, 2676.	3.9	33
300	Analysis of events with b-jets and a pair of leptons of the same charge in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.7	33
301	Searches for heavy long-lived charged particles with the ATLAS detector in proton-proton collisions at $\sqrt{s} = 8$ TeV. Journal of High Energy Physics, 2015, 2015, 1.	4.7	33
302	The muon system of the Daya Bay Reactor antineutrino experiment. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2015, 773, 8-20.	1.6	33
303	Measurement of the angular coefficients in Z-boson events using electron and muon pairs from data taken at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.7	33
304	Measurements of $\tilde{\chi}(2S)$ and $\tilde{\chi}(3872) \rightarrow J/\psi + \tilde{\chi}$ production in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	33
305	Search for pair production of up-type vector-like quarks and for four-top-quark events in final states with multiple b-jets with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	33
306	Search for third generation scalar leptoquarks in pp collisions at $\sqrt{s}=7$ TeV with the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1.	4.7	32

#	ARTICLE	IF	CITATIONS
307	Measurement of $\tilde{t}c1$ and $\tilde{t}c2$ production with $\sqrt{s} = 7$ TeV pp collisions at ATLAS. Journal of High Energy Physics, 2014, 2014, 1.	4.7	32
308	Determination of the strong coupling constant α_s from transverse energy correlations in multijet events at $\sqrt{s} = 8$ TeV. European Physical Journal C, 2017, 77, 872.	3.9	32
309	Measurements of the Higgs boson inclusive and differential fiducial cross sections in the $H \rightarrow b\bar{b}$ decay channel at $\sqrt{s} = 13$ TeV. European Physical Journal C, 2020, 80, 1.	3.9	32
310	Measurements of underlying-event properties using neutral and charged particles in pp collisions at $\sqrt{s} = 900$ GeV and $\sqrt{s} = 7$ TeV with the ATLAS detector at the LHC. European Physical Journal C, 2011, 71, 1.	3.9	31
311	Search for light scalar top-quark pair production in final states with two leptons with the ATLAS detector in $\sqrt{s} = 7$ TeV proton-proton collisions. European Physical Journal C, 2012, 72, 1.	3.9	31
312	Measurement of the differential cross-section of B + meson production in pp collisions at $\sqrt{s} = 7$ TeV at ATLAS. Journal of High Energy Physics, 2013, 2013, 1.	4.7	31
313	Search for gluinos in events with an isolated lepton, jets and missing transverse momentum at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 565.	3.9	31
314	A search for prompt lepton-jets in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.7	31
315	Measurement of inclusive and differential cross sections in the $H \rightarrow ZZ^* \rightarrow 4\ell$ decay channel in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	31
316	Search for supersymmetry in final states with two same-sign or three leptons and jets using 36 fb ⁻¹ of $\sqrt{s} = 13$ TeV pp collision data with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	31
317	Search for W W/Z resonance production in $\tilde{t}\tilde{t}^*$ final states in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	31
318	Search for Higgs boson decays to beyond-the-Standard-Model light bosons in four-lepton events with the ATLAS detector at $\sqrt{s} = 13$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	31
319	Investigation of top mass measurements with the ATLAS detector at LHC. European Physical Journal C, 2005, 39, 63-90.	3.9	30
320	Search for invisible particles produced in association with single-top-quarks in proton-proton collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. European Physical Journal C, 2015, 75, 79.	3.9	30
321	Measurement of the $t\bar{t} \rightarrow t\bar{t} + n$ production cross-section as a function of jet multiplicity and jet transverse momentum in 7 TeV proton-proton collisions with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.7	30
322	Study of hard double-parton scattering in four-jet events in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS experiment. Journal of High Energy Physics, 2016, 2016, 1.	4.7	30
323	Charged-particle distributions in pp interactions at $\sqrt{s} = 8$ TeV measured with the ATLAS detector. European Physical Journal C, 2016, 76, 403.	3.9	30
324	Searches for the $Z\tilde{\nu}\nu$ decay mode of the Higgs boson and for new high-mass resonances in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	30

#	ARTICLE	IF	CITATIONS
325	Study of $WW\gamma$ and WZ . European Physical Journal C, 2017, 77, 646.	3.9	30
326	Search for new phenomena in events with same-charge leptons and b-jets in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	30
327	Searches for third-generation scalar leptoquarks in $\sqrt{s} = 13$ TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	4.7	30
328	Evidence for $\tau\tau$ production in the multilepton final state in proton-proton collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. European Physical Journal C, 2020, 80, 1.	3.9	30
329	A study of the decays of tau leptons produced on the Z resonance at LEP. Zeitschrift für Physik C-Particles and Fields, 1992, 55, 555-567.	1.5	29
330	Determination of α_s using the next-to-leading-log approximation of QCD. Zeitschrift für Physik C-Particles and Fields, 1993, 59, 21-33.	1.5	29
331	A measurement of B meson production and lifetime using D^0 events in Z decays. Zeitschrift für Physik C-Particles and Fields, 1993, 57, 181-195.	1.5	29
332	Measurement of trilinear gauge boson couplings WWV , ($V=Z, \gamma$) in e^+e^- collisions at 189 GeV. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2001, 502, 9-23.	4.1	29
333	Forward-backward correlations and charged-particle azimuthal distributions in pp interactions using the ATLAS detector. Journal of High Energy Physics, 2012, 2012, 1.	4.7	29
334	A measurement of the calorimeter response to single hadrons and determination of the jet energy scale uncertainty using LHC Run-1 pp-collision data with the ATLAS detector. European Physical Journal C, 2017, 77, 26.	3.9	29
335	Measurement of the inclusive cross-sections of single top-quark and top-antiquark t-channel production in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	29
336	Search for dark matter in events with a hadronically decaying vector boson and missing transverse momentum in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	29
337	Searches for heavy ZZ and ZW resonances in the $\gamma\gamma$ and $\gamma q\bar{q}$ final states in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	29
338	Search for heavy diboson resonances in semileptonic final states in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. European Physical Journal C, 2020, 80, 1.	3.9	29
339	Measurement of the B^0 decay form factor. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2004, 585, 63-84.	4.1	28
340	Measurement of the forward-backward asymmetry of electron and muon pair-production in pp collisions at $\sqrt{s}=7$ TeV with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.7	28
341	Measurement of lepton differential distributions and the top quark mass in $t\bar{t}$. European Physical Journal C, 2017, 77, 804.	3.9	28
342	Measurement of $WW/WZ \rightarrow \ell u q \bar{q}'$ production with the hadronically decaying boson reconstructed as one or two jets in pp collisions at $\sqrt{s}=8$ TeV with ATLAS, and constraints on anomalous gauge couplings. European Physical Journal C, 2017, 77, 563.	3.9	28

#	ARTICLE	IF	CITATIONS
343	Measurement of the Drell-Yan triple-differential cross section in pp collisions at $\sqrt{s} = 8$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	28
344	Search for the Higgs boson produced in association with a vector boson and decaying into two spin-zero particles in the $H \rightarrow \gamma\gamma \rightarrow 4b$ channel in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	28
345	Search for long-lived neutral particles in pp collisions at $\sqrt{s} = 13$ TeV that decay into displaced hadronic jets in the ATLAS calorimeter. European Physical Journal C, 2019, 79, 1.	3.9	28
346	Improved measurement of the reactor antineutrino flux at Daya Bay. Physical Review D, 2019, 100, .	4.7	28
347	In situ calibration of large-radius jet energy and mass in 13 TeV proton-proton collisions with the ATLAS detector. European Physical Journal C, 2019, 79, 1.	3.9	28
348	Fluctuations of anisotropic flow in Pb+Pb collisions at $\sqrt{s_{NN}} = 5.02$ TeV with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	4.7	28
349	Measurement of the transverse momentum distribution of Drell-Yan lepton pairs in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2020, 80, 1.	3.9	28
350	Search for chargino-neutralino pair production in final states with three leptons and missing transverse momentum in $\sqrt{s} = 13$ TeV pp collisions with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	3.9	28
351	A measurement of D meson production in Z ⁰ hadronic decays. Zeitschrift für Physik C-Particles and Fields, 1993, 59, 533-545.	1.5	27
352	Search for metastable heavy charged particles with large ionisation energy loss in pp collisions at $\sqrt{s} = 8$ TeV using the ATLAS experiment. European Physical Journal C, 2015, 75, 407.	3.9	27
353	Measurement of the $WW + WZ$ cross section and limits on anomalous triple gauge couplings using final states with one lepton, missing transverse momentum, and two jets with the ATLAS detector at $\sqrt{s} = 7$ TeV. Journal of High Energy Physics, 2015, 2015, 1.	4.7	27
354	Measurements of top-quark pair differential cross-sections in the $e^+e^- \rightarrow t\bar{t}$ channel in pp collisions at $\sqrt{s} = 13$ TeV using the ATLAS detector. European Physical Journal C, 2017, 77, 292.	3.9	27
355	Search for new phenomena using the invariant mass distribution of same-flavour opposite-sign dilepton pairs in events with missing transverse momentum in $\sqrt{s} = 13$ TeV pp collisions with the ATLAS detector. European Physical Journal C, 2018, 78, 625.	3.9	27
356	Search for single production of vector-like quarks decaying into Wb in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	4.7	27
357	Measurement of the top-quark mass in $t\bar{t} + 1$ -jet events collected with the ATLAS detector in pp collisions at $\sqrt{s} = 8$ TeV. Journal of High Energy Physics, 2019, 2019, 1.	4.7	27
358	Search for pair production of third-generation scalar leptoquarks decaying into a top quark and a $\bar{\nu}_\tau$ -lepton in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	27
359	Study of rare b decays with the DELPHI detector at LEP. Zeitschrift für Physik C-Particles and Fields, 1996, 72, 207-220.	1.5	26
360	New measurement of σ_{13} via neutron capture on hydrogen at Daya Bay. Physical Review D, 2016, 93, .	4.7	26

#	ARTICLE	IF	CITATIONS
361	Measurements of electroweak Wj production and constraints on anomalous gauge couplings with the ATLAS detector. <i>European Physical Journal C</i> , 2017, 77, 474.	3.9	26
362	Search for a heavy Higgs boson decaying into a Z boson and another heavy Higgs boson in the $ell b\bar{b}$ and $ell W$ final states in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2021, 81, 1.	3.9	26
363	Study of final state photons in hadronic Z0 decay and limits on new phenomena. <i>Zeitschrift für Physik C-Particles and Fields</i> , 1992, 53, 555-565.	1.5	25
364	Development of silicon micropattern pixel detectors. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , 1994, 348, 399-408.	1.6	25
365	Search for a fermiophobic Higgs at LEP 2. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2001, 507, 89-103.	4.1	25
366	A search for $t\bar{t}$ resonances with the ATLAS detector in 2.05 fb^{-1} of proton-proton collisions at $\sqrt{s} = 7$ TeV. <i>European Physical Journal C</i> , 2012, 72, 2083.	3.9	25
367	Search for top and bottom squarks from gluino pair production in final states with missing transverse energy and at least three b-jets with the ATLAS detector. <i>European Physical Journal C</i> , 2012, 72, 1.	3.9	25
368	Measurement of the low-mass Drell-Yan differential cross section at $\sqrt{s} = 7$ TeV using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014, 2014, 1.	4.7	25
369	Determination of the top-quark pole mass using $t\bar{t} + 1$ -jet events collected with the ATLAS experiment in 7 TeV pp collisions. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	4.7	25
370	Searches for heavy diboson resonances in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	25
371	Search for triboson $W^{\pm}W^{\pm}W^{\mp}$ production in pp collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2017, 77, 141.	3.9	25
372	Operation and performance of the ATLAS Tile Calorimeter in Run 1. <i>European Physical Journal C</i> , 2018, 78, 987.	3.9	25
373	A strategy for a general search for new phenomena using data-derived signal regions and its application within the ATLAS experiment. <i>European Physical Journal C</i> , 2019, 79, 1.	3.9	25
374	Study of triple-gauge-boson couplings ZZZ , $ZZ\gamma$ and $Z\gamma\gamma$ at LEP. <i>European Physical Journal C</i> , 2007, 51, 525-542.	3.9	24
375	Search for the Higgs boson produced in association with a W boson and decaying to four b-quarks via two spin-zero particles in pp collisions at 13 TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 605.	3.9	24
376	Search for supersymmetry in a final state containing two photons and missing transverse momentum in $\sqrt{s}=13$ TeV pp collisions. <i>European Physical Journal C</i> , 2016, 76, 517.	3.9	24
377	Measurement of the cross-section and charge asymmetry of W bosons produced in proton-proton collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2019, 79, 1.	3.9	24
378	Measurement of fiducial and differential W^+W^- production cross-sections at $\sqrt{s}=13$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2019, 79, 1.	3.9	24

#	ARTICLE	IF	CITATIONS
379	Search for new non-resonant phenomena in high-mass dilepton final states with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2020, 2020, 1.	4.7	24
380	Commissioning of the ATLAS Muon Spectrometer with Cosmic Rays. <i>European Physical Journal C</i> , 2010, 70, 875-916.	3.9	23
381	A measurement of the ratio of the production cross sections for W^+W^- and ZZ bosons in association with jets with the ATLAS detector. <i>European Physical Journal C</i> , 2014, 74, 3168.	3.9	23
382	Measurement of the underlying event in jet events from 7 TeV proton-proton collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2014, 74, 1.	3.9	23
383	A search for high-mass resonances decaying to \tilde{l}, \tilde{l}^* in pp collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	4.7	23
384	Measurement of three-jet production cross-sections in pp collisions at 7 TeV centre-of-mass energy using the ATLAS detector. <i>European Physical Journal C</i> , 2015, 75, 228.	3.9	23
385	Search for new phenomena in different-flavour high-mass dilepton final states in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 541.	3.9	23
386	Measurement of the inclusive jet cross-sections in proton-proton collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	23
387	Search for doubly and singly charged Higgs bosons decaying into vector bosons in multi-lepton final states with the ATLAS detector using proton-proton collisions at $\sqrt{s}=13$ TeV. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	4.7	23
388	AtFast3: The Next Generation of Fast Simulation in ATLAS. <i>Computing and Software for Big Science</i> , 2022, 6, 1.	2.9	23
389	Measurement of event shapes at large momentum transfer with the ATLAS detector in pp collisions at $\sqrt{s}=7$ TeV. <i>European Physical Journal C</i> , 2012, 72, 1.	3.9	22
390	Measurement of the centrality and pseudorapidity dependence of the integrated elliptic flow in lead-lead collisions at $\sqrt{s_{NN}}=2.76$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2014, 74, 2982.	3.9	22
391	Measurement of the electroweak production of dijets in association with a Z-boson and distributions sensitive to vector boson fusion in proton-proton collisions at $\sqrt{s}=8$ TeV using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014, 2014, 1.	4.7	22
392	Measurement of the $t\bar{t}W$ and $t\bar{t}Z$ production cross sections in pp collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	4.7	22
393	Study of $(W/Z)H$ production and Higgs boson couplings using $H\rightarrow WW$ decays with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	4.7	22
394	Search for pair production of heavy vector-like quarks decaying into high-pT W bosons and top quarks in the lepton-plus-jets final state in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	22
395	Measurements of top-quark pair spin correlations in the $e\mu$ channel at $\sqrt{s}=13$ TeV using pp collisions in the ATLAS detector. <i>European Physical Journal C</i> , 2020, 80, 1.	3.9	22
396	Search for new phenomena in events with two opposite-charge leptons, jets and missing transverse momentum in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	4.7	22

#	ARTICLE	IF	CITATIONS
397	Results from a new combined test of an electromagnetic liquid argon calorimeter with a hadronic scintillating-tile calorimeter. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2000, 449, 461-477.	1.6	21
398	Measurement of Γ_{ee} , polarization in $W \rightarrow e \nu_e$ decays with the ATLAS detector in pp collisions at $\sqrt{s} = 7 \text{ TeV}$. European Physical Journal C, 2012, 72, 2062.	3.9	21
399	Measurement of the production cross-section of $\tilde{\chi}^0(2S) \rightarrow J/\psi(\psi \rightarrow e^+e^-) \tilde{\chi}^0$ in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ at ATLAS. Journal of High Energy Physics, 2014, 2014, 1.	4.7	21
400	Determination of spin and parity of the Higgs boson in the $WW \rightarrow e \mu \nu_e \nu_\mu$ decay channel with the ATLAS detector. European Physical Journal C, 2015, 75, 231.	3.9	21
401	The performance of the jet trigger for the ATLAS detector during 2011 data taking. European Physical Journal C, 2016, 76, 526.	3.9	21
402	Search for the Standard Model Higgs boson decaying into $b\bar{b}$ produced in association with top quarks decaying hadronically in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.7	21
403	Search for Higgs boson pair production in the $WW \rightarrow WW$ decay channel using ATLAS data recorded at $\sqrt{s} = 13 \text{ TeV}$. Journal of High Energy Physics, 2019, 2019, 1.	4.7	21
404	A high precision calibration of the nonlinear energy response at Daya Bay. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2019, 940, 230-242.	1.6	21
405	Identification of boosted Higgs bosons decaying into b-quark pairs with the ATLAS detector at $\sqrt{s} = 13 \text{ TeV}$. European Physical Journal C, 2019, 79, .	3.9	21
406	Search for light long-lived neutral particles produced in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ and decaying into collimated leptons or light hadrons with the ATLAS detector. European Physical Journal C, 2020, 80, 1.	3.9	21
407	Experience with a 30 cm ² silicon pixel plane in CERN experiment WA97. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 1995, 360, 91-97.	1.6	20
408	Measurements of CP-conserving trilinear gauge boson couplings WWV ($V = \gamma, Z$) in e^+e^- collisions at LEP2. European Physical Journal C, 2010, 66, 35-56.	3.9	20
409	Search for new phenomena in events with three or more charged leptons in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.7	20
410	Search for new phenomena in events with a photon and missing transverse momentum in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.7	20
411	Measurements of top quark spin observables in $t\bar{t}$ events using dilepton final states in $\sqrt{s} = 8 \text{ TeV}$ pp collisions with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	20
412	Measurement of differential cross-sections of a single top quark produced in association with a W boson at $\sqrt{s} = 13 \text{ TeV}$ with ATLAS. European Physical Journal C, 2018, 78, 186.	3.9	20
413	Search for diboson resonances in hadronic final states in 139 fb^{-1} of pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	4.7	20
414	Search for charged Higgs bosons through the violation of lepton universality in $t\bar{t}$ events using pp collision data at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS experiment. Journal of High Energy Physics, 2013, 2013, 1.	4.7	19

#	ARTICLE	IF	CITATIONS
415	Measurement of k_T splitting scales in $W\hat{t}^{\pm}\hat{a}, \hat{t}^{\pm}\hat{t}^{\pm}$ events at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2013, 73, 2432.	3.9	19
416	Search for flavour-changing neutral current top quark decays $\hat{t}^{\pm} \rightarrow Hq$ in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1-65.	4.7	19
417	Addendum to "Measurement of the $\hat{t}^{\pm}\hat{t}^{\pm}$ production cross-section using b -tagged jets in pp collisions at $\sqrt{s} = 7$ and 8 TeV with the ATLAS detector". <i>European Physical Journal C</i> , 2016, 76, 1.	3.9	19
418	Search for the production of single vector-like and excited quarks in the Wt final state in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	19
419	Probing lepton flavour violation via neutrinoless $\nu\bar{\nu} \rightarrow 3\mu$, $\nu\bar{\nu} \rightarrow 3\tau$ decays with the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 232.	3.9	19
420	Measurement of detector-corrected observables sensitive to the anomalous production of events with jets and large missing transverse momentum in $\nu\bar{\nu}pp$ collisions at $\sqrt{s} = 13 \text{ TeV}$ using the ATLAS detector. <i>European Physical Journal C</i> , 2017, 77, 765.	3.9	19
421	Prompt and non-prompt J/ψ elliptic flow in Pb+Pb collisions at $\sqrt{s_{NN}} = 5.02 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2018, 78, 784.	3.9	19
422	Search for top-quark decays $\hat{t}^{\pm} \rightarrow Hq$ with 36 fb^{-1} of pp collision data at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2019, 2019, 1.	4.7	19
423	Search for squarks and gluinos in final states with same-sign leptons and jets using 139 fb^{-1} of data collected with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2020, 2020, 1.	4.7	19
424	Measurement of light-by-light scattering and search for axion-like particles with 2.2 nb^{-1} of Pb+Pb data with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	4.7	19
425	Measurement of the average lifetime of B hadrons. <i>Zeitschrift für Physik C-Particles and Fields</i> , 1992, 53, 567-580.	1.5	18
426	Performance of the ATLAS detector using first collision data. <i>Journal of High Energy Physics</i> , 2010, 2010, 1.	4.7	18
427	Search for an excess of events with an identical flavour lepton pair and significant missing transverse momentum in $\sqrt{s} = 7 \text{ TeV}$ proton-proton collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2011, 71, 1.	3.9	18
428	Search for top quark decays $\hat{t}^{\pm} \rightarrow qH$, with $H \rightarrow \tau\tau$, in $\sqrt{s} = 13 \text{ TeV}$ pp collisions using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	18
429	Search for dark matter in association with an energetic photon in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	4.7	18
430	Search for pair production of scalar leptoquarks decaying into first- or second-generation leptons and top quarks in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2021, 81, 1.	3.9	18
431	Search for new phenomena in final states with b-jets and missing transverse momentum in $\sqrt{s} = 13 \text{ TeV}$ pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	4.7	18
432	A measurement of the branching fractions of the b-quark into charged and neutral b-hadrons. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2003, 576, 29-42.	4.1	17

#	ARTICLE	IF	CITATIONS
433	Study of b-quark mass effects in multijet topologies with the DELPHI detector at LEP. European Physical Journal C, 2008, 55, 525-538.	3.9	17
434	Studies of the performance of the ATLAS detector using cosmic-ray muons. European Physical Journal C, 2011, 71, 1.	3.9	17
435	Non-standard antineutrino interactions at Daya Bay. Journal of High Energy Physics, 2011, 2011, 1.	4.7	17
436	Search for anomalous production of prompt like-sign lepton pairs at $\sqrt{s}=7\text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2012, 2012, 1.	4.7	17
437	Measurement of the top quark charge in pp collisions at $\sqrt{s}=7\text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1.	4.7	17
438	Shashlyk EM calorimeter prototype readout by MAPD with superhigh pixel density for COMPASS II. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2013, 718, 75-77.	1.6	17
439	Measurement of the charge asymmetry in dileptonic decays of top quark pairs in pp collisions at $s = 7\sqrt{s}=7\text{ TeV}$ using the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.7	17
440	Measurement of the top-quark mass in the fully hadronic decay channel from ATLAS data at $\sqrt{s}=7\text{ TeV}$. European Physical Journal C, 2015, 75, 158.	3.9	17
441	The Laser calibration of the ATLAS Tile Calorimeter during the LHC run 1. Journal of Instrumentation, 2016, 11, T10005-T10005.	1.2	17
442	Identification of high transverse momentum top quarks in pp collisions at $s = 8\sqrt{s}=8\text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.7	17
443	Probing the Wtb vertex structure in t-channel single-top-quark production and decay in pp collisions at $s = 8\sqrt{s}=8\text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	17
444	Search for supersymmetry in events with b-tagged jets and missing transverse momentum in pp collisions at $\sqrt{s}=13\text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	17
445	Measurement of the cross-section for producing a W boson in association with a single top quark in pp collisions at $s = 13\sqrt{s}=13\text{ TeV}$ with ATLAS. Journal of High Energy Physics, 2018, 2018, 1.	4.7	17
446	Direct top-quark decay width measurement in the $\mathbf{\vec{t}}t\hat{A}^{-}$ lepton+jets channel at $\sqrt{s}=8\text{ TeV}$ with the ATLAS experiment. European Physical Journal C, 2018, 78, 129.	3.9	17
447	Search for flavour-changing neutral current top-quark decays $t\hat{A}^{+}qZ$ in proton-proton collisions at $\sqrt{s}=13\text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	17
448	Measurement of inclusive jet and dijet cross-sections in proton-proton collisions at $\sqrt{s}=13\text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	17
449	Measurements of W and Z boson production in pp collisions at $\sqrt{s}=5.02\text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2019, 79, 1.	3.9	17
450	Measurement of $W^{\pm}Z$ boson production in Pb+Pb collisions at $\sqrt{s_{NN}} = 5.02\text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2019, 79, 1.	3.9	17

#	ARTICLE	IF	CITATIONS
451	Performance of the missing transverse momentum triggers for the ATLAS detector during Run-2 data taking. Journal of High Energy Physics, 2020, 2020, 1.	4.7	17
452	Search for the $HH \rightarrow b\bar{b}$ process via vector-boson fusion production using proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	4.7	17
453	Search for type-III seesaw heavy leptons in dilepton final states in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	3.9	17
454	Observation of the muon inner bremsstrahlung at LEP1. European Physical Journal C, 2008, 57, 499-514.	3.9	16
455	Search for a fermiophobic Higgs boson in the diphoton decay channel with the ATLAS detector. European Physical Journal C, 2012, 72, 1.	3.9	16
456	Dark matter interpretations of ATLAS searches for the electroweak production of supersymmetric particles in $\sqrt{s} = 8$ TeV proton-proton collisions. Journal of High Energy Physics, 2016, 2016, 1.	4.7	16
457	Measurements of top-quark pair differential cross-sections in the lepton+jets channel in pp collisions at $\sqrt{s} = 13$ TeV using the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	16
458	Top-quark mass measurement in the all-hadronic $t\bar{t} \rightarrow t\bar{t} \rightarrow b\bar{b}q\bar{q}$ decay channel at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	16
459	Measurement of colour flow using jet-pull observables in $t\bar{t} \rightarrow t\bar{t} \rightarrow b\bar{b}q\bar{q}$ events with the ATLAS experiment at $\sqrt{s} = 13$ TeV. European Physical Journal C, 2018, 78, 847.	3.9	16
460	Search for exclusive Higgs and Z boson decays to $\tau^+\tau^-$ and $\tau^+\tau^-$ with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	16
461	Measurement of differential cross sections and W^+W^0 cross-section ratios for W boson production in association with jets at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	16
462	Construction and characterization of a 117 cm/sup 2/ silicon pixel detector. IEEE Transactions on Nuclear Science, 1995, 42, 413-418.	2.0	15
463	Determination of the $e^+e^- \rightarrow \tau^+\tau^- \rightarrow \tau^+\tau^- \rightarrow \tau^+\tau^-$ cross-section at centre-of-mass energies ranging from 189 GeV to 202 GeV. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2000, 491, 67-80.	4.1	15
464	Hadronic shower development in Iron-Scintillator Tile Calorimetry. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2000, 443, 51-70.	1.6	15
465	Measurement of the mass and width of the W boson in e^+e^- collisions at $\sqrt{s} = 160$ GeV. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2001, 511, 159-177.	4.1	15
466	Investigation of Colour Reconnection in WW events with the DELPHI detector at LEP-2. European Physical Journal C, 2007, 51, 249.	3.9	15
467	Search for diphoton events with large missing transverse energy with 36 pb ⁻¹ of 7 TeV proton-proton collision data with the ATLAS detector. European Physical Journal C, 2011, 71, 1.	3.9	15
468	Measurements of the pseudorapidity dependence of the total transverse energy in proton-proton collisions at $\sqrt{s} = 7$ TeV with ATLAS. Journal of High Energy Physics, 2012, 2012, 1.	4.7	15

#	ARTICLE	IF	CITATIONS
469	Search for decays of stopped, long-lived particles from 7 TeV pp collisions with the ATLAS detector. European Physical Journal C, 2012, 72, 1.	3.9	15
470	Search for direct chargino production in anomaly-mediated supersymmetry breaking models based on a disappearing-track signature in pp collisions at $\sqrt{s}=7\text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1.	4.7	15
471	Measurement of the flavour composition of dijet events in pp collisions at $\sqrt{s}=7\text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2013, 73, 1.	3.9	15
472	Search for W production with a light Higgs boson decaying to prompt electron-jets in proton-proton collisions at $\sqrt{s}=7\text{ TeV}$ with the ATLAS detector. New Journal of Physics, 2013, 15, 043009.	2.9	15
473	Measurement of event-shape observables in $Z \rightarrow e^+ e^- Z \rightarrow \tau^+ \tau^-$, $+ \tau^+ \tau^-$ events in pp collisions at $\sqrt{s}=7\text{ TeV}$ with the ATLAS detector at the LHC. European Physical Journal C, 2016, 76, 375.	3.9	15
474	Measurement of fiducial differential cross sections of gluon-fusion production of Higgs bosons decaying to $WW \rightarrow e^+ e^- \mu^+ \mu^-$ with the ATLAS detector at $s = 8\text{ TeV}$. Journal of High Energy Physics, 2016, 2016, 1.	4.7	15
475	Search for strong gravity in multijet final states produced in pp collisions at $s = 13\text{ TeV}$ using the ATLAS detector at the LHC. Journal of High Energy Physics, 2016, 2016, 1.	4.7	15
476	Search for a time-varying electron antineutrino signal at Daya Bay. Physical Review D, 2018, 98, .	4.7	15
477	Search for supersymmetry in final states with charm jets and missing transverse momentum in 13 TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	15
478	Search for scalar resonances decaying into $\tau^+ \tau^-$ in events with and without b-tagged jets produced in proton-proton collisions at $\sqrt{s}=13\text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	4.7	15
479	Optimisation of large-radius jet reconstruction for the ATLAS detector in 13 TeV proton-proton collisions. European Physical Journal C, 2021, 81, 1.	3.9	15
480	Determination of jet calibration and energy resolution in proton-proton collisions at $\sqrt{s} = 8\text{ TeV}$ using the ATLAS detector. European Physical Journal C, 2020, 80, 1.	3.9	15
481	The design and sensitivity of JUNO's scintillator radiopurity pre-detector OSIRIS. European Physical Journal C, 2021, 81, 1.	3.9	15
482	The DELPHI very forward tracker for LEP200. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 1995, 367, 198-201.	1.6	14
483	Forward muon system for the DØ detector upgrade. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 1998, 419, 660-666.	1.6	14
484	Search for a heavy neutral particle decaying into an electron and a muon using 1 fb ⁻¹ of ATLAS data. European Physical Journal C, 2011, 71, 1.	3.9	14
485	A search for top squarks with R-parity-violating decays to all-hadronic final states with the ATLAS detector in $s = 8\text{ TeV}$ proton-proton collisions. Journal of High Energy Physics, 2016, 2016, 1.	4.7	14
486	Measurement of the production cross-section of a single top quark in association with a W boson at 8 TeV with the ATLAS experiment. Journal of High Energy Physics, 2016, 2016, 1.	4.7	14

#	ARTICLE	IF	CITATIONS
487	Measurement of charged-particle distributions sensitive to the underlying event in $\sqrt{s} = 13$ TeV proton-proton collisions with the ATLAS detector at the LHC. Journal of High Energy Physics, 2017, 2017, 1.	4.7	14
488	Studies of $Z\bar{1}^3$ production in association with a high-mass dijet system in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	14
489	Measurement of VH , $\mathit{H}o\overline{\mathit{H}}\mathit{b}$ production as a function of the vector-boson transverse momentum in 13 TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	4.7	14
490	Measurements of inclusive and differential fiducial cross-sections of $\mathit{Star}\{t\}\gamma$ production in leptonic final states at $\sqrt{s} = 13$ TeV in ATLAS. European Physical Journal C, 2019, 79, 1.	3.9	14
491	Search for bottom-quark pair production with the ATLAS detector in final states containing Higgs bosons, b-jets and missing transverse momentum. Journal of High Energy Physics, 2019, 2019, 1.	4.7	14
492	Search for new phenomena with top quark pairs in final states with one lepton, jets, and missing transverse momentum in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	14
493	Measurements of Higgs bosons decaying to bottom quarks from vector boson fusion production with the ATLAS experiment at $\sqrt{s} = 13$ TeV. European Physical Journal C, 2021, 81, 1.	3.9	14
494	Measurements of top-quark pair single- and double-differential cross-sections in the all-hadronic channel in pp collisions at $\sqrt{s} = 13$ TeV using the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	14
495	Search for \overline{t} resonances in fully hadronic final states in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	4.7	14
496	Measurement of the c-jet mistagging efficiency in $\mathit{Star}\{t\}$ events using pp collision data at $\sqrt{s} = 13$ TeV collected with the ATLAS detector. European Physical Journal C, 2022, 82, .	3.9	14
497	Search for R-parity violation with a coupling at \hat{A} GeV. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2001, 500, 22-36.	4.1	13
498	Beam test of Shashlyk EM calorimeter prototypes readout by novel MAPD with super high linearity. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2010, 617, 78-80.	1.6	13
499	Search for R-parity-violating supersymmetry in events with four or more leptons in $\sqrt{s} = 7$ TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2012, 2012, 1.	4.7	13
500	Search for anomaly-mediated supersymmetry breaking with the ATLAS detector based on a disappearing-track signature in pp collisions at $\sqrt{s} = 7$ TeV. European Physical Journal C, 2012, 72, 1.	3.9	13
501	Search for supersymmetry in events with large missing transverse momentum, jets, and at least one tau lepton in 7 TeV proton-proton collision data with the ATLAS detector. European Physical Journal C, 2012, 72, 1.	3.9	13
502	Search for lepton flavour violation in the $e\bar{1}^4$ continuum with the ATLAS detector in $\sqrt{s} = 7$ TeV pp collisions at the LHC. European Physical Journal C, 2012, 72, 2040.	3.9	13
503	The differential production cross section of the $\mathit{phi}^{\bar{1}}$ (1020) meson in $\sqrt{s} = 7$ TeV pp collisions measured with the ATLAS detector. European Physical Journal C, 2014, 74, 2895.	3.9	13
504	Measurement of the CP-violating phase $\bar{1}^s$ and the B_s^0 meson decay width difference with $B_s^0 \rightarrow \bar{1}^0$ decays in ATLAS. Journal of High Energy Physics, 2016, 2016, 1.	4.7	13

#	ARTICLE	IF	CITATIONS
505	Search for new phenomena with photon+jet events in proton-proton collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.7	13
506	Search for anomalous couplings in the Wtb vertex from the measurement of double differential angular decay rates of single top quarks produced in the t-channel with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1-46.	4.7	13
507	Measurements of top-quark pair to Z-boson cross-section ratios at $\sqrt{s}=13, 8, 7$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	13
508	Search for new phenomena in high-mass final states with a photon and a jet from pp collisions at \sqrt{s} s. European Physical Journal C, 2018, 78, 102.	3.9	13
509	Measurement of jet-substructure observables in top quark, W boson and light jet production in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	4.7	13
510	Antineutrino Energy Spectrum Unfolding Based on the Daya Bay Measurement and Its Applications. Chinese Physics C, 0, , .	3.7	13
511	Search for squarks and gluinos in final states with one isolated lepton, jets, and missing transverse momentum at $\sqrt{s}=13$ TeV with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	3.9	13
512	Radioactivity control strategy for the JUNO detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	13
513	Results from a combined test of an electromagnetic liquid argon calorimeter with a hadronic scintillating-tile calorimeter. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 1997, 387, 333-351.	1.6	12
514	Response of the ATLAS Tile calorimeter prototype to muons. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 1997, 388, 64-78.	1.6	12
515	Search for charged Higgs bosons in e^+e^- collisions at $\sqrt{s}=189$ GeV. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2002, 525, 17-28.	4.1	12
516	Search for charmonium and charmoniumlike states in $\Upsilon(1S)$ radiative decays. Physical Review D, 2010, 82, .	4.7	12
517	Measurement of inclusive two-particle angular correlations in pp collisions with the ATLAS detector at the LHC. Journal of High Energy Physics, 2012, 2012, 1.	4.7	12
518	Search for supersymmetry in events with large missing transverse momentum, jets, and at least one tau lepton in 20 fb^{-1} of $\sqrt{s} = 8$ TeV proton-proton collision data with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	4.7	12
519	Measurement of the $b\bar{b}$ dijet cross section in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 670.	3.9	12
520	Search for TeV-scale gravity signatures in high-mass final states with leptons and jets with the ATLAS detector at $\sqrt{s}=13$ TeV. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2016, 760, 520-537.	4.1	12
521	Search for new phenomena in events containing a same-flavour opposite-sign dilepton pair, jets, and large missing transverse momentum in $\sqrt{s}=13$ TeV pp collisions with the ATLAS detector. European Physical Journal C, 2017, 77, 144.	3.9	12
522	Search for new phenomena in a lepton plus high jet multiplicity final state with the ATLAS experiment using $\sqrt{s}=13$ TeV proton-proton collision data. Journal of High Energy Physics, 2017, 2017, 1.	4.7	12

#	ARTICLE	IF	CITATIONS
523	Observation of the associated production of a top quark and a Z boson in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	4.7	12
524	Search for new phenomena in final states with large jet multiplicities and missing transverse momentum using $\sqrt{s} = 13$ TeV proton-proton collisions recorded by ATLAS in Run 2 of the LHC. Journal of High Energy Physics, 2020, 2020, 1.	4.7	12
525	Transverse momentum and process dependent azimuthal anisotropies in $\sqrt{s} = 8.16$ TeV p+Pb collisions with the ATLAS detector. European Physical Journal C, 2020, 80, 1.	3.9	12
526	Differential cross-section measurements for the electroweak production of dijets in association with a Z boson in proton-proton collisions at ATLAS. European Physical Journal C, 2021, 81, 1.	3.9	12
527	Search for supersymmetry in events with four or more charged leptons in 139 fb^{-1} of $\sqrt{s} = 13$ TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	12
528	Measurements of the inclusive and differential production cross sections of a top-quark-antiquark pair in association with a Z boson at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	3.9	12
529	Search for dark matter in events with missing transverse momentum and a Higgs boson decaying into two photons in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	12
530	Alignment of the ATLAS Inner Detector in Run 2. European Physical Journal C, 2020, 80, 1.	3.9	12
531	Joint Determination of Reactor Antineutrino Spectra from $\langle \mathbb{U} \rangle$ and $\langle \mathbb{N} \rangle$ Measurements. $\langle \mathbb{U} \rangle = 235$ and $\langle \mathbb{N} \rangle = 235$. $\langle \mathbb{U} \rangle = 235$ and $\langle \mathbb{N} \rangle = 235$.	7.8	12
532	Determination of the parton distribution functions of the proton using diverse ATLAS data from pp collisions at $\sqrt{s} = 7, 8$ and 13 TeV. European Physical Journal C, 2022, 82, 1.	3.9	12
533	Search for spontaneous R-parity violation at $\sqrt{s} = 189$ GeV and $\sqrt{s} = 189$ GeV. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2001, 502, 24-36.	4.1	11
534	Search for $\langle \mathbb{U} \rangle$ and $\langle \mathbb{N} \rangle$ Measurements. $\langle \mathbb{U} \rangle = 235$ and $\langle \mathbb{N} \rangle = 235$.	4.1	11
535	A study of $\langle \mathbb{U} \rangle$ and $\langle \mathbb{N} \rangle$ production in e^+e^- collisions at $\sqrt{s} = 130$ and 207 GeV. European Physical Journal C, 2009, 60, 1-15.	3.9	11
536	Measurement of $W^{\pm}Z$ and $Z^{\pm}Z$ production in proton-proton collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector. Journal of High Energy Physics, 2011, 2011, 1.	4.7	11
537	Measurement of four-jet differential cross sections in $\sqrt{s} = 8$ TeV proton-proton collisions using the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1-76.	4.7	11
538	Beam-induced and cosmic-ray backgrounds observed in the ATLAS detector during the LHC 2012 proton-proton running period. Journal of Instrumentation, 2016, 11, P05013-P05013.	1.2	11
539	Search for squarks and gluinos in events with hadronically decaying tau leptons, jets and missing transverse momentum in proton-proton collisions at $\sqrt{s} = 13$ TeV recorded with the ATLAS detector. European Physical Journal C, 2016, 76, 683.	3.9	11
540	Measurement of jet activity produced in top-quark events with an electron, a muon and two b-tagged jets in the final state in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2017, 77, 220.	3.9	11

#	ARTICLE	IF	CITATIONS
541	Search for new phenomena with large jet multiplicities and missing transverse momentum using large-radius jets and flavour-tagging at ATLAS in 13 TeV pp collisions. Journal of High Energy Physics, 2017, 2017, 1.	4.7	11
542	Measurements of the production cross-section for a Z boson in association with b-jets in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	4.7	11
543	JUNO sensitivity to low energy atmospheric neutrino spectra. European Physical Journal C, 2021, 81, 1.	3.9	11
544	Study of the response of the ATLAS central calorimeter to pions of energies from 3 to 9 GeV. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2009, 607, 372-386.	1.6	10
545	Combined performance studies for electrons at the 2004 ATLAS combined test-beam. Journal of Instrumentation, 2010, 5, P11006-P11006.	1.2	10
546	Search for microscopic black holes and string balls in final states with leptons and jets with the ATLAS detector at $\sqrt{s} = 8$ TeV. Journal of High Energy Physics, 2014, 2014, 1.	4.7	10
547	Search for the Standard Model Higgs boson produced by vector-boson fusion and decaying to bottom quarks in $\sqrt{s} = 8$ TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.7	10
548	Search for direct top squark pair production in final states with two tau leptons in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 81.	3.9	10
549	Measurement of the $Z\gamma \rightarrow u\bar{u}\gamma$ production cross section in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector and limits on anomalous triple gauge-boson couplings. Journal of High Energy Physics, 2018, 2018, 1.	4.7	10
550	Measurement of the inclusive and fiducial $t\bar{t}\hat{A}^-$ production cross-sections in the. European Physical Journal C, 2018, 78, 487.	3.9	10
551	Determination of the parton distribution functions of the proton from ATLAS measurements of differential $W\hat{A}^\pm$ and Z boson production in association with jets. Journal of High Energy Physics, 2021, 2021, 1.	4.7	10
552	Measurement of J/ψ production in association with a $W\hat{A}^\pm$ boson with pp data at 8 TeV. Journal of High Energy Physics, 2020, 2020, 1.	4.7	10
553	Measurement of the $t\bar{t}\hat{A}^\pm$ production cross section in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	10
554	Search for Higgs bosons decaying into new spin-0 or spin-1 particles in four-lepton final states with the ATLAS detector with 139 fb^{-1} of pp collision data at $\sqrt{s} = 13$ TeV. Journal of High Energy Physics, 2022, 2022, 1.	4.7	10
555	Search for dark matter produced in association with a Standard Model Higgs boson decaying into b-quarks using the full Run 2 dataset from the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	10
556	Performance of 0.5 \hat{A} – 106 sensitive elements pixel telescope in the WA97 heavy ion experiment at CERN. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 1997, 395, 391-397.	1.6	9
557	Novel micropixel avalanche photodiodes (MAPD) with super high pixel density. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2011, 628, 369-371.	1.6	9
558	A new method to distinguish hadronically decaying boosted Z bosons from W bosons using the ATLAS detector. European Physical Journal C, 2016, 76, 238.	3.9	9

#	ARTICLE	IF	CITATIONS
577	Reconstruction and identification of boosted di- τ systems in a search for Higgs boson pairs using 13 TeV proton-proton collision data in ATLAS. <i>Journal of High Energy Physics</i> , 2020, 2020, 1.	4.7	8
578	Observation of electroweak production of two jets in association with an isolated photon and missing transverse momentum, and search for a Higgs boson decaying into invisible particles at 13 TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2022, 82, 1.	3.9	8
579	Search for the sgoldstino at from 189 to 202 GeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2000, 494, 203-214.	4.1	7
580	The ATLAS hadronic tile calorimeter: from construction toward physics. <i>IEEE Transactions on Nuclear Science</i> , 2006, 53, 1275-1281.	2.0	7
581	Measurement of exclusive $\Upsilon(1S)$ and $\Upsilon(2S)$ decays into vector-pseudoscalar final states. <i>Physical Review D</i> , 2013, 88, .	4.7	7
582	Measurement of $\sigma_{\text{au}} \sigma_{\text{Z}}$, polarisation in $\text{ZZ}/\gamma \rightarrow \text{au au} \sigma_{\text{Z}}/\hat{\Gamma}^3$. <i>European Physical Journal C</i> , 2018, 78, 163.	3.9	7
583	Search for dijet resonances in events with an isolated charged lepton using $\sqrt{s} = 13$ TeV proton-proton collision data collected by the ATLAS detector. <i>Journal of High Energy Physics</i> , 2020, 2020, 1.	4.7	7
584	Search for R-parity-violating supersymmetry in a final state containing leptons and many jets with the ATLAS experiment using $\sqrt{s} = 13$ TeV proton-proton collision data. <i>European Physical Journal C</i> , 2021, 81, 1.	3.9	7
585	Configuration and performance of the ATLAS b-jet triggers in Run 2. <i>European Physical Journal C</i> , 2021, 81, 1.	3.9	7
586	Search for flavour-changing neutral-current interactions of a top quark and a gluon in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2022, 82, .	3.9	7
587	Studies on a 300 k pixel detector telescope. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , 1996, 377, 532-535.	1.6	6
588	Uniformity of response of the LHC1 large area pixel detector system. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , 1998, 409, 119-128.	1.6	6
589	Measurement of the ZZ cross-section in $e+e \rightarrow \gamma$ interactions at 183–189 GeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2001, 497, 199-213.	4.1	6
590	Study of leading hadrons in gluon and quark fragmentation. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2006, 643, 147-157.	4.1	6
591	Test of micropixel avalanche photodiodes. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , 2007, 572, 413-415.	1.6	6
592	Measurement of the ratio of cross sections for inclusive isolated-photon production in pp collisions at $\sqrt{s} = 13$ and 8 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2019, 2019, 1.	4.7	6
593	Measurement of ZZ production in the $\hat{a}, \hat{a}, \hat{1}/2 \hat{1}/2$ final state with the ATLAS detector in pp collisions at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , 2019, 2019, 1.	4.7	6
594	Search for Higgs boson production in association with a high-energy photon via vector-boson fusion with decay into bottom quark pairs at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	4.7	6

#	ARTICLE	IF	CITATIONS
595	Performance of the ATLAS Level-1 topological trigger in Run 2. European Physical Journal C, 2022, 82, 1.	3.9	6
596	Search for pentaquarks in the hadronic decays of the Z boson with the DELPHI detector at LEP. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2007, 653, 151-160.	4.1	5
597	Search for single top quark production via contact interactions at LEP2. European Physical Journal C, 2011, 71, 1.	3.9	5
598	Measurement of long-range two-particle azimuthal correlations in Z-boson tagged pp collisions at $\sqrt{s} = 8$ and 13 TeV. European Physical Journal C, 2020, 80, 1.	3.9	5
599	A search for the decays of stopped long-lived particles at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	5
600	Search for phenomena beyond the Standard Model in events with large b-jet multiplicity using the ATLAS detector at the LHC. European Physical Journal C, 2021, 81, 1.	3.9	5
601	Measurement of the inclusive isolated-photon cross section in pp collisions at $\sqrt{s} = 13$ TeV using 36 fb ⁻¹ of ATLAS data. Journal of High Energy Physics, 2019, 2019, 1.	4.7	5
602	Search for pair-produced neutralinos in events with photons and missing energy from. European Physical Journal C, 1999, 6, 371.	3.9	5
603	The ATLAS inner detector trigger performance in pp collisions at 13 TeV during LHC Run 2. European Physical Journal C, 2022, 82, 1.	3.9	5
604	Study of Λ meson spin alignment in and pp interactions. Nuclear Physics B, 1987, 294, 1037-1053.	2.5	4
605	Space resolution of a silicon pixel detector as a function of the track angle. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 1997, 395, 372-374.	1.6	4
606	Search for pair-produced neutralinos in events with photons and missing energy from e+e- collisions at $\sqrt{s} = 130 - 183$ GeV. European Physical Journal C, 1999, 6, 371-384.	3.9	4
607	Search for a fourth generation b ^c -quark at LEP-II at $\sqrt{s} = 196 - 209$ GeV. European Physical Journal C, 2007, 50, 507-518.	3.9	4
608	The optical instrumentation of the ATLAS Tile Calorimeter. Journal of Instrumentation, 2013, 8, P01005-P01005.	1.2	4
609	Search for low-scale gravity signatures in multi-jet final states with the ATLAS detector at $\sqrt{s} = 8$ TeV. Journal of High Energy Physics, 2015, 2015, 1.	4.7	4
610	Measurement of jet activity in top quark events using the e ⁺ final state with two b-tagged jets in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.7	4
611	Search for excited electrons singly produced in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS experiment at the LHC. European Physical Journal C, 2019, 79, .	3.9	4
612	Search for direct production of electroweakinos in final states with missing transverse momentum and a Higgs boson decaying into photons in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	4.7	4

#	ARTICLE	IF	CITATIONS
613	Measurement of hadronic event shapes in high-pT multijet final states at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	4
614	Search for top squarks in events with a Higgs or Z boson using 139fb^{-1} of pp collision data at $\sqrt{s}=13\text{TeV}$ with the ATLAS detector. European Physical Journal C, 2020, 80, 1.	3.9	4
615	Measurement of S^0 and Λ^0 production in ar dileptonic events in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector. European Physical Journal C, 2019, 79, 1.	3.9	4
616	Measurement of the energy response of the ATLAS calorimeter to charged pions from $W^{\pm} \rightarrow u^{\pm} \bar{u}^{\pm} (\rightarrow \pi^{\pm} u_{\pm}) u_{\pm}$ events in Run2 data. European Physical Journal C, 2022, 82, 1.	3.9	4
617	Measurement of the production cross section of pairs of isolated photons in pp collisions at 13 TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	4
618	Search for exotic decays of the Higgs boson into long-lived particles in pp collisions at $\sqrt{s} = 13$ TeV using displaced vertices in the ATLAS inner detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	4
619	Polarization Effects in π^0 -Meson Production in Antiproton-Proton Interactions at 22.4, 12, and 5.7 GeV/c. Physical Review Letters, 1985, 55, 562-565.	7.8	3
620	Scintillation hodoscopes for time-of-flight measurements. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 1989, 274, 452-458.	1.6	3
621	Test of a compact Si-strip detector for the forward region in DELPHI. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 1995, 360, 71-74.	1.6	3
622	Search for high mass $\tilde{\chi}^0_1 \tilde{\chi}^0_1$ resonances in $e^+e^- \rightarrow \ell^+ \ell^- \gamma \gamma$, $e^+e^- \rightarrow u \bar{u} \gamma \gamma$ and $q \bar{q} \gamma \gamma$ at LEP. Zeitschrift für Physik C-Particles and Fields, 1996, 72, 179-190.	1.5	3
623	Evaluation of Fermi read-out of the Atlas Tilecal prototype. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 1998, 403, 98-114.	1.6	3
624	Experimental tests of neutron shielding for the ATLAS forward region. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 1999, 420, 249-258.	1.6	3
625	The LHC1 pixel detector studied in a 120GeV/c pion test beam. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2000, 439, 536-546.	1.6	3
626	Inclusive b decays to wrong sign charmed mesons. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2003, 561, 26-40.	4.1	3
627	$\tilde{\chi}^0_1 \tilde{\chi}^0_1$ production in e^+e^- interactions at $\sqrt{s} = 183\text{-}209\text{ext}\{\text{GeV}\}$. European Physical Journal C, 2007, 51, 503-523.	4.1	3
628	Higgs boson searches in CP-conserving and CP-violating MSSM scenarios with the DELPHI detector. European Physical Journal C, 2008, 54, 1.	3.9	3
629	Mechanical construction and installation of the ATLAS tile calorimeter. Journal of Instrumentation, 2013, 8, T11001-T11001.	1.2	3

#	ARTICLE	IF	CITATIONS
631	Measurement of the k_t splitting scales in $Z \rightarrow e^+ e^-$ events in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	3
632	Measurement of distributions sensitive to the underlying event in inclusive Z boson production in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2019, 79, 1.	3.9	3
633	Measurements of inclusive and differential cross-sections of combined $t\bar{t}\gamma$ and tW production in the $e\bar{\nu}_e$ channel at 13 TeV with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	4.7	3
634	Measurement of isolated-photon plus two-jet production in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	4.7	3
635	Measurement of single top-quark production in association with a W boson in the single-lepton channel at $\sqrt{s} = 8$ TeV with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	3.9	3
636	Measurement of the inclusive jet cross-section in proton-proton collisions at ($\sqrt{s} = 7$) TeV using 4.5 fb ⁻¹ of data with the ATLAS detector. , 2015, 2015, 1.		3
637	Measurement of b-quark fragmentation properties in jets using the decay $B \rightarrow J/\psi K$ in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	3
638	Differences between Annihilation and Nonannihilation Characteristics of $\bar{p}p$ -Interactions at 22.4 GeV/c. Physica Scripta, 1985, 31, 103-106.	2.5	2
639	Cross sections of backward proton production in interactions. Nuclear Physics A, 1992, 536, 637-647.	1.5	2
640	A measurement of the photon structure function F_2^{γ} at an average Q^2 of 12 GeV ² /c ⁴ . Zeitschrift für Physik C-Particles and Fields, 1995, 69, 223-233.	1.5	2
641	The performance of the DELPHI Hadron Calorimeter at LEP. IEEE Transactions on Nuclear Science, 1996, 43, 1751-1756.	2.0	2
642	Fast scintillation counters for the DO Muon System Upgrade. IEEE Transactions on Nuclear Science, 1999, 46, 865-868.	2.0	2
643	Photon reconstruction in the ATLAS Inner Detector and Liquid Argon Barrel Calorimeter at the 2004 Combined Test Beam. Journal of Instrumentation, 2011, 6, P04001-P04001.	1.2	2
644	A search for an excited muon decaying to a muon and two jets in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. New Journal of Physics, 2016, 18, 073021.	2.9	2
645	Measurement of the $t\bar{t}$ production cross-section using $(e\mu)$ events with (b)-tagged jets in (pp) collisions at ($\sqrt{s} = 7$) and 8 TeV with the ATLAS detector. , 2014, 74, 1.		2
646	Search for new phenomena in final states with an energetic jet and large missing transverse momentum in pp collisions at ($\sqrt{s} = 8$) TeV with the ATLAS detector. , 2015, 75, 1.		2
647	Search for exotic decays of the Higgs boson into $b\bar{b}$ and missing transverse momentum in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2022, 2022, 1.	4.7	2
648	Measurement of the energy asymmetry in $t\bar{t}$ production at $\sqrt{s} = 13$ TeV with the ATLAS experiment and interpretation in the SMEFT framework. European Physical Journal C, 2022, 82, .	3.9	2

#	ARTICLE	IF	CITATIONS
649	Characteristics of charged particle multiplicity for n and n interactions and n annihilations at $6\hat{A}\cdot 1$ GeV/c. European Physical Journal D, 1986, 36, 1273-1280.	0.4	1
650	Fe-scintillator hodoscopic hadron calorimeter. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 1990, 295, 81-85.	1.6	1
651	Search for promptly produced heavy quarkonium states in hadronic Z decays. Zeitschrift für Physik C-Particles and Fields, 1995, 69, 575-583.	1.5	1
652	Di-jet production in $\hat{I}^3 \hat{I}^3$ collisions at LEP2. European Physical Journal C, 2008, 58, 531-541.	3.9	1
653	Inclusive single-particle production in two-photon collisions at LEP II with the DELPHI detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2009, 678, 444-449.	4.1	1
654	Correlations between polarisation states of W particles in the reaction $e^+e^- \rightarrow e^+W^-e^-W^+$ at LEP2 energies $189\hat{A}\text{--}209\hat{A}$ GeV. European Physical Journal C, 2009, 63, 611-623.	3.9	1
655	The module nuclear absorber of the ATLAS Hadron Calorimeter (An experiment of controlled assembly) Tj ETQq1 1 0.784314 1gBT /Over 0,4	0.4	1
656	Recent results of Daya Bay reactor neutrino experiment. Nuclear and Particle Physics Proceedings, 2017, 285-286, 32-37.	0.5	1
657	Search for electron-antineutrinos associated with gravitational-wave events GW150914, GW151012, GW151226, GW170104, GW170608, GW170814, and GW170817 at Daya Bay *. Chinese Physics C, 2021, 45, 055001.	3.7	1
658	Search for heavy resonances decaying into a W or Z boson and a Higgs boson in final states with leptons and b-jets in 36 fb^{-1} of $(\sqrt{s}=13)$ TeV pp collisions with the ATLAS detector. , 2018, 2018, 1.		1
659	Search for production of (WW/WZ) resonances decaying to a lepton, neutrino and jets in (pp) collisions at $(\sqrt{s}=8)$ TeV with the ATLAS detector. , 2015, 75, 1.		1
660	Measurement of the charge asymmetry in top-quark pair production in the lepton-plus-jets final state in pp collision data at $(\sqrt{s}=8, \text{TeV})$ with the ATLAS detector. , 2016, 76, 1.		1
661	Measurement of the W-boson mass in pp collisions at $(\sqrt{s}=7, \text{TeV})$ with the ATLAS detector. , 2018, 78, 1.		1
662	Search for doubly charged Higgs boson production in multi-lepton final states with the ATLAS detector using proton-proton collisions at $(\sqrt{s}=13, \text{TeV})$. , 2018, 78, 1.		1
663	Experimental Study of the Radiative Scattering $\hat{I}^{\epsilon} \langle \sup \rangle \langle \sup \rangle p \hat{A}^{\dagger} \hat{I}^{\epsilon} \langle \sup \rangle \langle \sup \rangle p \hat{I}^3$ at 43 GeV. Europhysics Letters, 1990, 11, 725-731.	2.0	0
664	Study of prompt photon production in hadronicZ 0 decays. Zeitschrift für Physik C-Particles and Fields, 1995, 69, 1-13.	1.5	0
665	Measurement of inclusive $\hat{I}^{\epsilon} 0$ production in hadronicZ 0 decays. Zeitschrift für Physik C-Particles and Fields, 1995, 69, 561-573.	1.5	0
666	Measurement of the tau lepton polarisation at LEP2. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2008, 659, 65-73.	4.1	0

#	ARTICLE	IF	CITATIONS
667	A layer correlation technique for pion energy calibration at the 2004 ATLAS Combined Beam Test. Journal of Instrumentation, 2011, 6, P06001-P06001.	1.2	0
668	Neutrino Investigation in Daya Bay. Nuclear Physics News, 2012, 22, 25-28.	0.4	0
669	Results from the Daya Bay Reactor Neutrino Experiment. Nuclear Physics, Section B, Proceedings Supplements, 2014, 246-247, 18-22.	0.4	0
670	Measurement of the electron structure function F_2 at LEP energies. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2014, 737, 39-47.	4.1	0
671	Prospects for observation at CERN in NA62. Journal of Physics: Conference Series, 2015, 631, 012041.	0.4	0
672	Fast scintillation counters for the DO muon system upgrade. , 0, , .		0