Ana M B Menezes

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3830683/publications.pdf

Version: 2024-02-01

291 papers 11,883 citations

50276 46 h-index 93 g-index

338 all docs 338 docs citations

times ranked

338

15444 citing authors

#	Article	IF	CITATIONS
1	International variation in the prevalence of COPD (The BOLD Study): a population-based prevalence study. Lancet, The, 2007, 370, 741-750.	13.7	1,818
2	Chronic obstructive pulmonary disease in five Latin American cities (the PLATINO study): a prevalence study. Lancet, The, 2005, 366, 1875-1881.	13.7	787
3	Increased Risk of Exacerbation and Hospitalization in Subjects With an Overlap Phenotype. Chest, 2014, 145, 297-304.	0.8	320
4	SARS-CoV-2 antibody prevalence in Brazil: results from two successive nationwide serological household surveys. The Lancet Global Health, 2020, 8, e1390-e1398.	6.3	292
5	Attention-Deficit/Hyperactivity Disorder Trajectories From Childhood to Young Adulthood. JAMA Psychiatry, 2016, 73, 705.	11.0	265
6	Enhancing SARC-F: Improving Sarcopenia Screening in the Clinical Practice. Journal of the American Medical Directors Association, 2016, 17, 1136-1141.	2.5	257
7	What are the causal effects of breastfeeding on IQ, obesity and blood pressure? Evidence from comparing high-income with middle-income cohorts. International Journal of Epidemiology, 2011, 40, 670-680.	1.9	251
8	Cohort Profile: The 1993 Pelotas (Brazil) Birth Cohort Study. International Journal of Epidemiology, 2008, 37, 704-709.	1.9	211
9	Prevalence of sarcopenia among community-dwelling elderly of a medium-sized South American city: results of the <i>COMO VAI </i> ? study. Journal of Cachexia, Sarcopenia and Muscle, 2016, 7, 136-143.	7.3	175
10	The chronic bronchitis phenotype in subjects with and without COPD: the PLATINO study. European Respiratory Journal, 2012, 40, 28-36.	6.7	164
11	Population-based surveys of antibodies against SARS-CoV-2 in Southern Brazil. Nature Medicine, 2020, 26, 1196-1199.	30.7	132
12	Adverse childhood experiences: Prevalence and related factors in adolescents of a Brazilian birth cohort. Child Abuse and Neglect, 2016, 51, 21-30.	2.6	124
13	Diagnostic Labeling of COPD in Five Latin American Cities. Chest, 2007, 131, 60-67.	0.8	119
14	Diretrizes para Cessação do Tabagismo. Jornal Brasileiro De Pneumologia, 2004, 30, S1-S76.	0.7	118
15	Cohort Profile update: The 1993 Pelotas (Brazil) Birth Cohort follow-up visits in adolescence. International Journal of Epidemiology, 2014, 43, 1082-1088.	1.9	117
16	Maternal Smoking and Child Psychological Problems: Disentangling Causal and Noncausal Effects. Pediatrics, 2010, 126, e57-e65.	2.1	103
17	The Platino project: methodology of a multicenter prevalence survey of chronic obstructive pulmonary disease in major Latin American cities. BMC Medical Research Methodology, 2004, 4, 15.	3.1	102
18	Cesarean section and risk of obesity in childhood, adolescence, and early adulthood: evidence from 3 Brazilian birth cohorts. American Journal of Clinical Nutrition, 2012, 95, 465-470.	4.7	91

#	Article	IF	CITATIONS
19	Epidemiology of leisure-time physical activity: a population-based study in southern Brazil. Cadernos De Saude Publica, 2005, 21, 275-282.	1.0	88
20	Cohort Profile Update: The 1993 Pelotas (Brazil) Birth Cohort follow-up at 22 years. International Journal of Epidemiology, 2018, 47, 1389-1390e.	1.9	87
21	Multiethnic meta-analysis identifies ancestry-specific and cross-ancestry loci for pulmonary function. Nature Communications, 2018, 9, 2976.	12.8	85
22	Social and dental status along the life course and oral health impacts in adolescents: a population-based birth cohort. Health and Quality of Life Outcomes, 2009, 7, 95.	2.4	83
23	Clustering of risk factors for chronic diseases among adolescents from Southern Brazil. Preventive Medicine, 2012, 54, 393-396.	3.4	82
24	Physical Activity as a Predictor of Adolescent Body Fatness. Sports Medicine, 2009, 39, 279-294.	6.5	79
25	Prevalence of Sleep Related Symptoms in Four Latin American Cities. Journal of Clinical Sleep Medicine, 2008, 04, 579-585.	2.6	76
26	Prevalence of psychiatric disorders in a Brazilian birth cohort of 11-year-olds. Social Psychiatry and Psychiatric Epidemiology, 2010, 45, 135-142.	3.1	75
27	Trends in cardiometabolic risk factors in the Americas between 1980 and 2014: a pooled analysis of population-based surveys. The Lancet Global Health, 2020, 8, e123-e133.	6.3	73
28	Prevalência de hipertensão arterial em adultos e fatores associados: um estudo de base populacional urbana em Pelotas, Rio Grande do Sul, Brasil. Arquivos Brasileiros De Cardiologia, 2007, 88, 59-65.	0.8	69
29	Chronic obstructive pulmonary disease and body mass index in five Latin America cities: The PLATINO study. Respiratory Medicine, 2008, 102, 642-650.	2.9	69
30	Obesity and dental caries: systematic review. Revista De Saude Publica, 2013, 47, 799-812.	1.7	69
31	Prevalence of chronic obstructive pulmonary disease and associated factors: the PLATINO Study in São Paulo, Brazil. Cadernos De Saude Publica, 2005, 21, 1565-1573.	1.0	68
32	Sarcopenia as a mortality predictor in community-dwelling older adults: a comparison of the diagnostic criteria of the European Working Group on Sarcopenia in Older People. European Journal of Clinical Nutrition, 2020, 74, 573-580.	2.9	68
33	The Association of Maternal Age with Birthweight and Gestational Age: A Cross ohort Comparison. Paediatric and Perinatal Epidemiology, 2015, 29, 31-40.	1.7	66
34	Quality of DNA extracted from saliva samples collected with the Orageneâ,,¢ DNA self-collection kit. BMC Medical Research Methodology, 2012, 12, 65.	3.1	61
35	Waist circumference and pulmonary function: a systematic review and meta-analysis. Systematic Reviews, 2012, 1, 55.	5.3	58
36	FEV1 Is a Better Predictor of Mortality than FVC: The PLATINO Cohort Study. PLoS ONE, 2014, 9, e109732.	2.5	58

3

#	Article	IF	CITATIONS
37	Toothache prevalence and associated factors: a life course study from birth to age 12 yr. European Journal of Oral Sciences, 2008, 116, 458-466.	1.5	53
38	Life course dental caries determinants and predictors in children aged 12â€∫years: a populationâ€based birth cohort. Community Dentistry and Oral Epidemiology, 2009, 37, 123-133.	1.9	48
39	Bronchodilator Response in FVC Is Larger and More Relevant Than in FEV 1 in Severe Airflow Obstruction. Chest, 2017, 151, 1088-1098.	0.8	47
40	The emergence of vaccine hesitancy among upper-class Brazilians: Results from four birth cohorts, 1982–2015. Vaccine, 2020, 38, 482-488.	3.8	46
41	Infant feeding and obesity at 11 years: Prospective birth cohort study. Pediatric Obesity, 2009, 4, 143-149.	3.2	45
42	The 11-year follow-up of the 1993 Pelotas (Brazil) birth cohort study: methods. Cadernos De Saude Publica, 2010, 26, 1875-1886.	1.0	45
43	Methods used in the 1982, 1993, and 2004 birth cohort studies from Pelotas, Rio Grande do Sul State, Brazil, and a description of the socioeconomic conditions of participants' families. Cadernos De Saude Publica, 2008, 24, s371-s380.	1.0	45
44	Comorbilidades y estado de salud en individuos con y sin EPOC en 5 ciudades de América Latina: Estudio PLATINO. Archivos De Bronconeumologia, 2013, 49, 468-474.	0.8	44
45	High prevalence of asthma in preschool children in Southern Brazil: A population-based study. Pediatric Pulmonology, 2003, 35, 296-301.	2.0	43
46	Identifying Adolescents at Risk for Depression: AÂPrediction Score Performance in Cohorts Based inÂ3ÂDifferent Continents. Journal of the American Academy of Child and Adolescent Psychiatry, 2021, 60, 262-273.	0.5	43
47	Missed childhood immunizations during the COVID-19 pandemic in Brazil: Analyses of routine statistics and of a national household survey. Vaccine, 2021, 39, 3404-3409.	3.8	43
48	Do Risk Factors for Childhood Infections and Malnutrition Protect Against Asthma? A Study of Brazilian Male Adolescents. American Journal of Public Health, 2003, 93, 1858-1864.	2.7	42
49	Effects of responsive caregiving and learning opportunities during pre-school ages on the association of early adversities and adolescent human capital: an analysis of birth cohorts in two middle-income countries. The Lancet Child and Adolescent Health, 2021, 5, 37-46.	5.6	42
50	O Mestrado do Programa de Pós-graduação em Epidemiologia da UFPel baseado em consórcio de pesquisa: uma experiência inovadora. Revista Brasileira De Epidemiologia, 2008, 11, 133-144.	0.8	42
51	Agreement between Self-Reported Smoking and Cotinine Concentration in Adolescents: A Validation Study in Brazil. Journal of Adolescent Health, 2008, 43, 226-230.	2.5	41
52	Childhood behaviour problems predict crime and violence in late adolescence: Brazilian and British birth cohort studies. Social Psychiatry and Psychiatric Epidemiology, 2015, 50, 579-589.	3.1	40
53	Validity of Partial Protocols to Assess the Prevalence of Periodontal Outcomes and Associated Sociodemographic and Behavior Factors in Adolescents and Young Adults. Journal of Periodontology, 2012, 83, 369-378.	3.4	39
54	African ancestry, lung function and the effect of genetics. European Respiratory Journal, 2015, 45, 1582-1589.	6.7	39

#	Article	IF	CITATIONS
55	Continuity of behavioral and emotional problems from preâ€school years to preâ€adolescence in a developing country. Journal of Child Psychology and Psychiatry and Allied Disciplines, 2008, 49, 499-507.	5.2	38
56	Sedentary behavior in adolescents: the 11-year follow-up of the 1993 Pelotas (Brazil) birth cohort study. Cadernos De Saude Publica, 2010, 26, 1928-1936.	1.0	38
57	Airflow Obstruction in Never Smokers in Five Latin American Cities: TheÂPLATINO Study. Archives of Medical Research, 2012, 43, 159-165.	3.3	38
58	Low birthweight and preterm birth: trends and inequalities in four population-based birth cohorts in Pelotas, Brazil, 1982–2015. International Journal of Epidemiology, 2019, 48, i46-i53.	1.9	38
59	Frequency of Self-Reported COPD Exacerbation and Airflow Obstruction in Five Latin American Cities. Chest, 2009, 136, 71-78.	0.8	37
60	Racial inequalities in access to women's health care in southern Brazil. Cadernos De Saude Publica, 2011, 27, 2364-2372.	1.0	37
61	Happiness and Depression in Adolescence after Maternal Smoking during Pregnancy: Birth Cohort Study. PLoS ONE, 2013, 8, e80370.	2.5	37
62	Prevalence of antibodies against SARS-CoV-2 according to socioeconomic and ethnic status in a nationwide Brazilian survey. Revista Panamericana De Salud Publica/Pan American Journal of Public Health, 2020, 44, 1-7.	1.1	37
63	Effects of early-life poverty on health and human capital in children and adolescents: analyses of national surveys and birth cohort studies in LMICs. Lancet, The, 2022, 399, 1741-1752.	13.7	37
64	Health and development from preconception to 20 years of age and human capital. Lancet, The, 2022, 399, 1730-1740.	13.7	37
65	Built environment and physical activity: domain- and activity-specific associations among Brazilian adolescents. BMC Public Health, 2017, 17, 616.	2.9	36
66	Size at Birth and Blood Pressure in Early Adolescence: A Prospective Birth Cohort Study. American Journal of Epidemiology, 2007, 165, 611-616.	3.4	35
67	Prevalence and correlates of physical activity among adolescents from Southern Brazil. Revista De Saude Publica, 2010, 44, 457-467.	1.7	34
68	A Longitudinal Evaluation of Physical Activity in Brazilian Adolescents: Tracking, Change and Predictors. Pediatric Exercise Science, 2012, 24, 58-71.	1.0	34
69	Energy Expenditure Compared to Physical Activity Measured by Accelerometry and Self-Report in Adolescents: A Validation Study. PLoS ONE, 2013, 8, e77036.	2.5	34
70	Gene–environment interaction in externalizing problems among adolescents: evidence from the Pelotas 1993 Birth Cohort Study. Journal of Child Psychology and Psychiatry and Allied Disciplines, 2013, 54, 298-304.	5.2	33
71	Glutamatergic copy number variants and their role in attentionâ€deficit/hyperactivity disorder. American Journal of Medical Genetics Part B: Neuropsychiatric Genetics, 2014, 165, 502-509.	1.7	32
72	Cadherinâ€13 gene is associated with hyperactive/impulsive symptoms in attention/deficit hyperactivity disorder. American Journal of Medical Genetics Part B: Neuropsychiatric Genetics, 2015, 168, 162-169.	1.7	32

#	Article	IF	CITATIONS
73	Trends and inequalities in maternal and child health in a Brazilian city: methodology and sociodemographic description of four population-based birth cohort studies, 1982–2015. International Journal of Epidemiology, 2019, 48, i4-i15.	1.9	32
74	Childbearing during adolescence and offspring mortality: findings from three population-based cohorts in southern Brazil. BMC Public Health, 2011, 11, 781.	2.9	31
75	Adolescent blood pressure, body mass index and skin folds: sorting out the effects of early weight and length gains. Journal of Epidemiology and Community Health, 2012, 66, 149-154.	3.7	31
76	Prevalência de distúrbios psiquiátricos menores na cidade de Pelotas, RS. Revista Brasileira De Epidemiologia, 2002, 5, 164-173.	0.8	30
77	Hábitos alimentares de escolares adolescentes de Pelotas, Brasil. Revista De Nutricao, 2010, 23, 379-388.	0.4	30
78	Is Obesity a Risk Factor for Wheezing Among Adolescents? A Prospective Study in Southern Brazil. Journal of Adolescent Health, 2012, 51, S38-S45.	2.5	30
79	Prevalence and associated factors with sunscreen use in Southern Brazil: A population-based study. Journal of the American Academy of Dermatology, 2007, 57, 73-80.	1.2	29
80	Inactivation of the putative suppressor gene <i>DOK1</i> by promoter hypermethylation in primary human cancers. International Journal of Cancer, 2012, 130, 2484-2494.	5.1	29
81	PLATINO, a nine-year follow-up study of COPD in the city of São Paulo, Brazil: the problem of underdiagnosis. Jornal Brasileiro De Pneumologia, 2014, 40, 30-37.	0.7	29
82	Physical activity throughout adolescence and body composition at 18Âyears: 1993 Pelotas (Brazil) birth cohort study. International Journal of Behavioral Nutrition and Physical Activity, 2016, 13, 105.	4.6	29
83	Respiratory medication used in COPD patients from seven Latin American countries: the LASSYC study. International Journal of COPD, 2018, Volume 13, 1545-1556.	2.3	29
84	Self-Medication Among Adolescents Aged 18 Years: The 1993 Pelotas (Brazil) Birth Cohort Study. Journal of Adolescent Health, 2014, 55, 175-181.	2.5	28
85	RPS Brazilian Birth Cohorts Consortium (Ribeirão Preto, Pelotas and São LuÃs): history, objectives and methods. Cadernos De Saude Publica, 2021, 37, e00093320.	1.0	28
86	Smoking in Early Adolescence: Evidence from the 1993 Pelotas (Brazil) Birth Cohort Study. Journal of Adolescent Health, 2006, 39, 669-677.	2.5	27
87	Low Maternal Capital Predicts Life History Trade-Offs in Daughters: Why Adverse Outcomes Cluster in Individuals. Frontiers in Public Health, 2019, 7, 206.	2.7	27
88	Infant mortality in three population-based cohorts in Southern Brazil: trends and differentials. Cadernos De Saude Publica, 2008, 24, s451-s460.	1.0	27
89	Predictors of physical activity change during adolescence: a 3·5-year follow-up. Public Health Nutrition, 2012, 15, 2237-2245.	2.2	26
90	Tendência temporal de asma em crianças e adolescentes no Brasil no perÃodo de 1998 a 2008. Revista De Saude Publica, 2012, 46, 242-250.	1.7	26

#	Article	IF	Citations
91	Prevalência de diagnóstico médico de asma em adultos brasileiros: Pesquisa Nacional de Saúde, 2013. Revista Brasileira De Epidemiologia, 2015, 18, 204-213.	0.8	26
92	Cost-effectiveness of hypertension treatment: a population-based study. Sao Paulo Medical Journal, 2002, 120, 100-104.	0.9	25
93	The role of questionnaire length and reminders frequency on response rates to a web-based epidemiologic study: a randomised trial. International Journal of Social Research Methodology: Theory and Practice, 2019, 22, 625-635.	4.4	25
94	Breastfeeding exclusivity and duration: trends and inequalities in four population-based birth cohorts in Pelotas, Brazil, 1982–2015. International Journal of Epidemiology, 2019, 48, i72-i79.	1.9	25
95	Antenatal care and caesarean sections: trends and inequalities in four population-based birth cohorts in Pelotas, Brazil, 1982–2015. International Journal of Epidemiology, 2019, 48, i37-i45.	1.9	25
96	Relative Age and Attention-Deficit/Hyperactivity Disorder: Data From Three Epidemiological Cohorts and a Meta-analysis. Journal of the American Academy of Child and Adolescent Psychiatry, 2020, 59, 990-997.	0.5	25
97	Early determinants of attention and hyperactivity problems in adolescents: the 11-year follow-up of the 1993 Pelotas (Brazil) birth cohort study. Cadernos De Saude Publica, 2010, 26, 1954-1962.	1.0	24
98	Reliability of FEV1/FEV6 to Diagnose Airflow Obstruction Compared with FEV1/FVC: The PLATINO Longitudinal Study. PLoS ONE, 2013, 8, e67960.	2.5	24
99	Validation of Self-Reported Information on Dental Caries in a Birth Cohort at 18 Years of Age. PLoS ONE, 2014, 9, e106382.	2.5	24
100	Early determinants of smoking in adolescence: a prospective birth cohort study. Cadernos De Saude Publica, 2007, 23, 347-354.	1.0	23
101	Adverse childhood experiences and consumption of alcohol, tobacco and illicit drugs among adolescents of a Brazilian birth cohort. Cadernos De Saude Publica, 2016, 32, e00085815.	1.0	23
102	Infant nutrition and growth: trends and inequalities in four population-based birth cohorts in Pelotas, Brazil, 1982–2015. International Journal of Epidemiology, 2019, 48, i80-i88.	1.9	23
103	Mortalidade infantil em duas coortes de base populacional no Sul do Brasil: tendências e diferenciais. Cadernos De Saude Publica, 1996, 12, S79-S86.	1.0	22
104	DRD4 Rare Variants in Attention-Deficit/Hyperactivity Disorder (ADHD): Further Evidence from a Birth Cohort Study. PLoS ONE, 2013, 8, e85164.	2.5	22
105	Gene-Environment Interaction in Youth Depression: Replication of the 5-HTTLPR Moderation in a Diverse Setting. American Journal of Psychiatry, 2015, 172, 978-985.	7.2	22
106	Secular trends in smoking during pregnancy according to income and ethnic group: four population-based perinatal surveys in a Brazilian city. BMJ Open, 2016, 6, e010127.	1.9	22
107	Caesarean section and adiposity at 6, 18 and 30Âyears of age: results from three Pelotas (Brazil) birth cohorts. BMC Public Health, 2017, 17, 256.	2.9	22
108	Maternal anthropometry: trends and inequalities in four population-based birth cohorts in Pelotas, Brazil, 1982–2015. International Journal of Epidemiology, 2019, 48, i26-i36.	1.9	22

#	Article	IF	CITATIONS
109	Marcadores e fatores de risco para queratoses actÃnicas e carcinomas basocelulares: um estudo de caso-controle. Anais Brasileiros De Dermatologia, 2004, 79, 441-454.	1.1	22
110	Health status perception and airflow obstruction in five Latin American cities: The PLATINO study. Respiratory Medicine, 2009, 103, 1376-1382.	2.9	21
111	DNA methylation changes associated with risk factors in tumors of the upper aerodigestive tract. Epigenetics, 2012, 7, 270-277.	2.7	21
112	Adiposity, depression and anxiety: interrelationship and possible mediators. Revista De Saude Publica, 2019, 53, 103.	1.7	21
113	Transtornos mentais em adolescentes, jovens e adultos do Consórcio de Coortes de Nascimento brasileiras RPS (Ribeirão Preto, Pelotas e São LuÃs). Cadernos De Saude Publica, 2020, 36, e00154319.	1.0	21
114	Infancy and childhood growth and physical activity in adolescence: prospective birth cohort study from Brazil. International Journal of Behavioral Nutrition and Physical Activity, 2012, 9, 82.	4.6	20
115	Parent-Related Normative Perceptions of Adolescents and Later Weight Control Behavior: Longitudinal Analysis of Cohort Data From Brazil. Journal of Adolescent Health, 2020, 66, S9-S16.	2.5	20
116	Chronic Obstructive Pulmonary Disease in Latin America. Annals of Global Health, 2019, 85, .	2.0	20
117	Instability in the COPD Diagnosis upon Repeat Testing Vary with the Definition of COPD. PLoS ONE, 2015, 10, e0121832.	2.5	19
118	Childhood Behavioural Problems and Adverse Outcomes in Early Adulthood: a Comparison of Brazilian and British Birth Cohorts. Journal of Developmental and Life-Course Criminology, 2019, 5, 517-535.	1.2	19
119	Risk factors for wheezing in early adolescence: a prospective birth cohort study in Brazil. Annals of Allergy, Asthma and Immunology, 2007, 98, 427-431.	1.0	18
120	Leisure-Time Physical Activity: Association With Activity Levels in Other Domains. Journal of Physical Activity and Health, 2010, 7, 460-464.	2.0	18
121	Assessment of inhaler techniques employed by patients with respiratory diseases in southern Brazil: a population-based study. Jornal Brasileiro De Pneumologia, 2014, 40, 513-520.	0.7	18
122	Lung function decline in subjects with and without COPD in a population-based cohort in Latin-America. PLoS ONE, 2017, 12, e0177032.	2.5	18
123	Adverse Childhood Experiences (ACEs) and Adiposity in Adolescents: A Crossâ€Cohort Comparison. Obesity, 2018, 26, 150-159.	3.0	18
124	Use of respiratory medication in five Latin American cities: The PLATINO study. Pulmonary Pharmacology and Therapeutics, 2008, 21, 788-793.	2.6	17
125	Socioeconomic trajectory from birth to adolescence and lung function: prospective birth cohort study. BMC Public Health, 2011, 11, 596.	2.9	17
126	COMT and DAT1 genes are associated with hyperactivity and inattention traits in the 1993 Pelotas Birth Cohort: evidence of sex-specific combined effect. Journal of Psychiatry and Neuroscience, 2016, 41, 405-412.	2.4	17

#	Article	IF	CITATIONS
127	Stillbirth, newborn and infant mortality: trends and inequalities in four population-based birth cohorts in Pelotas, Brazil, 1982–2015. International Journal of Epidemiology, 2019, 48, i54-i62.	1.9	17
128	The neurodevelopmental nature of attention-deficit hyperactivity disorder in adults. British Journal of Psychiatry, 2021, 218, 43-50.	2.8	17
129	Tabagismo na coorte de nascimentos de 1982: da adolescência à vida adulta, Pelotas, RS. Revista De Saude Publica, 2008, 42, 78-85.	1.7	17
130	Respiratory Function in Adolescence in Relation to Low Birth Weight, Preterm Delivery, and Intrauterine Growth Restriction. Chest, 2005, 128, 2400-2407.	0.8	16
131	Perinatal mortality in three population-based cohorts from Southern Brazil: trends and differences. Cadernos De Saude Publica, 2008, 24, s399-s408.	1.0	16
132	Focused Principal Component Analysis: a graphical method for exploring dietary patterns. Cadernos De Saude Publica, 2010, 26, 2149-2156.	1.0	16
133	Cross-Sectional and Longitudinal Associations Between Physical Activity and Blood Pressure in Adolescence: Birth Cohort Study. Journal of Physical Activity and Health, 2011, 8, 468-474.	2.0	16
134	Physical Activity throughout Adolescence and Cognitive Performance at 18 Years of Age. Medicine and Science in Sports and Exercise, 2015, 47, 2552-2557.	0.4	16
135	Perinatal and sociodemographic factors at birth predicting conduct problems and violence to age 18Âyears: comparison of Brazilian and British birth cohorts. Journal of Child Psychology and Psychiatry and Allied Disciplines, 2015, 56, 914-922.	5.2	16
136	Impact of the age at menarche on body composition in adulthood: results from two birth cohort studies. BMC Public Health, 2016, 16, 1007.	2.9	16
137	Oral healthâ€related behaviours do not mediate the effect of maternal education on adolescents' gingival bleeding: A birth cohort study. Community Dentistry and Oral Epidemiology, 2018, 46, 169-177.	1.9	16
138	How different online recruitment methods impact on recruitment rates for the web-based coortesnaweb project: a randomised trial. BMC Medical Research Methodology, 2019, 19, 127.	3.1	16
139	Programas de reabilitação pulmonar em pacientes com DPOC. Jornal Brasileiro De Pneumologia, 2011, 37, 544-555.	0.7	15
140	Trends in socioeconomic inequalities in anthropometric status in a population undergoing the nutritional transition: data from 1982, 1993 and 2004 pelotas birth cohort studies. BMC Public Health, 2012, 12, 511.	2.9	15
141	Age of sexual initiation and depression in adolescents: Data from the 1993 Pelotas (Brazil) Birth Cohort. Journal of Affective Disorders, 2017, 221, 259-266.	4.1	15
142	Association between interleukin-6, C-reactive protein and adiponectin with adiposity: Findings from the 1993 pelotas (Brazil) birth cohort at 18 and 22†years. Cytokine, 2018, 110, 44-51.	3.2	15
143	Associations between growth from birth to 18 years, intelligence, and schooling in a Brazilian cohort. American Journal of Clinical Nutrition, 2020, 112, 187-194.	4.7	15
144	EPICOVID19 protocol: repeated serological surveys on SARS-CoV-2 antibodies in Brazil. Ciencia E Saude Coletiva, 2020, 25, 3573-3578.	0.5	15

#	Article	IF	CITATIONS
145	COVID-19 and outpatient care: a nationwide household survey. Cadernos De Saude Publica, 2022, 38, e00194121.	1.0	15
146	Prevalence of sun exposure and its associated factors in southern Brazil: a population-based study. Anais Brasileiros De Dermatologia, 2013, 88, 554-561.	1.1	14
147	Effect of breastfeeding on bone mass from childhood to adulthood: a systematic review of the literature. International Breastfeeding Journal, 2015, 10, 31.	2.6	14
148	Infant mortality in Pelotas, Brazil: a comparison of risk factors in two birth cohorts. Revista Panamericana De Salud Publica/Pan American Journal of Public Health, 2005, 18, 439-46.	1.1	14
149	Tabagismo em gestantes de $ ilde{A}_i$ rea urbana da regi $ ilde{A}$ £o Sul do Brasil: 1982 e 1993. Revista De Saude Publica, 1997, 31, 247-253.	1.7	13
150	Predictors of Body Mass Index Change From 11 to 15 Years of Age: The 1993 Pelotas (Brazil) Birth Cohort Study. Journal of Adolescent Health, 2012, 51, S65-S69.	2.5	13
151	Estudio de cohorte de base poblacional sobre la enfermedad pulmonar obstructiva crónica en Latinoamérica: métodos y resultados preliminares. Fase II del estudio PLATINO. Archivos De Bronconeumologia, 2014, 50, 10-17.	0.8	13
152	Visceral and subcutaneous abdominal adiposity and pulmonary function in 30-year-old adults: a cross-sectional analysis nested in a birth cohort. BMC Pulmonary Medicine, 2017, 17, 157.	2.0	13
153	Chronic Bronchitis and the Type of Cigarette Smoked. International Journal of Epidemiology, 1995, 24, 95-99.	1.9	12
154	Role of passive smoking on COPD risk in non-smokers. Lancet, The, 2007, 370, 716-717.	13.7	12
155	Nutritional status of adolescents: the 11-year follow-up of the 1993 Pelotas (Brazil) birth cohort study. Cadernos De Saude Publica, 2010, 26, 1895-1903.	1.0	12
156	Oral health follow-up studies in the 1993 Pelotas (Brazil) birth cohort study: methodology and principal results. Cadernos De Saude Publica, 2010, 26, 1990-1999.	1.0	12
157	Relationship between Body Composition and Pulmonary Function in Early Adult Life: A Cross-Sectional Analysis Nested in Two Birth Cohort Studies. PLoS ONE, 2016, 11, e0163428.	2.5	12
158	Age at start of using tobacco on the risk of head and neck cancer: Pooled analysis in the International Head and Neck Cancer Epidemiology Consortium (INHANCE). Cancer Epidemiology, 2019, 63, 101615.	1.9	12
159	Maternal anthropometric characteristics in pregnancy and blood pressure among adolescents: 1993 live birth cohort, Pelotas, southern Brazil. BMC Public Health, 2010, 10, 434.	2.9	11
160	Self-reporting versus parental reporting of physical activity in adolescents: the 11-year follow-up of the 1993 Pelotas (Brazil) birth cohort study. Cadernos De Saude Publica, 2010, 26, 1921-1927.	1.0	11
161	Perceptions of short and long sleep duration and comorbid conditions: the PLATINO study. Sleep Medicine, 2013, 14, 850-857.	1.6	11
162	Assessment of five different guideline indication criteria for spirometry, including modified GOLD criteria, in order to detect COPD: data from 5,315 subjects in the PLATINO study. Npj Primary Care Respiratory Medicine, 2014, 24, 14075.	2.6	11

#	Article	IF	CITATIONS
163	Incidence of chronic obstructive pulmonary disease based on three spirometric diagnostic criteria in Sao Paulo, Brazil: a nine-year follow-up since the PLATINO prevalence study. Sao Paulo Medical Journal, 2015, 133, 245-251.	0.9	11
164	Occurrence of respiratory symptoms in persons with restrictive ventilatory impairment compared with persons with chronic obstructive pulmonary disease. Chronic Respiratory Disease, 2015, 12, 264-273.	2.4	11
165	COMT and prenatal maternal smoking in associations with conduct problems and crime: the Pelotas 1993 birth cohort study. Scientific Reports, 2016, 6, 29900.	3.3	11
166	Dietary patterns are associated with blood lipids at 18-year-olds: a cross-sectional analysis nested in the 1993 Pelotas (Brazil) birth cohort. Nutrition Journal, 2018, 17, 77.	3.4	11
167	Screen time and working memory in adolescents: A longitudinal study. Journal of Psychiatric Research, 2021, 137, 266-272.	3.1	11
168	Doenças crônicas não transmissÃveis e covid-19: resultados do estudo Epicovid-19 Brasil. Revista De Saude Publica, 2021, 55, 38.	1.7	11
169	Decline in attention-deficit hyperactivity disorder traits over the life course in the general population: trajectories across five population birth cohorts spanning ages 3 to 45 years. International Journal of Epidemiology, 2022, 51, 919-930.	1.9	11
170	Experimental use of alcohol in early adolescence: the 11-year follow-up of the 1993 Pelotas (Brazil) birth cohort study. Cadernos De Saude Publica, 2010, 26, 1937-1944.	1.0	10
171	Factors associated with weight loss dieting among adolescents: the 11-year follow-up of the 1993 Pelotas (Brazil) birth cohort study. Cadernos De Saude Publica, 2010, 26, 1912-1920.	1.0	10
172	Efetividade de uma interven \tilde{A} § \tilde{A} £o educacional em tabagismo entre adolescentes escolares. Revista Brasileira De Epidemiologia, 2011, 14, 63-72.	0.8	10
173	Ten-year trends in prevalence of asthma in adults in southern Brazil: comparison of two population-based studies. Cadernos De Saude Publica, 2012, 28, 135-144.	1.0	10
174	Physical Activity at 11 Years of Age and Incidence of Mental Health Problems in Adolescence: Prospective Study. Journal of Physical Activity and Health, 2015, 12, 535-539.	2.0	10
175	Parental Separation and Cardiometabolic Risk Factors in Late Adolescence: A Cross-Cohort Comparison. American Journal of Epidemiology, 2017, 185, 898-906.	3.4	10
176	Screen-based sedentary behavior during adolescence and pulmonary function in a birth cohort. International Journal of Behavioral Nutrition and Physical Activity, 2017, 14, 82.	4.6	10
177	Outcomes for symptomatic non-obstructed individuals and individuals with mild (GOLD stage 1) COPD in a population based cohort. International Journal of COPD, 2018, Volume 13, 3549-3561.	2.3	10
178	Maternal reproductive history: trends and inequalities in four population-based birth cohorts in Pelotas, Brazil, 1982–2015. International Journal of Epidemiology, 2019, 48, i16-i25.	1.9	10
179	The Intersectionality of Gender and Wealth in Adolescent Health and Behavioral Outcomes in Brazil: The 1993 Pelotas Birth Cohort. Journal of Adolescent Health, 2020, 66, S51-S57.	2.5	10
180	Sleep parameters measured by accelerometry: descriptive analyses from the 22-year follow-up of the Pelotas 1993 birth cohort. Sleep Medicine, 2020, 67, 83-90.	1.6	10

#	Article	IF	CITATIONS
181	High prevalence of symptoms among Brazilian subjects with antibodies against SARS-CoV-2. Scientific Reports, 2021, 11, 13279.	3.3	10
182	Two decades of socioeconomic inequalities in the prevalence of untreated dental caries in early childhood: Results from three birth cohorts in southern Brazil. Community Dentistry and Oral Epidemiology, 2023, 51, 355-363.	1.9	10
183	Prevalence of self-reported chronic diseases in individuals over the age of 40 in São Paulo, Brazil: the Platino study. Cadernos De Saude Publica, 2012, 28, 905-912.	1.0	9
184	Adiposity during adolescence and carotid intima-media thickness in adulthood: Results from the 1993 Pelotas Birth Cohort. Atherosclerosis, 2016, 255, 25-30.	0.8	9
185	Patterns of Growth in Childhood in Relation to Adult Schooling Attainment and Intelligence Quotient in 6 Birth Cohorts in Low- and Middle-Income Countries: Evidence from the Consortium of Health-Oriented Research in Transitioning Societies (COHORTS). Journal of Nutrition, 2021, 151, 2342-2352.	2.9	9
186	Time-dependent decay of detectable antibodies against SARS-CoV-2: A comparison of ELISA with two batches of a lateral-flow test. Brazilian Journal of Infectious Diseases, 2021, 25, 101601.	0.6	9
187	Validade de um monitor digital de pulso para mensuração de pressão arterial em comparação com um esfigmomanômetro de mercúrio. Arquivos Brasileiros De Cardiologia, 2010, 94, 365-370.	0.8	8
188	Medicine use among adolescents: the 11-year follow-up of the 1993 Pelotas (Brazil) birth cohort study. Cadernos De Saude Publica, 2010, 26, 1945-1953.	1.0	8
189	Lifecourse relationship between maternal smoking during pregnancy, birth weight, contemporaneous anthropometric measurements and bone mass at 18 years old. The 1993 Pelotas Birth Cohort. Early Human Development, 2014, 90, 901-906.	1.8	8
190	Physical Activity in Early Adolescence and Pulmonary Function Gain From 15 to 18 Years of Age in a Birth Cohort in Brazil. Journal of Physical Activity and Health, 2016, 13, 1164-1173.	2.0	8
191	External validation of the PUMA COPD diagnostic questionnaire in a general practice sample and the PLATINO study population. International Journal of COPD, 2019, Volume 14, 1901-1911.	2.3	8
192	Early Emotional Symptoms Predicting Carotid Atherosclerosis in Youth: Results From a Birth Cohort in Latin America. Journal of the American Heart Association, 2019, 8, e011011.	3.7	8
193	Characterisation of pulmonary function trajectories: results from a Brazilian cohort. ERJ Open Research, 2020, 6, 00065-2020.	2.6	8
194	Maternal pregnancy smoking in three Brazilian cities: trends and differences according to education, income, and age. International Journal of Public Health, 2020, 65, 207-215.	2.3	8
195	Prevalence of ideal cardiovascular health in young adults: A birth cohort from southern Brazil. American Heart Journal, 2021, 235, 65-73.	2.7	8
196	Uric acid is independent and inversely associated to glomerular filtration rate in young adult Brazilian individuals. Nutrition, Metabolism and Cardiovascular Diseases, 2020, 30, 1289-1298.	2.6	8
197	Utilização de benzodiazepÃnicos em idosos brasileiros: um estudo de base populacional. Revista De Saude Publica, 2022, 56, 10.	1.7	8
198	Diagnosis of overweight and obesity in adolescents from the 1993 Pelotas Birth Cohort Study, Rio Grande do Sul State, Brazil: comparison of two diagnostic criteria. Cadernos De Saude Publica, 2007, 23, 2993-2999.	1.0	7

#	Article	IF	CITATIONS
199	Asma e função pulmonar aos 6-7 anos de idade em uma coorte de nascimentos no Sul do Brasil. Jornal Brasileiro De Pneumologia, 2008, 34, 764-771.	0.7	7
200	Dietary assessment in the 1993 Pelotas (Brazil) birth cohort study: comparing energy intake with energy expenditure. Cadernos De Saude Publica, 2010, 26, 2080-2089.	1.0	7
201	Body mass index at 11Âyears and bone mass at age 18: path analysis within the 1993 Pelotas (Brazil) birth cohort study. BMC Musculoskeletal Disorders, 2015, 16, 71.	1.9	7
202	Anthropometric status of individuals with COPD in the city of $S\tilde{A}_{2}$ 0 Paulo, Brazil, over time - analysis of a population-based study. Jornal Brasileiro De Pneumologia, 2019, 45, e20170157.	0.7	7
203	Body composition from 18 to 22 years and pulmonary function at 22 years—1993 Pelotas Birth Cohort. PLoS ONE, 2019, 14, e0219077.	2.5	7
204	Association of modifiable risk factors and IL-6, CRP, and adiponectin: Findings from the 1993 Birth Cohort, Southern Brazil. PLoS ONE, 2019, 14, e0216202.	2.5	7
205	Trends and inequalities in unplanned pregnancy in three population-based birth cohorts in Pelotas, Brazil. International Journal of Public Health, 2020, 65, 1635-1645.	2.3	7
206	<p>Longitudinal Association Between Diet Quality and Asthma Symptoms in Early Adult Life in a Brazilian Birth Cohort</p> . Journal of Asthma and Allergy, 2020, Volume 13, 493-503.	3.4	7
207	Associations between Device-measured Physical Activity and Cardiometabolic Health in the Transition to Early Adulthood. Medicine and Science in Sports and Exercise, 2021, 53, 2076-2085.	0.4	7
208	Prevalência de chiado no peito em adultos da coorte de nascimentos de 1982, Pelotas, RS. Revista De Saude Publica, 2008, 42, 101-107.	1.7	7
209	The impact of sociodemographic conditions on quality of life among adolescents in a Brazilian birth cohort: a longitudinal study. Revista Panamericana De Salud Publica/Pan American Journal of Public Health, 2010, 28, 71-79.	1.1	7
210	Population-level seropositivity trend for SARS-Cov-2 in Rio Grande do Sul, Brazil. Revista De Saude Publica, 2021, 55, 78.	1.7	7
211	Cobertura do exame fÃsico de mama: estudo de base populacional em Pelotas, RS. Revista Brasileira De Epidemiologia, 2003, 6, 39-48.	0.8	6
212	Size at birth and height in early adolescence: a prospective birth cohort study. Cadernos De Saude Publica, 2008, 24, 871-878.	1.0	6
213	Well-being in adolescents: the 11-year follow-up of the 1993 Pelotas (Brazil) birth cohort study. Cadernos De Saude Publica, 2010, 26, 1887-1894.	1.0	6
214	Resting pulse rate among adolescents: the 11-year follow-up of the 1993 Pelotas (Brazil) birth cohort study. Cadernos De Saude Publica, 2010, 26, 1963-1971.	1.0	6
215	Intake of fat and fiber-rich foods according to socioeconomic status: the 11-year follow-up of the 1993 Pelotas (Brazil) birth cohort study. Cadernos De Saude Publica, 2010, 26, 1904-1911.	1.0	6
216	Objectively Measured Physical Activity in the 1993 Pelotas (Brazil) Birth Cohort. Medicine and Science in Sports and Exercise, 2012, 44, 2369-2375.	0.4	6

#	Article	IF	Citations
217	Trends in self-reported arterial hypertension in Brazilian adults: an analysis of data from the Brazilian National Household Sample Survey, 1998-2008. Cadernos De Saude Publica, 2012, 28, 1599-1607.	1.0	6
218	Prospective Associations Between Physical Activity Level and Body Composition in Adolescence: 1993 Pelotas (Brazil) Birth Cohort. Journal of Physical Activity and Health, 2015, 12, 834-839.	2.0	6
219	Association between dental caries and obesity evaluated by air displacement plethysmography in 18â€yearâ€old adolescents in <scp>P</scp> elotas, <scp>B</scp> razil. Community Dentistry and Oral Epidemiology, 2015, 43, 17-23.	1.9	6
220	Lifelong robbery victimisation and mental disorders at age 18 years: Brazilian population-based study. Social Psychiatry and Psychiatric Epidemiology, 2018, 53, 487-496.	3.1	6
221	Are cytokines (IL-6, CRP and adiponectin) associated with bone mineral density in a young adult birth cohort?. BMC Musculoskeletal Disorders, 2018, 19, 427.	1.9	6
222	Maternal smoking during pregnancy and offspring body composition in adulthood: Results from two birth cohort studies. BMJ Open, 2019, 9, e023852.	1.9	6
223	Fetal, neonatal, and post-neonatal mortality in the 2015 Pelotas (Brazil) birth cohort and associated factors. Cadernos De Saude Publica, 2019, 35, e00072918.	1.0	6
224	Hospital admissions in the first year of life: inequalities over three decades in a southern Brazilian city. International Journal of Epidemiology, 2019, 48, i63-i71.	1.9	6
225	Differential influences of early growth and social factors on young children's cognitive performance in four low-and-middle-income birth cohorts (Brazil, Guatemala, Philippines, and South) Tj ETQq1 1	0 .7287 4314	rg&T Overlo
226	Sleep duration trajectories from adolescence to emerging adulthood: Findings from a populationâ€based birth cohort. Journal of Sleep Research, 2021, 30, e13155.	3.2	6
227	Is Screen Time Throughout Adolescence Related to ADHD? Findings from 1993 Pelotas (Brazil) Birth Cohort Study. Journal of Attention Disorders, 2021, , 108705472199755.	2.6	6
228	Slow Spread of SARS-CoV-2 in Southern Brazil Over a 6-Month Period: Report on 8 Sequential Statewide Serological Surveys Including 35 611 Participants. American Journal of Public Health, 2021, 111, 1542-1550.	2.7	6
229	Influence of maternal pre-pregnancy nutritional status on offspring anthropometric measurements and body composition in three Brazilian Birth Cohorts. Public Health Nutrition, 2021, 24, 882-894.	2.2	6
230	Prevalência e fatores associados à prática de esportes individuais e coletivos em adolescentes pertencentes a uma coorte de nascimentos. Revista Brasileira De Educação FÃsica E Esporte: RBEFE, 2009, 23, 263-274.	0.1	6
231	Youth depression and inflammation: Cross-sectional network analyses of C-Reactive protein, interleukin-6 and symptoms in a population-based sample. Journal of Psychiatric Research, 2022, 150, 197-201.	3.1	6
232	Respiratory syncytial virus infection in children under one year of age hospitalized for acute respiratory diseases in Pelotas, RS. Jornal De Pneumologia, 2003, 29, 4-8.	0.1	5
233	Stability and change in fruit and vegetable intake of Brazilian adolescents over a 3-year period: 1993 Pelotas Birth Cohort. Public Health Nutrition, 2016, 19, 386-392.	2.2	5
234	$2\hat{A}+\hat{A}2$ (+ 2) $\hat{A}=\hat{A}4$: A new approach for appendicular muscle mass assessment by ultrasound. Nutrition, 2021, 83, 111056.	2.4	5

#	Article	IF	CITATIONS
235	Gestational weight gain and childhood body mass index across three generations: Results from the 1993 Pelotas (Brazil) Birth Cohort. Pediatric Obesity, 2021, 16, e12760.	2.8	5
236	Occupational socioeconomic risk associations for head and neck cancer in Europe and South America: individual participant data analysis of pooled case–control studies within the INHANCE Consortium. Journal of Epidemiology and Community Health, 2021, 75, 779-787.	3.7	5
237	COVID-19 and social distancing among children and adolescents in Brazil. Revista De Saude Publica, 2021, 55, 42.	1.7	5
238	Physical Activity Levels and Associated Factors in a Latin American COPD Population of Patients. The LASSYC Study. COPD: Journal of Chronic Obstructive Pulmonary Disease, 2021, 18, 393-400.	1.6	5
239	Uso de máscara durante a pandemia de COVID-19 no Brasil: resultados do estudo EPICOVID19-BR. Cadernos De Saude Publica, 2022, 38, .	1.0	5
240	Inhaler use in adolescents and adults with self-reported physician-diagnosed asthma, bronchitis, or emphysema in the city of Pelotas, Brazil. Jornal Brasileiro De Pneumologia, 2013, 39, 287-295.	0.7	4
241	Breastfeeding and complementary feeding associated with body composition in 18–19Âyears old adolescents in the 1993 Pelotas Birth Cohort. BMC Nutrition, 2017, 3, 84.	1.6	4
242	The challenge of conducting epidemiological research in times of pandemic and denialism: 1-year anniversary of the EPICOVID-19 project in Brazil. International Journal of Epidemiology, 2021, 50, 1049-1052.	1.9	4
243	Consumo de carnes por adolescentes do Sul do Brasil. Revista De Nutricao, 2012, 25, 463-472.	0.4	4
244	Symptom variability over the course of the day in patients with stable COPD in Brazil: a real-world observational study. Jornal Brasileiro De Pneumologia, 2020, 46, e20190223-e20190223.	0.7	4
245	Ideal cardiovascular health, inflammation, and arterial stiffness in the transition to adulthood. International Journal of Cardiology, 2022, 355, 45-51.	1.7	4
246	Concurrent determinants of blood pressure among adolescents: the 11-year follow-up of the 1993 Pelotas (Brazil) birth cohort study. Cadernos De Saude Publica, 2010, 26, 1972-1979.	1.0	3
247	Longitudinal association of adiposity with wheezing and atopy at 22 years: the 1993 Birth Cohort, Pelotas, Brazil. Journal of Asthma and Allergy, 2018, Volume 11, 283-291.	3.4	3
248	Think Globally, Act Locally: The Importance of Populationâ€Specific Bioelectrical Impedance Analysis Prediction Equations for Muscle Mass Assessment. Journal of Parenteral and Enteral Nutrition, 2020, 44, 1338-1346.	2.6	3
249	Short and long sleep duration and associated factors in pre-adolescence and early adulthood: evidence from the 1993 Pelotas birth cohort study. Sleep Medicine, 2020, 75, 477-483.	1.6	3
250	Maternal smoking during pregnancy and intelligence quotient in offspring: A systematic review and meta-analysis. NeuroToxicology, 2021, 85, 99-114.	3.0	3
251	Hospital admissions from birth to early adolescence and early-life risk factors: the 11-year follow-up of the 1993 Pelotas (Brazil) birth cohort study. Cadernos De Saude Publica, 2010, 26, 1980-1989.	1.0	2
252	Suporte ventilatório ao nascer e associação com doenças respiratórias aos seis anos: Coorte de Nascimentos de Pelotas, Rio Grande do Sul, Brasil, 2004. Cadernos De Saude Publica, 2015, 31, 1403-1415.	1.0	2

#	Article	IF	Citations
253	Vitimização por crime na infância e adolescência segundo registros oficiais: coorte de nascimentos de Pelotas, Rio Grande do Sul, Brasil. Cadernos De Saude Publica, 2016, 32, e00072915.	1.0	2
254	Child vs Adult Onset of Attention-Deficit/Hyperactivity Disorderâ€"Reply. JAMA Psychiatry, 2017, 74, 421.	11.0	2
255	Physical Activity Throughout Adolescence and Hba1c in Early Adulthood: Birth Cohort Study. Journal of Physical Activity and Health, 2017, 14, 375-381.	2.0	2
256	Milk consumption, dietary calcium intake and nutrient patterns from adolescence to early adulthood and its effect on bone mass: the 1993 Pelotas (Brazil) birth cohort. Cadernos De Saude Publica, 2019, 35, e00192418.	1.0	2
257	Growth from birth to adolescence and bone mineral density in young adults: The 1993 Pelotas birth cohort. Bone, 2020, 130, 115088.	2.9	2
258	Intergenerational breastfeeding practices among parents and children: 1993 Pelotas (Brazil) birth cohort. Maternal and Child Nutrition, 2021, 17, e13058.	3.0	2
259	Association between maternal prepregnancy body mass index with offspring cardiometabolic risk factors: analysis of three Brazilian birth cohorts. Journal of Developmental Origins of Health and Disease, 2021, , 1-7.	1.4	2
260	Association between Polygenic Risk Scores for ADHD and Asthma: A Birth Cohort Investigation. Journal of Attention Disorders, 2022, 26, 685-695.	2.6	2
261	Maternal smoking during pregnancy and children's mental health at age 22 years: Results of a birth cohort study. Journal of Affective Disorders, 2022, 300, 203-208.	4.1	2
262	Respiratory symptoms (COPD Assessment Test and modified Medical Research Council dyspnea scores) and GOLD-ABCD COPD classification: the LASSYC study. Jornal Brasileiro De Pneumologia, 2021, 47, e20210156.	0.7	2
263	DA COSTA LIMA ET AL. RESPOND. American Journal of Public Health, 2004, 94, 1843-a-1845.	2.7	1
264	Evolution of total body and regional adiposity from late adolescence to early adulthood in a birth cohort study. Nutrition and Metabolism, 2019, 16, 21.	3.0	1
265	Association between cesarean section and human capital in adulthood: 1982 and 1993 Pelotas birth cohorts, Rio Grande do Sul State, Brazil. Cadernos De Saude Publica, 2021, 37, e00235520.	1.0	1
266	Breastfeeding and Bone Mass at the Ages of 18 and 30: Prospective Analysis of Live Births from the Pelotas (Brazil) 1982 and 1993 Cohorts. PLoS ONE, 2015, 10, e0122759.	2.5	1
267	Preval $ ilde{A}^a$ ncia e fatores de risco para asma em escolares de uma coorte no Sul do Brasil. Jornal De Pediatria, 2005, 81, .	2.0	1
268	Lung cancer in Brazil. Seminars in Oncology, 2001, 28, 143-152.	2.2	1
269	Maternal smoking during pregnancy and intelligence quotient of offspring aged 18 and 30Âyears: Evidence from two birth cohorts in southern Brazil. Preventive Medicine, 2022, 156, 106983.	3.4	1
270	Prevalência de sintomas caracterÃsticos de covid-19 no Rio Grande do Sul: resultados de um estudo de base populacional com 18 mil participantes. Revista De Saude Publica, 2021, 55, 82.	1.7	1

#	Article	IF	CITATIONS
271	Building research capacity in Latin America and in Brazil: the MECOR program. Jornal Brasileiro De Pneumologia, 2022, 47, e20210501.	0.7	1
272	Growth In Infancy And Childhood And Its Effects On Objectively-measured Physical Activity In Adolescence. Medicine and Science in Sports and Exercise, 2011, 43, 274.	0.4	0
273	Reply to H-t Li et al. American Journal of Clinical Nutrition, 2012, 96, 216-216.	4.7	0
274	1.61 IDENTIFYING ADOLESCENTS AT RISK FOR MDD: DEVELOPMENT OF A COMPOSITE PREDICTION RISK SCORE. Journal of the American Academy of Child and Adolescent Psychiatry, 2019, 58, S166.	0.5	0
275	Letter from Brazil. Respirology, 2019, 24, 1030-1031.	2.3	0
276	Association of risk behaviours, socio-economic characteristics and academic progress in adolescents: an analysis of the 1993 birth cohort in Pelotas, Brazil. International Journal of Adolescence and Youth, 2019, 24, 474-483.	1.8	0
277	Excess weight and obesity prevalence in the RPS Brazilian Birth Cohort Consortium (Ribeirão Preto,) Tj ETQq1 1	0.784314 1.0	4 rgBT /Overl
278	Influence of parental physical activity on offspring's nutritional status: an intergenerational study in the 1993 Pelotas birth cohort. Public Health Nutrition, 2021, , 1-20.	2.2	0
279	Produção cientÃfica da Sociedade Brasileira de Pneumologia e Tisiologia: 1979 a 2006. Jornal Brasileiro De Pneumologia, 2006, 32, xv-xvii.	0.7	0
280	Health in the transition from childhood to adolescence: the 11-year follow-up of the 1993 Pelotas (Brazil) birth cohort study. Cadernos De Saude Publica, 2010, 26, 1871-1871.	1.0	0
281	Trends in prevalence and inequalities in wheezing and medical diagnosis of asthma during adolescence: The Pelotas 1993 birth cohort, Brazil. , 2015, , .		0
282	Body composition and pulmonary function at 18 years old: Findings from a birth cohort in southern Brazil., 2015, , .		0
283	Quality of life in the PLATINO study 6 to 9 years later. , 2015, , .		0
284	Inequalities on medical diagnosis and underdiagnosis of COPD: The PLATINO study., 2015,,.		0
285	Physical Activity During Adolescence and Lung Function Gain from 15 to 18 Years of Age. Medicine and Science in Sports and Exercise, 2016, 48, 241.	0.4	0
286	Is there a direct effect of physical activity on lung function gain in adolescents? The 1993 Pelotas (Brazil) birth cohort. , 2016 , , .		0
287	Body adiposity at 18 and 22 years and lung function at 22 years old. , 2017, , .		0
288	Longitudinal association between adiposity and wheezing and atopy at 22 years: The 1993 Pelotas Birth Cohort, Brazil , 2018, , .		0

#	Article	IF	CITATIONS
289	Daily symptom variability in patients with stable COPD in Brazil. , 2019, , .		O
290	Inappropriate sleep time trajectories from adolescence to early adulthood: an analysis from a Brazilian birth cohort. , 2019 , , .		0
291	Associations between growth and lung function in a birth cohort in Brazil. , 2019, , .		O