

Rudolf Uher

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3831220/publications.pdf>

Version: 2024-02-01

314
papers

27,719
citations

6233

80
h-index

7333

152
g-index

392
all docs

392
docs citations

392
times ranked

29016
citing authors

#	ARTICLE	IF	CITATIONS
1	Genome-wide association analyses identify 44 risk variants and refine the genetic architecture of major depression. <i>Nature Genetics</i> , 2018, 50, 668-681.	9.4	2,224
2	Genetic Sensitivity to the Environment: The Case of the Serotonin Transporter Gene and Its Implications for Studying Complex Diseases and Traits. <i>American Journal of Psychiatry</i> , 2010, 167, 509-527.	4.0	1,260
3	Childhood Maltreatment Predicts Unfavorable Course of Illness and Treatment Outcome in Depression: A Meta-Analysis. <i>American Journal of Psychiatry</i> , 2012, 169, 141-151.	4.0	1,103
4	A mega-analysis of genome-wide association studies for major depressive disorder. <i>Molecular Psychiatry</i> , 2013, 18, 497-511.	4.1	1,002
5	Canadian Network for Mood and Anxiety Treatments (CANMAT) 2016 Clinical Guidelines for the Management of Adults with Major Depressive Disorder. <i>Canadian Journal of Psychiatry</i> , 2016, 61, 540-560.	0.9	746
6	Risk of Mental Illness in Offspring of Parents With Schizophrenia, Bipolar Disorder, and Major Depressive Disorder: A Meta-Analysis of Family High-Risk Studies. <i>Schizophrenia Bulletin</i> , 2014, 40, 28-38.	2.3	544
7	Rare and low-frequency coding variants alter human adult height. <i>Nature</i> , 2017, 542, 186-190.	13.7	544
8	Evidence-based guidelines for treating depressive disorders with antidepressants: A revision of the 2008 British Association for Psychopharmacology guidelines. <i>Journal of Psychopharmacology</i> , 2015, 29, 459-525.	2.0	528
9	The moderation by the serotonin transporter gene of environmental adversity in the aetiology of mental illness: review and methodological analysis. <i>Molecular Psychiatry</i> , 2008, 13, 131-146.	4.1	455
10	Medial Prefrontal Cortex Activity Associated With Symptom Provocation in Eating Disorders. <i>American Journal of Psychiatry</i> , 2004, 161, 1238-1246.	4.0	421
11	Assessment of Bidirectional Relationships Between Physical Activity and Depression Among Adults. <i>JAMA Psychiatry</i> , 2019, 76, 399.	6.0	399
12	The moderation by the serotonin transporter gene of environmental adversity in the etiology of depression: 2009 update. <i>Molecular Psychiatry</i> , 2010, 15, 18-22.	4.1	373
13	Candidate Genes Expression Profile Associated with Antidepressants Response in the GENDEP Study: Differentiating between Baseline "Predictors"™ and Longitudinal "Targets"™. <i>Neuropsychopharmacology</i> , 2013, 38, 377-385.	2.8	372
14	Canadian Network for Mood and Anxiety Treatments (CANMAT) 2016 Clinical Guidelines for the Management of Adults with Major Depressive Disorder. <i>Canadian Journal of Psychiatry</i> , 2016, 61, 524-539.	0.9	340
15	An Inflammatory Biomarker as a Differential Predictor of Outcome of Depression Treatment With Escitalopram and Nortriptyline. <i>American Journal of Psychiatry</i> , 2014, 171, 1278-1286.	4.0	336
16	Genome-Wide Pharmacogenetics of Antidepressant Response in the GENDEP Project. <i>American Journal of Psychiatry</i> , 2010, 167, 555-564.	4.0	314
17	Depression symptom dimensions as predictors of antidepressant treatment outcome: replicable evidence for interest-activity symptoms. <i>Psychological Medicine</i> , 2012, 42, 967-980.	2.7	298
18	Time for united action on depression: a Lancet "World Psychiatric Association Commission. <i>Lancet</i> , The, 2022, 399, 957-1022.	6.3	292

#	ARTICLE	IF	CITATIONS
19	Protein-altering variants associated with body mass index implicate pathways that control energy intake and expenditure in obesity. <i>Nature Genetics</i> , 2018, 50, 26-41.	9.4	286
20	Fecundity of Patients With Schizophrenia, Autism, Bipolar Disorder, Depression, Anorexia Nervosa, or Substance Abuse vs Their Unaffected Siblings. <i>JAMA Psychiatry</i> , 2013, 70, 22.	6.0	284
21	Role for the kinase SGK1 in stress, depression, and glucocorticoid effects on hippocampal neurogenesis. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2013, 110, 8708-8713.	3.3	272
22	Protective Effect of CRHR1 Gene Variants on the Development of Adult Depression Following Childhood Maltreatment. <i>Archives of General Psychiatry</i> , 2009, 66, 978.	13.8	260
23	MAJOR DEPRESSIVE DISORDER IN DSM-5: IMPLICATIONS FOR CLINICAL PRACTICE AND RESEARCH OF CHANGES FROM DSM-IV. <i>Depression and Anxiety</i> , 2014, 31, 459-471.	2.0	260
24	The contribution of prenatal and postnatal maternal anxiety and depression to child maladjustment. <i>Depression and Anxiety</i> , 2011, 28, 696-702.	2.0	234
25	Interaction between stress and the BDNF Val66Met polymorphism in depression: a systematic review and meta-analysis. <i>BMC Medicine</i> , 2014, 12, 7.	2.3	228
26	Measuring depression: comparison and integration of three scales in the GENDEP study. <i>Psychological Medicine</i> , 2008, 38, 289-300.	2.7	227
27	Functional Neuroanatomy of Body Shape Perception in Healthy and Eating-Disordered Women. <i>Biological Psychiatry</i> , 2005, 58, 990-997.	0.7	225
28	Cerebral processing of food-related stimuli: Effects of fasting and gender. <i>Behavioural Brain Research</i> , 2006, 169, 111-119.	1.2	223
29	Genome-Wide Association Study of Major Recurrent Depression in the U.K. Population. <i>American Journal of Psychiatry</i> , 2010, 167, 949-957.	4.0	221
30	Common Genetic Variation and Antidepressant Efficacy in Major Depressive Disorder: A Meta-Analysis of Three Genome-Wide Pharmacogenetic Studies. <i>American Journal of Psychiatry</i> , 2013, 170, 207-217.	4.0	216
31	Minimal phenotyping yields genome-wide association signals of low specificity for major depression. <i>Nature Genetics</i> , 2020, 52, 437-447.	9.4	207
32	Adverse reactions to antidepressants. <i>British Journal of Psychiatry</i> , 2009, 195, 202-210.	1.7	205
33	Gene-Environment Interactions in Severe Mental Illness. <i>Frontiers in Psychiatry</i> , 2014, 5, 48.	1.3	204
34	Recovery and chronicity in anorexia nervosa. <i>Biological Psychiatry</i> , 2003, 54, 934-942.	0.7	203
35	Association between C-reactive protein (CRP) with depression symptom severity and specific depressive symptoms in major depression. <i>Brain, Behavior, and Immunity</i> , 2017, 62, 344-350.	2.0	202
36	Etiology in psychiatry: embracing the reality of polygenic-environmental causation of mental illness. <i>World Psychiatry</i> , 2017, 16, 121-129.	4.8	202

#	ARTICLE	IF	CITATIONS
37	Contribution of Common Genetic Variants to Antidepressant Response. <i>Biological Psychiatry</i> , 2013, 73, 679-682.	0.7	199
38	The role of genetic variation in the causation of mental illness: an evolution-informed framework. <i>Molecular Psychiatry</i> , 2009, 14, 1072-1082.	4.1	192
39	Genetic predictors of response to antidepressants in the GENDEP project. <i>Pharmacogenomics Journal</i> , 2009, 9, 225-233.	0.9	188
40	Differential Neural Responses to Food Images in Women with Bulimia versus Anorexia Nervosa. <i>PLoS ONE</i> , 2011, 6, e22259.	1.1	187
41	SELF-REPORT AND CLINICIAN-RATED MEASURES OF DEPRESSION SEVERITY: CAN ONE REPLACE THE OTHER?. <i>Depression and Anxiety</i> , 2012, 29, 1043-1049.	2.0	182
42	The Impact of Phenotypic and Genetic Heterogeneity on Results of Genome Wide Association Studies of Complex Diseases. <i>PLoS ONE</i> , 2013, 8, e76295.	1.1	177
43	Polygenic interactions with environmental adversity in the aetiology of major depressive disorder. <i>Psychological Medicine</i> , 2016, 46, 759-770.	2.7	176
44	Genetic Association of Major Depression With Atypical Features and Obesity-Related Immunometabolic Dysregulations. <i>JAMA Psychiatry</i> , 2017, 74, 1214.	6.0	174
45	Differential efficacy of escitalopram and nortriptyline on dimensional measures of depression. <i>British Journal of Psychiatry</i> , 2009, 194, 252-259.	1.7	170
46	Effect of Left Prefrontal Repetitive Transcranial Magnetic Stimulation on Food Craving. <i>Biological Psychiatry</i> , 2005, 58, 840-842.	0.7	156
47	Combining clinical variables to optimize prediction of antidepressant treatment outcomes. <i>Journal of Psychiatric Research</i> , 2016, 78, 94-102.	1.5	149
48	Repetitive Transcranial Magnetic Stimulation Reduces Cue-Induced Food Craving in Bulimic Disorders. <i>Biological Psychiatry</i> , 2010, 67, 793-795.	0.7	147
49	MicroRNAs 146a/b-5 and 425-3p and 24-3p are markers of antidepressant response and regulate MAPK/Wnt-system genes. <i>Nature Communications</i> , 2017, 8, 15497.	5.8	144
50	Moderation of antidepressant response by the serotonin transporter gene. <i>British Journal of Psychiatry</i> , 2009, 195, 30-38.	1.7	143
51	Brain lesions and eating disorders. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2005, 76, 852-857.	0.9	139
52	Serotonin transporter gene moderates childhood maltreatment's effects on persistent but not single-episode depression: Replications and implications for resolving inconsistent results. <i>Journal of Affective Disorders</i> , 2011, 135, 56-65.	2.0	136
53	Therapygenetics: the 5HTTLPR and response to psychological therapy. <i>Molecular Psychiatry</i> , 2012, 17, 236-237.	4.1	135
54	Relative impact of maternal depression and associated risk factors on offspring psychopathology. <i>British Journal of Psychiatry</i> , 2012, 200, 124-129.	1.7	134

#	ARTICLE	IF	CITATIONS
55	An investigation of decision making in anorexia nervosa using the Iowa Gambling Task and skin conductance measurements. <i>Journal of the International Neuropsychological Society</i> , 2007, 13, 635-41.	1.2	131
56	Differential motivational responses to food and pleasurable cues in anorexia and bulimia nervosa: a startle reflex paradigm. <i>Psychological Medicine</i> , 2006, 36, 1327-1335.	2.7	128
57	The implications of gene-environment interactions in depression: will cause inform cure?. <i>Molecular Psychiatry</i> , 2008, 13, 1070-1078.	4.1	128
58	Risk and protective factors for mental disorders beyond genetics: an evidence-based atlas. <i>World Psychiatry</i> , 2021, 20, 417-436.	4.8	127
59	Association of Maternal Use of Folic Acid and Multivitamin Supplements in the Periods Before and During Pregnancy With the Risk of Autism Spectrum Disorder in Offspring. <i>JAMA Psychiatry</i> , 2018, 75, 176.	6.0	126
60	Classification of feeding and eating disorders: review of evidence and proposals for ICD-11. <i>World Psychiatry</i> , 2012, 11, 80-92.	4.8	125
61	Insulin resistance and outcome in bipolar disorder. <i>British Journal of Psychiatry</i> , 2015, 206, 52-57.	1.7	120
62	Neural correlates of body dissatisfaction in anorexia nervosa. <i>Neuropsychologia</i> , 2010, 48, 2878-2885.	0.7	118
63	Association Between Bipolar Spectrum Features and Treatment Outcomes in Outpatients With Major Depressive Disorder. <i>Archives of General Psychiatry</i> , 2010, 68, 351.	13.8	118
64	Brain Structural Signature of Familial Predisposition for Bipolar Disorder: Replicable Evidence For Involvement of the Right Inferior Frontal Gyrus. <i>Biological Psychiatry</i> , 2013, 73, 144-152.	0.7	118
65	Early and Delayed Onset of Response to Antidepressants in Individual Trajectories of Change During Treatment of Major Depression. <i>Journal of Clinical Psychiatry</i> , 2011, 72, 1478-1484.	1.1	117
66	Genome-wide gene-environment analyses of major depressive disorder and reported lifetime traumatic experiences in UK Biobank. <i>Molecular Psychiatry</i> , 2020, 25, 1430-1446.	4.1	116
67	Lifetime prevalence of anxiety disorders in people with bipolar disorder: a systematic review and meta-analysis. <i>Lancet Psychiatry</i> , 2015, 2, 710-717.	3.7	113
68	Genetic Predictors of Response to Serotonergic and Noradrenergic Antidepressants in Major Depressive Disorder: A Genome-Wide Analysis of Individual-Level Data and a Meta-Analysis. <i>PLoS Medicine</i> , 2012, 9, e1001326.	3.9	110
69	Eating disorders, gene-environment interactions and epigenetics. <i>Neuroscience and Biobehavioral Reviews</i> , 2011, 35, 784-793.	2.9	108
70	Trajectories of change in depression severity during treatment with antidepressants. <i>Psychological Medicine</i> , 2010, 40, 1367-1377.	2.7	107
71	Genetic Predictors of Increase in Suicidal Ideation During Antidepressant Treatment in the GENDEP Project. <i>Neuropsychopharmacology</i> , 2009, 34, 2517-2528.	2.8	105
72	Genetic Differences in the Immediate Transcriptome Response to Stress Predict Risk-Related Brain Function and Psychiatric Disorders. <i>Neuron</i> , 2015, 86, 1189-1202.	3.8	102

#	ARTICLE	IF	CITATIONS
73	Absolute Measurements of Macrophage Migration Inhibitory Factor and Interleukin-1 β mRNA Levels Accurately Predict Treatment Response in Depressed Patients. <i>International Journal of Neuropsychopharmacology</i> , 2016, 19, pyw045.	1.0	100
74	Neuroprotective effect of lithium on hippocampal volumes in bipolar disorder independent of long-term treatment response. <i>Psychological Medicine</i> , 2014, 44, 507-517.	2.7	99
75	Genetic relationships between suicide attempts, suicidal ideation and major psychiatric disorders: A genome-wide association and polygenic scoring study. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2014, 165, 428-437.	1.1	99
76	Genomewide Association Scan of Suicidal Thoughts and Behaviour in Major Depression. <i>PLoS ONE</i> , 2011, 6, e20690.	1.1	98
77	Brain Age in Early Stages of Bipolar Disorders or Schizophrenia. <i>Schizophrenia Bulletin</i> , 2019, 45, 190-198.	2.3	94
78	Melancholic, atypical and anxious depression subtypes and outcome of treatment with escitalopram and nortriptyline. <i>Journal of Affective Disorders</i> , 2011, 132, 112-120.	2.0	93
79	Genome-wide association study of increasing suicidal ideation during antidepressant treatment in the GENDEP project. <i>Pharmacogenomics Journal</i> , 2012, 12, 68-77.	0.9	92
80	Body weight as a predictor of antidepressant efficacy in the GENDEP project. <i>Journal of Affective Disorders</i> , 2009, 118, 147-154.	2.0	89
81	Gene-environment interplay in the etiology of psychosis. <i>Psychological Medicine</i> , 2018, 48, 1925-1936.	2.7	89
82	The Genetic Architecture of Depression in Individuals of East Asian Ancestry. <i>JAMA Psychiatry</i> , 2021, 78, 1258.	6.0	88
83	Does Childhood Trauma Moderate Polygenic Risk for Depression? A Meta-analysis of 5765 Subjects From the Psychiatric Genomics Consortium. <i>Biological Psychiatry</i> , 2018, 84, 138-147.	0.7	87
84	An Analysis of Two Genome-wide Association Meta-analyses Identifies a New Locus for Broad Depression Phenotype. <i>Biological Psychiatry</i> , 2017, 82, 322-329.	0.7	84
85	Gene-Environment Interaction in Major Depression and Antidepressant Treatment Response. <i>Current Psychiatry Reports</i> , 2012, 14, 129-137.	2.1	82
86	Obesity, dyslipidemia and brain age in first-episode psychosis. <i>Journal of Psychiatric Research</i> , 2018, 99, 151-158.	1.5	80
87	Thinking about Eating Food Activates Visual Cortex with Reduced Bilateral Cerebellar Activation in Females with Anorexia Nervosa: An fMRI Study. <i>PLoS ONE</i> , 2012, 7, e34000.	1.1	80
88	Genes, Environment, and Individual Differences in Responding to Treatment for Depression. <i>Harvard Review of Psychiatry</i> , 2011, 19, 109-124.	0.9	78
89	Elevated pain threshold in eating disorders: physiological and psychological factors. <i>Journal of Psychiatric Research</i> , 2005, 39, 431-438.	1.5	75
90	Genetic differences in cytochrome P450 enzymes and antidepressant treatment response. <i>Journal of Psychopharmacology</i> , 2014, 28, 133-141.	2.0	75

#	ARTICLE	IF	CITATIONS
91	A familial risk enriched cohort as a platform for testing early interventions to prevent severe mental illness. <i>BMC Psychiatry</i> , 2014, 14, 344.	1.1	74
92	Gene-environment interactions in common mental disorders: an update and strategy for a genome-wide search. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2014, 49, 3-14.	1.6	74
93	Evidence of causal effect of major depression on alcohol dependence: findings from the psychiatric genomics consortium. <i>Psychological Medicine</i> , 2019, 49, 1218-1226.	2.7	74
94	Depressive disorder moderates the effect of the FTO gene on body mass index. <i>Molecular Psychiatry</i> , 2012, 17, 604-611.	4.1	72
95	DNA methylation in interleukin-11 predicts clinical response to antidepressants in GENDEP. <i>Translational Psychiatry</i> , 2013, 3, e300-e300.	2.4	71
96	Pharmacogenetics of antidepressant response: A polygenic approach. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2017, 75, 128-134.	2.5	71
97	Interaction between serotonin transporter gene variants and life events predicts response to antidepressants in the GENDEP project. <i>Pharmacogenomics Journal</i> , 2011, 11, 138-145.	0.9	70
98	I'm not as slim as that girl: Neural bases of body shape self-comparison to media images. <i>NeuroImage</i> , 2007, 37, 674-681.	2.1	69
99	CYP2C19 genotype predicts steady state escitalopram concentration in GENDEP. <i>Journal of Psychopharmacology</i> , 2012, 26, 398-407.	2.0	69
100	Stressful life events and the brain-derived neurotrophic factor gene in bipolar disorder. <i>Journal of Affective Disorders</i> , 2010, 125, 345-349.	2.0	68
101	Tumor necrosis factor and its targets in the inflammatory cytokine pathway are identified as putative transcriptomic biomarkers for escitalopram response. <i>European Neuropsychopharmacology</i> , 2013, 23, 1105-1114.	0.3	68
102	Insulin Resistance, Diabetes Mellitus, and Brain Structure in Bipolar Disorders. <i>Neuropsychopharmacology</i> , 2014, 39, 2910-2918.	2.8	67
103	CONSORT extension for the reporting of randomised controlled trials conducted using cohorts and routinely collected data (CONSORT-ROUTINE): checklist with explanation and elaboration. <i>BMJ</i> , The, 2021, 373, n857.	3.0	65
104	Effect of cytochrome CYP2C19 metabolizing activity on antidepressant response and side effects: Meta-analysis of data from genome-wide association studies. <i>European Neuropsychopharmacology</i> , 2018, 28, 945-954.	0.3	64
105	An examination of decision making in bulimia nervosa. <i>Journal of Clinical and Experimental Neuropsychology</i> , 2009, 31, 455-461.	0.8	63
106	Sex-Dependent Shared and Nonshared Genetic Architecture Across Mood and Psychotic Disorders. <i>Biological Psychiatry</i> , 2022, 91, 102-117.	0.7	61
107	Symptomatic and Functional Outcomes and Early Prediction of Response to Escitalopram Monotherapy and Sequential Adjunctive Aripiprazole Therapy in Patients With Major Depressive Disorder. <i>Journal of Clinical Psychiatry</i> , 2019, 80, .	1.1	61
108	The association between lower educational attainment and depression owing to shared genetic effects? Results in ~25,000 subjects. <i>Molecular Psychiatry</i> , 2015, 20, 735-743.	4.1	59

#	ARTICLE	IF	CITATIONS
109	Personality Pathology Among Individuals With a Lifetime History of Anorexia Nervosa. <i>Journal of Personality Disorders</i> , 2006, 20, 417-430.	0.8	58
110	Prospective Association between Childhood Behavioral Inhibition and Anxiety: a Meta-Analysis. <i>Research on Child and Adolescent Psychopathology</i> , 2020, 48, 57-66.	1.4	57
111	A genetic risk score combining 32 SNPs is associated with body mass index and improves obesity prediction in people with major depressive disorder. <i>BMC Medicine</i> , 2015, 13, 86.	2.3	56
112	The genetics of affective disorder and suicide. <i>European Psychiatry</i> , 2010, 25, 275-277.	0.1	55
113	SEROTONIN TRANSPORTER LENGTH POLYMORPHISM, CHILDHOOD MALTREATMENT, AND CHRONIC DEPRESSION: A SPECIFIC GENE-ENVIRONMENT INTERACTION. <i>Depression and Anxiety</i> , 2013, 30, 5-13.	2.0	55
114	Integrative mouse and human mRNA studies using WGCNA nominates novel candidate genes involved in the pathogenesis of major depressive disorder. <i>Pharmacogenomics</i> , 2013, 14, 1979-1990.	0.6	55
115	Basing psychiatric classification on scientific foundation: Problems and prospects. <i>International Review of Psychiatry</i> , 2012, 24, 591-605.	1.4	54
116	Self-, parent-report and interview measures of obsessive-compulsive disorder in children and adolescents. <i>Journal of Anxiety Disorders</i> , 2008, 22, 979-990.	1.5	52
117	A genome-wide association study of a sustained pattern of antidepressant response. <i>Journal of Psychiatric Research</i> , 2013, 47, 1157-1165.	1.5	52
118	The endogenous and reactive depression subtypes revisited: integrative animal and human studies implicate multiple distinct molecular mechanisms underlying major depressive disorder. <i>BMC Medicine</i> , 2014, 12, 73.	2.3	52
119	Revision of ICD status update on feeding and eating disorders. <i>Advances in Eating Disorders (Abingdon, England)</i> , 2013, 1, 10-20.	0.8	51
120	Autism risk following antidepressant medication during pregnancy. <i>Psychological Medicine</i> , 2017, 47, 2787-2796.	2.7	51
121	Antidepressant drug-specific prediction of depression treatment outcomes from genetic and clinical variables. <i>Scientific Reports</i> , 2018, 8, 5530.	1.6	51
122	Treatment response classes in major depressive disorder identified by model-based clustering and validated by clinical prediction models. <i>Translational Psychiatry</i> , 2019, 9, 187.	2.4	51
123	Hair Cortisol in Twins: Heritability and Genetic Overlap with Psychological Variables and Stress-System Genes. <i>Scientific Reports</i> , 2017, 7, 15351.	1.6	50
124	Clinical and genetic correlates of suicidal ideation during antidepressant treatment in a depressed outpatient sample. <i>Pharmacogenomics</i> , 2011, 12, 365-377.	0.6	49
125	Interaction between the <i>FTO</i> gene, body mass index and depression: meta-analysis of 13701 individuals. <i>British Journal of Psychiatry</i> , 2017, 211, 70-76.	1.7	49
126	Brain age in bipolar disorders: Effects of lithium treatment. <i>Australian and New Zealand Journal of Psychiatry</i> , 2019, 53, 1179-1188.	1.3	49

#	ARTICLE	IF	CITATIONS
127	Offspring of parents with schizophrenia, bipolar disorder, and depression. <i>Psychiatric Genetics</i> , 2019, 29, 160-169.	0.6	49
128	Use of Machine Learning for Predicting Escitalopram Treatment Outcome From Electroencephalography Recordings in Adult Patients With Depression. <i>JAMA Network Open</i> , 2020, 3, e1918377.	2.8	49
129	Screening young people for obsessive-compulsive disorder. <i>British Journal of Psychiatry</i> , 2007, 191, 353-354.	1.7	48
130	Estimating the heritability of reporting stressful life events captured by common genetic variants. <i>Psychological Medicine</i> , 2013, 43, 1965-1971.	2.7	46
131	Genetic Sensitivity to the Environment: The Case of the Serotonin Transporter Gene and Its Implications for Studying Complex Diseases and Traits. <i>Focus (American Psychiatric Publishing)</i> , 2010, 8, 398-416.	0.4	45
132	Genome-wide association analysis of copy number variation in recurrent depressive disorder. <i>Molecular Psychiatry</i> , 2013, 18, 183-189.	4.1	45
133	Psychosis Polyrisk Score (PPS) for the Detection of Individuals At-Risk and the Prediction of Their Outcomes. <i>Frontiers in Psychiatry</i> , 2019, 10, 174.	1.3	45
134	Genome-wide association study of antidepressant treatment resistance in a population-based cohort using health service prescription data and meta-analysis with GENDEP. <i>Pharmacogenomics Journal</i> , 2020, 20, 329-341.	0.9	45
135	The truth about genetic variation in the serotonin transporter gene and response to stress and medication. <i>British Journal of Psychiatry</i> , 2011, 198, 424-427.	1.7	44
136	Variation in GNB3 predicts response and adverse reactions to antidepressants. <i>Journal of Psychopharmacology</i> , 2011, 25, 867-874.	2.0	44
137	Biomarkers predicting treatment outcome in depression: what is clinically significant?. <i>Pharmacogenomics</i> , 2012, 13, 233-240.	0.6	44
138	Genome-wide association study of treatment-resistance in depression and meta-analysis of three independent samples. <i>British Journal of Psychiatry</i> , 2019, 214, 36-41.	1.7	44
139	Suicidal ideation during treatment of depression with escitalopram and nortriptyline in Genome-Based Therapeutic Drugs for Depression (GENDEP): a clinical trial. <i>BMC Medicine</i> , 2009, 7, 60.	2.3	43
140	Poor Decision Making in Male Patients with Anorexia Nervosa. <i>European Eating Disorders Review</i> , 2012, 20, 169-173.	2.3	43
141	Neurotrophic factors in depression in response to treatment. <i>Journal of Affective Disorders</i> , 2015, 183, 287-294.	2.0	43
142	Changes in body weight during pharmacological treatment of depression. <i>International Journal of Neuropsychopharmacology</i> , 2011, 14, 367-375.	1.0	41
143	New insights into the pharmacogenomics of antidepressant response from the GENDEP and STAR*D studies: rare variant analysis and high-density imputation. <i>Pharmacogenomics Journal</i> , 2018, 18, 413-421.	0.9	40
144	Interaction between specific forms of childhood maltreatment and the serotonin transporter gene (5-HTT) in recurrent depressive disorder. <i>Journal of Affective Disorders</i> , 2013, 145, 136-141.	2.0	39

#	ARTICLE	IF	CITATIONS
145	Prevalence of current anxiety disorders in people with bipolar disorder during euthymia: a meta-analysis. <i>Psychological Medicine</i> , 2017, 47, 1107-1115.	2.7	39
146	Machine learning in the prediction of depression treatment outcomes: a systematic review and meta-analysis. <i>Psychological Medicine</i> , 2021, 51, 2742-2751.	2.7	38
147	Predictors of Response and Drop-Out During Intensive Dialectical Behavior Therapy. <i>Journal of Personality Disorders</i> , 2010, 24, 634-650.	0.8	37
148	FUNCTIONAL POLYMORPHISM IN THE BRAIN-DERIVED NEUROTROPHIC FACTOR GENE INTERACTS WITH STRESSFUL LIFE EVENTS BUT NOT CHILDHOOD MALTREATMENT IN THE ETIOLOGY OF DEPRESSION. <i>Depression and Anxiety</i> , 2014, 31, 326-334.	2.0	37
149	Polygenic risk scores for major depressive disorder and neuroticism as predictors of antidepressant response: Meta-analysis of three treatment cohorts. <i>PLoS ONE</i> , 2018, 13, e0203896.	1.1	37
150	Subliminal food images compromise superior working memory performance in women with restricting anorexia nervosa. <i>Consciousness and Cognition</i> , 2012, 21, 751-763.	0.8	35
151	The Effect of Parental Modeling on Child Pain Responses: The Role of Parent and Child Sex. <i>Journal of Pain</i> , 2017, 18, 702-715.	0.7	35
152	Association of Antidepressant Medication Use During Pregnancy With Intellectual Disability in Offspring. <i>JAMA Psychiatry</i> , 2017, 74, 1031.	6.0	34
153	Cognitive Performance in First-Degree Relatives of Individuals With vs Without Major Depressive Disorder. <i>JAMA Psychiatry</i> , 2019, 76, 297.	6.0	34
154	Trends in hospital admissions for eating disorders in a country undergoing a socio-cultural transition, the Czech Republic 1981-2005. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2010, 45, 541-550.	1.6	33
155	Childhood maltreatment and comorbid anxiety in people with bipolar disorder. <i>Journal of Affective Disorders</i> , 2016, 192, 22-27.	2.0	33
156	Integrated genome-wide methylation and expression analyses reveal functional predictors of response to antidepressants. <i>Translational Psychiatry</i> , 2019, 9, 254.	2.4	33
157	A polygenic predictor of treatment-resistant depression using whole exome sequencing and genome-wide genotyping. <i>Translational Psychiatry</i> , 2020, 10, 50.	2.4	33
158	The inability to ignore: distractibility in women with restricting anorexia nervosa. <i>Psychological Medicine</i> , 2008, 38, 1741-1748.	2.7	32
159	Stressful life events, cognitive symptoms of depression and response to antidepressants in GENDEP. <i>Journal of Affective Disorders</i> , 2010, 127, 337-342.	2.0	32
160	Reactivity of affect and self-esteem during remission in bipolar affective disorder: An experimental investigation. <i>Journal of Affective Disorders</i> , 2011, 134, 102-111.	2.0	32
161	The role of loss and danger events in symptom exacerbation in bipolar disorder. <i>Journal of Psychiatric Research</i> , 2012, 46, 1584-1589.	1.5	32
162	Resistance to antidepressant treatment is associated with polymorphisms in the leptin gene, decreased leptin mRNA expression, and decreased leptin serum levels. <i>European Neuropsychopharmacology</i> , 2013, 23, 653-662.	0.3	32

#	ARTICLE	IF	CITATIONS
163	Attention-deficit hyperactivity disorder and anxiety disorders as precursors of bipolar disorder onset in adulthood. <i>British Journal of Psychiatry</i> , 2018, 213, 555-560.	1.7	32
164	The Everyday Feeling Questionnaire: the structure and validation of a measure of general psychological well-being and distress. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2010, 45, 413-423.	1.6	31
165	Sexual dysfunction during treatment with serotonergic and noradrenergic antidepressants: Clinical description and the role of the <i>5-HTTLPR</i>. <i>World Journal of Biological Psychiatry</i> , 2011, 12, 528-538.	1.3	31
166	Dissecting the Genetic Heterogeneity of Depression Through Age at Onset. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2012, 159B, 859-868.	1.1	31
167	Whole-exome sequencing identifies a polymorphism in the BMP5 gene associated with SSRI treatment response in major depression. <i>Journal of Psychopharmacology</i> , 2013, 27, 915-920.	2.0	31
168	Exploring the role of drug-metabolising enzymes in antidepressant side effects. <i>Psychopharmacology</i> , 2015, 232, 2609-2617.	1.5	31
169	Interaction between childhood maltreatment on immunogenetic risk in depression: Discovery and replication in clinical case-control samples. <i>Brain, Behavior, and Immunity</i> , 2018, 67, 203-210.	2.0	31
170	Prevalence of attentionâ€deficit/hyperactivity disorder in people with mood disorders: A systematic review and metaâ€analysis. <i>Acta Psychiatrica Scandinavica</i> , 2021, 143, 380-391.	2.2	31
171	Convergent Animal and Human Evidence Suggests a Role of PPM1A Gene in Response to Antidepressants. <i>Biological Psychiatry</i> , 2011, 69, 360-365.	0.7	30
172	Non-steroidal anti-inflammatory drugs and efficacy of antidepressants in major depressive disorder. <i>Psychological Medicine</i> , 2012, 42, 2027-2035.	2.7	30
173	Brain responses to body image stimuli but not food are altered in women with bulimia nervosa. <i>BMC Psychiatry</i> , 2013, 13, 302.	1.1	28
174	Protocol for the development of a CONSORT extension for RCTs using cohorts and routinely collected health data. <i>Research Integrity and Peer Review</i> , 2018, 3, 9.	2.2	28
175	Antidepressant-dependent mRNA changes in mouse associated with hippocampal neurogenesis in a mouse model of depression. <i>Pharmacogenetics and Genomics</i> , 2012, 22, 765-776.	0.7	28
176	Antidepressants, social adversity and outcome of depression in general practice. <i>Journal of Affective Disorders</i> , 2010, 121, 239-246.	2.0	27
177	Classification issues and challenges in child and adolescent psychopathology. <i>International Review of Psychiatry</i> , 2012, 24, 514-529.	1.4	27
178	Interaction between the BDNF gene Val/66/Met polymorphism and morning cortisol levels as a predictor of depression in adult women. <i>British Journal of Psychiatry</i> , 2012, 201, 313-319.	1.7	27
179	Classical Human Leukocyte Antigen Alleles and C4 Haplotypes Are Not Significantly Associated With Depression. <i>Biological Psychiatry</i> , 2020, 87, 419-430.	0.7	27
180	Genome-wide Burden of Rare Short Deletions Is Enriched in Major Depressive Disorder in Four Cohorts. <i>Biological Psychiatry</i> , 2019, 85, 1065-1073.	0.7	25

#	ARTICLE	IF	CITATIONS
181	Investigation of blood mRNA biomarkers for suicidality in an independent sample. <i>Translational Psychiatry</i> , 2014, 4, e474-e474.	2.4	24
182	Neurodevelopmental and genetic determinants of exposure to adversity among youth at risk for mental illness. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2020, 61, 536-544.	3.1	24
183	Clinical, behavioral, and neural measures of reward processing correlate with escitalopram response in depression: a Canadian Biomarker Integration Network in Depression (CAN-BIND-1) Report. <i>Neuropsychopharmacology</i> , 2020, 45, 1390-1397.	2.8	23
184	Stressful life events and the serotonin transporter gene (5-HTT) in recurrent clinical depression. <i>Journal of Affective Disorders</i> , 2012, 136, 189-193.	2.0	22
185	Early change in reward and punishment sensitivity as a predictor of response to antidepressant treatment for major depressive disorder: a CAN-BIND-1 report. <i>Psychological Medicine</i> , 2019, 49, 1629-1638.	2.7	22
186	The interaction between child maltreatment, adult stressful life events and the 5-HTTLPR in major depression. <i>Journal of Psychiatric Research</i> , 2013, 47, 1032-1035.	1.5	21
187	Familiality and SNP heritability of age at onset and episodicity in major depressive disorder. <i>Psychological Medicine</i> , 2015, 45, 2215-2225.	2.7	21
188	Stimulant Medication and Psychotic Symptoms in Offspring of Parents With Mental Illness. <i>Pediatrics</i> , 2016, 137, .	1.0	21
189	Phenotypic Association Analyses With Copy Number Variation in Recurrent Depressive Disorder. <i>Biological Psychiatry</i> , 2016, 79, 329-336.	0.7	21
190	Hot and cold executive functions in youth with psychotic symptoms. <i>Psychological Medicine</i> , 2017, 47, 2844-2853.	2.7	21
191	Observed psychopathology in offspring of parents with major depressive disorder, bipolar disorder and schizophrenia. <i>Psychological Medicine</i> , 2020, 50, 1050-1056.	2.7	21
192	ATP-binding cassette sub-family F member 1 (ABCF1) is identified as a putative therapeutic target of escitalopram in the inflammatory cytokine pathway. <i>Journal of Psychopharmacology</i> , 2013, 27, 609-615.	2.0	20
193	Copy number variants and therapeutic response to antidepressant medication in major depressive disorder. <i>Pharmacogenomics Journal</i> , 2014, 14, 395-399.	0.9	20
194	Larger right inferior frontal gyrus volume and surface area in participants at genetic risk for bipolar disorders. <i>Psychological Medicine</i> , 2019, 49, 1308-1315.	2.7	20
195	Gene-Environment Interaction: Overcoming Methodological Challenges. <i>Novartis Foundation Symposium</i> , 2008, 293, 13-30.	1.2	20
196	Transcriptomics and the mechanisms of antidepressant efficacy. <i>European Neuropsychopharmacology</i> , 2016, 26, 105-112.	0.3	19
197	Genes associated with anhedonia: a new analysis in a large clinical trial (GENDEP). <i>Translational Psychiatry</i> , 2018, 8, 150.	2.4	19
198	Cognitive-behavioural interventions for prevention and treatment of anxiety in young children: A systematic review and meta-analysis. <i>Clinical Psychology Review</i> , 2020, 81, 101904.	6.0	19

#	ARTICLE	IF	CITATIONS
199	Role of Polygenic Risk Score in the Familial Transmission of Bipolar Disorder in Youth. <i>JAMA Psychiatry</i> , 2022, 79, 160.	6.0	19
200	History of suicide attempts among patients with depression in the GENDEP project. <i>Journal of Affective Disorders</i> , 2010, 123, 131-137.	2.0	18
201	Pharmacoproteomic investigation into antidepressant response in two mouse inbred strains. <i>Proteomics</i> , 2012, 12, 2355-2365.	1.3	18
202	Genetic predictors of antidepressant side effects: A grouped candidate gene approach in the Genome-Based Therapeutic Drugs for Depression (GENDEP) study. <i>Journal of Psychopharmacology</i> , 2014, 28, 142-150.	2.0	18
203	Long-term effects of depression treatment. <i>Lancet Psychiatry</i> , 2016, 3, 95-96.	3.7	18
204	Genetic disposition to inflammation and response to antidepressants in major depressive disorder. <i>Journal of Psychiatric Research</i> , 2018, 105, 17-22.	1.5	18
205	Polygenic risk for circulating reproductive hormone levels and their influence on hippocampal volume and depression susceptibility. <i>Psychoneuroendocrinology</i> , 2019, 106, 284-292.	1.3	18
206	Stability of symptoms across major depressive episodes in bipolar disorder. <i>Bipolar Disorders</i> , 2009, 11, 867-875.	1.1	17
207	Genome-wide association study of co-occurring anxiety in major depression. <i>World Journal of Biological Psychiatry</i> , 2013, 14, 611-621.	1.3	17
208	Functional neuroanatomy of body checking in people with anorexia nervosa. <i>International Journal of Eating Disorders</i> , 2013, 46, 653-662.	2.1	17
209	Childhood maltreatment and cognitive functioning in patients with major depressive disorder: a CAN-BIND-1 report. <i>Psychological Medicine</i> , 2020, 50, 2536-2547.	2.7	17
210	A Nationwide Cohort Study of Nonrandom Mating in Schizophrenia and Bipolar Disorder. <i>Schizophrenia Bulletin</i> , 2021, 47, 1342-1350.	2.3	17
211	Increasing Cognitive Load Reduces Interference from Masked Appetitive and Aversive but Not Neutral Stimuli. <i>PLoS ONE</i> , 2014, 9, e94417.	1.1	17
212	Genome-wide approaches to antidepressant treatment: working towards understanding and predicting response. <i>Genome Medicine</i> , 2012, 4, 52.	3.6	16
213	Genome-wide association analysis accounting for environmental factors through propensity score matching: Application to stressful life events in major depressive disorder. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2013, 162, 521-529.	1.1	16
214	Genetic susceptibility for bipolar disorder and response to antidepressants in major depressive disorder. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2014, 165, 77-83.	1.1	16
215	The genome-wide expression effects of escitalopram and its relationship to neurogenesis, hippocampal volume, and antidepressant response. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2017, 174, 427-434.	1.1	16
216	Association of Whole-Genome and NETRIN1 Signaling Pathway-Derived Polygenic Risk Scores for Major Depressive Disorder and White Matter Microstructure in the UK Biobank. <i>Biological Psychiatry: Cognitive Neuroscience and Neuroimaging</i> , 2019, 4, 91-100.	1.1	16

#	ARTICLE	IF	CITATIONS
217	Exemplar scoring identifies genetically separable phenotypes of lithium responsive bipolar disorder. <i>Translational Psychiatry</i> , 2021, 11, 36.	2.4	16
218	Predicting Worsening Suicidal Ideation With Clinical Features and Peripheral Expression of Messenger RNA and MicroRNA During Antidepressant Treatment. <i>Journal of Clinical Psychiatry</i> , 2019, 80, .	1.1	16
219	Typology of clinical course in bipolar disorder based on 18-month naturalistic follow-up. <i>Psychological Medicine</i> , 2013, 43, 789-799.	2.7	15
220	NEUROTICISM MEDIATES THE EFFECT OF P2RX7 ON OUTCOMES OF MOOD DISORDERS. <i>Depression and Anxiety</i> , 2012, 29, 816-823.	2.0	14
221	Disruptive mood dysregulation disorder in offspring of parents with depression and bipolar disorder. <i>British Journal of Psychiatry</i> , 2017, 210, 408-412.	1.7	14
222	Anxiety disorders and childhood maltreatment as predictors of outcome in bipolar disorder. <i>Journal of Affective Disorders</i> , 2018, 225, 337-341.	2.0	14
223	Forum: the case for gene-environment interactions in psychiatry. <i>Current Opinion in Psychiatry</i> , 2008, 21, 318-321.	3.1	13
224	Sleep in Offspring of Parents With Mood Disorders. <i>Frontiers in Psychiatry</i> , 2019, 10, 225.	1.3	13
225	The Developmental Brain Age Is Associated With Adversity, Depression, and Functional Outcomes Among Adolescents. <i>Biological Psychiatry: Cognitive Neuroscience and Neuroimaging</i> , 2022, 7, 406-414.	1.1	13
226	It would not have happened to me at home: qualitative exploration of sojourns abroad and eating disorders in young Czech women. <i>European Eating Disorders Review</i> , 2008, 16, 207-214.	2.3	12
227	Non-random dropout and the relative efficacy of escitalopram and nortriptyline in treating major depressive disorder. <i>Journal of Psychiatric Research</i> , 2012, 46, 1333-1338.	1.5	12
228	Genomics and the classification of mental illness: focus on broader categories. <i>Genome Medicine</i> , 2013, 5, 97.	3.6	12
229	Epigenetic traces of childhood maltreatment in peripheral blood: a new strategy to explore gene-environment interactions. <i>British Journal of Psychiatry</i> , 2014, 204, 3-5.	1.7	12
230	Childhood maltreatment and the medical morbidity in bipolar disorder: a case-control study. <i>International Journal of Bipolar Disorders</i> , 2017, 5, 30.	0.8	12
231	Assessment of Psychopathology. <i>JAMA Psychiatry</i> , 2020, 77, 557.	6.0	12
232	Provocation of Symmetry/Ordering Symptoms in Anorexia nervosa: A Functional Neuroimaging Study. <i>PLoS ONE</i> , 2014, 9, e97998.	1.1	11
233	Real-world digital implementation of the Psychosis Polyrisk Score (PPS): A pilot feasibility study. <i>Schizophrenia Research</i> , 2020, 226, 176-183.	1.1	11
234	Highly polygenic architecture of antidepressant treatment response: Comparative analysis of SSRI and NRI treatment in an animal model of depression. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2017, 174, 235-250.	1.1	10

#	ARTICLE	IF	CITATIONS
235	Protocol for a scoping review to support development of a CONSORT extension for randomised controlled trials using cohorts and routinely collected health data. <i>BMJ Open</i> , 2018, 8, e025266.	0.8	10
236	Basic symptoms in offspring of parents with mood and psychotic disorders. <i>BJPsych Open</i> , 2019, 5, e54.	0.3	10
237	Effect of antidepressant switching between nortriptyline and escitalopram after a failed first antidepressant treatment among patients with major depressive disorder. <i>British Journal of Psychiatry</i> , 2019, 215, 494-501.	1.7	10
238	Neuroanatomical Bases of Eating Disorders. , 0, , 1173-1179.		9
239	Like father like daughter: sex-specific parent-of-origin effects in the transmission of liability for psychotic symptoms to offspring. <i>Journal of Developmental Origins of Health and Disease</i> , 2019, 10, 100-107.	0.7	9
240	Affective liability in offspring of parents with major depressive disorder, bipolar disorder and schizophrenia. <i>European Child and Adolescent Psychiatry</i> , 2020, 29, 445-451.	2.8	9
241	Methods and results used in the development of a consensus-driven extension to the Consolidated Standards of Reporting Trials (CONSORT) statement for trials conducted using cohorts and routinely collected data (CONSORT-ROUTINE). <i>BMJ Open</i> , 2021, 11, e049093.	0.8	9
242	Symptom Dimension of Interest-Activity Indicates Need for Aripiprazole Augmentation of Escitalopram in Major Depressive Disorder. <i>Journal of Clinical Psychiatry</i> , 2020, 81, .	1.1	9
243	Psychotic symptoms are associated with lower cortical folding in youth at risk for mental illness. <i>Journal of Psychiatry and Neuroscience</i> , 2020, 45, 125-133.	1.4	8
244	Hypothalamus volume and DNA methylation of stress axis genes in major depressive disorder: A CAN-BIND study report. <i>Psychoneuroendocrinology</i> , 2021, 132, 105348.	1.3	8
245	Reliability of multimodal MRI brain measures in youth at risk for mental illness. <i>Brain and Behavior</i> , 2020, 10, e01609.	1.0	8
246	Do Suicidal Thoughts or Behaviors Recur During a Second Antidepressant Treatment Trial?. <i>Journal of Clinical Psychiatry</i> , 2012, 73, 1439-1442.	1.1	8
247	Specific anxiety disorders and subsequent risk for bipolar disorder: a nationwide study. <i>World Psychiatry</i> , 2016, 15, 187-188.	4.8	7
248	Trajectories of Suicidal Ideation During 12 Weeks of Escitalopram or Nortriptyline Antidepressant Treatment Among 811 Patients With Major Depressive Disorder. <i>Journal of Clinical Psychiatry</i> , 2019, 80, .	1.1	7
249	Attention-deficit/hyperactivity disorder and other neurodevelopmental disorders in offspring of parents with depression and bipolar disorder. <i>Psychological Medicine</i> , 2021, , 1-8.	2.7	7
250	Probing the Genome to Understand Suicide. <i>American Journal of Psychiatry</i> , 2010, 167, 1425-1427.	4.0	6
251	Why negative meta-analyses may be false?. <i>European Neuropsychopharmacology</i> , 2013, 23, 1307-1309.	0.3	6
252	Review of an innovative approach to practical trials: the â€˜cohort multiple RCTâ€™™ design. <i>Trials</i> , 2015, 16, .	0.7	6

#	ARTICLE	IF	CITATIONS
253	Person-centered measurement-based care for depression. <i>World Psychiatry</i> , 2016, 15, 238-239.	4.8	6
254	Clinical course predicts long-term outcomes in bipolar disorder. <i>Psychological Medicine</i> , 2019, 49, 1109-1117.	2.7	6
255	“One Degree of Separation”: A Mixed-Methods Evaluation of Canadian Mental Health Care User and Provider Experiences With Remote Care During COVID-19. <i>Canadian Journal of Psychiatry</i> , 2022, , 070674372110706.	0.9	6
256	Sex-Specific Transmission of Anxiety Disorders From Parents to Offspring. <i>JAMA Network Open</i> , 2022, 5, e2220919.	2.8	6
257	Biomarkers of treatment outcome in schizophrenia: Defining a benchmark for clinical significance. <i>European Neuropsychopharmacology</i> , 2015, 25, 1578-1585.	0.3	5
258	Cognition in offspring of parents with psychotic and non-psychotic severe mental illness. <i>Journal of Psychiatric Research</i> , 2020, 130, 306-312.	1.5	5
259	Estimating Severity of Depression From Acoustic Features and Embeddings of Natural Speech. , 2021, , .		5
260	Transcriptome-based polygenic score links depression-related corticolimbic gene expression changes to sex-specific brain morphology and depression risk. <i>Neuropsychopharmacology</i> , 2021, 46, 2304-2311.	2.8	5
261	Use of Socioeconomic Status in Health Research. <i>JAMA - Journal of the American Medical Association</i> , 2006, 295, 1770.	3.8	4
262	Reverse translation of major depressive disorder symptoms: A framework for the behavioural phenotyping of putative biomarkers. <i>Journal of Affective Disorders</i> , 2020, 263, 353-366.	2.0	4
263	The association between genetically determined ABO blood types and major depressive disorder. <i>Psychiatry Research</i> , 2021, 299, 113837.	1.7	4
264	Replication of machine learning methods to predict treatment outcome with antidepressant medications in patients with major depressive disorder from STAR*D and CAN-BIND-1. <i>PLoS ONE</i> , 2021, 16, e0253023.	1.1	4
265	Hallucinations during lamotrigine treatment of bipolar disorder. <i>American Journal of Psychiatry</i> , 2006, 163, 749-50.	4.0	4
266	The Text4HealthyAging Program: An Evidence-Based Text Messaging Innovation to Support Healthy Urban Aging in Canada and Australia. <i>Gerontology and Geriatric Medicine</i> , 2022, 8, 233372142210813.	0.8	4
267	The role of bipolar polygenic risk score in the familial transmission of bipolar disorder—An updated analysis. <i>Bipolar Disorders</i> , 2022, 24, 437-440.	1.1	4
268	The Changing Understanding of the Genetic and Environmental Causes of Mental Illness. <i>Canadian Journal of Psychiatry</i> , 2013, 58, 67-68.	0.9	3
269	Association of a Brain Methylation Site With Clinical Outcomes in Depression Does Not Replicate Across Populations. <i>American Journal of Psychiatry</i> , 2015, 172, 395-397.	4.0	3
270	Youth Experience Tracker Instrument: A self-report measure of developmental antecedents to severe mental illness. <i>Microbial Biotechnology</i> , 2021, 15, 676-685.	0.9	3

#	ARTICLE	IF	CITATIONS
271	Treatment-emergent and trajectory-based peripheral gene expression markers of antidepressant response. <i>Translational Psychiatry</i> , 2021, 11, 439.	2.4	3
272	Dimensions of temperament and character as predictors of antidepressant discontinuation, response and adverse reactions during treatment with nortriptyline and escitalopram. <i>Psychological Medicine</i> , 2021, , 1-9.	2.7	3
273	Common Data Elements to Facilitate Sharing and Re-use of Participant-Level Data: Assessment of Psychiatric Comorbidity Across Brain Disorders. <i>Frontiers in Psychiatry</i> , 2022, 13, 816465.	1.3	3
274	T38GENETIC COUNSELLING FOR THE PREVENTION OF MENTAL HEALTH CONSEQUENCES OF CANNABIS USE: A RANDOMIZED CONTROLLED TRIAL. <i>European Neuropsychopharmacology</i> , 2019, 29, S237.	0.3	2
275	Visual memory in offspring of parents with mental illness. <i>Psychiatry Research</i> , 2020, 286, 112813.	1.7	2
276	Managing patients' information in a community mental health team. <i>Psychiatric Bulletin</i> , 2006, 30, 172-174.	0.3	1
277	Antidepressant effects of nortriptyline and escitalopram in the <scp>GENDEP</scp> study: Is one better than the other?. <i>Acta Psychiatrica Scandinavica</i> , 2013, 127, 330-330.	2.2	1
278	Decision-making and "gut feeling"™ in males with anorexia nervosa. <i>Advances in Eating Disorders (Abingdon, England)</i> , 2013, 1, 51-60.	0.8	1
279	Response to Kunte et al.. <i>American Journal of Psychiatry</i> , 2015, 172, 201-201.	4.0	1
280	785. Structural Properties and Connectivity of the Right Inferior Frontal Gyrus in Individuals at Genetic Risk for Bipolar Disorders. <i>Biological Psychiatry</i> , 2017, 81, S319.	0.7	1
281	Adversity, Parental Mental Illness, and Risk of Depression in Youth. <i>European Psychiatry</i> , 2017, 41, S220-S220.	0.1	1
282	Psychological interventions in offspring of parents with bipolar disorder. , 2018, , 247-264.		1
283	No Association Between Antidepressant Efficacy and rs28365143 in Corticotropin-Releasing Hormone Binding Protein in a Large Meta-Analysis. <i>American Journal of Psychiatry</i> , 2018, 175, 575-576.	4.0	1
284	Active behaviors and screen time in offspring of parents with major depressive disorder, bipolar disorder and schizophrenia. <i>Psychiatry Research</i> , 2020, 285, 112709.	1.7	1
285	Genetic counselling for the prevention of mental health consequences of cannabis use: A randomized controlled trial"within"cohort. <i>Microbial Biotechnology</i> , 2020, 15, 1306-1314.	0.9	1
286	Pre-Treatment Resting-State Functional Connectivity Related to Anhedonia and Anxiety are Associated With Antidepressant Response to Escitalopram and Adjunct Aripiprazole. <i>Biological Psychiatry</i> , 2020, 87, S431.	0.7	1
287	Diagnoses. <i>Mental Health and Illness Worldwide</i> , 2020, , 3-15.	0.1	1
288	Visual memory and psychotic symptoms in youth. <i>Cognitive Neuropsychiatry</i> , 2020, 25, 231-241.	0.7	1

#	ARTICLE	IF	CITATIONS
289	Interactions between neuroticism and stressful life events predict response to pharmacotherapy for major depression: A CAN-BIND 1 report. <i>Personality and Mental Health</i> , 2021, 15, 273-282.	0.6	1
290	Parental Overprotection and Sleep Problems in Young Children. <i>Child Psychiatry and Human Development</i> , 2021, , 1.	1.1	1
291	Metabolic variables associated with response to cognitive behavioural therapy for depression in females: A Canadian biomarker integration network for depression (CAN-BIND) study. <i>Journal of Psychiatric Research</i> , 2021, 142, 321-327.	1.5	1
292	Neuroimaging and Eating Disorders. , 2003, , 171-190.		1
293	Dr Uher and Colleagues Reply. <i>Journal of Clinical Psychiatry</i> , 2020, 82, .	1.1	1
294	P.3.13 Temperament and character of subjects with treatment increase suicidal ideations in the GENDEP study. <i>European Neuropsychopharmacology</i> , 2009, 19, S72-S73.	0.3	0
295	Are children of depressed mothers exposed to higher contextual, family and mother-based risks?. <i>European Psychiatry</i> , 2011, 26, 1193-1193.	0.1	0
296	P.4.015 Gene expression profile associated with major depression and with antidepressant response. <i>European Neuropsychopharmacology</i> , 2012, 22, S95-S96.	0.3	0
297	P.4.002 Genetic differences in drug-metabolising enzymes: can they be used to predict antidepressant treatment response?. <i>European Neuropsychopharmacology</i> , 2013, 23, S69-S70.	0.3	0
298	Rating Short-Term Psychodynamic Therapy for the Canadian Network for Mood and Anxiety Treatments Depression Guidelines. <i>Canadian Journal of Psychiatry</i> , 2017, 62, 77-78.	0.9	0
299	New Insights Into The Pharmacogenomics Of Antidepressant Response From The Gendep And Star*D Studies: Results Of Rare Variant Analysis And High-Density Imputation. <i>European Neuropsychopharmacology</i> , 2017, 27, S443-S444.	0.3	0
300	255. Greater Gyrfication of the Inferior Frontal Gyrus as a Marker of Genetic Risk for Bipolar Disorders. <i>Biological Psychiatry</i> , 2017, 81, S105.	0.7	0
301	Meta-analysis of CYP2C19 association with efficacy and side effects of citalopram and escitalopram. <i>European Neuropsychopharmacology</i> , 2017, 27, S582-S583.	0.3	0
302	T233. Obesity and Brain Age in First Episode of Schizophrenia-Spectrum Disorders – Effects of Antipsychotic Medications. <i>Biological Psychiatry</i> , 2018, 83, S219.	0.7	0
303	T75GWAS AND PATHWAY ENRICHMENT ANALYSIS IN ADVERSE DRUG REACTIONS IN DEPRESSION. <i>European Neuropsychopharmacology</i> , 2019, 29, S255-S256.	0.3	0
304	META-ANALYSIS OF CYP2C19 ASSOCIATION WITH EFFICACY AND SIDE EFFECTS OF CITALOPRAM AND ESCITALOPRAM USING DATA FROM GENOME-WIDE ASSOCIATION STUDIES. <i>European Neuropsychopharmacology</i> , 2019, 29, S808.	0.3	0
305	F52. WHO CO-PARENT CHILDREN WITH MOTHERS AND FATHERS WITH SCHIZOPHRENIA OR BIPOLAR DISORDER? CHARACTERIZING INDIVIDUALS WHO HAVE CHILDREN TOGETHER WITH INDIVIDUALS WITH SCHIZOPHRENIA OR BIPOLAR DISORDER. <i>Schizophrenia Bulletin</i> , 2019, 45, S275-S275.	2.3	0
306	F107. Cortical Thickness Features Differentiate 16-Week Antidepressant Response Profiles in Major Depressive Disorder. <i>Biological Psychiatry</i> , 2019, 85, S254.	0.7	0

#	ARTICLE	IF	CITATIONS
307	S124. Impact of CYP2C19 and CYP2D6 Genotypes on Clinical Outcomes and Side Effects in Patients Receiving Escitalopram and Aripiprazole for Major Depression: Results From the Can-Bind Cohort. <i>Biological Psychiatry</i> , 2019, 85, S344-S345.	0.7	0
308	M31 IMPACT OF CYP2C19 AND CYP2D6 GENE VARIANTS ON PLASMA LEVELS AND TREATMENT RESPONSE IN PATIENTS RECEIVING ESCITALOPRAM AND ARIPIPRAZOLE FOR MAJOR DEPRESSION: RESULTS FROM THE CAN-BIND-1 COHORT. <i>European Neuropsychopharmacology</i> , 2019, 29, S183.	0.3	0
309	T2. Brain Age in Bipolar Disorders - Effects of Lithium Treatment. <i>Biological Psychiatry</i> , 2019, 85, S130.	0.7	0
310	INTERGENERATIONAL TRANSMISSION OF PSYCHOPATHOLOGY AND EARLY IDENTIFICATION OF RISK: NEW INSIGHTS FROM THE STUDY OF CHILD AND ADOLESCENT OFFSPRING OF PARENTS LIVING WITH DEPRESSION, BIPOLAR DISORDER, AND SCHIZOPHRENIA. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2020, 59, S305.	0.3	0
311	26.4 EARLY TRANSDIAGNOSTIC IDENTIFICATION OF RISK FOR MAJOR MOOD AND PSYCHOTIC DISORDERS. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2020, 59, S306.	0.3	0
312	Early Identification of Risk for Major Depressive Disorder in the FORBOW Project. <i>Biological Psychiatry</i> , 2020, 87, S5.	0.7	0
313	Diagnoses. <i>Mental Health and Illness Worldwide</i> , 2020, , 1-13.	0.1	0
314	Response Inhibition and Predicting Response to Pharmacological and Cognitive Behavioral Therapy Treatments for Major Depressive Disorder: A Canadian Biomarker Integration Network for Depression Study. <i>Biological Psychiatry: Cognitive Neuroscience and Neuroimaging</i> , 2023, 8, 162-170.	1.1	0