

William S Davidson

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3833262/publications.pdf>

Version: 2024-02-01

77
papers

7,952
citations

66343

42
h-index

71685

76
g-index

78
all docs

78
docs citations

78
times ranked

8949
citing authors

#	ARTICLE	IF	CITATIONS
1	Whole Genome Linkage Disequilibrium and Effective Population Size in a Coho Salmon (<i>Oncorhynchus</i>) Tj ETQq1 1.0.784314 rgBT /Ove	2.3	418
2	Design and characterization of an 87k SNP genotyping array for Arctic charr (<i>Salvelinus alpinus</i>). PLoS ONE, 2019, 14, e0215008.	2.5	22
3	Genomic Predictions and Genome-Wide Association Study of Resistance Against <i>Piscirickettsia salmonis</i> in Coho Salmon (<i>Oncorhynchus kisutch</i>) Using ddRAD Sequencing. G3: Genes, Genomes, Genetics, 2018, 8, 1183-1194.	1.8	125
4	Subcellular localization and characterization of estrogenic pathway regulators and mediators in Atlantic salmon spermatozoal cells. Histochemistry and Cell Biology, 2018, 149, 75-96.	1.7	7
5	Regulatory processes that control haploid expression of salmon sperm mRNAs. BMC Research Notes, 2018, 11, 639.	1.4	1
6	The Arctic charr (<i>Salvelinus alpinus</i>) genome and transcriptome assembly. PLoS ONE, 2018, 13, e0204076.	2.5	83
7	Genome wide association study for resistance to <i>Caligus rogercresseyi</i> in Atlantic salmon (<i>Salmo</i>) Tj ETQq1 1 0.784314 rgBT /Overloc	3.5	95
8	TEAD3, implicated by association to grilising in Atlantic salmon. Aquaculture, 2017, 479, 571-578.	3.5	15
9	Functional Annotation of All Salmonid Genomes (FAASC): an international initiative supporting future salmonid research, conservation and aquaculture. BMC Genomics, 2017, 18, 484.	2.8	99
10	Autopolyploidy genome duplication preserves other ancient genome duplications in Atlantic salmon (<i>Salmo salar</i>). PLoS ONE, 2017, 12, e0173053.	2.5	16
11	The Atlantic salmon genome provides insights into rediploidization. Nature, 2016, 533, 200-205.	27.8	1,021
12	Functional Divergence in Teleost Cardiac Troponin Paralogs Guides Variation in the Interaction of Tnl Switch Region with TnC. Genome Biology and Evolution, 2016, 8, 994-1011.	2.5	13
13	Expression analysis of sex-determining pathway genes during development in male and female Atlantic salmon (<i>Salmo salar</i>). Physiological Genomics, 2015, 47, 581-587.	2.3	16
14	Genome-wide association analysis reveals loci associated with resistance against <i>Piscirickettsia salmonis</i> in two Atlantic salmon (<i>Salmo salar</i> L.) chromosomes. BMC Genomics, 2015, 16, 854.	2.8	120
15	Genomic Instability of the Sex-Determining Locus in Atlantic Salmon (<i>Salmo salar</i>). G3: Genes, Genomes, Genetics, 2015, 5, 2513-2522.	1.8	52
16	Epithelial Cadherin Determines Resistance to Infectious Pancreatic Necrosis Virus in Atlantic Salmon. Genetics, 2015, 200, 1313-1326.	2.9	170
17	Genome-Wide Association Study (GWAS) for Growth Rate and Age at Sexual Maturation in Atlantic Salmon (<i>Salmo salar</i>). PLoS ONE, 2015, 10, e0119730.	2.5	177
18	Genomic Organization and Evolution of the Trace Amine-Associated Receptor (TAAR) Repertoire in Atlantic Salmon (<i>Salmo salar</i>). G3: Genes, Genomes, Genetics, 2014, 4, 1135-1141.	1.8	28

#	ARTICLE	IF	CITATIONS
19	Detection of Quantitative Trait Loci (QTL) Related to Grilising and Late Sexual Maturation in Atlantic Salmon (<i>Salmo salar</i>). <i>Marine Biotechnology</i> , 2014, 16, 103-110.	2.4	68
20	Sex-specific expression and localization of aromatase and its regulators during embryonic and larval development of Atlantic salmon. <i>Comparative Biochemistry and Physiology - B Biochemistry and Molecular Biology</i> , 2014, 168, 33-44.	1.6	8
21	Sex-specific expression, synthesis and localization of aromatase regulators in one-year-old Atlantic salmon ovaries and testes. <i>Comparative Biochemistry and Physiology - B Biochemistry and Molecular Biology</i> , 2013, 164, 236-246.	1.6	21
22	Understanding salmonid biology from the Atlantic salmon genome. <i>Genome</i> , 2013, 56, 548-550.	2.0	5
23	Genetic mapping of quantitative trait loci (QTL) for body-weight in Atlantic salmon (<i>Salmo salar</i>) using a 6.5 K SNP array. <i>Aquaculture</i> , 2012, 358-359, 61-70.	3.5	59
24	Characterization of the Atlantic salmon (<i>Salmo salar</i>) brain-type fatty acid binding protein (fabp7) genes reveals the fates of teleost fabp7 genes following whole genome duplications. <i>Gene</i> , 2012, 504, 253-261.	2.2	11
25	Smelt was the likely beneficiary of an antifreeze gene laterally transferred between fishes. <i>BMC Evolutionary Biology</i> , 2012, 12, 190.	3.2	30
26	Chromosomal differences between European and North American Atlantic salmon discovered by linkage mapping and supported by fluorescence in situ hybridization analysis. <i>BMC Genomics</i> , 2012, 13, 432.	2.8	70
27	Comparative Genomics Identifies Candidate Genes for Infectious Salmon Anemia (ISA) Resistance in Atlantic Salmon (<i>Salmo salar</i>). <i>Marine Biotechnology</i> , 2011, 13, 232-241.	2.4	50
28	Gene Duplication and Divergence of Long Wavelength-Sensitive Opsin Genes in the Guppy, <i>Poecilia reticulata</i> . <i>Journal of Molecular Evolution</i> , 2011, 72, 240-252.	1.8	47
29	Regulation and expression of sexual differentiation factors in embryonic and extragonadal tissues of Atlantic salmon. <i>BMC Genomics</i> , 2011, 12, 31.	2.8	28
30	A dense SNP-based linkage map for Atlantic salmon (<i>Salmo salar</i>) reveals extended chromosome homeologies and striking differences in sex-specific recombination patterns. <i>BMC Genomics</i> , 2011, 12, 615.	2.8	226
31	Identification of genes associated with heat tolerance in Arctic charr exposed to acute thermal stress. <i>Physiological Genomics</i> , 2011, 43, 685-696.	2.3	82
32	Ribosomal genes and heat shock proteins as putative markers for chronic, sublethal heat stress in Arctic charr: applications for aquaculture and wild fish. <i>Physiological Genomics</i> , 2011, 43, 1056-1064.	2.3	41
33	Genomic organization of duplicated short wave-sensitive and long wave-sensitive opsin genes in the green swordtail, <i>Xiphophorus helleri</i> . <i>BMC Evolutionary Biology</i> , 2010, 10, 87.	3.2	32
34	<i>Salmo salar</i> and <i>Esox lucius</i> full-length cDNA sequences reveal changes in evolutionary pressures on a post-tetraploidization genome. <i>BMC Genomics</i> , 2010, 11, 279.	2.8	163
35	Evolution of duplicated IgH loci in Atlantic salmon, <i>Salmo salar</i> . <i>BMC Genomics</i> , 2010, 11, 486.	2.8	75
36	Genomic organization and evolution of the Atlantic salmon hemoglobin repertoire. <i>BMC Genomics</i> , 2010, 11, 539.	2.8	25

#	ARTICLE	IF	CITATIONS
37	Genomic organisation analysis of novel immunoglobulin-like transcripts in Atlantic salmon (<i>Salmo</i>) Tj ETQq1 1 0.784314 rgBT /Overlo	2.8	11
38	Comparative genomic analysis of Atlantic salmon, <i>Salmo salar</i> , from Europe and North America. <i>BMC Genetics</i> , 2010, 11, 105.	2.7	26
39	Regulation, expression and characterization of aromatase (<i>cyp19b1</i>) transcripts in ovary and testis of rainbow trout (<i>Oncorhynchus mykiss</i>). <i>Comparative Biochemistry and Physiology - B Biochemistry and Molecular Biology</i> , 2010, 155, 118-125.	1.6	22
40	Sequencing the genome of the Atlantic salmon (<i>Salmo salar</i>). <i>Genome Biology</i> , 2010, 11, 403.	8.8	250
41	Genomic Organization and Evolution of the Vomeronasal Type 2 Receptor-Like (<i>OlfC</i>) Gene Clusters in Atlantic Salmon, <i>Salmo salar</i> . <i>Molecular Biology and Evolution</i> , 2009, 26, 1117-1125.	8.9	25
42	Autosomal recessive Bardet-Biedl syndrome: first-degree relatives have no predisposition to metabolic and renal disorders. <i>Kidney International</i> , 2009, 76, 215-223.	5.2	14
43	Assignment of Atlantic salmon (<i>Salmo salar</i>) linkage groups to specific chromosomes: Conservation of large syntenic blocks corresponding to whole chromosome arms in rainbow trout (<i>Oncorhynchus mykiss</i>). <i>BMC Genetics</i> , 2009, 10, 46.	2.7	96
44	Genomic organization of Atlantic salmon (<i>Salmo salar</i>) fatty acid binding protein (<i>fabp2</i>) genes reveals independent loss of duplicate loci in teleosts. <i>Marine Genomics</i> , 2009, 2, 193-200.	1.1	13
45	Assessing the feasibility of GS FLX Pyrosequencing for sequencing the Atlantic salmon genome. <i>BMC Genomics</i> , 2008, 9, 404.	2.8	72
46	Isolation, characterization and comparison of Atlantic and Chinook salmon growth hormone 1 and 2. <i>BMC Genomics</i> , 2008, 9, 522.	2.8	27
47	A salmonid EST genomic study: genes, duplications, phylogeny and microarrays. <i>BMC Genomics</i> , 2008, 9, 545.	2.8	145
48	Distribution of ancestral proto-Actinopterygian chromosome arms within the genomes of 4R-derivative salmonid fishes (Rainbow trout and Atlantic salmon). <i>BMC Genomics</i> , 2008, 9, 557.	2.8	107
49	Genomic organization and characterization of two vomeronasal 1 receptor-like genes (<i>ora1</i> and <i>ora2</i>) in Atlantic salmon <i>Salmo salar</i> . <i>Marine Genomics</i> , 2008, 1, 23-31.	1.1	22
50	Functional adaptive diversity of the Atlantic salmon T-cell receptor gamma locus. <i>Molecular Immunology</i> , 2008, 45, 2150-2157.	2.2	46
51	Striking antigen recognition diversity in the Atlantic salmon T-cell receptor $\hat{1}\pm/\hat{1}'$ locus. <i>Developmental and Comparative Immunology</i> , 2008, 32, 204-212.	2.3	53
52	Genomic organization of duplicated major histocompatibility complex class I regions in Atlantic salmon (<i>Salmo salar</i>). <i>BMC Genomics</i> , 2007, 8, 251.	2.8	60
53	Bursts and horizontal evolution of DNA transposons in the speciation of pseudotetraploid salmonids. <i>BMC Genomics</i> , 2007, 8, 422.	2.8	128
54	Expression of morphogenic genes in mature ovarian and testicular tissues: Potential stem-cell niche markers and patterning factors. <i>Molecular Reproduction and Development</i> , 2006, 73, 142-152.	2.0	31

#	ARTICLE	IF	CITATIONS
55	Incident Renal Events and Risk Factors in Autosomal Dominant Polycystic Kidney Disease: A Population and Family-Based Cohort Followed for 22 Years. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2006, 1, 710-717.	4.5	67
56	Type I microsatellite markers from Atlantic salmon (<i>Salmo salar</i>) expressed sequence tags. <i>Molecular Ecology Notes</i> , 2005, 5, 762-766.	1.7	24
57	Fish and chips: Various methodologies demonstrate utility of a 16,006-gene salmonid microarray. <i>BMC Genomics</i> , 2005, 6, 126.	2.8	178
58	A highly redundant BAC library of Atlantic salmon (<i>Salmo salar</i>): an important tool for salmon projects. <i>BMC Genomics</i> , 2005, 6, 50.	2.8	79
59	Linkage disequilibrium mapping in the Newfoundland population: a re-evaluation of the refinement of the Bardet-Biedl syndrome 1 critical interval. <i>Human Genetics</i> , 2005, 116, 62-71.	3.8	3
60	A Comprehensive Survey of the Genes Involved in Maturation and Development of the Rainbow Trout Ovary1. <i>Biology of Reproduction</i> , 2005, 72, 687-699.	2.7	95
61	A physical map of the genome of Atlantic salmon, <i>Salmo salar</i> . <i>Genomics</i> , 2005, 86, 396-404.	2.9	97
62	A comparative analysis of the rainbow trout genome with 2 other species of fish (Arctic charr and Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50). <i>Genomics</i> , 2005, 48, 1037-1051.	2.0	122
63	Development and Application of a Salmonid EST Database and cDNA Microarray: Data Mining and Interspecific Hybridization Characteristics. <i>Genome Research</i> , 2004, 14, 478-490.	5.5	279
64	Microarray analyses identify molecular biomarkers of Atlantic salmon macrophage and hematopoietic kidney response to <i>Piscirickettsia salmonis</i> infection. <i>Physiological Genomics</i> , 2004, 20, 21-35.	2.3	163
65	Mutations in a member of the Ras superfamily of small GTP-binding proteins causes Bardet-Biedl syndrome. <i>Nature Genetics</i> , 2004, 36, 989-993.	21.4	313
66	Comparative Genomics Identifies a Flagellar and Basal Body Proteome that Includes the BBS5 Human Disease Gene. <i>Cell</i> , 2004, 117, 541-552.	28.9	721
67	Comparative Genome Analysis of the Primary Sex-Determining Locus in Salmonid Fishes. <i>Genome Research</i> , 2003, 13, 272-280.	5.5	228
68	Clinical and genetic epidemiology of inherited renal disease in Newfoundland. <i>Kidney International</i> , 2002, 61, 1925-1934.	5.2	34
69	Triallelic Inheritance in Bardet-Biedl Syndrome, a Mendelian Recessive Disorder. <i>Science</i> , 2001, 293, 2256-2259.	12.6	599
70	Mutations in MKKS cause obesity, retinal dystrophy and renal malformations associated with Bardet-Biedl syndrome. <i>Nature Genetics</i> , 2000, 26, 67-70.	21.4	311
71	A Fifth Locus for Bardet-Biedl Syndrome Maps to Chromosome 2q31. <i>American Journal of Human Genetics</i> , 1999, 64, 900-904.	6.2	117
72	A Founder Effect in the Newfoundland Population Reduces the Bardet-Biedl Syndrome I (BBS1) Interval to 1 cM. <i>American Journal of Human Genetics</i> , 1999, 65, 1680-1687.	6.2	45

#	ARTICLE	IF	CITATIONS
73	Genetic Heterogeneity of Bardet-Biedl Syndrome in a Distinct Canadian Population: Evidence for a Fifth Locus. <i>Genomics</i> , 1999, 55, 2-9.	2.9	63
74	Canadian Bardet-Biedl syndrome family reduces the critical region of BBS3 (3p) and presents with a variable phenotype. <i>American Journal of Medical Genetics Part A</i> , 1998, 78, 461-467.	2.4	49
75	Characterization of Novel Minisatellite Repeat Loci in Atlantic Salmon (<i>Salmo salar</i>) and Their Phylogenetic Distribution. <i>Journal of Molecular Evolution</i> , 1998, 46, 245-255.	1.8	9
76	Characterisation of Fast, Slow and Cardiac Muscle Tropomyosins from Salmonid Fish. <i>FEBS Journal</i> , 1995, 232, 226-234.	0.2	31
77	Palmitate-binding, serum albumin-like proteins in salmonids. <i>FEBS Letters</i> , 1988, 233, 299-302.	2.8	28