

Mansoo Choi

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3836707/publications.pdf>

Version: 2024-02-01

123
papers

11,186
citations

66343

42
h-index

29157

104
g-index

133
all docs

133
docs citations

133
times ranked

14348
citing authors

#	ARTICLE	IF	CITATIONS
1	Highly Reproducible Perovskite Solar Cells with Average Efficiency of 18.3% and Best Efficiency of 19.7% Fabricated via Lewis Base Adduct of Lead(II) Iodide. <i>Journal of the American Chemical Society</i> , 2015, 137, 8696-8699.	13.7	2,030
2	Ultrasensitive mechanical crack-based sensor inspired by the spider sensory system. <i>Nature</i> , 2014, 516, 222-226.	27.8	1,196
3	Self-formed grain boundary healing layer for highly efficient CH ₃ NH ₃ PbI ₃ perovskite solar cells. <i>Nature Energy</i> , 2016, 1, .	39.5	902
4	Nanofluids containing multiwalled carbon nanotubes and their enhanced thermal conductivities. <i>Journal of Applied Physics</i> , 2003, 94, 4967.	2.5	666
5	Trapped charge-driven degradation of perovskite solar cells. <i>Nature Communications</i> , 2016, 7, 13422.	12.8	464
6	Control of V_{oc} Hysteresis in CH ₃ NH ₃ PbI ₃ Perovskite Solar Cell. <i>Journal of Physical Chemistry Letters</i> , 2015, 6, 4633-4639.	4.6	430
7	Superflexible, high-efficiency perovskite solar cells utilizing graphene electrodes: towards future foldable power sources. <i>Energy and Environmental Science</i> , 2017, 10, 337-345.	30.8	391
8	Intact 2D/3D halide junction perovskite solar cells via solid-phase in-plane growth. <i>Nature Energy</i> , 2021, 6, 63-71.	39.5	365
9	Stretchable and Transparent Kirigami Conductor of Nanowire Percolation Network for Electronic Skin Applications. <i>Nano Letters</i> , 2019, 19, 6087-6096.	9.1	276
10	Hysteresis-free low-temperature-processed planar perovskite solar cells with 19.1% efficiency. <i>Energy and Environmental Science</i> , 2016, 9, 2262-2266.	30.8	265
11	Electronic modulation of infrared radiation in graphene plasmonic resonators. <i>Nature Communications</i> , 2015, 6, 7032.	12.8	213
12	Transparent Conductive Oxide-Free Graphene-Based Perovskite Solar Cells with over 17% Efficiency. <i>Advanced Energy Materials</i> , 2016, 6, 1501873.	19.5	206
13	Tunable large resonant absorption in a midinfrared graphene Salisbury screen. <i>Physical Review B</i> , 2014, 90, .	3.2	155
14	Parallel patterning of nanoparticles via electrodynamic focusing of charged aerosols. <i>Nature Nanotechnology</i> , 2006, 1, 117-121.	31.5	149
15	Moth-Eye TiO ₂ Layer for Improving Light Harvesting Efficiency in Perovskite Solar Cells. <i>Small</i> , 2016, 12, 2443-2449.	10.0	142
16	Carbon Nanotubes versus Graphene as Flexible Transparent Electrodes in Inverted Perovskite Solar Cells. <i>Journal of Physical Chemistry Letters</i> , 2017, 8, 5395-5401.	4.6	141
17	Ultra-flexible perovskite solar cells with crumpling durability: toward a wearable power source. <i>Energy and Environmental Science</i> , 2019, 12, 3182-3191.	30.8	136
18	High-Performance Solution-Processed Double-Walled Carbon Nanotube Transparent Electrode for Perovskite Solar Cells. <i>Advanced Energy Materials</i> , 2019, 9, 1901204.	19.5	101

#	ARTICLE	IF	CITATIONS
19	Highly Reproducible Large-Area Perovskite Solar Cell Fabrication via Continuous Megasonic Spray Coating of $\text{CH}_3\text{NH}_3\text{PbI}_3$. Small, 2019, 15, e1804005.	10.0	99
20	Carbon-sandwiched perovskite solar cell. Journal of Materials Chemistry A, 2018, 6, 1382-1389.	10.3	98
21	Three-Dimensional Assembly of Nanoparticles from Charged Aerosols. Nano Letters, 2011, 11, 119-124.	9.1	94
22	Thermodynamic regulation of $\text{CH}_3\text{NH}_3\text{PbI}_3$ crystal growth and its effect on photovoltaic performance of perovskite solar cells. Journal of Materials Chemistry A, 2015, 3, 19901-19906.	10.3	94
23	Transparent ITO mechanical crack-based pressure and strain sensor. Journal of Materials Chemistry C, 2016, 4, 9947-9953.	5.5	87
24	Ultra-sensitive Pressure sensor based on guided straight mechanical cracks. Scientific Reports, 2017, 7, 40116.	3.3	86
25	Three-dimensional nanoprinting via charged aerosol jets. Nature, 2021, 592, 54-59.	27.8	86
26	Hotspot-Engineered 3D Multipetal Flower Assemblies for Surface-Enhanced Raman Spectroscopy. Advanced Materials, 2014, 26, 5924-5929.	21.0	74
27	Multiplex lithography for multilevel multiscale architectures and its application to polymer electrolyte membrane fuel cell. Nature Communications, 2015, 6, 8484.	12.8	69
28	Opto-electronic properties of TiO_2 nanohelices with embedded $\text{HC}(\text{NH}_2)_2\text{PbI}_3$ perovskite solar cells. Journal of Materials Chemistry A, 2015, 3, 9179-9186.	10.3	67
29	Highly durable crack sensor integrated with silicone rubber cantilever for measuring cardiac contractility. Nature Communications, 2020, 11, 535.	12.8	66
30	Water-repellent perovskite solar cell. Journal of Materials Chemistry A, 2014, 2, 20017-20021.	10.3	65
31	Electrospun Magnetic Nanoparticle-Decorated Nanofiber Filter and Its Applications to High-Efficiency Air Filtration. Environmental Science & Technology, 2017, 51, 11967-11975.	10.0	64
32	Unconventional Alloys Confined in Nanoparticles: Building Blocks for New Matter. Matter, 2020, 3, 1646-1663.	10.0	63
33	Coalescence enhanced synthesis of nanoparticles to control size, morphology and crystalline phase at high concentrations. Journal of Aerosol Science, 2002, 33, 1-16.	3.8	59
34	Replication of flexible polymer membranes with geometry-controllable nano-apertures via a hierarchical mould-based dewetting. Nature Communications, 2014, 5, 3137.	12.8	59
35	Rational Core-Shell Design of Open Air Low Temperature In Situ Processable CsPbI_3 Quasi-Nanocrystals for Stabilized p-i-n Solar Cells. Advanced Energy Materials, 2019, 9, 1901787.	19.5	53
36	Crack-based strain sensor with diverse metal films by inserting an inter-layer. RSC Advances, 2017, 7, 34810-34815.	3.6	51

#	ARTICLE	IF	CITATIONS
37	Multiscale structured low-temperature solid oxide fuel cells with 13 W power at 500 Å°C. <i>Energy and Environmental Science</i> , 2020, 13, 3459-3468.	30.8	51
38	Multifunctional Nafion/CeO ₂ Dendritic Structures for Enhanced Durability and Performance of Polymer Electrolyte Membrane Fuel Cells. <i>ACS Applied Materials & Interfaces</i> , 2021, 13, 806-815.	8.0	51
39	Guided cracking of electrodes by stretching prism-patterned membrane electrode assemblies for high-performance fuel cells. <i>Scientific Reports</i> , 2018, 8, 1257.	3.3	49
40	Multifunctional Moth-Eye TiO ₂ /PDMS Pads with High Transmittance and UV Filtering. <i>ACS Applied Materials & Interfaces</i> , 2017, 9, 44038-44044.	8.0	48
41	An atomistic mechanism for the degradation of perovskite solar cells by trapped charge. <i>Nanoscale</i> , 2019, 11, 11369-11378.	5.6	45
42	Controlled formation of nanoparticles utilizing laser irradiation in a flame and their characteristics. <i>Applied Physics Letters</i> , 2001, 79, 2459-2461.	3.3	44
43	Moth-eye Structured Polydimethylsiloxane Films for High-Efficiency Perovskite Solar Cells. <i>Nano-Micro Letters</i> , 2019, 11, 53.	27.0	44
44	A study of pin-to-plate type spark discharge generator for producing unagglomerated nanoaerosols. <i>Journal of Aerosol Science</i> , 2012, 52, 80-88.	3.8	43
45	Precise Morphology Control and Continuous Fabrication of Perovskite Solar Cells Using Droplet-Controllable Electro spray Coating System. <i>ACS Applied Materials & Interfaces</i> , 2017, 9, 7879-7884.	8.0	43
46	High-performance Fuel Cell with Stretched Catalyst-Coated Membrane: One-step Formation of Cracked Electrode. <i>Scientific Reports</i> , 2016, 6, 26503.	3.3	42
47	Electron field emission from nanocarbons: A two-process model. <i>Applied Physics Letters</i> , 2004, 84, 1126-1128.	3.3	41
48	Polyimide Encapsulation of Spider-Inspired Crack-Based Sensors for Durability Improvement. <i>Applied Sciences (Switzerland)</i> , 2018, 8, 367.	2.5	41
49	Facile fabrication of three-dimensional TiO ₂ structures for highly efficient perovskite solar cells. <i>Nano Energy</i> , 2016, 22, 499-506.	16.0	40
50	Room temperature CO and H ₂ sensing with carbon nanoparticles. <i>Nanotechnology</i> , 2011, 22, 485501.	2.6	39
51	Charge Transport Layer-Dependent Electronic Band Bending in Perovskite Solar Cells and Its Correlation to Light-Induced Device Degradation. <i>ACS Energy Letters</i> , 2020, 5, 2580-2589.	17.4	39
52	Investigation of Defect-Tolerant Perovskite Solar Cells with Long-Term Stability via Controlling the Self-Doping Effect. <i>Advanced Energy Materials</i> , 2021, 11, 2100555.	19.5	38
53	Electro-spray deposition of a mesoporous TiO ₂ charge collection layer: toward large scale and continuous production of high efficiency perovskite solar cells. <i>Nanoscale</i> , 2015, 7, 20725-20733.	5.6	36
54	Facile Multiscale Patterning by Creep-Assisted Sequential Imprinting and Fuel Cell Application. <i>ACS Applied Materials & Interfaces</i> , 2016, 8, 11459-11465.	8.0	35

#	ARTICLE	IF	CITATIONS
55	A rollable ultra-light polymer electrolyte membrane fuel cell. <i>NPG Asia Materials</i> , 2017, 9, e384-e384.	7.9	34
56	Unipolar Charging of Nanosized Aerosol Particles Using Soft X-ray Photoionization. <i>Aerosol Science and Technology</i> , 2003, 37, 330-341.	3.1	32
57	Numerical simulation of microscopic motion and deposition of nanoparticles via electrodynamic focusing. <i>Journal of Aerosol Science</i> , 2007, 38, 1140-1149.	3.8	32
58	Interface Design of Hybrid Electron Extraction Layer for Relieving Hysteresis and Retarding Charge Recombination in Perovskite Solar Cells. <i>Advanced Materials Interfaces</i> , 2018, 5, 1800993.	3.7	31
59	High-Resolution, Parallel Patterning of Nanoparticles via an Ion-Induced Focusing Mask. <i>Small</i> , 2010, 6, 2146-2152.	10.0	29
60	Room-Temperature Vapor Deposition of Cobalt Nitride Nanofilms for Mesoscopic and Perovskite Solar Cells. <i>Advanced Energy Materials</i> , 2018, 8, 1703114.	19.5	29
61	Membrane/Electrode Interface Design for Effective Water Management in Alkaline Membrane Fuel Cells. <i>ACS Applied Materials & Interfaces</i> , 2019, 11, 34805-34811.	8.0	29
62	Nanoparticle pattern deposition from gas phase onto charged flat surface. <i>Microelectronic Engineering</i> , 2004, 71, 229-236.	2.4	27
63	Comparison of cellular toxicity between multi-walled carbon nanotubes and onion-like shell-shaped carbon nanoparticles. <i>Journal of Nanoparticle Research</i> , 2015, 17, 1.	1.9	26
64	Development of an automated wet-cyclone system for rapid, continuous and enriched bioaerosol sampling and its application to real-time detection. <i>Sensors and Actuators B: Chemical</i> , 2019, 284, 525-533.	7.8	24
65	Abnormal spatial heterogeneity governing the charge-carrier mechanism in efficient Ruddlesden-Popper perovskite solar cells. <i>Energy and Environmental Science</i> , 2021, 14, 4915-4925.	30.8	24
66	Dual function of a high-contrast hydrophobic-hydrophilic coating for enhanced stability of perovskite solar cells in extremely humid environments. <i>Nano Research</i> , 2017, 10, 3885-3895.	10.4	23
67	Multifurcation Assembly of Charged Aerosols and Its Application to 3D Structured Gas Sensors. <i>Advanced Materials</i> , 2017, 29, 1604159.	21.0	23
68	Degradation of $\text{CH}_3\text{NH}_3\text{PbI}_3$ perovskite materials by localized charges and its polarity dependency. <i>Journal of Materials Chemistry A</i> , 2019, 7, 12075-12085.	10.3	23
69	Ultrasensitive Near-Infrared Circularly Polarized Light Detection Using 3D Perovskite Embedded with Chiral Plasmonic Nanoparticles. <i>Advanced Science</i> , 2022, 9, e2104598.	11.2	23
70	Focused patterning of nanoparticles by controlling electric field induced particle motion. <i>Applied Physics Letters</i> , 2009, 94, .	3.3	22
71	One-step flame method for the synthesis of coated composite nanoparticles. <i>Journal of Nanoparticle Research</i> , 2009, 11, 1767-1775.	1.9	22
72	Auxetic lattice of multipods. <i>Physica Status Solidi (B): Basic Research</i> , 2009, 246, 2098-2101.	1.5	22

#	ARTICLE	IF	CITATIONS
73	Fragmentation of Fe ₂ O ₃ nanoparticles driven by a phase transition in a flame and their magnetic properties. <i>Applied Physics Letters</i> , 2003, 83, 4842-4844.	3.3	18
74	A micro-patterned electrode/electrolyte interface fabricated by soft-lithography for facile oxygen reduction in solid oxide fuel cells. <i>Journal of Materials Chemistry A</i> , 2020, 8, 16534-16541.	10.3	18
75	Enhanced Light Harvesting in Mesoscopic Solar Cells by Multilevel Multiscale Patterned Photoelectrodes with Superpositioned Optical Properties. <i>Advanced Functional Materials</i> , 2016, 26, 6584-6592.	14.9	17
76	Effects of photon recycling and scattering in high-performance perovskite solar cells. <i>Science Advances</i> , 2021, 7, eabj1363.	10.3	17
77	Reliable doping and carrier concentration control in graphene by aerosol-derived metal nanoparticles. <i>Journal of Materials Chemistry C</i> , 2015, 3, 8294-8299.	5.5	16
78	A light-trapping strategy for nanocrystalline silicon thin-film solar cells using three-dimensionally assembled nanoparticle structures. <i>Nanotechnology</i> , 2016, 27, 055403.	2.6	16
79	Metal-elastic elastomer bilayered switches by utilizing the superexponential behavior of crack widening. <i>Journal of Materials Chemistry C</i> , 2017, 5, 10920-10925.	5.5	15
80	Selective Nanopatterning of Protein via Ion-Induced Focusing and its Application to Metal-Enhanced Fluorescence. <i>Small</i> , 2011, 7, 1790-1794.	10.0	14
81	Wire-in-Hole-Type Spark Discharge Generator for Long-Time Consistent Generation of Unagglomerated Nanoparticles. <i>Aerosol Science and Technology</i> , 2015, 49, 463-471.	3.1	13
82	Tailoring ceramic membrane structures of solid oxide fuel cells via polymer-assisted electrospray deposition. <i>Journal of Membrane Science</i> , 2017, 544, 234-242.	8.2	12
83	Imaging Real-Time Amorphization of Hybrid Perovskite Solar Cells under Electrical Biasing. <i>ACS Energy Letters</i> , 2021, 6, 3530-3537.	17.4	12
84	Pulsatile therapy for perovskite solar cells. <i>Joule</i> , 2022, 6, 1087-1102.	24.0	12
85	Three-dimensionally patterned Ag-Pt alloy catalyst on planar Si photocathodes for photoelectrochemical H ₂ evolution. <i>Physical Chemistry Chemical Physics</i> , 2019, 21, 4184-4192.	2.8	11
86	Research in Korea on Gas Phase Synthesis and Control of Nanoparticles. <i>Journal of Nanoparticle Research</i> , 2001, 3, 201-211.	1.9	10
87	Generation of carbon nano-onions by laser irradiation of gaseous hydrocarbons for high durability catalyst support in proton exchange membrane fuel cells. <i>Journal of Industrial and Engineering Chemistry</i> , 2019, 80, 65-73.	5.8	10
88	Nature-inspired rollable electronics. <i>NPG Asia Materials</i> , 2019, 11, .	7.9	10
89	Nanoxerography utilizing bipolar charge patterns. <i>Applied Physics Letters</i> , 2012, 101, .	3.3	9
90	Large-area assembly of three-dimensional nanoparticle structures via ion assisted aerosol lithography with a multi-pin spark discharge generator. <i>Nanotechnology</i> , 2014, 25, 225302.	2.6	9

#	ARTICLE	IF	CITATIONS
91	Efficient Microfluidic Power Generator Based on Interaction between DI Water and Hydrophobic-Channel Surface. <i>International Journal of Precision Engineering and Manufacturing - Green Technology</i> , 2018, 5, 255-260.	4.9	8
92	A highly activated and integrated nanoscale interlayer of cathodes in low-temperature solid oxide fuel cells via precursor-solution electrospray method. <i>International Journal of Hydrogen Energy</i> , 2019, 44, 4476-4483.	7.1	8
93	High-Efficiency Flexible Perovskite Solar Cells Enabled by an Ultrafast Room-Temperature Reactive Ion Etching Process. <i>ACS Applied Materials & Interfaces</i> , 2020, 12, 7125-7134.	8.0	8
94	Assembly of Nanoparticles: Towards Multiscale Three-Dimensional Architecturing. <i>KONA Powder and Particle Journal</i> , 2013, 30, 31-46.	1.7	7
95	High throughput nanoparticle generation utilizing high-frequency spark discharges via rapid spark plasma removal. <i>Aerosol Science and Technology</i> , 2017, 51, 116-122.	3.1	7
96	Hydrophilicity control of laser-induced amorphous carbon-encapsulated carbon nano-onions and their application to proton exchange membrane fuel cells under low humidity. <i>Carbon</i> , 2021, 184, 910-922.	10.3	7
97	Preparation and characterization of $\text{SiO}_2/\text{B}_2\text{O}_3/\text{P}_2\text{O}_5$ particles and films generated by flame hydrolysis deposition for planar light-wave circuits. <i>Journal of Materials Research</i> , 2002, 17, 315-322.	2.6	6
98	Magnetism of adsorbed oxygen at low coverage. <i>Physical Review B</i> , 2003, 67, .	3.2	6
99	Crystallinity control of flame generated composite nanoparticles by laser irradiation. <i>Powder Technology</i> , 2012, 229, 246-252.	4.2	6
100	Multiscale Hierarchical Patterning by Sacrificial Layer-Assisted Creep Lithography. <i>Advanced Materials Interfaces</i> , 2019, 6, 1900606.	3.7	6
101	Tailoring an Interface Microstructure for High-Performance Reversible Protonic Ceramic Electrochemical Cells via Soft Lithography. <i>ACS Applied Materials & Interfaces</i> , 2022, 14, 32124-32133.	8.0	6
102	Stabilization of spinel structure during combustion synthesis of iron nanooxides. <i>Journal of Nanoparticle Research</i> , 2004, 6, 633-637.	1.9	5
103	Bioinspired liquid-repelling sealing films for flexible perovskite solar cells. <i>Materials Today Energy</i> , 2021, 20, 100622.	4.7	5
104	Vapor-Mediated Infiltration of Nanocatalysts for Low-Temperature Solid Oxide Fuel Cells Using Electrospayed Dendrites. <i>Nano Letters</i> , 2021, 21, 10186-10192.	9.1	5
105	Fabrication of micro patterned fibronectin for studying adhesion and alignment behavior of human dermal fibroblasts. <i>Macromolecular Research</i> , 2007, 15, 348-356.	2.4	4
106	Hotspots: Hotspot-Engineered 3D Multipetal Flower Assemblies for Surface-Enhanced Raman Spectroscopy (<i>Adv. Mater.</i> 34/2014). <i>Advanced Materials</i> , 2014, 26, 5923-5923.	21.0	4
107	Vertical stacking of three-dimensional nanostructures via an aerosol lithography for advanced optical applications. <i>Nanotechnology</i> , 2017, 28, 475302.	2.6	4
108	Directionally Selective Polyhalide Molecular Glue for Stable Inverted Perovskite Solar Cells. <i>Solar Rrl</i> , 2020, 4, 2000244.	5.8	4

#	ARTICLE	IF	CITATIONS
109	Layer-by-Layer Polydimethylsiloxane Modification Using a Two-Nozzle Spray Process for High Durability of the Cathode Catalyst in Proton-Exchange Membrane Fuel Cells. ACS Applied Materials & Interfaces, 2021, 13, 56014-56024.	8.0	4
110	Laser induced transition from soot generation to shell shaped carbon nanoparticles in an acetylene flow: aerosol characterization. Journal of Mechanical Science and Technology, 2008, 22, 134-140.	1.5	3
111	Assembly of charged aerosols on non-conducting substrates via ion-assisted aerosol lithography (IAAL). Particuology, 2017, 33, 17-23.	3.6	3
112	Controlled Enhancement in Hole Injection at Gold-Nanoparticle-on-Organic Electrical Contacts Fabricated by Spark-Discharge Aerosol Technique. ACS Applied Materials & Interfaces, 2019, 11, 6276-6282.	8.0	3
113	Light Harvesting: Enhanced Light Harvesting in Mesoscopic Solar Cells by Multilevel Multiscale Patterned Photoelectrodes with Superpositioned Optical Properties (Adv. Funct. Mater. 36/2016). Advanced Functional Materials, 2016, 26, 6583-6583.	14.9	2
114	Light emission induced by electric current at room temperature through the defect networks of MgO nanocubes. AIP Advances, 2019, 9, 125305.	1.3	2
115	3D Nanoprinting with Charged Aerosol Particles—An Overview. Accounts of Materials Research, 0, , .	11.7	2
116	Perovskite Solar Cells: Moth-Eye TiO ₂ Layer for Improving Light Harvesting Efficiency in Perovskite Solar Cells (Small 18/2016). Small, 2016, 12, 2530-2530.	10.0	1
117	Photocurable PUA (Poly Urethaneacrylat) cantilever integrated with ultra-high sensitive crack-based sensor. , 2017, , .		1
118	A Low-Field Temperature Dependent EPR Signal in Terraced MgO:Mn ²⁺ Nanoparticles: An Enhanced Zeeman Splitting in the Wide-Bandgap Oxide. Journal of Spectroscopy, 2017, 2017, 1-6.	1.3	1
119	Crack-free cathode of intermediate-temperature solid oxide fuel cells via electrospray deposition. International Journal of Applied Ceramic Technology, 0, , .	2.1	1
120	Virtually probing “Faraday three-dimensional nanoprinting”. Additive Manufacturing, 2021, , 102432.	3.0	1
121	Title is missing!. Journal of Nanoparticle Research, 2002, 4, 571-573.	1.9	0
122	International Symposium on 'Nanoparticles: Aerosols and Materials,' Pusan, Korea, July 5-6, 2001. Journal of Nanoparticle Research, 2003, 5, 573-576.	1.9	0
123	PDMS-Encapsulated Crack Sensor Integrated with Silicon Rubber Cantilever for Use in Cell Culture Media. , 2019, , .		0