

# Mansoo Choi

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3836707/publications.pdf>

Version: 2024-02-01

123  
papers

11,186  
citations

66343

42  
h-index

29157

104  
g-index

133  
all docs

133  
docs citations

133  
times ranked

14348  
citing authors

#	ARTICLE	IF	CITATIONS
1	Ultrasensitive Near-Infrared Circularly Polarized Light Detection Using 3D Perovskite Embedded with Chiral Plasmonic Nanoparticles. <i>Advanced Science</i> , 2022, 9, e2104598.	11.2	23
2	Pulsatile therapy for perovskite solar cells. <i>Joule</i> , 2022, 6, 1087-1102.	24.0	12
3	Tailoring an Interface Microstructure for High-Performance Reversible Protonic Ceramic Electrochemical Cells via Soft Lithography. <i>ACS Applied Materials &amp; Interfaces</i> , 2022, 14, 32124-32133.	8.0	6
4	Abnormal spatial heterogeneity governing the charge-carrier mechanism in efficient Ruddlesden-Popper perovskite solar cells. <i>Energy and Environmental Science</i> , 2021, 14, 4915-4925.	30.8	24
5	Multifunctional Nafion/CeO <sub>2</sub> Dendritic Structures for Enhanced Durability and Performance of Polymer Electrolyte Membrane Fuel Cells. <i>ACS Applied Materials &amp; Interfaces</i> , 2021, 13, 806-815.	8.0	51
6	Intact 2D/3D halide junction perovskite solar cells via solid-phase in-plane growth. <i>Nature Energy</i> , 2021, 6, 63-71.	39.5	365
7	Investigation of Defect-Tolerant Perovskite Solar Cells with Long-Term Stability via Controlling the Self-Doping Effect. <i>Advanced Energy Materials</i> , 2021, 11, 2100555.	19.5	38
8	Three-dimensional nanoprinting via charged aerosol jets. <i>Nature</i> , 2021, 592, 54-59.	27.8	86
9	Bioinspired liquid-repelling sealing films for flexible perovskite solar cells. <i>Materials Today Energy</i> , 2021, 20, 100622.	4.7	5
10	Imaging Real-Time Amorphization of Hybrid Perovskite Solar Cells under Electrical Biasing. <i>ACS Energy Letters</i> , 2021, 6, 3530-3537.	17.4	12
11	Hydrophilicity control of laser-induced amorphous carbon-encapsulated carbon nano-onions and their application to proton exchange membrane fuel cells under low humidity. <i>Carbon</i> , 2021, 184, 910-922.	10.3	7
12	Virtually probing "Faraday three-dimensional nanoprinting". <i>Additive Manufacturing</i> , 2021, , 102432.	3.0	1
13	Layer-by-Layer Polydimethylsiloxane Modification Using a Two-Nozzle Spray Process for High Durability of the Cathode Catalyst in Proton-Exchange Membrane Fuel Cells. <i>ACS Applied Materials &amp; Interfaces</i> , 2021, 13, 56014-56024.	8.0	4
14	Vapor-Mediated Infiltration of Nanocatalysts for Low-Temperature Solid Oxide Fuel Cells Using Electrospayed Dendrites. <i>Nano Letters</i> , 2021, 21, 10186-10192.	9.1	5
15	Effects of photon recycling and scattering in high-performance perovskite solar cells. <i>Science Advances</i> , 2021, 7, eabj1363.	10.3	17
16	Charge Transport Layer-Dependent Electronic Band Bending in Perovskite Solar Cells and Its Correlation to Light-Induced Device Degradation. <i>ACS Energy Letters</i> , 2020, 5, 2580-2589.	17.4	39
17	A micro-patterned electrode/electrolyte interface fabricated by soft-lithography for facile oxygen reduction in solid oxide fuel cells. <i>Journal of Materials Chemistry A</i> , 2020, 8, 16534-16541.	10.3	18
18	Multiscale structured low-temperature solid oxide fuel cells with 13 W power at 500 °C. <i>Energy and Environmental Science</i> , 2020, 13, 3459-3468.	30.8	51

#	ARTICLE	IF	CITATIONS
19	Directionally Selective Polyhalide Molecular Glue for Stable Inverted Perovskite Solar Cells. <i>Solar Rrl</i> , 2020, 4, 2000244.	5.8	4
20	Highly durable crack sensor integrated with silicone rubber cantilever for measuring cardiac contractility. <i>Nature Communications</i> , 2020, 11, 535.	12.8	66
21	High-Efficiency Flexible Perovskite Solar Cells Enabled by an Ultrafast Room-Temperature Reactive Ion Etching Process. <i>ACS Applied Materials &amp; Interfaces</i> , 2020, 12, 7125-7134.	8.0	8
22	Unconventional Alloys Confined in Nanoparticles: Building Blocks for New Matter. <i>Matter</i> , 2020, 3, 1646-1663.	10.0	63
23	Stretchable and Transparent Kirigami Conductor of Nanowire Percolation Network for Electronic Skin Applications. <i>Nano Letters</i> , 2019, 19, 6087-6096.	9.1	276
24	Rational Core-Shell Design of Open Air Low Temperature In Situ Processable CsPbI <sub>3</sub> Quasi-Nanocrystals for Stabilized Perovskite Solar Cells. <i>Advanced Energy Materials</i> , 2019, 9, 1901787.	19.5	53
25	Multiscale Hierarchical Patterning by Sacrificial Layer-Assisted Creep Lithography. <i>Advanced Materials Interfaces</i> , 2019, 6, 1900606.	3.7	6
26	Moth-eye Structured Polydimethylsiloxane Films for High-Efficiency Perovskite Solar Cells. <i>Nano-Micro Letters</i> , 2019, 11, 53.	27.0	44
27	Generation of carbon nano-onions by laser irradiation of gaseous hydrocarbons for high durability catalyst support in proton exchange membrane fuel cells. <i>Journal of Industrial and Engineering Chemistry</i> , 2019, 80, 65-73.	5.8	10
28	Membrane/Electrode Interface Design for Effective Water Management in Alkaline Membrane Fuel Cells. <i>ACS Applied Materials &amp; Interfaces</i> , 2019, 11, 34805-34811.	8.0	29
29	Three-dimensionally patterned Ag-Pt alloy catalyst on planar Si photocathodes for photoelectrochemical H <sub>2</sub> evolution. <i>Physical Chemistry Chemical Physics</i> , 2019, 21, 4184-4192.	2.8	11
30	Development of an automated wet-cyclone system for rapid, continuous and enriched bioaerosol sampling and its application to real-time detection. <i>Sensors and Actuators B: Chemical</i> , 2019, 284, 525-533.	7.8	24
31	High-Performance Solution-Processed Double-Walled Carbon Nanotube Transparent Electrode for Perovskite Solar Cells. <i>Advanced Energy Materials</i> , 2019, 9, 1901204.	19.5	101
32	Degradation of CH <sub>3</sub> NH <sub>3</sub> PbI <sub>3</sub> perovskite materials by localized charges and its polarity dependency. <i>Journal of Materials Chemistry A</i> , 2019, 7, 12075-12085.	10.3	23
33	An atomistic mechanism for the degradation of perovskite solar cells by trapped charge. <i>Nanoscale</i> , 2019, 11, 11369-11378.	5.6	45
34	PDMS-Encapsulated Crack Sensor Integrated with Silicon Rubber Cantilever for Use in Cell Culture Media. , 2019, , .		0
35	Light emission induced by electric current at room temperature through the defect networks of MgO nanocubes. <i>AIP Advances</i> , 2019, 9, 125305.	1.3	2
36	Ultra-flexible perovskite solar cells with crumpling durability: toward a wearable power source. <i>Energy and Environmental Science</i> , 2019, 12, 3182-3191.	30.8	136

#	ARTICLE	IF	CITATIONS
37	Nature-inspired rollable electronics. NPG Asia Materials, 2019, 11, .	7.9	10
38	A highly activated and integrated nanoscale interlayer of cathodes in low-temperature solid oxide fuel cells via precursor-solution electrospray method. International Journal of Hydrogen Energy, 2019, 44, 4476-4483.	7.1	8
39	Controlled Enhancement in Hole Injection at Gold-Nanoparticle-on-Organic Electrical Contacts Fabricated by Spark-Discharge Aerosol Technique. ACS Applied Materials & Interfaces, 2019, 11, 6276-6282.	8.0	3
40	Highly Reproducible Large-Area Perovskite Solar Cell Fabrication via Continuous Megasonic Spray Coating of $\text{CH}_3\text{NH}_3\text{PbI}_3$ . Small, 2019, 15, e1804005.	10.0	99
41	Efficient Microfluidic Power Generator Based on Interaction between DI Water and Hydrophobic-Channel Surface. International Journal of Precision Engineering and Manufacturing - Green Technology, 2018, 5, 255-260.	4.9	8
42	Guided cracking of electrodes by stretching prism-patterned membrane electrode assemblies for high-performance fuel cells. Scientific Reports, 2018, 8, 1257.	3.3	49
43	Room-Temperature Vapor Deposition of Cobalt Nitride Nanofilms for Mesoscopic and Perovskite Solar Cells. Advanced Energy Materials, 2018, 8, 1703114.	19.5	29
44	Carbon-sandwiched perovskite solar cell. Journal of Materials Chemistry A, 2018, 6, 1382-1389.	10.3	98
45	Polyimide Encapsulation of Spider-Inspired Crack-Based Sensors for Durability Improvement. Applied Sciences (Switzerland), 2018, 8, 367.	2.5	41
46	Interface Design of Hybrid Electron Extraction Layer for Relieving Hysteresis and Retarding Charge Recombination in Perovskite Solar Cells. Advanced Materials Interfaces, 2018, 5, 1800993.	3.7	31
47	Ultra-sensitive Pressure sensor based on guided straight mechanical cracks. Scientific Reports, 2017, 7, 40116.	3.3	86
48	Precise Morphology Control and Continuous Fabrication of Perovskite Solar Cells Using Droplet-Controllable Electrospray Coating System. ACS Applied Materials & Interfaces, 2017, 9, 7879-7884.	8.0	43
49	Dual function of a high-contrast hydrophobic-hydrophilic coating for enhanced stability of perovskite solar cells in extremely humid environments. Nano Research, 2017, 10, 3885-3895.	10.4	23
50	A rollable ultra-light polymer electrolyte membrane fuel cell. NPG Asia Materials, 2017, 9, e384-e384.	7.9	34
51	Vertical stacking of three-dimensional nanostructures via an aerosol lithography for advanced optical applications. Nanotechnology, 2017, 28, 475302.	2.6	4
52	Electrospun Magnetic Nanoparticle-Decorated Nanofiber Filter and Its Applications to High-Efficiency Air Filtration. Environmental Science & Technology, 2017, 51, 11967-11975.	10.0	64
53	Metal-elastomer bilayered switches by utilizing the superexponential behavior of crack widening. Journal of Materials Chemistry C, 2017, 5, 10920-10925.	5.5	15
54	Carbon Nanotubes versus Graphene as Flexible Transparent Electrodes in Inverted Perovskite Solar Cells. Journal of Physical Chemistry Letters, 2017, 8, 5395-5401.	4.6	141

#	ARTICLE	IF	CITATIONS
55	Tailoring ceramic membrane structures of solid oxide fuel cells via polymer-assisted electrospray deposition. <i>Journal of Membrane Science</i> , 2017, 544, 234-242.	8.2	12
56	Assembly of charged aerosols on non-conducting substrates via ion-assisted aerosol lithography (IAAL). <i>Particuology</i> , 2017, 33, 17-23.	3.6	3
57	Photocurable PUA (Poly Urethaneacrylat) cantilever integrated with ultra-high sensitive crack-based sensor. , 2017, , .		1
58	Multifunctional Moth-Eye TiO <sub>2</sub> /PDMS Pads with High Transmittance and UV Filtering. <i>ACS Applied Materials &amp; Interfaces</i> , 2017, 9, 44038-44044.	8.0	48
59	Crack-based strain sensor with diverse metal films by inserting an inter-layer. <i>RSC Advances</i> , 2017, 7, 34810-34815.	3.6	51
60	Multifurcation Assembly of Charged Aerosols and Its Application to 3D Structured Gas Sensors. <i>Advanced Materials</i> , 2017, 29, 1604159.	21.0	23
61	Superflexible, high-efficiency perovskite solar cells utilizing graphene electrodes: towards future foldable power sources. <i>Energy and Environmental Science</i> , 2017, 10, 337-345.	30.8	391
62	High throughput nanoparticle generation utilizing high-frequency spark discharges via rapid spark plasma removal. <i>Aerosol Science and Technology</i> , 2017, 51, 116-122.	3.1	7
63	A Low-Field Temperature Dependent EPR Signal in Terraced MgO:Mn <sup>2+</sup> Nanoparticles: An Enhanced Zeeman Splitting in the Wide-Bandgap Oxide. <i>Journal of Spectroscopy</i> , 2017, 2017, 1-6.	1.3	1
64	Perovskite Solar Cells: Moth-Eye TiO <sub>2</sub> Layer for Improving Light Harvesting Efficiency in Perovskite Solar Cells (Small 18/2016). <i>Small</i> , 2016, 12, 2530-2530.	10.0	1
65	Transparent Conductive Oxide-Free Graphene-Based Perovskite Solar Cells with over 17% Efficiency. <i>Advanced Energy Materials</i> , 2016, 6, 1501873.	19.5	206
66	Hysteresis-free low-temperature-processed planar perovskite solar cells with 19.1% efficiency. <i>Energy and Environmental Science</i> , 2016, 9, 2262-2266.	30.8	265
67	Facile Multiscale Patterning by Creep-Assisted Sequential Imprinting and Fuel Cell Application. <i>ACS Applied Materials &amp; Interfaces</i> , 2016, 8, 11459-11465.	8.0	35
68	Light Harvesting: Enhanced Light Harvesting in Mesoscopic Solar Cells by Multilevel Multiscale Patterned Photoelectrodes with Superpositioned Optical Properties ( <i>Adv. Funct. Mater.</i> 36/2016). <i>Advanced Functional Materials</i> , 2016, 26, 6583-6583.	14.9	2
69	Transparent ITO mechanical crack-based pressure and strain sensor. <i>Journal of Materials Chemistry C</i> , 2016, 4, 9947-9953.	5.5	87
70	Enhanced Light Harvesting in Mesoscopic Solar Cells by Multilevel Multiscale Patterned Photoelectrodes with Superpositioned Optical Properties. <i>Advanced Functional Materials</i> , 2016, 26, 6584-6592.	14.9	17
71	Self-formed grain boundary healing layer for highly efficient CH <sub>3</sub> NH <sub>3</sub> PbI <sub>3</sub> perovskite solar cells. <i>Nature Energy</i> , 2016, 1, .	39.5	902
72	Trapped charge-driven degradation of perovskite solar cells. <i>Nature Communications</i> , 2016, 7, 13422.	12.8	464

#	ARTICLE	IF	CITATIONS
73	High-performance Fuel Cell with Stretched Catalyst-Coated Membrane: One-step Formation of Cracked Electrode. <i>Scientific Reports</i> , 2016, 6, 26503.	3.3	42
74	Moth-Eye TiO <sub>2</sub> Layer for Improving Light Harvesting Efficiency in Perovskite Solar Cells. <i>Small</i> , 2016, 12, 2443-2449.	10.0	142
75	A light-trapping strategy for nanocrystalline silicon thin-film solar cells using three-dimensionally assembled nanoparticle structures. <i>Nanotechnology</i> , 2016, 27, 055403.	2.6	16
76	Facile fabrication of three-dimensional TiO <sub>2</sub> structures for highly efficient perovskite solar cells. <i>Nano Energy</i> , 2016, 22, 499-506.	16.0	40
77	Thermodynamic regulation of CH <sub>3</sub> NH <sub>3</sub> PbI <sub>3</sub> crystal growth and its effect on photovoltaic performance of perovskite solar cells. <i>Journal of Materials Chemistry A</i> , 2015, 3, 19901-19906.	10.3	94
78	Comparison of cellular toxicity between multi-walled carbon nanotubes and onion-like shell-shaped carbon nanoparticles. <i>Journal of Nanoparticle Research</i> , 2015, 17, 1.	1.9	26
79	Reliable doping and carrier concentration control in graphene by aerosol-derived metal nanoparticles. <i>Journal of Materials Chemistry C</i> , 2015, 3, 8294-8299.	5.5	16
80	Highly Reproducible Perovskite Solar Cells with Average Efficiency of 18.3% and Best Efficiency of 19.7% Fabricated via Lewis Base Adduct of Lead(II) Iodide. <i>Journal of the American Chemical Society</i> , 2015, 137, 8696-8699.	13.7	2,030
81	Electronic modulation of infrared radiation in graphene plasmonic resonators. <i>Nature Communications</i> , 2015, 6, 7032.	12.8	213
82	Wire-in-Hole-Type Spark Discharge Generator for Long-Time Consistent Generation of Unagglomerated Nanoparticles. <i>Aerosol Science and Technology</i> , 2015, 49, 463-471.	3.1	13
83	Multiplex lithography for multilevel multiscale architectures and its application to polymer electrolyte membrane fuel cell. <i>Nature Communications</i> , 2015, 6, 8484.	12.8	69
84	Electro-spray deposition of a mesoporous TiO <sub>2</sub> charge collection layer: toward large scale and continuous production of high efficiency perovskite solar cells. <i>Nanoscale</i> , 2015, 7, 20725-20733.	5.6	36
85	Control of <i>I</i> -V Hysteresis in CH <sub>3</sub> NH <sub>3</sub> PbI <sub>3</sub> Perovskite Solar Cell. <i>Journal of Physical Chemistry Letters</i> , 2015, 6, 4633-4639.	4.6	430
86	Opto-electronic properties of TiO <sub>2</sub> nanohelices with embedded HC(NH <sub>2</sub> ) <sub>2</sub> perovskite solar cells. <i>Journal of Materials Chemistry A</i> , 2015, 3, 9179-9186.	10.3	67
87	Ultrasensitive mechanical crack-based sensor inspired by the spider sensory system. <i>Nature</i> , 2014, 516, 222-226.	27.8	1,196
88	Large-area assembly of three-dimensional nanoparticle structures via ion assisted aerosol lithography with a multi-pin spark discharge generator. <i>Nanotechnology</i> , 2014, 25, 225302.	2.6	9
89	Hotspot-Engineered 3D Multipetal Flower Assemblies for Surface-Enhanced Raman Spectroscopy. <i>Advanced Materials</i> , 2014, 26, 5924-5929.	21.0	74
90	Replication of flexible polymer membranes with geometry-controllable nano-apertures via a hierarchical mould-based dewetting. <i>Nature Communications</i> , 2014, 5, 3137.	12.8	59

#	ARTICLE	IF	CITATIONS
91	Water-repellent perovskite solar cell. <i>Journal of Materials Chemistry A</i> , 2014, 2, 20017-20021.	10.3	65
92	Hotspots: Hotspot-Engineered 3D Multipetal Flower Assemblies for Surface-Enhanced Raman Spectroscopy ( <i>Adv. Mater.</i> 34/2014). <i>Advanced Materials</i> , 2014, 26, 5923-5923.	21.0	4
93	Tunable large resonant absorption in a midinfrared graphene Salisbury screen. <i>Physical Review B</i> , 2014, 90, .	3.2	155
94	Assembly of Nanoparticles: Towards Multiscale Three-Dimensional Architecturing. <i>KONA Powder and Particle Journal</i> , 2013, 30, 31-46.	1.7	7
95	Nanoxerography utilizing bipolar charge patterns. <i>Applied Physics Letters</i> , 2012, 101, .	3.3	9
96	Crystallinity control of flame generated composite nanoparticles by laser irradiation. <i>Powder Technology</i> , 2012, 229, 246-252.	4.2	6
97	A study of pin-to-plate type spark discharge generator for producing unagglomerated nanoaerosols. <i>Journal of Aerosol Science</i> , 2012, 52, 80-88.	3.8	43
98	Three-Dimensional Assembly of Nanoparticles from Charged Aerosols. <i>Nano Letters</i> , 2011, 11, 119-124.	9.1	94
99	Room temperature CO and H <sub>2</sub> sensing with carbon nanoparticles. <i>Nanotechnology</i> , 2011, 22, 485501.	2.6	39
100	Selective Nanopatterning of Protein via Ion-Induced Focusing and its Application to Metal-Enhanced Fluorescence. <i>Small</i> , 2011, 7, 1790-1794.	10.0	14
101	High-Resolution, Parallel Patterning of Nanoparticles via an Ion-Induced Focusing Mask. <i>Small</i> , 2010, 6, 2146-2152.	10.0	29
102	Focused patterning of nanoparticles by controlling electric field induced particle motion. <i>Applied Physics Letters</i> , 2009, 94, .	3.3	22
103	One-step flame method for the synthesis of coated composite nanoparticles. <i>Journal of Nanoparticle Research</i> , 2009, 11, 1767-1775.	1.9	22
104	Auxetic lattice of multipods. <i>Physica Status Solidi (B): Basic Research</i> , 2009, 246, 2098-2101.	1.5	22
105	Laser induced transition from soot generation to shell shaped carbon nanoparticles in an acetylene flow: aerosol characterization. <i>Journal of Mechanical Science and Technology</i> , 2008, 22, 134-140.	1.5	3
106	Numerical simulation of microscopic motion and deposition of nanoparticles via electrodynamic focusing. <i>Journal of Aerosol Science</i> , 2007, 38, 1140-1149.	3.8	32
107	Fabrication of micro patterned fibronectin for studying adhesion and alignment behavior of human dermal fibroblasts. <i>Macromolecular Research</i> , 2007, 15, 348-356.	2.4	4
108	Parallel patterning of nanoparticles via electrodynamic focusing of charged aerosols. <i>Nature Nanotechnology</i> , 2006, 1, 117-121.	31.5	149

#	ARTICLE	IF	CITATIONS
109	Stabilization of spinel structure during combustion synthesis of iron nanooxides. Journal of Nanoparticle Research, 2004, 6, 633-637.	1.9	5
110	Nanoparticle pattern deposition from gas phase onto charged flat surface. Microelectronic Engineering, 2004, 71, 229-236.	2.4	27
111	Electron field emission from nanocarbons: A two-process model. Applied Physics Letters, 2004, 84, 1126-1128.	3.3	41
112	International Symposium on 'Nanoparticles: Aerosols and Materials,' Pusan, Korea, July 5-6, 2001. Journal of Nanoparticle Research, 2003, 5, 573-576.	1.9	0
113	Unipolar Charging of Nanosized Aerosol Particles Using Soft X-ray Photoionization. Aerosol Science and Technology, 2003, 37, 330-341.	3.1	32
114	Nanofluids containing multiwalled carbon nanotubes and their enhanced thermal conductivities. Journal of Applied Physics, 2003, 94, 4967.	2.5	666
115	Magnetism of adsorbed oxygen at low coverage. Physical Review B, 2003, 67, .	3.2	6
116	Fragmentation of Fe <sub>2</sub> O <sub>3</sub> nanoparticles driven by a phase transition in a flame and their magnetic properties. Applied Physics Letters, 2003, 83, 4842-4844.	3.3	18
117	Preparation and characterization of SiO <sub>2</sub> -B <sub>2</sub> O <sub>3</sub> -P <sub>2</sub> O <sub>5</sub> particles and films generated by flame hydrolysis deposition for planar light-wave circuits. Journal of Materials Research, 2002, 17, 315-322.	2.6	6
118	Coalescence enhanced synthesis of nanoparticles to control size, morphology and crystalline phase at high concentrations. Journal of Aerosol Science, 2002, 33, 1-16.	3.8	59
119	Title is missing!. Journal of Nanoparticle Research, 2002, 4, 571-573.	1.9	0
120	Research in Korea on Gas Phase Synthesis and Control of Nanoparticles. Journal of Nanoparticle Research, 2001, 3, 201-211.	1.9	10
121	Controlled formation of nanoparticles utilizing laser irradiation in a flame and their characteristics. Applied Physics Letters, 2001, 79, 2459-2461.	3.3	44
122	Crack-free cathode of intermediate-temperature solid oxide fuel cells via electrospray deposition. International Journal of Applied Ceramic Technology, 0, .	2.1	1
123	3D Nanoprinting with Charged Aerosol Particles—An Overview. Accounts of Materials Research, 0, .	11.7	2