

# Elisa R Zanier

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3837914/publications.pdf>

Version: 2024-02-01

96  
papers

5,026  
citations

76326

40  
h-index

98798

67  
g-index

105  
all docs

105  
docs citations

105  
times ranked

6630  
citing authors

| #  | ARTICLE   | IF   | CITATIONS |
|----|---|------|-----------|
| 1  | Ageing is associated with maladaptive immune response and worse outcome after traumatic brain injury. <i>Brain Communications</i> , 2022, 4, fcac036.   | 3.3  | 12        |
| 2  | Cerebrospinal Fluid and Arterial Acid-Base Equilibrium of Spontaneously Breathing Patients with Aneurismal Subarachnoid Hemorrhage. <i>Neurocritical Care</i> , 2022, 37, 102-110.  | 2.4  | 5         |
| 3  | Angiotensin-(1-7) as a Potential Therapeutic Strategy for Delayed Cerebral Ischemia in Subarachnoid Hemorrhage. <i>Frontiers in Immunology</i> , 2022, 13, 841692.  | 4.8  | 4         |
| 4  | Management of moderate to severe traumatic brain injury: an update for the intensivist. <i>Intensive Care Medicine</i> , 2022, 48, 649-666.   | 8.2  | 57        |
| 5  | Biomarkers for Traumatic Brain Injury: Data Standards and Statistical Considerations. <i>Journal of Neurotrauma</i> , 2021, 38, 2514-2529.  | 3.4  | 23        |
| 6  | Intranasal delivery of mesenchymal stem cell secretome repairs the brain of Alzheimer's mice. <i>Cell Death and Differentiation</i> , 2021, 28, 203-218.  | 11.2 | 63        |
| 7  | Efficacy of acute administration of inhaled argon on traumatic brain injury in mice. <i>British Journal of Anaesthesia</i> , 2021, 126, 256-264.  | 3.4  | 26        |
| 8  | In-depth characterization of a mouse model of post-traumatic epilepsy for biomarker and drug discovery. <i>Acta Neuropathologica Communications</i> , 2021, 9, 76.  | 5.2  | 20        |
| 9  | Complex Autoantibody Responses Occur following Moderate to Severe Traumatic Brain Injury. <i>Journal of Immunology</i> , 2021, 207, 90-100.   | 0.8  | 24        |
| 10 | Burnout in Intensive Care Unit Workers during the Second Wave of the COVID-19 Pandemic: A Single Center Cross-Sectional Italian Study. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 6102. | 2.6  | 58        |
| 11 | <i>C. elegans</i> detects toxicity of traumatic brain injury generated tau. <i>Neurobiology of Disease</i> , 2021, 153, 105330.   | 4.4  | 5         |
| 12 | Brain Protection after Anoxic Brain Injury: Is Lactate Supplementation Helpful?. <i>Cells</i> , 2021, 10, 1714.   | 4.1  | 17        |
| 13 | Prognostic Value of a Combination of Circulating Biomarkers in Critically Ill Patients with Traumatic Brain Injury: Results from the European CReACTIVE Study. <i>Journal of Neurotrauma</i> , 2021, 38, 2667-2676.               | 3.4  | 7         |
| 14 | Systematic review and meta-analysis of preclinical studies testing mesenchymal stromal cells for traumatic brain injury. <i>Npj Regenerative Medicine</i> , 2021, 6, 71.  | 5.2  | 14        |
| 15 | Acute and Persistent Alterations of Cerebellar Inflammatory Networks and Glial Activation in a Rat Model of Pediatric Mild Traumatic Brain Injury. <i>Journal of Neurotrauma</i> , 2020, 37, 1315-1330.                           | 3.4  | 11        |
| 16 | Optic Nerve Sheath Diameter is not Related to Intracranial Pressure in Subarachnoid Hemorrhage Patients. <i>Neurocritical Care</i> , 2020, 33, 491-498.   | 2.4  | 32        |
| 17 | Spectroscopic detection of traumatic brain injury severity and biochemistry from the retina. <i>Biomedical Optics Express</i> , 2020, 11, 6249.   | 2.9  | 16        |
| 18 | Longitudinal Molecular Magnetic Resonance Imaging of Endothelial Activation after Severe Traumatic Brain Injury. <i>Journal of Clinical Medicine</i> , 2019, 8, 1134.   | 2.4  | 5         |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 19 | Modelling human pathology of traumatic brain injury in animal models. <i>Journal of Internal Medicine</i> , 2019, 285, 594-607.   | 6.0 | 22        |
| 20 | The immunological response to traumatic brain injury. <i>Journal of Neuroimmunology</i> , 2019, 332, 112-125.   | 2.3 | 95        |
| 21 | Development and spread of tau pathology after TBI. <i>Journal of the Neurological Sciences</i> , 2019, 405, 41.   | 0.6 | 0         |
| 22 | Human brain trauma severity is associated with lectin complement pathway activation. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2019, 39, 794-807.  | 4.3 | 24        |
| 23 | Fluid therapy in neurointensive care patients: ESICM consensus and clinical practice recommendations. <i>Intensive Care Medicine</i> , 2018, 44, 449-463.   | 8.2 | 113       |
| 24 | Placenta-Derived Cells for Acute Brain Injury. <i>Cell Transplantation</i> , 2018, 27, 151-167.   | 2.5 | 12        |
| 25 | Single severe traumatic brain injury produces progressive pathology with ongoing contralateral white matter damage one year after injury. <i>Experimental Neurology</i> , 2018, 300, 167-178.                         | 4.1 | 86        |
| 26 | Neuroprotection in Traumatic Brain Injury: Mesenchymal Stromal Cells can Potentially Overcome Some Limitations of Previous Clinical Trials. <i>Frontiers in Neurology</i> , 2018, 9, 885.                             | 2.4 | 20        |
| 27 | Fluid Management in Acute Brain Injury. <i>Current Neurology and Neuroscience Reports</i> , 2018, 18, 74.   | 4.2 | 23        |
| 28 | Mesenchymal Stem Cell Therapy in Intracerebral Haemorrhagic Stroke. <i>Current Medicinal Chemistry</i> , 2018, 25, 2176-2197.   | 2.4 | 33        |
| 29 | Ultrasound-tagged near-infrared spectroscopy does not disclose absent cerebral circulation in brain-dead adults. <i>British Journal of Anaesthesia</i> , 2018, 121, 588-594.  | 3.4 | 18        |
| 30 | Induction of a transmissible tau pathology by traumatic brain injury. <i>Brain</i> , 2018, 141, 2685-2699.  | 7.6 | 74        |
| 31 | Virtual Reality for Traumatic Brain Injury. <i>Frontiers in Neurology</i> , 2018, 9, 345.   | 2.4 | 49        |
| 32 | Pharmacological inhibition of mannose-binding lectin ameliorates neurobehavioral dysfunction following experimental traumatic brain injury. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2017, 37, 938-950. | 4.3 | 35        |
| 33 | Label-free monitoring of tissue biochemistry following traumatic brain injury using Raman spectroscopy. <i>Analyst</i> , 2017, 142, 132-139.  | 3.5 | 26        |
| 34 | Intravenous infusion of human bone marrow mesenchymal stromal cells promotes functional recovery and neuroplasticity after ischemic stroke in mice. <i>Scientific Reports</i> , 2017, 7, 6962.                        | 3.3 | 36        |
| 35 | Rethinking Neuroprotection in Severe Traumatic Brain Injury: Toward Bedside Neuroprotection. <i>Frontiers in Neurology</i> , 2017, 8, 354.  | 2.4 | 31        |
| 36 | Current and Emerging Technologies for Probing Molecular Signatures of Traumatic Brain Injury. <i>Frontiers in Neurology</i> , 2017, 8, 450.   | 2.4 | 18        |

| #  | ARTICLE  | IF   | CITATIONS |
|----|--|------|-----------|
| 37 | Protection of Brain Injury by Amniotic Mesenchymal Stromal Cell-Secreted Metabolites. <i>Critical Care Medicine</i> , 2016, 44, e1118-e1131.   | 0.9  | 66        |
| 38 | Macrophages are essential for maintaining a M2 protective response early after ischemic brain injury. <i>Neurobiology of Disease</i> , 2016, 96, 284-293.                              | 4.4  | 82        |
| 39 | Differential transgene expression patterns in Alzheimer mouse models revealed by novel human amyloid precursor protein-specific antibodies. <i>Aging Cell</i> , 2016, 15, 953-963.     | 6.7  | 22        |
| 40 | Chronic impact of traumatic brain injury on outcome and quality of life: a narrative review. <i>Critical Care</i> , 2016, 20, 148.   | 5.8  | 276       |
| 41 | Early ficolin-1 is a sensitive prognostic marker for functional outcome in ischemic stroke. <i>Journal of Neuroinflammation</i> , 2016, 13, 16.  | 7.2  | 58        |
| 42 | Fractalkine Receptor Deficiency Is Associated with Early Protection but Late Worsening of Outcome following Brain Trauma in Mice. <i>Journal of Neurotrauma</i> , 2016, 33, 1060-1072. | 3.4  | 75        |
| 43 | Clinical Results and Outcome Improvement Over Time in Traumatic Brain Injury. <i>Journal of Neurotrauma</i> , 2016, 33, 2019-2025.   | 3.4  | 5         |
| 44 | Internalization of nanopolymeric tracers does not alter characteristics of placental cells. <i>Journal of Cellular and Molecular Medicine</i> , 2016, 20, 1036-1048.                   | 3.6  | 4         |
| 45 | Early modulation of pro-inflammatory microglia by minocycline loaded nanoparticles confers long lasting protection after spinal cord injury. <i>Biomaterials</i> , 2016, 75, 13-24.    | 11.4 | 110       |
| 46 | Accuracy of intracranial pressure monitoring: systematic review and meta-analysis. <i>Critical Care</i> , 2015, 19, 420.   | 5.8  | 66        |
| 47 | The Ischemic Environment Drives Microglia and Macrophage Function. <i>Frontiers in Neurology</i> , 2015, 6, 81.  | 2.4  | 217       |
| 48 | My paper 20 years later: cerebral venous oxygen saturation studied with bilateral samples in the internal jugular veins. <i>Intensive Care Medicine</i> , 2015, 41, 412-417.           | 8.2  | 13        |
| 49 | Shape descriptors of the "never resting" microglia in three different acute brain injury models in mice. <i>Intensive Care Medicine Experimental</i> , 2015, 3, 39.                    | 1.9  | 117       |
| 50 | Results of a preclinical randomized controlled multicenter trial (pRCT): Anti-CD49d treatment for acute brain ischemia. <i>Science Translational Medicine</i> , 2015, 7, 299ra121.     | 12.4 | 207       |
| 51 | Neuroprotection in acute brain injury: an up-to-date review. <i>Critical Care</i> , 2015, 19, 186.   | 5.8  | 120       |
| 52 | Intracranial Pressure After Subarachnoid Hemorrhage*. <i>Critical Care Medicine</i> , 2015, 43, 168-176.   | 0.9  | 117       |
| 53 | Ficolin-3-mediated lectin complement pathway activation in patients with subarachnoid hemorrhage. <i>Neurology</i> , 2014, 82, 126-134.  | 1.1  | 29        |
| 54 | Bone Marrow Mesenchymal Stromal Cells Drive Protective M2 Microglia Polarization After Brain Trauma. <i>Neurotherapeutics</i> , 2014, 11, 679-695.                                     | 4.4  | 140       |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 55 | Immunosuppression does not affect human bone marrow mesenchymal stromal cell efficacy after transplantation in traumatized mice brain. <i>Neuropharmacology</i> , 2014, 79, 119-126.               | 4.1 | 44        |
| 56 | Versatility of the complement system in neuroinflammation, neurodegeneration and brain homeostasis. <i>Frontiers in Cellular Neuroscience</i> , 2014, 8, 380.                                      | 3.7 | 171       |
| 57 | Six-Month Ischemic Mice Show Sensorimotor and Cognitive Deficits Associated with Brain Atrophy and Axonal Disorganization. <i>CNS Neuroscience and Therapeutics</i> , 2013, 19, 695-704.           | 3.9 | 17        |
| 58 | Changes of the GPR17 receptor, a new target for neurorepair, in neurons and glial cells in patients with traumatic brain injury. <i>Purinergic Signalling</i> , 2013, 9, 451-462.                  | 2.2 | 54        |
| 59 | Heart-fatty acid-binding and tau proteins relate to brain injury severity and long-term outcome in subarachnoid haemorrhage patients. <i>British Journal of Anaesthesia</i> , 2013, 111, 424-432.  | 3.4 | 29        |
| 60 | Tumor Necrosis Factor in Traumatic Brain Injury: Effects of Genetic Deletion of p55 or p75 Receptor. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2013, 33, 1182-1189.                   | 4.3 | 62        |
| 61 | Ficolin-3 mediated lectin complement pathway activation is related to pathology and outcome in subarachnoid haemorrhage patients. <i>Molecular Immunology</i> , 2013, 56, 276-277.                 | 2.2 | 0         |
| 62 | The Genetics of Small-Vessel Disease. <i>Current Medicinal Chemistry</i> , 2012, 19, 4124-4141.  | 2.4 | 14        |
| 63 | Targeting Mannose-Binding Lectin Confers Long-Lasting Protection With a Surprisingly Wide Therapeutic Window in Cerebral Ischemia. <i>Circulation</i> , 2012, 126, 1484-1494.                      | 1.6 | 119       |
| 64 | Mannose-binding lectin and lectin pathway in subarachnoid hemorrhage patients. <i>Immunobiology</i> , 2012, 217, 1185.   | 1.9 | 0         |
| 65 | Targeting MBL in cerebral ischemia induces long lasting protection with a wide therapeutic window. <i>Immunobiology</i> , 2012, 217, 1207.   | 1.9 | 0         |
| 66 | Human umbilical cord blood mesenchymal stem cells protect mice brain after trauma*. <i>Critical Care Medicine</i> , 2011, 39, 2501-2510.   | 0.9 | 130       |
| 67 | Mannose binding lectin as a target for cerebral ischemic injury. <i>Molecular Immunology</i> , 2011, 48, 1677.   | 2.2 | 2         |
| 68 | Cerebrospinal fluid pentraxin 3 early after subarachnoid hemorrhage is associated with vasospasm. <i>Intensive Care Medicine</i> , 2011, 37, 302-309.  | 8.2 | 25        |
| 69 | Glial Cells Drive Preconditioning-Induced Blood-Brain Barrier Protection. <i>Stroke</i> , 2011, 42, 1445-1453.   | 2.0 | 44        |
| 70 | Neurofilament light chain levels in ventricular cerebrospinal fluid after acute aneurysmal subarachnoid haemorrhage. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2011, 82, 157-159. | 1.9 | 48        |
| 71 | C1-inhibitor attenuates neurobehavioral deficits and reduces contusion volume after controlled cortical impact brain injury in mice*. <i>Critical Care Medicine</i> , 2009, 37, 659-665.           | 0.9 | 116       |
| 72 | Recombinant C1 inhibitor in brain ischemic injury. <i>Annals of Neurology</i> , 2009, 66, 332-342.   | 5.3 | 107       |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 73 | c-Jun N-Terminal Kinase Pathway Activation in Human and Experimental Cerebral Contusion. <i>Journal of Neuropathology and Experimental Neurology</i> , 2009, 68, 964-971.                     | 1.7 | 38        |
| 74 | Vascular Issues in Neurodegeneration and Injury. , 2009, , 33-41.   |     | 0         |
| 75 | Refractory intracranial hypertension and "second-tier" therapies in traumatic brain injury. <i>Intensive Care Medicine</i> , 2008, 34, 461-467.   | 8.2 | 110       |
| 76 | Increased levels of CSF heart-type fatty acid-binding protein and tau protein after aneurysmal subarachnoid hemorrhage. <i>Acta Neurochirurgica Supplementum</i> , 2008, 102, 339-343.        | 1.0 | 18        |
| 77 | Neuroprotective effect of C1-inhibitor following traumatic brain injury in mice. <i>Acta Neurochirurgica Supplementum</i> , 2008, 102, 381-384.   | 1.0 | 17        |
| 78 | Effect of traumatic brain injury on cognitive function in mice lacking p55 and p75 tumor necrosis factor receptors. <i>Acta Neurochirurgica Supplementum</i> , 2008, 102, 409-413.            | 1.0 | 20        |
| 79 | Intracranial pressure monitoring for traumatic brain injury: available evidence and clinical implications. <i>Minerva Anestesiologica</i> , 2008, 74, 197-203.                                | 1.0 | 9         |
| 80 | Hypothermia for brain protection in the non-cardiac arrest patient. <i>Minerva Anestesiologica</i> , 2008, 74, 315-8.   | 1.0 | 2         |
| 81 | Time Course of Intracranial Hypertension after Traumatic Brain Injury. <i>Journal of Neurotrauma</i> , 2007, 24, 1339-1346.   | 3.4 | 95        |
| 82 | Intracranial pressure monitoring in intensive care: clinical advantages of a computerized system over manual recording. <i>Critical Care</i> , 2007, 11, R7.                                  | 5.8 | 38        |
| 83 | Monitoring brain tissue oxygen tension in brain-injured patients reveals hypoxic episodes in normal-appearing and in peri-focal tissue. <i>Intensive Care Medicine</i> , 2007, 33, 2136-2142. | 8.2 | 105       |
| 84 | Comment on "Levels of vancomycin in the cerebral interstitial fluid after severe head injury" by Caricato et al.. <i>Intensive Care Medicine</i> , 2006, 32, 1096-1096.                       | 8.2 | 0         |
| 85 | The ratio between arterio-venous PCO2 difference and arterio-jugular oxygen difference as estimator of critical cerebral hypoperfusion. <i>Minerva Anestesiologica</i> , 2006, 72, 543-9.     | 1.0 | 2         |
| 86 | Oxygen and Carbon Dioxide in the Cerebral Circulation during Progression to Brain Death. <i>Anesthesiology</i> , 2005, 103, 957-961.  | 2.5 | 17        |
| 87 | Impact of pyrexia on neurochemistry and cerebral oxygenation after acute brain injury. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2005, 76, 1135-1139.                        | 1.9 | 66        |
| 88 | Stem cell transplantation as a therapeutic strategy for traumatic brain injury. <i>Transplant Immunology</i> , 2005, 15, 143-148.   | 1.2 | 49        |
| 89 | Arterio-Jugular Difference of Oxygen Content and Outcome After Head Injury. <i>Anesthesia and Analgesia</i> , 2004, 99, 230-234.  | 2.2 | 37        |
| 90 | Head injury, subarachnoid hemorrhage and intracranial pressure monitoring in Italy. <i>Acta Neurochirurgica</i> , 2003, 145, 761-765.   | 1.7 | 11        |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 91 | Metabolic, Neurochemical, and Histologic Responses to Vibrissa Motor Cortex Stimulation after Traumatic Brain Injury. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2003, 23, 900-910. | 4.3 | 50        |
| 92 | Increased Hippocampal CA3 Vulnerability to Low-Level Kainic Acid following Lateral Fluid Percussion Injury. <i>Journal of Neurotrauma</i> , 2003, 20, 409-420.                                  | 3.4 | 62        |
| 93 | Pyrexia in head-injured patients admitted to intensive care. <i>Intensive Care Medicine</i> , 2002, 28, 1555-1562.  | 8.2 | 159       |
| 94 | Cerebral Venous-Arterial pCO <sub>2</sub> Difference as an Estimator of Uncompensated Cerebral Hypoperfusion. , 2002, 81, 201-204.  |     | 8         |
| 95 | Brain Oxygen Tension, Oxygen Supply, and Oxygen Consumption During Arterial Hyperoxia in a Model of Progressive Cerebral Ischemia. <i>Journal of Neurotrauma</i> , 2001, 18, 163-174.           | 3.4 | 31        |
| 96 | Brain temperature, body core temperature, and intracranial pressure in acute cerebral damage. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2001, 71, 448-454.                     | 1.9 | 252       |