Simon G Haberle

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/384078/publications.pdf

Version: 2024-02-01

145 papers 7,598 citations

66343 42 h-index 82 g-index

153 all docs

153 docs citations

times ranked

153

7247 citing authors

#	Article	IF	CITATIONS
1	Changes in fire regimes since the Last Glacial Maximum: an assessment based on a global synthesis and analysis of charcoal data. Climate Dynamics, 2008, 30, 887-907.	3.8	590
2	Origins of Agriculture at Kuk Swamp in the Highlands of New Guinea. Science, 2003, 301, 189-193.	12.6	447
3	Past and future global transformation of terrestrial ecosystems under climate change. Science, 2018, 361, 920-923.	12.6	307
4	Post-glacial evolution of the Indo-Pacific Warm Pool and El Niño-Southern oscillation. Quaternary International, 2004, 118-119, 127-143.	1.5	295
5	Biogeography of the Australian monsoon tropics. Journal of Biogeography, 2010, 37, 201-216.	3.0	277
6	The Aftermath of Megafaunal Extinction: Ecosystem Transformation in Pleistocene Australia. Science, 2012, 335, 1483-1486.	12.6	259
7	Late Quaternary fire regimes of Australasia. Quaternary Science Reviews, 2011, 30, 28-46.	3.0	249
8	Late Quaternary Vegetation and Climate Change in the Amazon Basin Based on a 50,000 Year Pollen Record from the Amazon Fan, ODP Site 932. Quaternary Research, 1999, 51, 27-38.	1.7	217
9	Predictability of biomass burning in response to climate changes. Global Biogeochemical Cycles, 2012, 26, .	4.9	201
10	Holocene biomass burning and global dynamics of the carbon cycle. Chemosphere, 2002, 49, 845-863.	8.2	198
11	The Last Glacial-Holocene Transition in Southern Chile. Science, 2000, 290, 325-328.	12.6	169
12	Latest Pleistocene and Holocene vegetation and climate history inferred from an alpine lacustrine record, northwestern Yunnan Province, southwestern China. Quaternary Science Reviews, 2014, 86, 35-48.	3.0	166
13	Biomass burning in Indonesia and Papua New Guinea: natural and human induced fire events in the fossil record. Palaeogeography, Palaeoclimatology, Palaeoecology, 2001, 171, 259-268.	2.3	154
14	Palaeoenvironmental change in tropical Australasia over the last 30,000 years – a synthesis by the OZ-INTIMATE group. Quaternary Science Reviews, 2013, 74, 97-114.	3.0	142
15	Pollen-based reconstructions of biome distributions for Australia, Southeast Asia and the Pacific (SEAPAC region) at 0, 6000 and 18,000 14C yr BP. Journal of Biogeography, 2004, 31, 1381-1444.	3.0	140
16	Global acceleration in rates of vegetation change over the past $18,000$ years. Science, $2021,372,860-864$.	12.6	136
17	A conceptual framework for predicting temperate ecosystem sensitivity to human impacts on fire regimes. Global Ecology and Biogeography, 2013, 22, 900-912.	5 . 8	128
18	New evidence and revised interpretations of early agriculture in Highland New Guinea. Antiquity, 2004, 78, 839-857.	1.0	124

#	Article	IF	Citations
19	A 23,000-yr Pollen Record from Lake Euramoo, Wet Tropics of NE Queensland, Australia. Quaternary Research, 2005, 64, 343-356.	1.7	119
20	Correlations Among Charcoal Records of Fires from the Past 16,000 Years in Indonesia, Papua New Guinea, and Central and South America. Quaternary Research, 2001, 55, 97-104.	1.7	111
21	Vegetation and fire history during the last 18,000Âcal yr B.P. in Southern Patagonia: MallÃn Pollux, Coyhaique, Province Aisén (45ð41′30″ S, 71ð50′30″ W, 640Âm elevation). Palaeogeography, Pa Palaeoecology, 2007, 254, 492-507.	lae z.d imat	olagy,
22	Pollen evidence for the transition of the Eastern Australian climate system from the post-glacial to the present-day ENSO mode. Quaternary Science Reviews, 2007, 26, 1621-1637.	3.0	97
23	Effect of altitude on the carbon-isotope composition of forest and grassland soils from Papua New Guinea. Global Biogeochemical Cycles, 1994, 8, 13-22.	4.9	94
24	Climates of change: human dimensions of Holocene environmental change in low latitudes of the PEPII transect. Quaternary International, 2004, 118-119, 165-179.	1.5	84
25	Integration of ice-core, marine and terrestrial records for the Australian Last Glacial Maximum and Termination: a contribution from the OZ INTIMATE group. Journal of Quaternary Science, 2006, 21, 751-761.	2.1	81
26	The human dimension of biodiversity changes on islands. Science, 2021, 372, 488-491.	12.6	81
27	Postglacial formation and dynamics of North Patagonian Rainforest in the Chonos Archipelago, Southern Chile. Quaternary Science Reviews, 2004, 23, 2433-2452.	3.0	76
28	Late Quaternary vegetation change in the Tari Basin, Papua New Guinea. Palaeogeography, Palaeoecology, 1998, 137, 1-24.	2.3	72
29	A fireâ€driven shift from forest to nonâ€forest: evidence for alternative stable states?. Ecology, 2014, 95, 2504-2513.	3.2	70
30	Vegetation, fire, and climate history during the last 18 500 cal a BP in southâ€western Yunnan Province, China. Journal of Quaternary Science, 2015, 30, 859-869.	2.1	69
31	Environmental Change in the Baliem Valley, Montane Irian Jaya, Republic of Indonesia. Journal of Biogeography, 1991, 18, 25.	3.0	67
32	The legacy of midâ€Holocene fire on a Tasmanian montane landscape. Journal of Biogeography, 2014, 41, 476-488.	3.0	61
33	Age and origin of tephras recorded in postglacial lake sediments to the west of the southern Andes, 44°S to 47°S. Journal of Volcanology and Geothermal Research, 1998, 84, 239-256.	2.1	59
34	Vegetation, climate and human impact since 20 ka in central Yunnan Province based on high-resolution pollen and charcoal records from Dianchi, southwestern China. Quaternary Science Reviews, 2020, 236, 106297.	3.0	58
35	The Macroecology of Airborne Pollen in Australian and New Zealand Urban Areas. PLoS ONE, 2014, 9, e97925.	2.5	58
36	Improved assessment of pyrogenic carbon quantity and quality in environmental samples by high-performance liquid chromatography. Journal of Chromatography A, 2013, 1304, 246-250.	3.7	57

#	Article	IF	CITATIONS
37	New evidence of megafaunal bone damage indicates late colonization of Madagascar. PLoS ONE, 2018, 13, e0204368.	2.5	55
38	Agricultural emergence and transformation in the Upper Wahgi valley, Papua New Guinea, during the Holocene: theory, method and practice. Holocene, 2008, 18, 481-496.	1.7	54
39	Prehistoric human impact on rainforest biodiversity in highland New Guinea. Philosophical Transactions of the Royal Society B: Biological Sciences, 2007, 362, 219-228.	4.0	49
40	New evidence on deglacial climatic variability from an alpine lacustrine record in northwestern Yunnan Province, southwestern China. Palaeogeography, Palaeoclimatology, Palaeoecology, 2014, 406, 9-21.	2.3	49
41	Dynamics of North Patagonian rainforests from fine-resolution pollen, charcoal and tree-ring analysis, Chonos Archipelago, Southern Chile. Austral Ecology, 2003, 28, 413-422.	1.5	47
42	Disruption of cultural burning promotes shrub encroachment and unprecedented wildfires. Frontiers in Ecology and the Environment, 2022, 20, 292-300.	4.0	46
43	Badu 15 and the Papuanâ€Austronesian settlement of Torres Strait. Archaeology in Oceania, 2004, 39, 65-78.	0.7	45
44	Differences in grass pollen allergen exposure across Australia. Australian and New Zealand Journal of Public Health, 2015, 39, 51-55.	1.8	42
45	Evidence of Holocene climatic change and human impact in northwestern Yunnan Province: High-resolution pollen and charcoal records from Chenghai Lake, southwestern China. Holocene, 2018, 28, 127-139.	1.7	42
46	The dynamics of chironomid assemblages and vegetation during the Late Quaternary at Laguna Facil, Chonos Archipelago, southern Chile. Quaternary Science Reviews, 2005, 24, 2510-2522.	3.0	40
47	Using dung fungi to interpret decline and extinction ofÂmegaherbivores: problems and solutions. Quaternary Science Reviews, 2015, 110, 107-113.	3.0	39
48	Trans-disciplinary research in synthesis of grass pollen aerobiology and its importance for respiratory health in Australasia. Science of the Total Environment, 2015, 534, 85-96.	8.0	38
49	Dynamic ecological observations from satellites inform aerobiology of allergenic grass pollen. Science of the Total Environment, 2018, 633, 441-451.	8.0	37
50	The palaeoenvironments of Kuk Swamp from the beginnings of agriculture in the highlands of Papua New Guinea. Quaternary International, 2012, 249, 129-139.	1.5	35
51	Regional and seasonal variation in airborne grass pollen levels between cities of Australia and New Zealand. Aerobiologia, 2016, 32, 289-302.	1.7	34
52	Mid-Holocene Development of Mangrove Communities Featuring Rhizophoraceae and Geomorphic Change in the Richmond River Estuary, New South Wales, Australia. Geographical Research, 2006, 44, 63-76.	1.8	32
53	Using Tree Rings to Track Atmospheric Mercury Pollution in Australia: The Legacy of Mining in Tasmania. Environmental Science & Environmental Science	10.0	32
54	Stochastic models support rapid peopling of Late Pleistocene Sahul. Nature Communications, 2021, 12, 2440.	12.8	32

#	Article	IF	CITATIONS
55	Postglacial fire history and interactions with vegetation and climate in southwestern Yunnan Province of China. Climate of the Past, 2017, 13, 613-627.	3.4	31
56	The emergence of an agricultural landscape in the highlands of New Guinea. Archaeology in Oceania, 2003, 38, 149-158.	0.7	30
57	Earliest Olduvai hominins exploited unstable environments ~ 2 million years ago. Nature Communications, 2021, 12, 3.	12.8	30
58	Archaeobotany in Australia and New Guinea: Practice, Potential and Prospects. Australian Archaeology, 2009, 68, 1-10.	0.6	29
59	Late Holocene spread of pastoralism coincides with endemic megafaunal extinction on Madagascar. Proceedings of the Royal Society B: Biological Sciences, 2021, 288, 20211204.	2.6	29
60	The impact of European occupation on terrestrial and aquatic ecosystem dynamics in an Australian tropical rain forest. Journal of Ecology, 2006, 94, 987-1002.	4.0	28
61	Fire history in western Patagonia from paired tree-ring fire-scar and charcoal records. Climate of the Past, 2012, 8, 451-466.	3.4	28
62	A landscape vulnerability framework for identifying integrated conservation and adaptation pathways to climate change: the case of Madagascar's spiny forest. Landscape Ecology, 2016, 31, 637-654.	4.2	28
63	Climate change reduces resilience to fire in subalpine rainforests. Global Change Biology, 2019, 25, 2030-2042.	9.5	27
64	Vegetation and climate changes during the last 22,000yr from a marine core near Taitao Peninsula, southern Chile. Palaeogeography, Palaeoclimatology, Palaeoecology, 2013, 369, 335-348.	2.3	26
65	A 17,000-Year-Long Record of Vegetation and Fire from Cradle Mountain National Park, Tasmania. Frontiers in Ecology and Evolution, 2016, 4, .	2.2	26
66	Pollen analysis of Australian honey. PLoS ONE, 2018, 13, e0197545.	2.5	26
67	Aborigineâ€managed forest, savanna and grassland: biome switching in montane eastern Australia. Journal of Biogeography, 2014, 41, 1492-1505.	3.0	25
68	Geographic variation in the ecological effects of extinction of Australia's Pleistocene megafauna. Ecography, 2016, 39, 109-116.	4.5	24
69	Dating the evidence for agricultural change in the highlands of New Guinea: The last 2000 years. Australian Archaeology, 1998, 47, 1-19.	0.6	23
70	Late quaternary vegetation dynamics and human impact on Alexander Selkirk Island, Chile. Journal of Biogeography, 2003, 30, 239-255.	3.0	23
71	A Holocene record of coastal landscape dynamics in the eastern Kimberley region, Australia. Journal of Quaternary Science, 2014, 29, 163-174.	2.1	23
72	A new late Quaternary palaeohydrological record from the humid tropics of northeastern Australia. Palaeogeography, Palaeoclimatology, Palaeoecology, 2016, 451, 164-182.	2.3	23

#	Article	IF	Citations
73	Late Holocene vegetation dynamics and lake geochemistry at Laguna Miranda, XI Region, Chile. Revista Chilena De Historia Natural, 2000, 73, 655.	1.2	22
74	Paleotemperature Estimates for the Lowland Americas Between $30 \hat{A}^\circ S$ and $30 \hat{A}^\circ N$ at the Last Glacial Maximum. , 2001 , , 293 - 306 .		22
75	Reconsidering Precolumbian Human Colonization in the Gal $ ilde{A}_i$ pagos Islands, Republic of Ecuador. Latin American Antiquity, 2016, 27, 169-183.	0.6	22
76	Paleoclimate studies and natural-resource management in the Murray-Darling Basin II: unravelling human impacts and climate variability. Australian Journal of Earth Sciences, 2013, 60, 561-571.	1.0	21
77	Palaeoenvironmental changes in the eastern highlands of Papua New Guinea. Archaeology in Oceania, 1996, 31, 1-11.	0.7	20
78	Fire regime and vegetation change in the transition from Aboriginal to European land management in a Tasmanian eucalypt savanna. Australian Journal of Botany, 2016, 64, 427.	0.6	20
79	Aboriginal impacts on fire and vegetation on a Tasmanian island. Journal of Biogeography, 2017, 44, 1319-1330.	3.0	20
80	Southward Shift of the Pacific ITCZ During the Holocene. Paleoceanography and Paleoclimatology, 2018, 33, 1383-1395.	2.9	20
81	Longâ€term drivers of vegetation turnover in Southern Hemisphere temperate ecosystems. Global Ecology and Biogeography, 2021, 30, 557-571.	5.8	20
82	Humification in northeast Australia: Dating millennial and centennial scale climate variability in the late Holocene. Holocene, 2014, 24, 1707-1718.	1.7	19
83	How significant is atmospheric metal contamination from mining activity adjacent to the Tasmanian Wilderness World Heritage Area? A spatial analysis of metal concentrations using air trajectories models. Science of the Total Environment, 2019, 656, 250-260.	8.0	19
84	Paradise burnt: How colonizing humans transform landscapes with fire. Proceedings of the National Academy of Sciences of the United States of America, 2010, 107, 21234-21235.	7.1	17
85	Island ecosystem and biodiversity dynamics in northeastern Australia during the Holocene: Unravelling short-term impacts and long-term drivers. Holocene, 2012, 22, 1097-1111.	1.7	17
86	Seasonal distribution of pollen in the atmosphere of Darwin, tropical Australia: Preliminary results. Grana, 2007, 46, 34-42.	0.8	16
87	Historic fuel wood use in the $Gal\tilde{A}_i$ pagos Islands: identification of charred remains. Vegetation History and Archaeobotany, 2010, 19, 207-217.	2.1	16
88	Climateâ€driven shifts in the distribution of koalaâ€browse species from the Last Interglacial to the near future. Ecography, 2019, 42, 1587-1599.	4.5	16
89	Crowd-sourced allergic rhinitis symptom data: The influence of environmental and demographic factors. Science of the Total Environment, 2020, 705, 135147.	8.0	16
90	Using crowd-sourced allergic rhinitis symptom data to improve grass pollen forecasts and predict individual symptoms. Science of the Total Environment, 2020, 720, 137351.	8.0	16

#	Article	IF	Citations
91	Human impacts and Anthropocene environmental change at Lake Kutubu, a Ramsar wetland in Papua New Guinea. Proceedings of the National Academy of Sciences of the United States of America, 2021, 118, .	7.1	16
92	Mercury atmospheric emission, deposition and isotopic fingerprinting from major coal-fired power plants in Australia: Insights from palaeo-environmental analysis from sediment cores. Environmental Pollution, 2021, 287, 117596.	7.5	16
93	Paleofire in the wet tropics of northeast Queensland, Australia. PAGES News, 2010, 18, 78-80.	0.1	16
94	Explanations for palaeoecological changes on the northern plains of Guadalcanal, Solomon Islands: the last 3200 years. Holocene, 1996, 6, 333-338.	1.7	15
95	Fire and vegetation change during the Early Pleistocene in southeastern Australia. Journal of Quaternary Science, 2012, 27, 307-317.	2.1	15
96	Rapid global ocean-atmosphere response to Southern Ocean freshening during the last glacial. Nature Communications, 2017, 8, 520.	12.8	15
97	A pollen–climate calibration from western Patagonia for palaeoclimatic reconstructions. Journal of Quaternary Science, 2019, 34, 76-86.	2.1	15
98	Environmental changes in the northâ€east Sunda region over the last 40 000 years. Journal of Quaternary Science, 2019, 34, 245-257.	2.1	14
99	Late Holocene climate anomaly concurrent with fire activity and ecosystem shifts in the eastern Australian Highlands. Science of the Total Environment, 2022, 802, 149542.	8.0	14
100	Pollen Image Classification Using the Classifynder System: Algorithm Comparison and a Case Study on New Zealand Honey. Advances in Experimental Medicine and Biology, 2015, 823, 207-226.	1.6	14
101	Late-glacial and Holocene records of fire and vegetation from Cradle Mountain National Park, Tasmania, Australia. Quaternary Science Reviews, 2017, 177, 57-77.	3.0	13
102	Holocene Dynamics of Temperate Rainforests in West-Central Patagonia. Frontiers in Ecology and Evolution, $2018, 5, .$	2.2	12
103	Evaluating the Radiocarbon Reservoir Effect in Lake Kutubu, Papua New Guinea. Radiocarbon, 2019, 61, 287-308.	1.8	12
104	Micro Methods for Megafauna: Novel Approaches to Late Quaternary Extinctions and Their Contributions to Faunal Conservation in the Anthropocene. BioScience, 2019, 69, 877-887.	4.9	11
105	Smallest Late Pleistocene inhabited island in Australasia reveals the impact of post-glacial sea-level rise on human behaviour from 17,000 years ago. Quaternary Science Reviews, 2020, 245, 106522.	3.0	11
106	Indigenous Fire-Managed Landscapes in Southeast Australia during the Holocene—New Insights from the Furneaux Group Islands, Bass Strait. Fire, 2021, 4, 17.	2.8	11
107	Ecological Consequences of a Millennium of Introduced Dogs on Madagascar. Frontiers in Ecology and Evolution, 2021, 9, .	2.2	11
108	Historicising The Present: Late Holocene Emergence of a Rainforest Hunting Camp, Gulf Province, Papua New Guinea. Australian Archaeology, 2010, 71, 41-56.	0.6	10

#	Article	IF	CITATIONS
109	Assessing environmental contamination from metal emission and relevant regulations in major areas of coal mining and electricity generation in Australia. Science of the Total Environment, 2020, 728, 137398.	8.0	10
110	The pollen record from marine core MD03-2607 from offshore Kangaroo Island spanning the last 125 ka; implications for vegetation changes across the Murray-Darling Basin. Australian Journal of Earth Sciences, 2021, 68, 928-951.	1.0	9
111	Seasonal pollen distribution in the atmosphere of Hobart, Tasmania: preliminary observations and congruence with flowering phenology. Australian Journal of Botany, 2010, 58, 440.	0.6	9
112	Frontier Lapita interaction with resident Papuan populations set the stage for initial peopling of the Pacific. Nature Ecology and Evolution, 2022, 6, 802-812.	7.8	9
113	History of human impact on Lake Kutubu, Papua New Guinea: The geochemical signatures of oil and gas mining activities in sediments. Chemosphere, 2016, 148, 369-379.	8.2	8
114	Stratigraphy, age and correlation of two widespread Late Holocene tephras preserved within Lake Kutubu, Southern Highlands Province, Papua New Guinea. Journal of Quaternary Science, 2017, 32, 782-794.	2.1	8
115	Holocene heathland development in temperate oceanic Southern Hemisphere: Key drivers in a global context. Journal of Biogeography, 2021, 48, 1048-1062.	3.0	8
116	Environmental change during the last glacial on an ancient land bridge of southeast Australia. Journal of Biogeography, 2021, 48, 2946-2960.	3.0	8
117	The AusPollen partnership project: Allergenic airborne grass pollen seasonality and magnitude across temperate and subtropical eastern Australia, 2016–2020. Environmental Research, 2022, 214, 113762.	7. 5	8
118	A comparison of classification algorithms within the Classifynder pollen imaging system. AIP Conference Proceedings, 2013, , .	0.4	6
119	Forgotten impacts of European landâ€use on riparian and savanna vegetation in northwest Australia. Journal of Vegetation Science, 2018, 29, 427-437.	2.2	6
120	Regional and seasonal variation of airborne pollen and spores among the cities of South China. Acta Ecologica Sinica, 2020, 40, 283-295.	1.9	6
121	Palaeochannels of Australia's Riverine Plain - Reconstructing past vegetation environments across the Late Pleistocene and Holocene. Palaeogeography, Palaeoclimatology, Palaeoecology, 2020, 545, 109533.	2.3	6
122	Effects of climate variability on mercury deposition during the Older Dryas and Younger Dryas in the Venezuelan Andes. Journal of Paleolimnology, 2020, 63, 211-224.	1.6	6
123	European colonization and the emergence of novel fire regimes in southeast Australia. Infrastructure Asset Management, 2022, 9, 537-549.	1.6	6
124	Myrtaceae pollen morphology study from Bass Strait islands, Australia, is effective in separating region-specific fossil Myrtaceae pollen types. Review of Palaeobotany and Palynology, 2020, 281, 104273.	1.5	5
125	Assessing Long-Term Ecological Changes in Wetlands of the Bass Strait Islands, Southeast Australia: Palaeoecological Insights and Management Implications. Wetlands, 2021, 41, 1.	1.5	5
126	Background concentrations of mercury in Australian freshwater sediments: The effect of catchment characteristics on mercury deposition. Elementa, 2020, 8, .	3.2	5

#	Article	IF	CITATIONS
127	Colonialism and the environment: The pollution legacy of the Southern Hemisphere's largest copper mine in the 20th century. Infrastructure Asset Management, 2020, , 205301962096813.	1.6	4
128	The spatial legacy of Australian mercury contamination in the sediment of the Molonglo River. Elementa, 2020, 8, .	3.2	4
129	Coastal erosion reveals a potentially unique Oligocene and possible periglacial sequence at present-day sea level in Port Davey, remote South-West Tasmania. Papers and Proceedings - Royal Society of Tasmania, 2014, 148, 43-59.	0.2	4
130	Pollen–insect interaction metaâ€networks identify key relationships for conservation in mosaic agricultural landscapes. Ecological Applications, 2022, 32, e2537.	3.8	4
131	A Late Holocene palaeoenvironmental reconstruction of Ulong Island, Palau, from starch grain, charcoal, and geochemistry analyses. Journal of Archaeological Science: Reports, 2018, 22, 248-256.	0.5	3
132	Rainforest, woodland or swampland? Integrating time, space and culture to manage an endangered ecosystem complex in the Australian Wet Tropics. Landscape Ecology, 2020, 35, 83-99.	4.2	3
133	Juan Fernandez Islands. , 2019, , 507-509.		3
134	Can we infer vegetation change from peat carbon and nitrogen content? A palaeoecological test from Tasmania, Australia. Holocene, 2015, 25, 1802-1810.	1.7	2
135	Modern pollen from small hollows reflects <i>Athrotaxis cupressoides</i> density across a wildfire gradient in subalpine forests of the Central Plateau, Tasmania, Australia. Holocene, 2017, 27, 1781-1788.	1.7	2
136	A first look at oxygen isotope records from modern and Holoceneâ€aged gastropod (<i>Stenomelania</i>) shells from Lake Kutubu, Papua New Guinea. Journal of Quaternary Science, 2020, 35, 457-464.	2.1	2
137	A quantitative synthesis of Holocene vegetation change in Nigeria (Western Africa). Holocene, 2021, 31, 1681-1689.	1.7	2
138	Introduction: Tropical palaeoecology and global change. Global Change Biology, 2010, 16, 1645-1646.	9.5	1
139	Assessment of pollen assemblages from the hives of <i>Tetragonula carbonaria</i> for the presence of the threatened species <i>Grevillea parviflora</i> subsp. <i>parviflora</i> . Journal of Pollination Ecology, 0, 18, 23-30.	0.5	1
140	Wetland Archaeology in the Highlands of New Guinea. , 2012, , .		1
141	Longâ€ŧerm drivers and timing of accelerated vegetation changes in African biomes and their management implications. Global Ecology and Biogeography, 0, , .	5.8	1
142	A. Keast & S. E. Miller (eds) 1996. The origin and evolution of Pacific island biotas, New Guinea to eastern Polynesia: patterns and processes. SPB Academic Publishing, Amsterdam, The Netherlands. vi + 531 pages. ISBN 90-5103-136-X Price US\$228.50 (hardback). Journal of Tropical Ecology, 1997, 13, 893-893.	1.1	0
143	Can Real-Time Knowledge of Environmental Conditions Improve Health?. ISEE Conference Abstracts, 2018, 2017, 393.	0.0	0
144	Editorial: Early Human Colonization of Remote Indian Ocean Islands and Its Ecological Impacts. Frontiers in Ecology and Evolution, 0, 10 , .	2.2	0

#	Article	IF	CITATIONS
145	Demonstrating the potential of amberat middens for understanding late Quaternary palaeoenvironments in the Central Pilbara, western Australia. Quaternary International, 2022, , .	1.5	o 0