Carrol Gamble

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3842368/publications.pdf

Version: 2024-02-01

38720 15,717 158 50 citations h-index papers

g-index 163 163 163 24518 docs citations times ranked citing authors all docs

18633

119

#	Article	IF	CITATIONS
1	Features of 20 133 UK patients in hospital with covid-19 using the ISARIC WHO Clinical Characterisation Protocol: prospective observational cohort study. BMJ, The, 2020, 369, m1985.	3.0	2,474
2	Systematic Review of the Empirical Evidence of Study Publication Bias and Outcome Reporting Bias. PLoS ONE, 2008, 3, e3081.	1.1	1,142
3	The impact of outcome reporting bias in randomised controlled trials on a cohort of systematic reviews. BMJ: British Medical Journal, 2010, 340, c365-c365.	2.4	896
4	The SANAD study of effectiveness of carbamazepine, gabapentin, lamotrigine, oxcarbazepine, or topiramate for treatment of partial epilepsy: an unblinded randomised controlled trial. Lancet, The, 2007, 369, 1000-1015.	6.3	873
5	The SANAD study of effectiveness of valproate, lamotrigine, or topiramate for generalised and unclassifiable epilepsy: an unblinded randomised controlled trial. Lancet, The, 2007, 369, 1016-1026.	6.3	850
6	Systematic Review of the Empirical Evidence of Study Publication Bias and Outcome Reporting Bias — An Updated Review. PLoS ONE, 2013, 8, e66844.	1.1	783
7	Risk stratification of patients admitted to hospital with covid-19 using the ISARIC WHO Clinical Characterisation Protocol: development and validation of the 4C Mortality Score. BMJ, The, 2020, 370, m3339.	3.0	779
8	Immediate versus deferred antiepileptic drug treatment for early epilepsy and single seizures: a randomised controlled trial. Lancet, The, 2005, 365, 2007-2013.	6.3	369
9	Prospective multicentre randomised, double-blind, equivalence study comparing clonidine and midazolam as intravenous sedative agents in critically ill children: the SLEEPS (Safety profile, Efficacy) Tj ETQq1 1 1-212.	0,784314 1.3	rgBT /Overli
10	Guidelines for the Content of Statistical Analysis Plans in Clinical Trials. JAMA - Journal of the American Medical Association, 2017, 318, 2337.	3.8	290
11	Interventions to improve recruitment and retention in clinical trials: a survey and workshop to assess current practice and future priorities. Trials, 2014, 15, 399.	0.7	279
12	Informing efficient randomised controlled trials: exploration of challenges in developing progression criteria for internal pilot studies. BMJ Open, 2017, 7, e013537.	0.8	239
13	Uncertainty method improved on best–worst case analysis in a binary meta-analysis. Journal of Clinical Epidemiology, 2005, 58, 579-588.	2.4	236
14	Co-infections, secondary infections, and antimicrobial use in patients hospitalised with COVID-19 during the first pandemic wave from the ISARIC WHO CCP-UK study: a multicentre, prospective cohort study. Lancet Microbe, The, 2021, 2, e354-e365.	3.4	216
15	Public Knowledge, Private Grief: A Study of Public Attitudes to Epilepsy in the United Kingdom and Implications for Stigma. Epilepsia, 2004, 45, 1405-1415.	2.6	183
16	Outcome of Hospitalization for COVID-19 in Patients with Interstitial Lung Disease. An International Multicenter Study. American Journal of Respiratory and Critical Care Medicine, 2020, 202, 1656-1665.	2.5	171
17	Melatonin for sleep problems in children with neurodevelopmental disorders: randomised double masked placebo controlled trial. BMJ, The, 2012, 345, e6664-e6664.	3.0	165
18	The ROAM/EORTC-1308 trial: Radiation versus Observation following surgical resection of Atypical Meningioma: study protocol for a randomised controlled trial. Trials, 2015, 16, 519.	0.7	165

#	Article	IF	Citations
19	Outcome selection bias in meta-analysis. Statistical Methods in Medical Research, 2005, 14, 515-524.	0.7	164
20	Inflammatory profiles across the spectrum of disease reveal a distinct role for GM-CSF in severe COVID-19. Science Immunology, 2021, 6, .	5 . 6	161
21	Development and validation of the ISARIC 4C Deterioration model for adults hospitalised with COVID-19: a prospective cohort study. Lancet Respiratory Medicine, the, 2021, 9, 349-359.	5.2	161
22	Levetiracetam versus phenytoin for second-line treatment of paediatric convulsive status epilepticus (EcLiPSE): a multicentre, open-label, randomised trial. Lancet, The, 2019, 393, 2125-2134.	6.3	160
23	Selective reporting bias of harm outcomes within studies: findings from a cohort of systematic reviews. BMJ, The, 2014, 349, g6501-g6501.	3.0	158
24	Evidence for the Selective Reporting of Analyses and Discrepancies in Clinical Trials: A Systematic Review of Cohort Studies of Clinical Trials. PLoS Medicine, 2014, 11, e1001666.	3.9	151
25	Frequency and reasons for outcome reporting bias in clinical trials: interviews with trialists. BMJ: British Medical Journal, 2011, 342, c7153-c7153.	2.4	150
26	Insecticide-Treated Nets for the Prevention of Malaria in Pregnancy: A Systematic Review of Randomised Controlled Trials. PLoS Medicine, 2007, 4, e107.	3.9	142
27	The clinical effectiveness of central venous catheters treated with anti-infective agents in preventing catheter-related bloodstream infections: A systematic review*. Critical Care Medicine, 2009, 37, 702-712.	0.4	133
28	A prenylated dsRNA sensor protects against severe COVID-19. Science, 2021, 374, eabj3624.	6.0	124
29	Risk of adverse outcomes in patients with underlying respiratory conditions admitted to hospital with COVID-19: a national, multicentre prospective cohort study using the ISARIC WHO Clinical Characterisation Protocol UK. Lancet Respiratory Medicine, the, 2021, 9, 699-711.	5.2	122
30	Indirect Comparisons: A Review of Reporting and Methodological Quality. PLoS ONE, 2010, 5, e11054.	1.1	116
31	Identification and impact of outcome selection bias in meta-analysis. Statistics in Medicine, 2005, 24, 1547-1561.	0.8	112
32	Characterisation of in-hospital complications associated with COVID-19 using the ISARIC WHO Clinical Characterisation Protocol UK: a prospective, multicentre cohort study. Lancet, The, 2021, 398, 223-237.	6.3	110
33	Quality of life outcomes of immediate or delayed treatment of early epilepsy and single seizures. Neurology, 2007, 68, 1188-1196.	1.5	105
34	Antibiotic or silver versus standard ventriculoperitoneal shunts (BASICS): a multicentre, single-blinded, randomised trial and economic evaluation. Lancet, The, 2019, 394, 1530-1539.	6.3	104
35	What Difference Does Patient and Public Involvement Make and What Are Its Pathways to Impact? Qualitative Study of Patients and Researchers from a Cohort of Randomised Clinical Trials. PLoS ONE, 2015, 10, e0128817.	1.1	97
36	Identifying trial recruitment uncertainties using a James Lind Alliance Priority Setting Partnership – the PRioRiTy (Prioritising Recruitment in Randomised Trials) study. Trials, 2018, 19, 147.	0.7	92

#	Article	IF	CITATIONS
37	Impregnated central venous catheters for prevention of bloodstream infection in children (the) Tj ETQq1 1 0.7843	14.rgBT / 6.3	Oggrlock 10
38	How parents and practitioners experience research without prior consent (deferred consent) for emergency research involving children with life threatening conditions: a mixed method study. BMJ Open, 2015, 5, e008522.	0.8	84
39	From plans to actions in patient and public involvement: qualitative study of documented plans and the accounts of researchers and patients sampled from a cohort of clinical trials. BMJ Open, 2014, 4, e006400.	0.8	83
40	Outcome reporting bias in trials: a methodological approach for assessment and adjustment in systematic reviews. BMJ: British Medical Journal, 2018, 362, k3802.	2.4	83
41	Changes in in-hospital mortality in the first wave of COVID-19: a multicentre prospective observational cohort study using the WHO Clinical Characterisation Protocol UK. Lancet Respiratory Medicine, the, 2021, 9, 773-785.	5.2	78
42	A little more conversation please? Qualitative study of researchers' and patients' interview accounts of training for patient and public involvement in clinical trials. Trials, 2015, 16, 190.	0.7	76
43	The use of MElatonin in children with Neurodevelopmental Disorders and impaired Sleep: a randomised, double-blind, placebo-controlled, parallel study (MENDS) Health Technology Assessment, 2012, 16, i-239.	1.3	70
44	A randomized comparative trial of generalized vs targeted physiotherapy in the management of childhood hypermobility. Rheumatology, 2010, 49, 315-325.	0.9	66
45	Reporting of harms data in RCTs: a systematic review of empirical assessments against the CONSORT harms extension. BMJ Open, 2013, 3, e003436.	0.8	66
46	The use of systematic reviews in the planning, design and conduct of randomised trials: a retrospective cohort of NIHR HTA funded trials. BMC Medical Research Methodology, 2013, 13, 50.	1.4	58
47	Non-steroidal anti-inflammatory drug use and outcomes of COVID-19 in the ISARIC Clinical Characterisation Protocol UK cohort: a matched, prospective cohort study. Lancet Rheumatology, The, 2021, 3, e498-e506.	2.2	58
48	Doing challenging research studies in a patient-centred way: a qualitative study to inform a randomised controlled trial in the paediatric emergency care setting. BMJ Open, 2014, 4, e005045.	0.8	57
49	Artemether-lumefantrine for uncomplicated malaria: a systematic review. Tropical Medicine and International Health, 2004, 9, 192-199.	1.0	56
50	Assessing the potential for outcome reporting bias in a review: a tutorial. Trials, 2010, 11, 52.	0.7	54
51	Enhanced relapse prevention for bipolar disorder by community mental health teams: cluster feasibility randomised trial. British Journal of Psychiatry, 2010, 196, 59-63.	1.7	52
52	Continuous subcutaneous insulin infusion versus multiple daily injection regimens in children and young people at diagnosis of type 1 diabetes: pragmatic randomised controlled trial and economic evaluation. BMJ: British Medical Journal, 2019, 365, l1226.	2.4	52
53	What are the most important unanswered research questions in trial retention? A James Lind Alliance Priority Setting Partnership: the PRioRiTy II (Prioritising Retention in Randomised Trials) study. Trials, 2019, 20, 593.	0.7	51
54	Albendazole for the control and elimination of lymphatic filariasis: systematic review. Tropical Medicine and International Health, 2005, 10, 818-825.	1.0	48

#	Article	IF	CITATIONS
55	Patient and public involvement in the early stages of clinical trial development: a systematic cohort investigation. BMJ Open, 2014, 4, e005234-e005234.	0.8	48
56	How experience makes a difference: practitioners' views on the use of deferred consent in paediatric and neonatal emergency care trials. BMC Medical Ethics, 2013, 14, 45.	1.0	45
57	The British antibiotic and silver-impregnated catheters for ventriculoperitoneal shunts multi-centre randomised controlled trial (the BASICS trial): study protocol. Trials, 2014, 15, 4.	0.7	44
58	Deferred Consent for Randomized Controlled Trials in Emergency Care Settings. Pediatrics, 2015, 136, e1316-e1322.	1.0	44
59	â€~Recruitment, recruitment, recruitment' – the need for more focus on retention: a qualitative study of five trials. Trials, 2018, 19, 76.	0.7	41
60	A meta-analysis of individual patient responses to lamotrigine or carbamazepine monotherapy. Neurology, 2006, 66, 1310-1317.	1.5	40
61	What Parents of Children Who Have Received Emergency Care Think about Deferring Consent in Randomised Trials of Emergency Treatments: Postal Survey. PLoS ONE, 2012, 7, e35982.	1.1	40
62	Fifteen-minute consultation: an evidence-based approach to research without prior consent (deferred) Tj ETQqC and Practice Edition, 2016, 101, 49-53.	0 0 0 rgBT / 0.3	Overlock 10 7 38
63	Identifying research priorities for effective retention strategies in clinical trials. Trials, 2017, 18, 406.	0.7	38
64	Selective reporting of outcomes in randomised controlled trials in systematic reviews of cystic fibrosis. BMJ Open, 2013, 3, e002709.	0.8	37
65	Timing Of Primary Surgery for cleft palate (TOPS): protocol for a randomised trial of palate surgery at 6 months versus 12 months of age. BMJ Open, 2019, 9, e029780.	0.8	37
66	Priorities for methodological research on patient and public involvement in clinical trials: A modified Delphi process. Health Expectations, 2017, 20, 1401-1410.	1.1	36
67	Antimicrobial-impregnated central venous catheters for prevention of neonatal bloodstream infection (PREVAIL): an open-label, parallel-group, pragmatic, randomised controlled trial. The Lancet Child and Adolescent Health, 2019, 3, 381-390.	2.7	36
68	Topical quinolone vs. antiseptic for treating chronic suppurative otitis media: a randomized controlled trial. Tropical Medicine and International Health, 2005, 10, 190-197.	1.0	35
69	Development of an online resource for recruitment research in clinical trials to organise and map current literature. Clinical Trials, 2018, 15, 533-542.	0.7	34
70	Reporting of clinical trials: a review of research funders' guidelines. Trials, 2008, 9, 66.	0.7	33
71	Adjusting for publication bias: modelling the selection process. Journal of Evaluation in Clinical Practice, 2004, 10, 313-322.	0.9	31
72	An explanatory randomised placebo controlled trial of levothyroxine supplementation for babies born <28 weeks' gestation: results of the TIPIT trial. Trials, 2013, 14, 211.	0.7	29

#	Article	IF	CITATIONS
73	Training health professionals to recruit into challenging randomized controlled trials improved confidence: the development of the QuinteT randomized controlled trial recruitment training intervention. Journal of Clinical Epidemiology, 2018, 95, 34-44.	2.4	28
74	Reducing attrition within clinical trials: The communication of retention and withdrawal within patient information leaflets. PLoS ONE, 2018, 13, e0204886.	1.1	27
75	Lamotrigine versus carbamazepine monotherapy for epilepsy. , 2006, , CD001031.		26
76	Continuous subcutaneous insulin infusion versus multiple daily injections in children and young people at diagnosis of type 1 diabetes: the SCIPI RCT. Health Technology Assessment, 2018, 22, 1-112.	1.3	26
77	Reporting of harms outcomes: a comparison of journal publications with unpublished clinical study reports of orlistat trials. Trials, 2016, 17, 207.	0.7	25
78	Application and investigation of a bound for outcome reporting bias. Trials, 2007, 8, 9.	0.7	24
79	An encouraging assessment of methods to inform priorities for updating systematic reviews. Journal of Clinical Epidemiology, 2009, 62, 241-251.	2.4	24
80	The natural history of conducting and reporting clinical trials: interviews with trialists. Trials, 2015, 16, 16.	0.7	24
81	Trial Steering Committees in randomised controlled trials: A survey of registered clinical trials units to establish current practice and experiences. Clinical Trials, 2015, 12, 664-676.	0.7	24
82	Emergency treatment with levetiracetam or phenytoin in status epilepticus in childrenâ€"the EcLiPSE study: study protocol for a randomised controlled trial. Trials, 2017, 18, 283.	0.7	24
83	Prospective validation of the 4C prognostic models for adults hospitalised with COVID-19 using the ISARIC WHO Clinical Characterisation Protocol. Thorax, 2022, 77, 606-615.	2.7	24
84	Exploring the role and function of trial steering committees: results of an expert panel meeting. Trials, 2015, 16, 597.	0.7	23
85	Developing and evaluating multimedia information resources to improve engagement of children, adolescents, and their parents with trials (TRECA study): Study protocol for a series of linked randomised controlled trials. Trials, 2017, 18, 265.	0.7	23
86	An evidence base to optimise methods for involving patient and public contributors in clinical trials: a mixed-methods study. Health Services and Delivery Research, 2015, 3, 1-142.	1.4	23
87	Detailed systematic analysis of recruitment strategies in randomised controlled trials in patients with an unscheduled admission to hospital. BMJ Open, 2018, 8, e018581.	0.8	22
88	Importance of patient bed pathways and length of stay differences in predicting COVID-19 hospital bed occupancy in England. BMC Health Services Research, 2021, 21, 566.	0.9	22
89	A systematic review describes models for recruitment prediction at the design stage of a clinical trial. Journal of Clinical Epidemiology, 2019, 115, 141-149.	2.4	20
90	Randomized trials involving surgery did not routinely report considerations of learning and clustering effects. Journal of Clinical Epidemiology, 2019, 107, 27-35.	2.4	20

#	Article	IF	Citations
91	Clinical trial data sharing: here's the challenge. BMJ Open, 2019, 9, e032334.	0.8	20
92	Implementation of corticosteroids in treatment of COVID-19 in the ISARIC WHO Clinical Characterisation Protocol UK: prospective, cohort study. The Lancet Digital Health, 2022, 4, e220-e234.	5.9	20
93	CATheter Infections in CHildren (CATCH): a randomised controlled trial and economic evaluation comparing impregnated and standard central venous catheters in children. Health Technology Assessment, 2016, 20, 1-220.	1.3	19
94	Duration of intravenous antibiotic therapy for children with acute osteomyelitis or septic arthritis: a feasibility study. Health Technology Assessment, 2017, 21, 1-164.	1.3	19
95	Enhanced relapse prevention for bipolar disorder – ERP trial. A cluster randomised controlled trial to assess the feasibility of training care coordinators to offer enhanced relapse prevention for bipolar disorder. BMC Psychiatry, 2007, 7, 6.	1.1	18
96	Making Co-Enrolment Feasible for Randomised Controlled Trials in Paediatric Intensive Care. PLoS ONE, 2012, 7, e41791.	1.1	18
97	Opening research sites in multicentre clinical trials within the UK: a detailed analysis of delays. BMJ Open, 2014, 4, e005874-e005874.	0.8	18
98	Challenges Conveying Clinical Equipoise and Exploring Patient Treatment Preferences in an Oncology Trial Comparing Active Monitoring with Radiotherapy (ROAM/EORTC 1308). Oncologist, 2020, 25, e691-e700.	1.9	17
99	What are the roles and valued attributes of a Trial Steering Committee? Ethnographic study of eight clinical trials facing challenges. Trials, 2016, 17, 307.	0.7	16
100	Children's views on research without prior consent in emergency situations: a UK qualitative study. BMJ Open, 2018, 8, e022894.	0.8	15
101	Risk-proportionate clinical trial monitoring: an example approach from a non-commercial trials unit. Trials, 2014, 15, 127.	0.7	14
102	Prospective reporting of statistical analysis plans for randomised controlled trials. Trials, 2020, 21, 898.	0.7	14
103	Value of surgical pilot and feasibility study protocols. British Journal of Surgery, 2019, 106, 968-978.	0.1	13
104	Reducing bias in trials due to reactions to measurement: experts produced recommendations informed by evidence. Journal of Clinical Epidemiology, 2021, 139, 130-139.	2.4	13
105	Silver-impregnated, antibiotic-impregnated or non-impregnated ventriculoperitoneal shunts to prevent shunt infection: the BASICS three-arm RCT. Health Technology Assessment, 2020, 24, 1-114.	1.3	12
106	Early phase clinical trials extension to guidelines for the content of statistical analysis plans. BMJ, The, 2022, 376, e068177.	3.0	12
107	TIPIT: A randomised controlled trial of thyroxine in preterm infants under 28 weeks' gestation. Trials, 2008, 9, 17.	0.7	11
108	Effect of thyroxine on brain microstructure in extremely premature babies: magnetic resonance imaging findings in the TIPIT study. Pediatric Radiology, 2014, 44, 987-996.	1.1	11

#	Article	IF	CITATIONS
109	Working length determination in general dental practice: a randomised controlled trial. British Dental Journal, 2011, 211, 595-598.	0.3	10
110	E-health data to support and enhance randomised controlled trials in the United Kingdom. Clinical Trials, 2015, 12, 180-182.	0.7	10
111	Feasibility study to examine discrepancy rates in prespecified and reported outcomes in articles submitted to <i>The BMJ</i> . BMJ Open, 2016, 6, e010075.	0.8	10
112	Measurement of HbA1c in multicentre diabetes trials – should blood samples be tested locally or sent to a central laboratory: an agreement analysis. Trials, 2016, 17, 517.	0.7	10
113	Duration of initial antibiotic course is associated with recurrent relapse in protracted bacterial bronchitis. Archives of Disease in Childhood, 2020, 105, 1111-1113.	1.0	10
114	Levetiracetam as an alternative to phenytoin for second-line emergency treatment of children with convulsive status epilepticus: the EcLiPSE RCT. Health Technology Assessment, 2020, 24, 1-96.	1.3	10
115	New European Union regulation of clinical trials is conflicting on deferred consent in emergency situations. BMJ, The, 2013, 346, f667-f667.	3.0	9
116	Study protocol for a randomised controlled trial of insulin delivery by continuous subcutaneous infusion compared to multiple daily injections. Trials, 2015, 16, 163.	0.7	9
117	Open Information Extraction for Knowledge Graph Construction. Communications in Computer and Information Science, 2020, , 103-113.	0.4	9
118	Antimicrobial-impregnated central venous catheters for preventing neonatal bloodstream infection: the PREVAIL RCT. Health Technology Assessment, 2020, 24, 1-190.	1.3	8
119	Topical quinolone vs. antiseptic for treating chronic suppurative otitis media: a randomized controlled trial. Clinical Otolaryngology, 2005, 30, 193-193.	0.6	7
120	Enhancing practitioners' confidence in recruitment and consent in the EcLiPSE trial: a mixed-method evaluation of site training – a Paediatric Emergency Research in the United Kingdom and Ireland (PERUKI) study. Trials, 2019, 20, 181.	0.7	7
121	Neurosurgical CSF Diversion in Idiopathic Intracranial Hypertension: A Narrative Review. Life, 2021, 11, 393.	1.1	7
122	Strategies to enhance recruitment and consent to intensive care studies: a qualitative study with researchers and patient–public involvement contributors. BMJ Open, 2021, 11, e048193.	0.8	7
123	â€~We all want to succeed, but we've also got to be realistic about what is happening': an ethnographic study of relationships in trial oversight and their impact. Trials, 2017, 18, 612.	0.7	6
124	A randomised controlled trial comparing palate surgery at 6Âmonths versus 12Âmonths of age (the TOPS) Tj ETQ	q8.9 0 rgB	T _d Overlock
125	Training Staff in Enhanced Relapse Prevention for Bipolar Disorder: Rates of Uptake and Measures of Skill and Confidence. Psychiatric Services, 2009, 60, 702-706.	1.1	5
126	The Role of Systematic Reviews in Pharmacovigilance Planning and Clinical Trials Authorisation Application: Example from the SLEEPS Trial. PLoS ONE, 2013, 8, e51787.	1,1	5

#	Article	IF	CITATIONS
127	A review of current practice in the design and assessment of internal pilots in UK NIHR clinical trials. Trials, 2019, 20, 571.	0.7	5
128	Developing an online, searchable database to systematically map and organise current literature on retention research (ORRCA2). Clinical Trials, 2022, 19, 71-80.	0.7	5
129	Opportunities and challenges for the development of "core outcome sets―in neuro-oncology. Neuro-Oncology, 2022, 24, 1048-1055.	0.6	5
130	TIPIT: A randomised controlled trial of thyroxine in preterm infants under 28 weeks gestation: Magnetic Resonance Imaging and Magnetic Resonance Angiography protocol. BMC Pediatrics, 2008, 8, 26.	0.7	4
131	Impregnated central venous catheters should be readily used to reduce risk of bloodstream infection. BMJ, The, 2013, 347, f7169-f7169.	3.0	4
132	Development of an online resource for recruitment research in clinical trials (ORRCA). Trials, 2015, 16, .	0.7	4
133	Funders improved the management of learning and clustering effects through design and analysis of randomized trials involving surgery. Journal of Clinical Epidemiology, 2019, 113, 28-35.	2.4	4
134	Visualising harms in publications of randomised controlled trials: consensus and recommendations. BMJ, The, 2022, 377, e068983.	3.0	4
135	An ethnographic study of group decision making to understand and improve how trial steering committees contribute to trial conduct. Trials, $2013,14,.$	0.7	3
136	A third trial oversight committee: Functions, benefits and issues. Clinical Trials, 2020, 17, 106-112.	0.7	3
137	Managing clustering effects and learning effects in the design and analysis of multicentre randomised trials: a survey to establish current practice. Trials, 2020, 21, 433.	0.7	3
138	Seven-step framework to enhance practitioner explanations and parental understandings of research without prior consent in paediatric emergency and critical care trials. Emergency Medicine Journal, 2021, 38, 198-204.	0.4	3
139	Development of guidance for statistical analysis plans (SAPs) for clinical trials. Trials, 2015, 16, .	0.7	2
140	Selective reporting in clinical trials - an examination of discrepancy rates in pre-specified and reported outcomes in articles submitted to the BMJ. Trials, $2015, 16, .$	0.7	2
141	Optimising the design of internal pilot work to inform efficient randomised controlled trials: issues to consider when developing progression criteria. Trials, 2015, 16, .	0.7	2
142	Letter to the Editor. Phase III randomized controlled trials are essential to properly evaluate the role of radiotherapy in WHO grade II meningioma. Journal of Neurosurgery, 2018, 129, 1104-1105.	0.9	2
143	Statistical models to predict recruitment in clinical trials were rarely used by statisticians in UK and European networks. Journal of Clinical Epidemiology, 2020, 124, 58-68.	2.4	2
144	Adding a fourth rater to three had little impact in pre-linguistic outcome classification. Clinical Linguistics and Phonetics, 2021, 35, 138-153.	0.5	2

#	Article	IF	CITATIONS
145	Planning for success: overcoming challenges to recruitment and conduct of an open-label emergency department–led paediatric trial. Emergency Medicine Journal, 2021, 38, 191-197.	0.4	2
146	Factors affecting ventriculoperitoneal shunt revision: a post hoc analysis of the British Antibiotic and Silver Impregnated Catheter Shunt multicenter randomized controlled trial. Journal of Neurosurgery, 2022, , 1-11.	0.9	2
147	Realising the potential of patient and public involvement to make a difference: what can trial teams do?. Trials, 2015, 16, .	0.7	1
148	A cohort examination to establish reporting of the remit and function of Trial Steering Committees in randomised controlled trials. Trials, 2017, 18, 590.	0.7	1
149	DIABRISK-SL trial: further consideration of age and impact of imputations. BMC Medicine, 2019, 17, 121.	2.3	1
150	Document Ranking for Curated Document Databases Using BERT and Knowledge Graph Embeddings: Introducing GRAB-Rank. Lecture Notes in Computer Science, 2021, , 116-127.	1.0	1
151	Inter-rater reliability in classification of canonical babbling status based on canonical babbling ratio in infants with isolated cleft palate randomised to Timing of Primary Surgery for Cleft Palate (TOPS). Clinical Linguistics and Phonetics, 2023, 37, 77-98.	0.5	1
152	Reported reasons for missing data and the interplay with trial setting. Trials, 2015, 16, .	0.7	0
153	"To have, to hold, from this day forward†understanding current practice regarding the retention of trial participants. Trials, 2015, 16, .	0.7	0
154	Exploring the role and functionality of trial steering committees. Trials, 2015, 16, .	0.7	0
155	Pragmatic approaches to mitigating missing data and research priorities to assess the effectiveness of interventions. Trials, $2015, 16, .$	0.7	O
156	A review of the description of patient withdrawal in trial protocols and patient information sheets (PIS). Trials, $2015, 16, .$	0.7	0
157	Response to letter to editor: â€~Comment on Arch et al., Trials. 2016;17:517'. Trials, 2017, 18, 242.	0.7	0
158	Statistical Analysis Plans for Clinical Trials—Reply. JAMA - Journal of the American Medical Association, 2018, 319, 1938.	3.8	o