

Ulrich Hegerl

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3851193/publications.pdf>

Version: 2024-02-01

346
papers

20,213
citations

13099

68
h-index

15732

125
g-index

380
all docs

380
docs citations

380
times ranked

20649
citing authors

#	ARTICLE	IF	CITATIONS
1	Munich Alliance Against Depression. <i>Crisis</i> , 2023, 44, 300-308.	1.2	0
2	Relationship between regional white matter hyperintensities and alpha oscillations in older adults. <i>Neurobiology of Aging</i> , 2022, 112, 1-11.	3.1	9
3	Lockdown Measures Against the Spread of the COVID-19 Pandemic: Negative Effects for People Living With Depression. <i>Frontiers in Psychology</i> , 2022, 13, 789173.	2.1	7
4	A Delphi-method-based consensus guideline for definition of treatment-resistant depression for clinical trials. <i>Molecular Psychiatry</i> , 2022, 27, 1286-1299.	7.9	68
5	Psychometric properties of the Depression Stigma Scale in the Portuguese population and its association with gender and depressive symptomatology. <i>Health and Quality of Life Outcomes</i> , 2022, 20, 42.	2.4	1
6	Fatigue and brain arousal in patients with major depressive disorder. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2021, 271, 527-536.	3.2	6
7	The "VIP-ADHD trial": Does brain arousal have prognostic value for predicting response to psychostimulants in adult ADHD patients?. <i>European Neuropsychopharmacology</i> , 2021, 43, 116-128.	0.7	3
8	Habitual Behavior as a Mediator Between Food-Related Behavioral Activation and Change in Symptoms of Depression in the MoodFOOD Trial. <i>Clinical Psychological Science</i> , 2021, 9, 649-665.	4.0	4
9	Effects of dietary interventions on depressive symptom profiles: results from the MoodFOOD depression prevention study. <i>Psychological Medicine</i> , 2021, , 1-10.	4.5	5
10	Overweight and obese individuals with depressive symptoms from the MoodFOOD prevention trial: Role of sociodemographic, somatic health, and weight related factors. <i>Journal of Affective Disorders Reports</i> , 2021, 4, 100126.	1.7	0
11	The effect of depressive symptomatology on the association of vitamin D and sleep. <i>BMC Psychiatry</i> , 2021, 21, 178.	2.6	2
12	A closer look at negative effects in a guided web-based intervention for mild to moderate depression.. <i>Clinical Psychology: Science and Practice</i> , 2021, 28, 131-141.	0.9	4
13	The German Alliance Against Depression and suicide rates: A retrospective analysis. <i>PLoS ONE</i> , 2021, 16, e0254133.	2.5	2
14	Large-scale collaboration in ENIGMA-EEG: A perspective on the meta-analytic approach to link neurological and psychiatric liability genes to electrophysiological brain activity. <i>Brain and Behavior</i> , 2021, 11, e02188.	2.2	18
15	Workplace interventions to reduce depression and anxiety in small and medium-sized enterprises: A systematic review. <i>Journal of Affective Disorders</i> , 2021, 290, 378-386.	4.1	18
16	Intervention Use and Symptom Change With Unguided Internet-Based Cognitive Behavioral Therapy for Depression During the COVID-19 Pandemic: Log Data Analysis of a Convenience Sample. <i>JMIR Mental Health</i> , 2021, 8, e28321.	3.3	12
17	The Big Five Personality Traits and Brain Arousal in the Resting State. <i>Brain Sciences</i> , 2021, 11, 1272.	2.3	6
18	How are guide profession and routine care setting related to adherence and symptom change in iCBT for depression? - an explorative log-data analysis. <i>Internet Interventions</i> , 2021, 26, 100476.	2.7	9

#	ARTICLE	IF	CITATIONS
19	The 4-Level Approach: Prevention of Suicidal Behaviour Through Community-Based Intervention. <i>Frontiers in Psychiatry</i> , 2021, 12, 760491.	2.6	4
20	Translating the BDI and BDI-II into the HAMD and vice versa with equipercentile linking. <i>Epidemiology and Psychiatric Sciences</i> , 2020, 29, e24.	3.9	39
21	Effect of food-related behavioral activation therapy on food intake and the environmental impact of the diet: results from the MoodFOOD prevention trial. <i>European Journal of Nutrition</i> , 2020, 59, 2579-2591.	3.9	15
22	The Accuracy of the Patient Health Questionnaire-9 Algorithm for Screening to Detect Major Depression: An Individual Participant Data Meta-Analysis. <i>Psychotherapy and Psychosomatics</i> , 2020, 89, 25-37.	8.8	67
23	Equivalency of the diagnostic accuracy of the PHQ-8 and PHQ-9: a systematic review and individual participant data meta-analysis. <i>Psychological Medicine</i> , 2020, 50, 1368-1380.	4.5	175
24	Is brain arousal regulation a predictor of response to psychostimulant therapy in adult ADHD patients?. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2020, 270, 1073-1076.	3.2	4
25	Enhanced Vigilance Stability during Daytime in Insomnia Disorder. <i>Brain Sciences</i> , 2020, 10, 830.	2.3	5
26	Is There an Association or Not? Investigating the Association of Depressiveness, Physical Activity, Body Composition and Sleep With Mediators of Inflammation. <i>Frontiers in Psychiatry</i> , 2020, 11, 563.	2.6	4
27	Effects of food-related behavioral activation therapy on eating styles, diet quality and body weight change: Results from the MoodFOOD Randomized Clinical Trial. <i>Journal of Psychosomatic Research</i> , 2020, 137, 110206.	2.6	10
28	Acceptability and feasibility of two interventions in the MoodFOOD Trial: a food-related depression prevention randomised controlled trial in overweight adults with subsyndromal symptoms of depression. <i>BMJ Open</i> , 2020, 10, e034025.	1.9	4
29	Supplementation-induced increase in circulating omega-3 serum levels is not associated with a reduction in depressive symptoms: Results from the MoodFOOD depression prevention trial. <i>Depression and Anxiety</i> , 2020, 37, 1079-1088.	4.1	7
30	Fatigue in Cancer and Neuroinflammatory and Autoimmune Disease: CNS Arousal Matters. <i>Brain Sciences</i> , 2020, 10, 569.	2.3	5
31	Reported and Recorded Sleepiness in Obesity and Depression. <i>Frontiers in Psychiatry</i> , 2020, 11, 200.	2.6	2
32	Polymorphisms in CRYBB2 encoding Î²2-crystallin are associated with antisaccade performance and memory function. <i>Translational Psychiatry</i> , 2020, 10, 113.	4.8	3
33	Simvastatin add-on to escitalopram in patients with comorbid obesity and major depression (SIMCODE): study protocol of a multicentre, randomised, double-blind, placebo-controlled trial. <i>BMJ Open</i> , 2020, 10, e040119.	1.9	18
34	Efficacy of a Guided Web-Based Self-Management Intervention for Depression or Dysthymia: Randomized Controlled Trial With a 12-Month Follow-Up Using an Active Control Condition. <i>Journal of Medical Internet Research</i> , 2020, 22, e15361.	4.3	30
35	Temporal Associations of Daily Changes in Sleep and Depression Core Symptoms in Patients Suffering From Major Depressive Disorder: Idiographic Time-Series Analysis. <i>JMIR Mental Health</i> , 2020, 7, e17071.	3.3	10
36	Circadian skin temperature rhythms, circadian activity rhythms and sleep in individuals with self-reported depressive symptoms. <i>Journal of Psychiatric Research</i> , 2019, 117, 38-44.	3.1	19

#	ARTICLE	IF	CITATIONS
37	Association of serum 25-hydroxyvitamin D concentrations with sleep phenotypes in a German community sample. PLoS ONE, 2019, 14, e0219318.	2.5	13
38	Ligands and receptors of the TNF superfamily are decreased in major depression and during early antidepressant therapy. Journal of Psychiatric Research, 2019, 119, 116-121.	3.1	16
39	Vulnerability to bipolar disorder is linked to sleep and sleepiness. Translational Psychiatry, 2019, 9, 294.	4.8	28
40	Prevention of suicidal behaviour: Results of a controlled community-based intervention study in four European countries. PLoS ONE, 2019, 14, e0224602.	2.5	27
41	Depression stigma and management of suicidal callers: a cross-sectional survey of crisis hotline counselors. BMC Psychiatry, 2019, 19, 342.	2.6	2
42	The symptom-specific efficacy of antidepressant medication vs. cognitive behavioral therapy in the treatment of depression: results from an individual patient data meta-analysis. World Psychiatry, 2019, 18, 183-191.	10.4	68
43	Effect of Multinutrient Supplementation and Food-Related Behavioral Activation Therapy on Prevention of Major Depressive Disorder Among Overweight or Obese Adults With Subsyndromal Depressive Symptoms. JAMA - Journal of the American Medical Association, 2019, 321, 858.	7.4	88
44	EEG-vigilance regulation in Borderline Personality Disorder. International Journal of Psychophysiology, 2019, 139, 10-17.	1.0	4
45	Biomarker Matrix to Track Short Term Disease Progression in Amnesic Mild Cognitive Impairment Patients with Prodromal Alzheimer's Disease. Journal of Alzheimer's Disease, 2019, 69, 49-58.	2.6	8
46	Depressive Symptom Clusters in Relation to Body Weight Status: Results From Two Large European Multicenter Studies. Frontiers in Psychiatry, 2019, 10, 858.	2.6	11
47	Resting EEG Measures of Brain Arousal in a Multisite Study of Major Depression. Clinical EEG and Neuroscience, 2019, 50, 3-12.	1.7	25
48	Brain arousal regulation in SSRI-medicated patients with major depression. Journal of Psychiatric Research, 2019, 108, 34-39.	3.1	11
49	Why some obese people become depressed whilst others do not: exploring links between cognitive reactivity, depression and obesity. Psychology, Health and Medicine, 2019, 24, 362-373.	2.4	11
50	Human brain arousal in the resting state: a genome-wide association study. Molecular Psychiatry, 2019, 24, 1599-1609.	7.9	26
51	Associations of Suicide Rates With Socioeconomic Status and Social Isolation: Findings From Longitudinal Register and Census Data. Frontiers in Psychiatry, 2019, 10, 898.	2.6	55
52	Utilization of Patient-Generated Data Collected Through Mobile Devices: Insights From a Survey on Attitudes Toward Mobile Self-Monitoring and Self-Management Apps for Depression. JMIR Mental Health, 2019, 6, e11671.	3.3	22
53	Die Rolle von E-Mental Health am Beispiel depressiver Erkrankungen. , 2019, , 47-66.		1
54	Successful treatment in a case of ultra-rapid cycling bipolar disorder is reflected in brain arousal regulation. Bipolar Disorders, 2018, 20, 77-80.	1.9	3

#	ARTICLE	IF	CITATIONS
55	Brain arousal regulation in adults with attention-deficit/hyperactivity disorder (ADHD). <i>Psychiatry Research</i> , 2018, 261, 102-108.	3.3	66
56	One-year follow-up of a randomized controlled trial of sertraline and cognitive behavior group therapy in depressed primary care patients (MIND study). <i>Journal of Affective Disorders</i> , 2018, 230, 15-21.	4.1	2
57	Impact of brain arousal and time-on-task on autonomic nervous system activity in the wake-sleep transition. <i>BMC Neuroscience</i> , 2018, 19, 18.	1.9	15
58	Probability of major depression diagnostic classification using semi-structured versus fully structured diagnostic interviews. <i>British Journal of Psychiatry</i> , 2018, 212, 377-385.	2.8	53
59	Cognitive correlates of $\alpha 2$ nicotinic acetylcholine receptors in mild Alzheimer's dementia. <i>Brain</i> , 2018, 141, 1840-1854.	7.6	60
60	GET.HAPPY - Acceptance of an internet-based self-management positive psychology intervention for adult primary care patients with mild and moderate depression or dysthymia: A pilot study. <i>Internet Interventions</i> , 2018, 12, 26-35.	2.7	16
61	Physical activity in depressed and non-depressed patients with obesity. <i>Eating and Weight Disorders</i> , 2018, 23, 195-203.	2.5	17
62	Effectiveness of General Practitioner training to improve suicide awareness and knowledge and skills towards depression. <i>Journal of Affective Disorders</i> , 2018, 227, 17-23.	4.1	21
63	A genome-wide association study of early gamma-band response in a schizophrenia case-control sample. <i>World Journal of Biological Psychiatry</i> , 2018, 19, 602-609.	2.6	3
64	A multi-centre, randomised, double-blind, placebo-controlled clinical trial of methylphenidate in the initial treatment of acute mania (MEMAP study). <i>European Neuropsychopharmacology</i> , 2018, 28, 185-194.	0.7	9
65	Association between acute critical life events and the speed of onset of depressive episodes in male and female depressed patients. <i>BMC Psychiatry</i> , 2018, 18, 332.	2.6	1
66	Serum Markers of Inflammation Mediate the Positive Association Between Neuroticism and Depression. <i>Frontiers in Psychiatry</i> , 2018, 9, 609.	2.6	26
67	Changes in brain arousal (EEG-vigilance) after therapeutic sleep deprivation in depressive patients and healthy controls. <i>Scientific Reports</i> , 2018, 8, 15087.	3.3	7
68	A semi-automated algorithm for hypothalamus volumetry in 3 Tesla magnetic resonance images. <i>Psychiatry Research - Neuroimaging</i> , 2018, 277, 45-51.	1.8	15
69	Heart Rate Variability as Indicator of Clinical State in Depression. <i>Frontiers in Psychiatry</i> , 2018, 9, 735.	2.6	107
70	Investigating the Dynamics of Suicidal Ideation. <i>Crisis</i> , 2018, 39, 65-69.	1.2	73
71	Assessing suicidality in real time: A psychometric evaluation of self-report items for the assessment of suicidal ideation and its proximal risk factors using ecological momentary assessments.. <i>Journal of Abnormal Psychology</i> , 2018, 127, 758-769.	1.9	72
72	Sleep quality in the general population: psychometric properties of the Pittsburgh Sleep Quality Index, derived from a German community sample of 9284 people. <i>Sleep Medicine</i> , 2017, 30, 57-63.	1.6	274

#	ARTICLE	IF	CITATIONS
73	Habenula volume increases with disease severity in unmedicated major depressive disorder as revealed by 7T MRI. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2017, 267, 107-115.	3.2	44
74	Initial severity of depression and efficacy of cognitive-behavioural therapy: Individual-participant data meta-analysis of pill-placebo-controlled trials. <i>British Journal of Psychiatry</i> , 2017, 210, 190-196.	2.8	56
75	Evidence-based national suicide prevention taskforce in Europe: A consensus position paper. <i>European Neuropsychopharmacology</i> , 2017, 27, 418-421.	0.7	45
76	Excess mortality in persons with severe mental disorders: a multilevel intervention framework and priorities for clinical practice, policy and research agendas. <i>World Psychiatry</i> , 2017, 16, 30-40.	10.4	477
77	Public attitudes toward depression and help-seeking: Impact of the OSPI-Europe depression awareness campaign in four European regions. <i>Journal of Affective Disorders</i> , 2017, 217, 252-259.	4.1	49
78	Recorded and Reported Sleepiness: The Association Between Brain Arousal in Resting State and Subjective Daytime Sleepiness. <i>Sleep</i> , 2017, 40, .	1.1	31
79	Control conditions for randomised trials of behavioural interventions in psychiatry: a decision framework. <i>Lancet Psychiatry</i> , 2017, 4, 725-732.	7.4	174
80	Brain arousal regulation as response predictor for antidepressant therapy in major depression. <i>Scientific Reports</i> , 2017, 7, 45187.	3.3	47
81	A cross-national study on gender differences in suicide intent. <i>BMC Psychiatry</i> , 2017, 17, 234.	2.6	204
82	Evoked potentials and behavioral performance during different states of brain arousal. <i>BMC Neuroscience</i> , 2017, 18, 21.	1.9	29
83	Rationale and methods of the iFightDepression study: A double-blind, randomized controlled trial evaluating the efficacy of an internet-based self-management tool for moderate to mild depression. <i>BMC Psychiatry</i> , 2017, 17, 143.	2.6	9
84	Why do stimulants not work in typical depression?. <i>Australian and New Zealand Journal of Psychiatry</i> , 2017, 51, 20-22.	2.3	17
85	Sleep disturbances and upregulation of brain arousal during daytime in depressed versus non-depressed elderly subjects. <i>World Journal of Biological Psychiatry</i> , 2017, 18, 633-640.	2.6	30
86	Minor depression in older, long-term unemployed people seeking vocational support. <i>BMC Psychiatry</i> , 2017, 17, 243.	2.6	11
87	Has information on suicide methods provided via the Internet negatively impacted suicide rates?. <i>PLoS ONE</i> , 2017, 12, e0190136.	2.5	7
88	Smartphone-Based Monitoring of Objective and Subjective Data in Affective Disorders: Where Are We and Where Are We Going? Systematic Review. <i>Journal of Medical Internet Research</i> , 2017, 19, e262.	4.3	149
89	SuizidalitÄt. , 2017, , 2875-2896.		0
90	Hirnelektrische Grundlagen psychischer Erkrankungen. , 2017, , 311-319.		0

#	ARTICLE	IF	CITATIONS
91	Neurophysiologische Untersuchungsmethoden in der Psychiatrie. , 2017, , 685-710.		0
92	Genome-wide association analysis of actigraphic sleep phenotypes in the <scp>LIFE</scp> Adult Study. Journal of Sleep Research, 2016, 25, 690-701.	3.2	58
93	ErnÄhrung und Depression: Die MoodFOOD PrÄventions-Studie. Public Health Forum, 2016, 24, 220-224.	0.2	0
94	Tobacco use is associated with reduced amplitude and intensity dependence of the cortical auditory evoked N1-P2 component. Psychopharmacology, 2016, 233, 2173-2183.	3.1	13
95	Time to wake up: No impact of COMT Val158Met gene variation on circadian preferences, arousal regulation and sleep. Chronobiology International, 2016, 33, 893-905.	2.0	21
96	The power of words in psychiatry. Australian and New Zealand Journal of Psychiatry, 2016, 50, 695-695.	2.3	0
97	Arousal Regulation in Affective Disorders. , 2016, , 341-370.		12
98	Prevention of depression through nutritional strategies in high-risk persons: rationale and design of the MoodFOOD prevention trial. BMC Psychiatry, 2016, 16, 192.	2.6	52
99	Effectiveness of DepressionÄ“Suicidal Behaviour Gatekeeper Training among police officers in three European regions: Outcomes of the Optimising Suicide Prevention Programmes and Their Implementation in Europe (OSPI-Europe) study. International Journal of Social Psychiatry, 2016, 62, 651-660.	3.1	23
100	Early report on brain arousal regulation in manic vs depressive episodes in bipolar disorder. Bipolar Disorders, 2016, 18, 502-510.	1.9	25
101	Suicide prevention strategies revisited: 10-year systematic review. Lancet Psychiatry,the, 2016, 3, 646-659.	7.4	1,160
102	Normative values of the Epworth Sleepiness Scale (ESS), derived from a large German sample. Sleep and Breathing, 2016, 20, 1337-1345.	1.7	36
103	Exploring synergistic interactions and catalysts in complex interventions: longitudinal, mixed methods case studies of an optimised multi-level suicide prevention intervention in four european countries (Ospi-Europe). BMC Public Health, 2016, 16, 268.	2.9	44
104	Internet-Delivered Disease Management for Recurrent Depression: A Multicenter Randomized Controlled Trial. Psychotherapy and Psychosomatics, 2016, 85, 91-98.	8.8	40
105	Synergistic effects of multi-level suicide preventive interventions: Important, but difficult to disentangle. Australian and New Zealand Journal of Psychiatry, 2016, 50, 178-179.	2.3	12
106	CNS- and ANS-arousal predict response to antidepressant medication: Findings from the randomized iSPOT-D study. Journal of Psychiatric Research, 2016, 73, 108-115.	3.1	40
107	Pro- and anti-inflammatory cytokines, but not CRP, are inversely correlated with severity and symptoms of major depression. Psychiatry Research, 2016, 239, 85-91.	3.3	59
108	Divergent Outcomes in Cognitive-Behavioral Therapy and Pharmacotherapy for Adult Depression. American Journal of Psychiatry, 2016, 173, 481-490.	7.2	41

#	ARTICLE	IF	CITATIONS
109	Impact of Serum Cytokine Levels on EEG-Measured Arousal Regulation in Patients with Major Depressive Disorder and Healthy Controls. <i>Neuropsychobiology</i> , 2016, 73, 1-9.	1.9	26
110	EEG alpha asymmetry as a gender-specific predictor of outcome to acute treatment with different antidepressant medications in the randomized iSPOT-D study. <i>Clinical Neurophysiology</i> , 2016, 127, 509-519.	1.5	161
111	Prevention of suicidal behavior. <i>Dialogues in Clinical Neuroscience</i> , 2016, 18, 183-190.	3.7	51
112	SuizidalitÄt. , 2016, , 1-22.		1
113	European Alliance Against Depression: Person centered care for depression and prevention of suicidal behaviour. <i>International Journal of Person Centered Medicine</i> , 2016, 6, 174-179.	0.2	1
114	Sensation Seeking and Physical Activity. <i>Health Behavior and Policy Review</i> , 2016, 3, 528-534.	0.4	3
115	Assessment of Wakefulness and Brain Arousal Regulation in Psychiatric Research. <i>Neuropsychobiology</i> , 2015, 72, 195-205.	1.9	48
116	What Does the Speed of Onset of a Depressive Episode Tell Us?. <i>Journal of Psychiatric Practice</i> , 2015, 21, 275-280.	0.7	2
117	Inflammatory Cytokines in General and Central Obesity and Modulating Effects of Physical Activity. <i>PLoS ONE</i> , 2015, 10, e0121971.	2.5	296
118	What Are Reasons for the Large Gender Differences in the Lethality of Suicidal Acts? An Epidemiological Analysis in Four European Countries. <i>PLoS ONE</i> , 2015, 10, e0129062.	2.5	151
119	Research priorities for public mental health in Europe: recommendations of the ROAMER project. <i>European Journal of Public Health</i> , 2015, 25, 249-254.	0.3	113
120	Objective markers for sleep propensity: comparison between the Multiple Sleep Latency Test and the Vigilance Algorithm Leipzig. <i>Journal of Sleep Research</i> , 2015, 24, 450-457.	3.2	19
121	Brain Arousal Regulation in Carriers of Bipolar Disorder Risk Alleles. <i>Neuropsychobiology</i> , 2015, 72, 65-73.	1.9	13
122	Celebrity suicide on the railway network: Can one case trigger international effects?. <i>Journal of Affective Disorders</i> , 2015, 185, 38-46.	4.1	36
123	Frontal and rostral anterior cingulate (rACC) theta EEG in depression: Implications for treatment outcome?. <i>European Neuropsychopharmacology</i> , 2015, 25, 1190-1200.	0.7	106
124	Dynamics of melanin-concentrating hormone (MCH) serum levels in major depressive disorder during antidepressant treatment. <i>Journal of Affective Disorders</i> , 2015, 180, 207-213.	4.1	17
125	Baseline Depression Severity as Moderator of Depression Outcomes Between Cognitive Behavioral Therapy vs Pharmacotherapy. <i>JAMA Psychiatry</i> , 2015, 72, 1102.	11.0	155
126	“Onset of Depression Inventory” comparison between the data of depressed patients and their relatives. <i>International Journal of Psychiatry in Clinical Practice</i> , 2015, 19, 188-191.	2.4	0

#	ARTICLE	IF	CITATIONS
127	Test-retest reliability of brain arousal regulation as assessed with VIGALL 2.0. <i>Neuropsychiatric Electrophysiology</i> , 2015, 1, .	4.1	37
128	Association of Speed of Onset and Speed of Recovery of Depressive Episodes in Patients with Major Depression. <i>Psychopathology</i> , 2015, 48, 65-68.	1.5	0
129	The LIFE-Adult-Study: objectives and design of a population-based cohort study with 10,000 deeply phenotyped adults in Germany. <i>BMC Public Health</i> , 2015, 15, 691.	2.9	287
130	Prediction of Treatment Outcome in Patients with Obsessive-Compulsive Disorder with Low-Resolution Brain Electromagnetic Tomography: A Prospective EEG Study. <i>Frontiers in Psychology</i> , 2015, 6, 1993.	2.1	14
131	Telephone Management Program for Patients Discharged From an Emergency Department After a Suicide Attempt. <i>Crisis</i> , 2015, 36, 345-352.	1.2	15
132	Depression Awareness and Self-Management Through the Internet: Protocol for an Internationally Standardized Approach. <i>JMIR Research Protocols</i> , 2015, 4, e99.	1.0	22
133	Neurophysiologische Untersuchungsmethoden in der Psychiatrie. , 2015, , 1-27.		1
134	Genetic Association of Objective Sleep Phenotypes with a Functional Polymorphism in the Neuropeptide S Receptor Gene. <i>PLoS ONE</i> , 2014, 9, e98789.	2.5	27
135	Depression and suicidality in COPD: understandable reaction or independent disorders?. <i>European Respiratory Journal</i> , 2014, 44, 734-743.	6.7	29
136	GENDER AS PREDICTOR AND MODERATOR OF OUTCOME IN COGNITIVE BEHAVIOR THERAPY AND PHARMACOTHERAPY FOR ADULT DEPRESSION: AN "INDIVIDUAL PATIENT DATA" META-ANALYSIS. <i>Depression and Anxiety</i> , 2014, 31, 941-951.	4.1	122
137	Serious suicidal behaviors: Socio-demographic and clinical features in a multinational, multicenter sample. <i>Nordic Journal of Psychiatry</i> , 2014, 68, 44-52.	1.3	19
138	Structural brain changes in early-onset and late-onset depression: An update of volumetric MRI findings. <i>International Journal of Imaging Systems and Technology</i> , 2014, 24, 149-160.	4.1	5
139	Largely unnoticed flaws in the fundamentals of depression diagnosis: The semantics of core symptoms. <i>Australian and New Zealand Journal of Psychiatry</i> , 2014, 48, 1166-1166.	2.3	7
140	Test-Retest Stability of the Onset of Depression Inventory. <i>Psychopathology</i> , 2014, 47, 45-50.	1.5	4
141	Effects of EEG-vigilance regulation patterns on early perceptual processes in human visual cortex. <i>Clinical Neurophysiology</i> , 2014, 125, 98-107.	1.5	19
142	Effectiveness of community facilitator training in improving knowledge, attitudes, and confidence in relation to depression and suicidal behavior: Results of the OSPI-Europe intervention in four European countries. <i>Journal of Affective Disorders</i> , 2014, 165, 142-150.	4.1	69
143	Functional connectivity in major depression: Increased phase synchronization between frontal cortical EEG-source estimates. <i>Psychiatry Research - Neuroimaging</i> , 2014, 222, 91-99.	1.8	108
144	Hyperactivity and sensation seeking as autoregulatory attempts to stabilize brain arousal in ADHD and mania?. <i>ADHD Attention Deficit and Hyperactivity Disorders</i> , 2014, 6, 159-173.	1.7	76

#	ARTICLE	IF	CITATIONS
145	Do we underestimate the benefits of antidepressants?. <i>Lancet, The</i> , 2014, 383, 1361-1362.	13.7	8
146	Cytokine levels in depressed and non-depressed subjects, and masking effects of obesity. <i>Journal of Psychiatric Research</i> , 2014, 55, 29-34.	3.1	127
147	Johann Christian August Heinroth on sleep deprivation as a therapeutic option for depressive disorders. <i>Sleep Medicine</i> , 2014, 15, 1159-1164.	1.6	14
148	Differentiation between free and bound leptin in depressed patients. <i>Psychiatry Research</i> , 2014, 219, 397-399.	3.3	1
149	The vigilance regulation model of affective disorders and ADHD. <i>Neuroscience and Biobehavioral Reviews</i> , 2014, 44, 45-57.	6.1	175
150	Methylphenidate in mania project (MEMAP): study protocol of an international randomised double-blind placebo-controlled study on the initial treatment of acute mania with methylphenidate. <i>BMC Psychiatry</i> , 2013, 13, 71.	2.6	15
151	Developing social capital in implementing a complex intervention: a process evaluation of the early implementation of a suicide prevention intervention in four European countries. <i>BMC Public Health</i> , 2013, 13, 158.	2.9	35
152	The "DGPPN-Cohort" a national collaboration initiative by the German Association for Psychiatry and Psychotherapy (DGPPN) for establishing a large-scale cohort of psychiatric patients. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2013, 263, 695-701.	3.2	17
153	Diffusion imaging-based subdivision of the human hypothalamus: a magnetic resonance study with clinical implications. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2013, 263, 497-508.	3.2	20
154	Treatment of acute mania with methylphenidate: Therapeutic approach based on a new pathophysiological model. <i>Revista De Psiquiatria Y Salud Mental (English Edition)</i> , 2013, 6, 93-94.	0.3	0
155	Altered EEG lagged coherence during rest in obsessive-compulsive disorder. <i>Clinical Neurophysiology</i> , 2013, 124, 2421-2430.	1.5	29
156	P300 in obsessive-compulsive disorder: Source localization and the effects of treatment. <i>Journal of Psychiatric Research</i> , 2013, 47, 1975-1983.	3.1	27
157	Alliances against depression "A community based approach to target depression and to prevent suicidal behaviour. <i>Neuroscience and Biobehavioral Reviews</i> , 2013, 37, 2404-2409.	6.1	83
158	Public attitudes toward depression and help-seeking in four European countries baseline survey prior to the OSPI-Europe intervention. <i>Journal of Affective Disorders</i> , 2013, 150, 320-329.	4.1	129
159	One followed by many?" Long-term effects of a celebrity suicide on the number of suicidal acts on the German railway net. <i>Journal of Affective Disorders</i> , 2013, 146, 39-44.	4.1	53
160	Effectiveness of a telephone management programme for patients discharged from an emergency department after a suicide attempt: Controlled study in a Spanish population. <i>Journal of Affective Disorders</i> , 2013, 147, 269-276.	4.1	78
161	EEG-vigilance regulation during the resting state in obsessive-compulsive disorder. <i>Clinical Neurophysiology</i> , 2013, 124, 497-502.	1.5	16
162	Tratamiento de la manía aguda con metilfenidato: propuesta terapéutica basada en un nuevo modelo fisiopatológico. <i>Revista De Psiquiatria Y Salud Mental</i> , 2013, 6, 93-94.	1.8	7

#	ARTICLE	IF	CITATIONS
163	Separation of Low-Voltage EEG-Activity During Mental Activation from that During Transition to Drowsiness. <i>Brain Topography</i> , 2013, 26, 538-546.	1.8	10
164	Conceptualising the neurobiology of fatigue. <i>Australian and New Zealand Journal of Psychiatry</i> , 2013, 47, 312-316.	2.3	19
165	Fatigue and occupational functioning in major depressive disorder. <i>Australian and New Zealand Journal of Psychiatry</i> , 2013, 47, 989-991.	2.3	14
166	Beside the Geriatric Depression Scale: the WHOâ€œFive Wellâ€œbeing Index as a valid screening tool for depression in nursing homes. <i>International Journal of Geriatric Psychiatry</i> , 2013, 28, 1197-1204.	2.7	47
167	Applying EEG-based vigilance measurement in a case of adult attention deficit hyperactivity disorder. <i>International Journal of Neuropsychopharmacology</i> , 2013, 16, 1169-1171.	2.1	1
168	Cerebrospinal Fluid Melanin-Concentrating Hormone (MCH) and Hypocretin-1 (HCRT-1, Orexin-A) in Alzheimerâ€™s Disease. <i>PLoS ONE</i> , 2013, 8, e63136.	2.5	58
169	Development and Evaluation of an Algorithm for the Computer-Assisted Segmentation of the Human Hypothalamus on 7-Tesla Magnetic Resonance Images. <i>PLoS ONE</i> , 2013, 8, e66394.	2.5	37
170	Antidepressant Utilization and Suicide in Europe: An Ecological Multi-National Study. <i>PLoS ONE</i> , 2013, 8, e66455.	2.5	109
171	Why Has the Continuous Decline in German Suicide Rates Stopped in 2007?. <i>PLoS ONE</i> , 2013, 8, e71589.	2.5	16
172	How to Decrease Suicide Rates in Both Genders? An Effectiveness Study of a Community-Based Intervention (EAAD). <i>PLoS ONE</i> , 2013, 8, e75081.	2.5	53
173	Are antidepressants useful in the treatment of minor depression. <i>Current Opinion in Psychiatry</i> , 2012, 25, 1-6.	6.3	18
174	Review: risperidone, olanzapine and haloperidol are the most effective drugs for acute mania in adults with bipolar I disorder. <i>Evidence-Based Mental Health</i> , 2012, 15, 45-45.	4.5	1
175	The neurobiology and treatment of late-life depression. <i>Handbook of Clinical Neurology</i> / Edited By P J Vinken and G W Bruyn, 2012, 106, 265-278.	1.8	1
176	Validity of suicide statistics in Europe in relation to undetermined deaths: developing the 2-20 benchmark. <i>Injury Prevention</i> , 2012, 18, 321-325.	2.4	51
177	Unstable EEG-vigilance in patients with cancer-related fatigue (CRF) in comparison to healthy controls. <i>World Journal of Biological Psychiatry</i> , 2012, 13, 146-152.	2.6	24
178	Loudness dependence of auditory evoked potentials in patients with borderline personality disorderâ€™Impact of psychopathology. <i>Psychiatry Research</i> , 2012, 199, 181-187.	3.3	9
179	Hyperstable regulation of vigilance in patients with major depressive disorder. <i>World Journal of Biological Psychiatry</i> , 2012, 13, 436-446.	2.6	95
180	Time perception at different EEG-vigilance levels. <i>Behavioral and Brain Functions</i> , 2012, 8, 50.	3.3	14

#	ARTICLE	IF	CITATIONS
181	Onset of Depression Inventory (ODI) – Assessment of the speed of onset of depressive episodes. <i>Journal of Affective Disorders</i> , 2012, 142, 156-160.	4.1	14
182	Tolerability aspects in duloxetine-treated patients with depression: should one use a lower starting dose in clinical practice?. <i>Expert Opinion on Drug Safety</i> , 2012, 11, 699-711.	2.4	2
183	EEG Vigilance Regulation Patterns and Their Discriminative Power to Separate Patients with Major Depression from Healthy Controls. <i>Neuropsychobiology</i> , 2012, 65, 188-194.	1.9	65
184	Sensitivity to changes during antidepressant treatment: a comparison of unidimensional subscales of the Inventory of Depressive Symptomatology (IDS-C) and the Hamilton Depression Rating Scale (HAMD) in patients with mild major, minor or subsyndromal depression. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2012, 262, 291-304.	3.2	26
185	Can effects of antidepressants in patients with mild depression be considered as clinically significant?. <i>Journal of Affective Disorders</i> , 2012, 138, 183-191.	4.1	24
186	Preference of lethal methods is not the only cause for higher suicide rates in males. <i>Journal of Affective Disorders</i> , 2012, 136, 9-16.	4.1	90
187	Structural studies of the hypothalamus and its nuclei in mood disorders. <i>Psychiatry Research - Neuroimaging</i> , 2012, 201, 1-9.	1.8	38
188	Who receives depression-specific treatment? A secondary data-based analysis of outpatient care received by over 780,000 statutory health-insured individuals diagnosed with depression. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2012, 47, 475-486.	3.1	26
189	Depression in the workplace: a systematic review of evidence-based prevention strategies. <i>International Archives of Occupational and Environmental Health</i> , 2012, 85, 1-11.	2.3	31
190	Elektroenzephalographie in der Psychopharmakotherapie. , 2012, , 399-415.		5
191	Brain and Body. <i>Journal of Psychophysiology</i> , 2011, 25, 190-200.	0.7	46
192	Impact of EEG-vigilance on brain glucose uptake measured with [18F]FDG and PET in patients with depressive episode or mild cognitive impairment. <i>NeuroImage</i> , 2011, 56, 93-101.	4.2	49
193	ICA-based muscle artefact correction of EEG data: What is muscle and what is brain?. <i>NeuroImage</i> , 2011, 54, 1-3.	4.2	67
194	ADHD and Bipolar Disorder. <i>Journal of Attention Disorders</i> , 2011, 15, 99-100.	2.6	5
195	Are Treatment Preferences Relevant in Response to Serotonergic Antidepressants and Cognitive-Behavioral Therapy in Depressed Primary Care Patients? Results from a Randomized Controlled Trial Including a Patients' Choice Arm. <i>Psychotherapy and Psychosomatics</i> , 2011, 80, 39-47.	8.8	112
196	Is evaluation of humorous stimuli associated with frontal cortex morphology? A pilot study using facial micro-movement analysis and MRI. <i>Cortex</i> , 2011, 47, 569-574.	2.4	17
197	CSF-hypocretin-1 levels in patients with major depressive disorder compared to healthy controls. <i>Psychiatry Research</i> , 2011, 190, 240-243.	3.3	39
198	Alterations of the early auditory evoked gamma-band response in first-degree relatives of patients with schizophrenia: Hints to a new intermediate phenotype. <i>Journal of Psychiatric Research</i> , 2011, 45, 699-705.	3.1	57

#	ARTICLE	IF	CITATIONS
199	Dopaminergic mechanisms of target detection " P300 event related potential and striatal dopamine. <i>Psychiatry Research - Neuroimaging</i> , 2011, 194, 212-218.	1.8	52
200	Attention to emotion: auditory-evoked potentials in an emotional choice reaction task and personality traits as assessed by the NEO FFI. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2011, 261, 111-120.	3.2	17
201	The Inventory of Depressive Symptomatology (IDS-C28) is more sensitive to changes in depressive symptomatology than the Hamilton Depression Rating Scale (HAM-D17) in patients with mild major, minor or subsyndromal depression. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2011, 261, 357-367.	3.2	19
202	Cholinergic receptor subtypes and their role in cognition, emotion, and vigilance control: An overview of preclinical and clinical findings. <i>Psychopharmacology</i> , 2011, 215, 205-229.	3.1	82
203	Early reduction in painful physical symptoms is associated with improvements in long-term depression outcomes in patients treated with duloxetine. <i>BMC Psychiatry</i> , 2011, 11, 150.	2.6	23
204	Drug suicide: a sex-equal cause of death in 16 European countries. <i>BMC Public Health</i> , 2011, 11, 61.	2.9	20
205	Prestimulus vigilance predicts response speed in an easy visual discrimination task. <i>Behavioral and Brain Functions</i> , 2011, 7, 31.	3.3	19
206	The serotonin transporter availability in untreated early-onset and late-onset patients with obsessive-compulsive disorder. <i>International Journal of Neuropsychopharmacology</i> , 2011, 14, 606-617.	2.1	53
207	Community and Health Professionals' Attitude Toward Depression: a Pilot Study in Nine Eaad Countries. <i>International Journal of Social Psychiatry</i> , 2011, 57, 387-401.	3.1	29
208	Best Practice Elements of Multilevel Suicide Prevention Strategies. <i>Crisis</i> , 2011, 32, 319-333.	1.2	214
209	EEG Vigilance and Phenotypes in Neuropsychiatry. , 2011, , 79-435.		10
210	Mania and attention-deficit/hyperactivity disorder: common symptomatology, common pathophysiology and common treatment?. <i>Current Opinion in Psychiatry</i> , 2010, 23, 1-7.	6.3	85
211	Low Serotonergic Function and Its Normalization by Treatment With Sertraline in Obsessive-Compulsive Disorder-An Auditory Evoked Potential Study. <i>Journal of Clinical Psychopharmacology</i> , 2010, 30, 341-343.	1.4	6
212	Stimulants in Bipolar Disorder: <i>Beyond Common Beliefs</i>. <i>CNS Spectrums</i> , 2010, 15, 469-470.	1.2	8
213	Seasonality of suicide attempts: association with gender. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2010, 260, 393-400.	3.2	30
214	Sustainable effects on suicidality were found for the Nuremberg alliance against depression. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2010, 260, 401-406.	3.2	72
215	Serotonergic functioning as measured by the loudness dependence of auditory evoked potentials is related to a haplotype in the brain-derived neurotrophic factor (BDNF) gene. <i>Journal of Psychiatric Research</i> , 2010, 44, 541-546.	3.1	23
216	Anterior cingulum volumetry, auditory P300 in schizophrenia with negative symptoms. <i>Psychiatry Research - Neuroimaging</i> , 2010, 183, 133-139.	1.8	14

#	ARTICLE	IF	CITATIONS
217	Reducing suicides through an alliance against depression?. <i>General Hospital Psychiatry</i> , 2010, 32, 514-518.	2.4	32
218	Early improvement is a predictor of treatment outcome in patients with mild major, minor or subsyndromal depression. <i>Journal of Affective Disorders</i> , 2010, 120, 86-93.	4.1	101
219	Avoiding the ballistocardiogram (BCG) artifact of EEG data acquired simultaneously with fMRI by pulse-triggered presentation of stimuli. <i>Journal of Neuroscience Methods</i> , 2010, 186, 231-241.	2.5	16
220	Suicide registration in eight European countries: A qualitative analysis of procedures and practices. <i>Forensic Science International</i> , 2010, 202, 86-92.	2.2	54
221	Impact of a campaign on the public's attitudes towards depression. <i>Health Education Research</i> , 2010, 25, 135-150.	1.9	50
222	Effects of pharmacotherapy and psychotherapy in depressed primary-care patients: a randomized, controlled trial including a patients' choice arm. <i>International Journal of Neuropsychopharmacology</i> , 2010, 13, 31.	2.1	93
223	Reduced Early Auditory Evoked Gamma-Band Response in Patients with Schizophrenia. <i>Biological Psychiatry</i> , 2010, 67, 224-231.	1.3	110
224	Treatment of Acute Mania with Modafinil Monotherapy. <i>Biological Psychiatry</i> , 2010, 67, e55-e57.	1.3	38
225	Cerebrospinal fluid hypocretin-1 (orexin A) levels in mania compared to unipolar depression and healthy controls. <i>Neuroscience Letters</i> , 2010, 483, 20-22.	2.1	26
226	EEG-vigilance and response to stimulants in paediatric patients with attention deficit/hyperactivity disorder. <i>Clinical Neurophysiology</i> , 2010, 121, 1511-1518.	1.5	53
227	Depression und SuizidalitÄt. <i>Public Health Forum</i> , 2010, 18, 13-14.	0.2	2
228	Time of mood switches in ultra-rapid cycling disorder: A brief review. <i>Psychiatry Research</i> , 2010, 180, 1-4.	3.3	15
229	Sick leave and depression â€” Determining factors and clinical effect in outpatient care. <i>Psychiatry Research</i> , 2010, 180, 68-73.	3.3	5
230	Improving outpatient care of depression by implementing practice guidelines: a controlled clinical trial. <i>International Journal for Quality in Health Care</i> , 2009, 21, 29-36.	1.8	20
231	Focus on Mental Health Care Reforms in Europe: The European Alliance Against Depression: A Multilevel Approach to the Prevention of Suicidal Behavior. <i>Psychiatric Services</i> , 2009, 60, 596-599.	2.0	43
232	Depression in Nursing Homes: Prevalence, Recognition, and Treatment. <i>International Journal of Psychiatry in Medicine</i> , 2009, 39, 345-358.	1.8	50
233	Inefficient neural activity in patients with schizophrenia and nonpsychotic relatives of schizophrenic patients: Evidence from a working memory task. <i>Journal of Psychiatric Research</i> , 2009, 43, 1185-1194.	3.1	43
234	Optimizing Suicide Prevention Programs and Their Implementation in Europe (OSPI Europe): an evidence-based multi-level approach. <i>BMC Public Health</i> , 2009, 9, 428.	2.9	104

#	ARTICLE	IF	CITATIONS
235	Gender issues in suicide rates, trends and methods among youths aged 15â€“24 in 15 European countries. <i>Journal of Affective Disorders</i> , 2009, 113, 216-226.	4.1	101
236	Screening for depression in the older long-term unemployed. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2009, 44, 622-627.	3.1	29
237	EEG-vigilance and BOLD effect during simultaneous EEG/fMRI measurement. <i>NeuroImage</i> , 2009, 45, 319-332.	4.2	307
238	Integration of EEG and fMRI. <i>On Thinking</i> , 2009, , 95-106.	0.5	3
239	EEG-vigilance differences between patients with borderline personality disorder, patients with obsessive-compulsive disorder and healthy controls. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2008, 258, 137-143.	3.2	57
240	White matter alterations in schizophrenic patients with pronounced negative symptomatology and with positive family history for schizophrenia. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2008, 258, 278-284.	3.2	13
241	Association of catecholâ€methyltransferase variants with loudness dependence of auditory evoked potentials. <i>Human Psychopharmacology</i> , 2008, 23, 115-120.	1.5	18
242	Association of 5â€HT1B receptor polymorphisms with the loudness dependence of auditory evoked potentials in a communityâ€based sample of healthy volunteers. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2008, 147B, 454-458.	1.7	24
243	Electrophysiological evidence for cortical abnormalities in obsessiveâ€compulsive disorder â€ A replication study using auditory event-related P300 subcomponents. <i>Journal of Psychiatric Research</i> , 2008, 42, 297-303.	3.1	32
244	Loudness dependence of the auditory evoked N1/P2 component as an indicator of serotonergic dysfunction in patients with schizophrenia â€ A replication study. <i>Psychiatry Research</i> , 2008, 158, 79-82.	3.3	38
245	Influence of trait anxiety on inhibitory control in alcohol-dependent patients: Simultaneous acquisition of ERPs and BOLD responses. <i>Journal of Psychiatric Research</i> , 2008, 42, 734-745.	3.1	55
246	Single-trial coupling of EEG and fMRI reveals the involvement of early anterior cingulate cortex activation in effortful decision making. <i>NeuroImage</i> , 2008, 42, 158-168.	4.2	133
247	The â€European Alliance Against Depression (EAAD)â€™: A multifaceted, community-based action programme against depression and suicidality. <i>World Journal of Biological Psychiatry</i> , 2008, 9, 51-58.	2.6	101
248	Simultaneous EEG-fMRI: Perspectives in Psychiatry. <i>Clinical EEG and Neuroscience</i> , 2008, 39, 61-64.	1.7	24
249	Association of functional polymorphisms in NOS1 and NOS3 with loudness dependence of auditory evoked potentials. <i>International Journal of Neuropsychopharmacology</i> , 2008, 11, 477-83.	2.1	20
250	Diagnostic Usefulness of Cognitive Auditory Event-Related P300 Subcomponents in Patients With Alzheimers Disease?. <i>Journal of Clinical Neurophysiology</i> , 2008, 25, 147-152.	1.7	52
251	Internetbasierte Kommunikation im Kompetenznetz â€Depression, SuizidalitÃtâ€œ: Erfahrungen und Chancen. , 2008, , 61-72.		1
252	Onset of Depressive Episodes Is Faster in Patients With Bipolar Versus Unipolar Depressive Disorder. <i>Journal of Clinical Psychiatry</i> , 2008, 69, 1075-1080.	2.2	28

#	ARTICLE	IF	CITATIONS
253	Influence of Anxiety on Electrophysiological Correlates of Response Inhibition Capacities in Alcoholism. <i>Clinical EEG and Neuroscience</i> , 2007, 38, 89-95.	1.7	14
254	Prediction of Clinical Response to Antidepressants in Patients with Depression: Neurophysiology in Clinical Practice. <i>Clinical EEG and Neuroscience</i> , 2007, 38, 74-77.	1.7	18
255	Rostral Anterior Cingulate Cortex Activity in the Theta Band Predicts Response to Antidepressive Medication. <i>Clinical EEG and Neuroscience</i> , 2007, 38, 78-81.	1.7	84
256	Loudness dependence of auditory evoked potentials is not associated with polymorphisms or haplotypes in the serotonin transporter gene in a community-based sample of German healthy volunteers. <i>Psychiatry Research</i> , 2007, 153, 183-187.	3.3	7
257	Früherkennung von Depression und Prävention von Suizidalität im Alter. <i>Public Health Forum</i> , 2007, 15, 43-45.	0.2	1
258	Event-Related Potentials in Psychiatry. <i>Clinical EEG and Neuroscience</i> , 2007, 38, 25-34.	1.7	31
259	Hand-Motor Dysfunction in Depression: Characteristics and Pharmacological Effects. <i>Clinical EEG and Neuroscience</i> , 2007, 38, 82-88.	1.7	18
260	Depressive, anxiety, and somatoform disorders in primary care: prevalence and recognition. <i>Depression and Anxiety</i> , 2007, 24, 185-195.	4.1	138
261	Prediction of treatment response in major depression: Integration of concepts. <i>Journal of Affective Disorders</i> , 2007, 98, 215-225.	4.1	142
262	Acute prefrontal rTMS increases striatal dopamine to a similar degree as d-amphetamine. <i>Psychiatry Research - Neuroimaging</i> , 2007, 156, 251-255.	1.8	103
263	Auditory cortex and anterior cingulate cortex sources of the early evoked gamma-band response: Relationship to task difficulty and mental effort. <i>Neuropsychologia</i> , 2007, 45, 2294-2306.	1.6	88
264	[123I] ADAM brainstem binding correlates with the loudness dependence of auditory evoked potentials. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2007, 258, 40-47.	3.2	11
265	Differential Prediction of First Clinical Response to Serotonergic and Noradrenergic Antidepressants Using the Loudness Dependence of Auditory Evoked Potentials in Patients With Major Depressive Disorder. <i>Journal of Clinical Psychiatry</i> , 2007, 68, 1206-1212.	2.2	102
266	[I-123] ADAM and SPECT in patients with borderline personality disorder and healthy control subjects. <i>Journal of Psychiatry and Neuroscience</i> , 2007, 32, 234-40.	2.4	41
267	Symptom-specific EEG power correlations in patients with obsessive-compulsive disorder. <i>International Journal of Psychophysiology</i> , 2006, 62, 87-92.	1.0	53
268	Treatment of depression with atypical features: A meta-analytic approach. <i>Psychiatry Research</i> , 2006, 141, 89-101.	3.3	125
269	The alliance against depression: 2-year evaluation of a community-based intervention to reduce suicidality. <i>Psychological Medicine</i> , 2006, 36, 1225-1233.	4.5	216
270	Antidepressants and suicidality. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2006, 256, 199-200.	3.2	6

#	ARTICLE	IF	CITATIONS
271	Striatal dopamine release after prefrontal repetitive transcranial magnetic stimulation in major depression: Preliminary results of a dynamic [123I] IBZM SPECT study. <i>Journal of Psychiatric Research</i> , 2006, 40, 307-314.	3.1	161
272	Improving quality of care for depression: the German Action Programme for the implementation of evidence-based guidelines. <i>International Journal for Quality in Health Care</i> , 2006, 18, 113-119.	1.8	30
273	A Ser9Gly Polymorphism in the Dopamine D3 Receptor Gene (DRD3) and Event-Related P300 Potentials. <i>Neuropsychopharmacology</i> , 2006, 31, 1335-1344.	5.4	58
274	Event Related Potentials and fMRI in Neuropsychopharmacology. <i>Clinical EEG and Neuroscience</i> , 2006, 37, 99-107.	1.7	12
275	Facial Expressions and Personality: A Kinematical Investigation during an Emotion Induction Experiment. <i>Neuropsychobiology</i> , 2006, 54, 114-119.	1.9	7
276	Affektive Störungen Neurobiologie. , 2006, , 423-446.		1
277	Electroencephalographic Abnormalities Associated With Antidepressant Treatment. <i>Journal of Clinical Psychiatry</i> , 2006, 67, 325-326.	2.2	11
278	Früherkennung und Awareness. , 2006, , 371-386.		1
279	Die Situation Hinterbliebener nach Suizid. <i>Verhaltenstherapie</i> , 2005, 15, 47-53.	0.4	4
280	Depression und Suizidalität. <i>Verhaltenstherapie</i> , 2005, 15, 6-11.	0.4	2
281	Differential effects of reboxetine and citalopram on hand-motor function in patients suffering from major depression. <i>Psychopharmacology</i> , 2005, 178, 58-66.	3.1	15
282	Can a subgroup of OCD patients with motor abnormalities and poor therapeutic response be identified?. <i>Psychopharmacology</i> , 2005, 179, 826-837.	3.1	14
283	Suizid und Internet. <i>Verhaltenstherapie</i> , 2005, 15, 20-26.	0.4	5
284	How Effective is Advanced Training Concerning Depression and Suicidality among the Elderly? Results of a Pilot Study. <i>Archives of Suicide Research</i> , 2005, 9, 11-17.	2.3	17
285	Suicide Prevention by Lithium Supplements: Challenges of a Multi-center Prospective Study. <i>Archives of Suicide Research</i> , 2005, 9, 27-34.	2.3	17
286	Suicide Prevention Strategies. <i>JAMA - Journal of the American Medical Association</i> , 2005, 294, 2064.	7.4	2,352
287	SERT and DAT availabilities under citalopram treatment in obsessive-compulsive disorder (OCD). <i>European Neuropsychopharmacology</i> , 2005, 15, 521-524.	0.7	38
288	Sound level dependence of the primary auditory cortex: Simultaneous measurement with 61-channel EEG and fMRI. <i>NeuroImage</i> , 2005, 28, 49-58.	4.2	162

#	ARTICLE	IF	CITATIONS
289	The German Research Network on Depression and Suicidality. Archives of Suicide Research, 2005, 9, 3-9.	2.3	10
290	Evidence for a close relationship between conscious effort and anterior cingulate cortex activity. International Journal of Psychophysiology, 2005, 56, 65-80.	1.0	128
291	Suizidales Verhalten und Suizid. Verhaltenstherapie, 2005, 15, 4-5.	0.4	5
292	Clinical Neurophysiology Services in Psychiatry Departments. Psychiatric Services, 2005, 56, 871-871.	2.0	16
293	Kinematical Analysis of Motor Function in Schizophrenic Patients: a Possibility to Separate Negative Symptoms from Extrapyramidal Dysfunction Induced by Neuroleptics?. Pharmacopsychiatry, 2004, 37, 110-118.	3.3	14
294	Serotonin and Dopamine Transporter Availabilities Correlate with the Loudness Dependence of Auditory Evoked Potentials in Patients with Obsessive-Compulsive Disorder. Neuropsychopharmacology, 2004, 29, 1910-1917.	5.4	53
295	Depression with atypical features in a sample of primary care outpatients: prevalence, specific characteristics and consequences. Journal of Affective Disorders, 2004, 83, 237-242.	4.1	29
296	Use of brief depression screening tools in primary care: consideration of heterogeneity in performance in different patient groups. General Hospital Psychiatry, 2004, 26, 190-198.	2.4	116
297	Screening for depression in primary care: Will one or two items suffice?. European Archives of Psychiatry and Clinical Neuroscience, 2004, 254, 215-23.	3.2	63
298	Should combined pharmaco- and psychotherapy be offered to depressed patients?. European Archives of Psychiatry and Clinical Neuroscience, 2004, 254, 99-107.	3.2	35
299	Effects of sertraline on kinematic aspects of hand movements in patients with obsessive-compulsive disorder. Psychopharmacology, 2004, 171, 179-185.	3.1	17
300	Integration of fMRI and simultaneous EEG: towards a comprehensive understanding of localization and time-course of brain activity in target detection. NeuroImage, 2004, 22, 83-94.	4.2	555
301	EEG abnormalities associated with antipsychotics: a comparison of quetiapine, olanzapine, haloperidol and healthy subjects. Human Psychopharmacology, 2003, 18, 641-646.	1.5	72
302	Serotonergic dysfunction in schizophrenia assessed by the loudness dependence measure of primary auditory cortex evoked activity. Schizophrenia Research, 2003, 64, 115-124.	2.0	82
303	Elevated brain serotonin transporter availability in patients with obsessive-compulsive disorder. Biological Psychiatry, 2003, 54, 1406-1413.	1.3	108
304	Identifying depression in primary care: a comparison of different methods in a prospective cohort study. BMJ: British Medical Journal, 2003, 326, 200-201.	2.3	243
305	Allelic Variants of the Functional Promoter Polymorphism of the Human Serotonin Transporter Gene is Associated with Auditory Cortical Stimulus Processing. Neuropsychopharmacology, 2003, 28, 530-532.	5.4	70
306	The evaluation of suicide prevention activities: State of the art. World Journal of Biological Psychiatry, 2003, 4, 156-165.	2.6	40

#	ARTICLE	IF	CITATIONS
307	Epileptiform EEG Patterns Induced by Mirtazapine in Both Psychiatric Patients and Healthy Volunteers. <i>Journal of Clinical Psychopharmacology</i> , 2003, 23, 421-422.	1.4	11
308	Kinematic Analysis of the Effects of Donepezil Hydrochloride on Hand Motor Function in Patients with Alzheimer Dementia. <i>Journal of Clinical Psychopharmacology</i> , 2003, 23, 214-216.	1.4	11
309	P300 subcomponents in obsessive-compulsive disorder. <i>Journal of Psychiatric Research</i> , 2002, 36, 399-406.	3.1	48
310	P300 subcomponents and clinical symptoms in schizophrenia. <i>International Journal of Psychophysiology</i> , 2002, 43, 237-246.	1.0	34
311	Identification of a Naturally Occurring Polymorphism in the Promoter Region of the Norepinephrine Transporter and Analysis in Major Depression. <i>Neuropsychopharmacology</i> , 2002, 26, 489-493.	5.4	93
312	Investigation of a possible diencephalic pathology in schizophrenia. <i>Psychiatry Research - Neuroimaging</i> , 2002, 115, 127-135.	1.8	22
313	Handedness and corpus callosum morphology. <i>Psychiatry Research - Neuroimaging</i> , 2002, 116, 33-42.	1.8	23
314	Value of event-related P300 subcomponents in the clinical diagnosis of mild cognitive impairment and Alzheimer's Disease. <i>Psychophysiology</i> , 2002, 39, 175-181.	2.4	109
315	Screening for depression in adult acne vulgaris patients: tools for the dermatologist. <i>Journal of Cosmetic Dermatology</i> , 2002, 1, 202-207.	1.6	20
316	Corpus callosum and P300 in schizophrenia. <i>Schizophrenia Research</i> , 2001, 49, 107-119.	2.0	26
317	In-vivo analysis of the human planum temporale (PT): does the definition of PT borders influence the results with regard to cerebral asymmetry and correlation with handedness?. <i>Psychiatry Research - Neuroimaging</i> , 2001, 107, 99-115.	1.8	36
318	Prefrontal Cortex Modulation of Mood and Emotionally Induced Facial Expressions. <i>Journal of Neuropsychiatry and Clinical Neurosciences</i> , 2001, 13, 206-212.	1.8	31
319	P300 and symptom improvement in schizophrenia. <i>Psychopharmacology</i> , 2001, 158, 55-65.	3.1	47
320	Association of an Interleukin-1 β Genetic Polymorphism With Altered Brain Structure in Patients With Schizophrenia. <i>American Journal of Psychiatry</i> , 2001, 158, 1316-1319.	7.2	110
321	Identifying psychiatric patients with serotonergic dysfunctions by event-related potentials. <i>World Journal of Biological Psychiatry</i> , 2000, 1, 112-118.	2.6	25
322	Platelet Monoamine Oxidase Activity in Alcoholics with and without a Family History of Alcoholism. <i>European Addiction Research</i> , 2000, 6, 57-63.	2.4	11
323	Periodic Motor Impairments in a Case of 48-Hour Bipolar Ultrarapid Cycling before and under Treatment with Valproate. <i>Neuropsychobiology</i> , 2000, 42, 38-42.	1.9	4
324	Loudness dependence of auditory evoked potentials in obsessive-compulsive disorder: a pilot study. <i>Psychiatry Research</i> , 2000, 93, 209-216.	3.3	11

#	ARTICLE	IF	CITATIONS
325	Digitized analysis of abnormal handâ€“motor performance in schizophrenic patients. Schizophrenia Research, 2000, 45, 133-143.	2.0	52
326	Clinical and Biological Findings in a Case With 48-Hour Bipolar Ultrarapid Cycling Before and During Valproate Treatment. Journal of Clinical Psychiatry, 2000, 61, 585-593.	2.2	34
327	Neurochemical Substrates and Neuroanatomical Generators of the Event-Related P300. Neuropsychobiology, 1999, 40, 86-94.	1.9	172
328	Digitized analysis of handwriting and drawing movements in healthy subjects: methods, results and perspectives. Journal of Neuroscience Methods, 1999, 90, 157-169.	2.5	90
329	Auditory Evoked Potentials Reflect Serotonergic Neuronal Activityâ€“A Study in Behaving Cats Administered Drugs Acting on 5-HT1A Autoreceptors in the Dorsal Raphe Nucleus. Neuropsychopharmacology, 1999, 21, 710-716.	5.4	163
330	P300 subcomponents reflect different aspects of psychopathology in schizophrenia. Biological Psychiatry, 1999, 45, 116-126.	1.3	57
331	Stability of the mismatch negativity under different stimulus and attention conditions. Clinical Neurophysiology, 1999, 110, 317-323.	1.5	96
332	Markers from event-related potential subcomponents and reaction time for information processing dysfunction in schizophrenia. European Archives of Psychiatry and Clinical Neuroscience, 1998, 248, 307-313.	3.2	22
333	Ereigniskorrelierte Potentiale. , 1998, , 95-140.		1
334	Electroencephalography as a Diagnostic Instrument in Alzheimer's Disease: Reviews and Perspectives. International Psychogeriatrics, 1997, 9, 237-246.	1.0	19
335	Dipole source analysis of P300 component of the auditory evoked potential: a methodological advance?. Psychiatry Research - Neuroimaging, 1997, 74, 109-118.	1.8	64
336	Auditory-evoked potentials as indicator of brain serotonergic activity first evidence in behaving cats. Biological Psychiatry, 1997, 41, 1181-1195.	1.3	215
337	Dipole localization and test-retest reliability of frequency and duration mismatch negativity generator processes. Brain Topography, 1997, 10, 3-8.	1.8	69
338	Serotonergic ethanol effects and auditory evoked dipole activity in alcoholic and healthy subjects. Psychiatry Research, 1996, 63, 47-55.	3.3	35
339	Residual symptoms and P300 in schizophrenic outpatients. Psychiatry Research, 1996, 65, 23-32.	3.3	65
340	Intensity dependence of auditory evoked potentials in behaving cats. Electroencephalography and Clinical Neurophysiology - Evoked Potentials, 1996, 100, 527-537.	2.0	28
341	The tridimensional personality questionnaire and the intensity dependence of auditory evoked dipole source activity. Biological Psychiatry, 1995, 37, 311-317.	1.3	55
342	Sensory cortical processing and the biological basis of personality. Biological Psychiatry, 1995, 37, 467-472.	1.3	57

#	ARTICLE	IF	CITATIONS
343	Ventricle size and P300 in schizophrenia. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 1994, 243, 352-354.	3.2	11
344	Intensity dependence of auditory evoked dipole source activity. <i>International Journal of Psychophysiology</i> , 1994, 17, 1-13.	1.0	124
345	Intensity dependence of auditory evoked potentials as an indicator of central serotonergic neurotransmission: A new hypothesis. <i>Biological Psychiatry</i> , 1993, 33, 173-187.	1.3	449
346	Auditory evoked potentials as possible predictors of outcome in schizophrenic outpatients. <i>International Journal of Psychophysiology</i> , 1988, 6, 207-214.	1.0	13